



Air Pollution Control District  
San Luis Obispo County

3433 Roberto Court, San Luis Obispo, CA 93401  
805-781-5912 – FAX: 805-781-1002

## Naturally Occurring Asbestos (NOA) Fees

Projects where Naturally Occurring Asbestos such as serpentine rock is likely to be found are subject to the State Asbestos Airborne Toxic Control Measure (ATCM) for Construction, Grading, Quarrying, and Surface Mining Operations. Grading projects in the APCD planning area for serpentine rock will require prior District approval of an exemption from the ATCM or an Asbestos Dust Mitigation Plan

Effective July 1, 2024, the revised project review fees by the San Luis Obispo County Air Pollution Control District (APCD) are as follows:

	Basic fee				Additional Fee	
	Geological Evaluation and Full Exemption	Geological Evaluation and Conditional Exemption	Geological Evaluation and one (1.0) acre or less	Geological Evaluation and more than one (1.0) acre	Dust Control Plan Review and Approval	Dust Control Plan Review and Approval with Monitoring
Construction and Grading	\$297.16	\$594.31	\$693.37	\$792.42	\$396.21	\$594.31
Quarrying and Surface Mining	\$297.16	\$594.31	\$693.37	\$792.42	\$396.21	\$594.31
Road Maintenance	\$297.16	\$594.31	\$693.37	\$792.42	\$396.21	\$594.31

Prior to any grading activities at your site, a geologic analysis may be necessary to determine if serpentine rock is present. All subject project applicants should complete an exemption form or the Construction and Grading Project form. These forms, maps, and additional information can be found on the District web site at: [slocleanair.org](http://slocleanair.org).

In order to process the review of your project in the shortest time possible, please contact the District immediately at 805-781-5912

Please note that any necessary APCD staff time or resources expended to provide state regulation compliance determinations to any person, regardless of permit status, may be charged at a rate which reflects labor costs as set by the Air Pollution Control Board and actual costs incurred by the APCD.