



ORGANIC LIQUID STORAGE – INTERNAL FLOATING ROOF TANK FITTINGS

INSTRUCTIONS: Fill in all spaces. Copy forms if needed.

Organization Name _____

Description		Tank ID Number			
		Number	Number	Number	Number
Access hatch (24 in. Diameter)	Bolted Cover, Gasketed				
	Unbolted Cover, Gasketed				
	Unbolted Cover, Ungasketed				
Automatic Gauge Float Well	Bolted Cover, Gasketed				
	Unbolted Cover, Gasketed				
	Unbolted Cover, Ungasketed				
Column Well (24 in. Diameter)	Built-up Column – Sliding Cover, Ungasketed				
	Pipe Column – Flex. Fabric Sleeve Seal				
	Pipe Column – Sliding Cover, Gasketed				
	Pipe Column – Sliding Cover, Ungasketed				
	Built-up Column – Sliding Cover, Gasketed				
Ladder Well (36 in. Diameter)	Sliding Cover, Gasketed				
	Sliding Cover, Ungasketed				
Roof Leg or Hanger Well	Adjustable				
	Fixed				
Sample Pipe or Well (24 in. Diameter)	Slit Fabric Seal 10% Open				
	Slotted Pipe – Sliding Cover, Gasketed				
	Slotted Pipe – Sliding Cover, Ungasketed				
Stub Drain (1 in. Diameter)	N/A				
Vacuum Beaker (10 in. Diameter)	Weighted Mechanical Actuation, Gasketed				
	Weighted Mechanical Actuation, Ungasketed				

(1) Report the number of roof fittings of each type. Choose the best option to describe your roof fittings.

(APCD Use Only)

Appl. No.	
-----------	--

ORGANIC LIQUID STORAGE – INTERNAL FLOATING ROOF TANK FITTINGS

Description		Tank ID Number			
Fitting	Type ⁽¹⁾	Number	Number	Number	Number
Access hatch (24 in. Diameter)	Bolted Cover, Gasketed				
	Unbolted Cover, Gasketed				
	Unbolted Cover, Ungasketed				
Gauge Float Well (20 in. Diameter)	Bolted Cover, Gasketed				
	Unbolted Cover, Gasketed				
	Unbolted Cover, Ungasketed				
Gauge-Hatch /Sample Well (8 in. Diameter)	Weighted Mechanical Actuation, Gasketed				
	Weighted Mechanical Actuation, Ungasketed				
Roof Drain (3 in. Diameter)	90% Closed				
	Open				
Roof Leg (2-1/2 in. Diameter)	Adjustable, Double Deck Roofs				
	Adjustable, Center Area				
	Adjustable, Pontoon Area				
	Fixed				
Roof Leg (3 in. Diameter)	Adjustable, Double Deck Roofs				
	Adjustable, Center Area				
	Adjustable, Pontoon Area				
	Fixed				
Slotted Guide-Pole/Sample Well	Ungasketed Sliding Cove, Without Float				
	Gasketed Sliding Cove, With Float				
	Gasketed Sliding Cove, Without Float				
	Ungasketed Sliding Cove, With Float				
Unslotted Guide-Pole Well	Gasketed Sliding Cover				
	Ungasketed Sliding Cover				
Vacuum Beaker (10 in. Diameter)	Weighted Mechanical Actuation, Gasketed				
	Weighted Mechanical Actuation, Ungasketed				

(1) Report the number of roof fittings of each type. Choose the best option to describe your roof fittings.

(APCD Use Only)

Appl. No.	
-----------	--