

SAN LUIS OBISPO COUNTY AIR POLLUTION CONTROL DISTRICT

RULE 601 - NEW SOURCE PERFORMANCE STANDARDS (NSPS)*(Adopted 6/8/81; Revised 2/23/88, 9/04/90, 1/24/96, and 5/28/97)***A. Incorporation of Federal Standards**

The provisions of Part 60, Chapter I, Title 40 of the Code of Federal Regulations (40 CFR Part 60), which are in effect on May 28, 1997, are incorporated herein as part of the Rules and Regulations of the San Luis Obispo County Air Pollution Control District. Applicable provisions of 40 CFR Part 60 include those incorporated in the current bound CFR volume plus any provisions recently promulgated by EPA, as noticed in the Federal Register, but not yet incorporated into the bound CFR. Where there are currently effective provisions which are not yet included in the bound CFR volume, the Federal Register notice by which each provision was promulgated is referenced in the affected subpart of 601.D of this Rule.

B. Applicability

All new stationary sources of air pollution, and all modified or reconstructed stationary sources of air pollution shall comply with the standards, criteria, and requirements set forth herein. Whenever any source is subject to more than one rule, regulation, provision or requirement relating to the control of any air contaminant, the most stringent provision shall apply.

C. "Administrator" means "APCO"

For the purpose of this Rule, the word "Administrator" as used in 40 CFR Part 60 shall mean the Air Pollution Control Officer (APCO) of the District, except where the reference to "Administrator" relates to approval of alternate or equivalent test methods or alternative work practices/standards.

D. List of Incorporated CFR Provisions

The following table lists all 40 CFR Part 60 provisions which are incorporated in their entirety as part of this Rule. Federal Register (FR) references are to currently effective provisions promulgated or revised by EPA, but not yet incorporated into the currently available CFR volume. Notations in this list indicate deviations from the EPA-promulgated provisions found in the CFR which have been adopted by the District Board for inclusion in this Rule.

<u>CFR Subpart</u>	<u>Title</u>
Subpart A	General Provisions
Subpart C	Emission Guidelines and Compliance Times
Subpart Ca	Emissions Guidelines and Compliance Times for Municipal Waste Combustors
Subpart Cb	Emissions Guidelines and Compliance Times for Municipal Waste Combustors That Are Constructed on or Before December 19, 1995
Subpart Cc	Emissions Guidelines and Compliance Times for Municipal Solid Waste Landfills
Subpart Cd	Emissions Guidelines and Compliance Times for Sulfuric Acid Production Units
Subpart D	Standards of Performance of Fossil-Fuel-Fired Steam Generators for which Construction is Commenced after August 17, 1971

Subpart Da	Standards of Performance for Electric Utility Steam Generating Units for which Construction is Commenced after September 18, 1978
NOTE: The 30-day emissions averaging periods specified in the Federal Standard are replaced with 24-hour emissions averaging periods for affected facilities in the District.	
Subpart Db	Standards of Performance For Industrial-Commercial-Institutional Steam Generating Units
Note: The 30-day emissions averaging periods specified in the federal standard are replaced with 24-hour emissions averaging periods for affected facilities in the District	
Subpart Dc	Standards of Performance for Small Industrial-Commercial-Institutional Steam Generators
Note: The 30-day emissions averaging periods specified in the federal standard are replaced with 24-hour emissions averaging periods for affected facilities in the District	
Subpart E	Standards of Performance for Incinerators
Subpart Ea	Standards of Performance for Municipal Waste Combustors for which Construction is Commenced after December 20, 1989 and on or before September 20, 1994
Subpart Eb	Standards of Performance for Municipal Waste Combustors for Which Construction is Commenced after September 20, 1994
Subpart F	Standards of Performance for Portland Cement Plants
Subpart G	Standards of Performance for Nitric Acid Plants
Subpart H	Standards of Performance for Sulfuric Acid Plants
Subpart I	Standards of Performance for Hot Mix Asphalt Facilities
Subpart J	Standards of Performance for Petroleum Refineries
Subpart K	Standards of Performance for Storage Vessels for Petroleum Liquids for Which Construction, Reconstruction, or Modification Commenced After June 11, 1973, and Prior to May 19, 1978
Subpart Ka	Standards of Performance for Storage Vessels for Petroleum Liquids for Which Construction, Reconstruction, or Modification Commenced After May 18, 1978, and Prior to July 23, 1984
Subpart Kb	Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction or Modification Commenced After July 23, 1984
Subpart L	Standards of Performance for Secondary Lead Smelters
Subpart M	Standards of Performance for Secondary Brass and Bronze Production Plants
Subpart N	Standards of Performance for Primary Emissions from Basic Oxygen Process Furnaces for Which Construction is Commenced after June 11, 1973.
Subpart Na	Standards of Performance for Secondary Emissions from Basic Oxygen Process Steelmaking Facilities for Which Construction is Commenced after January 20, 1983
Subpart O	Standards of Performance for Sewage Treatment Plants

Subpart P	Standards of Performance for Primary Copper Smelters
Subpart Q	Standards of Performance for Primary Zinc Smelters
Subpart R	Standards of Performance for Primary Lead Smelters
Subpart S	Standards of Performance for Primary Aluminum Reduction Plants
Subpart T	Standards of Performance for the Phosphate Fertilizer Industry: Wet-Process Phosphoric Acid Plants
Subpart U	Standards of Performance for the Phosphate Fertilizer Industry: Superphosphoric Acid Plants
Subpart V	Standards of Performance for the Phosphate Fertilizer Industry: Diammonium Phosphate Plants
Subpart W	Standards of Performance for the Phosphate Fertilizer Industry: Triple Superphosphate Plants
Subpart X	Standards of Performance for the Phosphate Fertilizer Industry: Granular Triple Superphosphate Storage Facilities
Subpart Y	Standards of Performance for Coal Preparation Plants
Subpart Z	Standards of Performance for Ferroalloy Production Facilities
Subpart AA	Standards of Performance for Steel Plants: Electric Arc Furnaces Constructed after October 21, 1974, and on or Before August 17, 1983
Subpart AAa	Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983
Subpart BB	Standards of Performance for Kraft Pulp Mills
Subpart CC	Standards of Performance for Glass Manufacturing Plants
Subpart DD	Standards of Performance for Grain Elevators
Subpart EE	Standards of Performance for Surface Coating of Metal Furniture
NOTE: The 30-day emissions averaging periods specified in the Federal Standard are replaced with 24-hour emissions averaging periods for affected facilities in the District.	
Subpart GG	Standards of Performance for Stationary Gas Turbines
Subpart HH	Standards of Performance for Lime Manufacturing Plants
Subpart KK	Standards of Performance for Lead-Acid Battery Manufacturing Plants
Subpart LL	Standards of Performance for Metallic Mineral Processing Plants
Subpart MM	Standards of Performance for Automobile and Light-Duty Truck Surface Coating Operations
NOTE: The 30-day emissions averaging periods specified in the Federal Standard are replaced with 24-hour emissions averaging periods for affected facilities in the District.	
Subpart NN	Standards of Performance for Phosphate Rock Plants

Subpart PP	Standards of Performance for Ammonium Sulfate Manufacture
Subpart QQ	Standards of Performance for the Graphic Arts Industry: Publication Rotogravure Printing
NOTE: The 30-day emissions averaging periods specified in the Federal Standard are replaced with 24-hour emissions averaging periods for affected facilities in the District.	
Subpart RR	Standards of Performance for Pressure Sensitive Tape and Label Surface Coating Operations
NOTE: The 30-day emissions averaging periods specified in the Federal Standard are replaced with 24-hour emissions averaging periods for affected facilities in the District.	
Subpart SS	Standards of Performance for Industrial Surface Coating: Large Appliances
NOTE: The 30-day emissions averaging periods specified in the Federal Standard are replaced with 24-hour emissions averaging periods for affected facilities in the District.	
Subpart TT	Standards of Performance for Metal Coil Surface Coating
NOTE: The 30-day emissions averaging periods specified in the Federal Standard are replaced with 24-hour emissions averaging periods for affected facilities in the District.	
Subpart UU	Standards of Performance for Asphalt Processing and Asphalt Roofing Manufacture
Subpart VV	Standards of Performance for Asphalt Processing and Asphalt Roofing Manufacture
Subpart WW	Standards of Performance for the Beverage Can Surface Coating Industry
NOTE: The 30-day emissions averaging periods specified in the Federal Standard are replaced with 24-hour emissions averaging periods for affected facilities in the District.	
Subpart AAA	Standards of Performance for New Residential Wood Heaters
Subpart BBB	Standards of Performance for the Rubber Tire Manufacturing Industry
Subpart DDD	Standards of Performance for Volatile Organic Compound (VOC) Emissions from the Polymer Manufacturing Industry
Subpart FFF	Standards of Performance for Flexible Vinyl and Urethane Coating and Printing
NOTE: The 30-day emissions averaging periods specified in the Federal Standard are replaced with 24-hour emissions averaging periods for affected facilities in the District.	
The monthly basis used to calculate the VOC content from the source performance test in the Federal Standard is replaced with a 24-hour period to demonstrate compliance on a daily basis for affected facilities in the District.	
Subpart GGG	Standards of Performance for Equipment Leaks of VOC in Petroleum Refineries
Subpart HHH	Standards of Performance for Synthetic Fiber Production Facilities
NOTE: The six-month rolling average basis specified in the Federal Standard is replaced with 24-hour emission averaging periods for affected facilities in the District	
Subpart III	Standards of Performance for Volatile Organic Compound (VOC) Emissions From the Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit

	Process
Subpart JJJ	Standards of Performance for Petroleum Dry Cleaners
Subpart KKK	Standards of Performance for Equipment Leaks of VOC From Onshore Natural Gas Processing Plants
Subpart LLL	Standards of Performance for Onshore Natural Gas Processing; SO ₂ Emissions
Subpart NNN	Standards of Performance for Volatile Organic Compound (VOC) Emissions From Synthetic Organic Chemical Manufacturing Industry (SOCMI) Distillation Operations
Subpart OOO	Standards of Performance for Nonmetallic Mineral Processing Plants
Subpart PPP	Standards of Performance for Wool Fiberglass Insulation Manufacturing Plants
Subpart QQQ	Standards of Performance for VOC Emissions from Petroleum Refinery Wastewater Systems
Subpart RRR	Standards of Performance for Volatile Organic Compound Emissions from Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes
Subpart SSS	Standards of Performance for Magnetic Tape Coating Facilities
Subpart TTT	Standards of Performance for Industrial Surface Coating: Surface Coating of Plastic Parts for Business Machines
Subpart UUU	Standards of Performance for Calciners and Dryers in Mineral Industries
Subpart VVV	Standards of Performance for Polymeric Coating of Supporting Substrates Facilities
Subpart WWW	Standards of Performance for Municipal Solid Waste Landfills
Appendix A	Test Methods
Appendix B	Performance Specifications
Appendix D	Required Emission Inventory Information
Appendix F	Quality Assurance Procedures
Appendix I	Removable Label and Owners Manual