

Wheel						Model				Additional Parts Req		Snow Chains		Balance Weights		Valve		TPM Sensors		Option		Specifications																													
Style	Size	Part Number	Description	Weight (kg)	CFS	CFS Speed	CGT	CGT GT60	CGT Speed	CGTC	Super Sports	Hubcap	Centre Badge	Center Cap	Wheel Bolts	Roadwheel Bolt Covers	RH 20248	3W0 860 907	3W0 860 907A	3Y0860907B	TAB 000 203AP	TAB 034 052	311 601 361	4D0 601 361B	3W8 601 361A	3W0 601 367	4F0 907 275C	4F0 907 275H	4F0 907 275B	4F0 907 275D	JNV 018 927	RH40109	JNV 600 025	775 kg	57 mm	15 x 5 mm	112 mm														
																	Snow Chains	Rudd Centrax	Spike Spider	Autoscock	Stick-on	Clip-on	Rubber	TPMS	TPMS	Branded Valve Caps	315 MHz 2006 >> 2009	315 MHz 2009 >>	433 MHz 2006 >> 2009	433 MHz 2009 >>	Tyre Cradles	Self Leveling Wheel Badge	Wheel Covers (bags)	Wheel Load	Chr Spigot Dia.	Bolt hole Dia.	Pitch Circle Dia.														
	20 x 9J H2 ET41	3W0 601 025S	7 spoke 20 inch 1 piece Silver Painted Machined Finish	13.00	✓	✓	✓	✓	✓	✓	✓	3W0 601 161M	3W0 601 170F	N/A	8D0601139D	N/A	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓									
	20 x 9J H2 ET41	3W0 601 025AA	7 spoke 20 inch 1 piece Chromed	13.00	✓	✓	✓	✓	✓	✓	✓	3W0 601 161P	3W0 601 170F	N/A	8D0601139D	N/A	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
	20 x 9J H2 ET41	3W0 601 025AG	7 spoke 20 inch 2 piece Silver Painted Polished Rim	14.70	✓	✓	✓	✓	✓	✓	✓	3W0 601 161A	N/A	N/A	8D0601139D	N/A	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
	20 x 9J H2 ET41	3W0 601 025AM	7 spoke 20 inch 2 piece Silver Painted Machined Rim	14.70	✓	✓	✓	✓	✓	✓	✓	3W0 601 161A	N/A	N/A	8D0601139D	N/A	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
	20 x 9J H2 ET41	JNV 601 025E NLA	10 spoke 20 inch 2 piece Black Painted Polished Rim	14.70	✓	✓	✓	✓	✓	✓	✓	JNV 601 161	N/A	N/A	8D0601139D	N/A	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
	20 x 9J H2 ET41	3W0 601 025CB	14 spoke 20 inch 1 piece Polished (Graphite)	13.90	✓	✓	✓	✓	✓	✓	✓	3W0 601 161Q	3W0 601 170D	N/A	WHT001812	N/A	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
	20 x 9J H2 ET41	3W0 601 025AB / BP	14 spoke 20 inch 1 piece Painted (Graphite)	14.90	✓	✓	✓	✓	✓	✓	✓	3W0 601 161DD	3W0 601 170F	N/A	WHT001812	N/A	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
	20 x 9J H2 ET41	3W0 601 025AH	14 spoke 20 inch 1 piece Chromed	14.90	✓	✓	✓	✓	✓	✓	✓	3W0 601 161AB	3W0 601 170D	N/A	WHT001812	N/A	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
	20 x 9.5J H2 ET41	3W0 601 025BT	13 spoke 20 inch 1 piece Silver Painted	14.50	✓	✓	✓	✓	✓	✓	✓	N/A	3W0601149	N/A	8D0601139D	8D0 600 026C	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
	20 x 9.5J H2 ET41	3W0 601 025CA	13 spoke 20 inch 1 piece Dark Chrome Painted	14.50	✓	✓	✓	✓	✓	✓	✓	N/A	3W0601149	N/A	8D0601139D	8D0 600 026C	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	20 x 9J H2 ET41	JNV 601 025F	10 spoke 20 inch 2 piece Silver Painted Polished Rim	15.20	✓	✓	✓	✓	✓	✓	✓	N/A	PD 112544PA	N/A	8D0601139D	8D0 600 026C	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	20 x 9J H2 ET41	JNV 601 025G	10 spoke 20 inch 2 piece Black Painted Polished Rim	15.20	✓	✓	✓	✓	✓	✓	✓	N/A	PD 112544PA	N/A	8D0601139D	JNV 600 026	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	20 x 9J H2 ET41	3W0 601 025BA	7 spoke 20 inch 2 piece Silver Painted	15.60	✓	✓	✓	✓	✓	✓	✓	3W0 601 161A	3W0 601 170D	N/A	8D0601139D	N/A	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9.5J x 20 ET41	3W0601025BR Front 3W0601025BS Rear	WHEEL 20 X 9.5J ET41 FRONT WHEEL 20 X 9.5J ET21 REAR	15.00	✓	✓	✓	✓	✓	✓	✓	N/A	3W0601149	N/A	8D0601139D	1Z060026D	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9.5J x 20 ET41	3W0601025CK Front 3W0601025CL Rear	WHEEL 20 X 9.5J ET41 FRONT WHEEL 20 X 9.5J ET21 REAR	15.00	✓	✓	✓	✓	✓	✓	✓	N/A	3W0601149	N/A	8D0601139D	1Z060026D	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9.5J x 20 ET41	3W0601025CM Front 3W0601025CN Rear	WHEEL 20 X 9.5J ET41 FRONT WHEEL 20 X 9.5J ET21 REAR	15.00	✓	✓	✓	✓	✓	✓	✓	N/A	3W0601149	N/A	8D0601139D	1Z060026D	X	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Please refer to tyre applicability matrix

Front only to be fitted to None Supersprts



Front only to be fitted to None Supersprts

Front only to be fitted to None Supersprts

Continental GT / GTC and CFS Tyre Matrix

- * Pirelli PZero was developed for rim width 9.5J
- * Pirelli PZero Rosso tyre was developed for rim width 9.0J
- * Fitting a PZero tyre to a 9.0J rim may compromise vehicle ride comfort and steering feel, but remains functionally acceptable.
- * Fitting a PZero Rosso tyre to a 9.5J rim may cause uneven tyre wear and is **NOT PERMITTED**
- * Yokohama 255/40 R20 101W M+S has been superseded by Pirelli 275/35 R20 102W M+S XL WINTER 270 SOTTOZERO
- * Tyre variants should not be mixed on a vehicle

				19"					20"				
				Pirelli	Pirelli	Dunlop	Pirelli	Pirelli	Pirelli	Pirelli	Pirelli	Yokohama	Pirelli
				275 / 40 ZR 19 105Y EL P-Zero Rosso	275/ 40 ZR 19 105Y BC XL P-Zero Rosso	245 / 45 R 19 102V M+S SP WINTER SPORTS M3	245 / 45 R 19 102V M+S XL WINTER 240 SOTTOZERO	275 / 40 R 19 105W M+S XL WINTER 240 SOTTOZERO	275 / 35 ZR 20 B XL P- ZERO Rosso	275 / 35 ZR 20 B XL P- ZERO	275 / 35 ZR 20 V103S ADVAN SPORT	275 / 35 R20 102W M+S XL WINTER 270 SOTTOZERO	
				3W0601313J	3W0601335	3W0601433	3W0601433A	3W0601433C	3W0601313L	3W0601313AA	3W0601313AC (3W0601313H)	3W0601433D	
ESP Classic Spec													
CFS	Pre 08MY	5.7	Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Post 08MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Post 09MY	8.1	Comfort	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Post 09MY	8.1	Speed	X	X	X	X	✓	X	✓	✓	✓	
CGT GT60	Pre 08MY	5.7	Standard	X	X	X	X	X	✓	X	✓	✓	
	Post 08MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	
GTC	Pre 08MY	5.7	Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Post 08MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Post 09MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Pre 09MY	8.1	Speed	X	X	X	X	✓	X	✓	✓	✓	
	Post 09MY	8.1	Speed	X	X	X	X	✓	X	✓	✓	✓	
Post 10MY	8.1	Supersports	X	X	X	X	X	X	✓	X	✓		
CGTC	Pre 08MY	5.7	Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Post 08MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Post 09MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Post 10MY	8.1	Speed	X	X	X	X	✓	X	✓	✓	✓	
	Post 11MY	8.1	Supersports	X	X	X	X	X	X	✓	X	✓	

Wheel				Model	Additional Parts Req'd	Snow Chains	Balance Weights	Valve	TPM Sensors	Option	Specifications																			
New Continental - 20" Wheels and Tyres																														
Please refer to tyre applicability matrix																														
Style	Size	Part Number	Description	Weight (kg)	New CGT	New CGT V8	New GTC	New GTC V8	Hubcap	Centre Badge Red / Black	Retainer (cap)	Decorative Rim Trim Ring	Roadwheel Bolt Covers	Wheel Studs	Snow Chains	Rudd Centrax	Spike Spider	Autosock	Stick-on	Rubber	Branded Valve Caps	315 MHz	433 MHz	Tyre Cradles	Wheel Covers (bags)	Wheel Load	Ctr Spigot Dia.	Bolt hole Dia.	Pitch Circle Dia.	
	Standard	9.5 J X 20 ET41	3W0 601 025DB	LGT METAL WHL L ALLOY PAINTED	14.00	✓	✓	✓	✓	3W0601171E 3W0 601 157 - Black 3W0601157A - Red	3W0601144	3W0601159B	N/A	WHT001812	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Option	9.5 J X 20 ET41	3W0 601 025DC	LGT METAL WHL LI ALLOY CHROME	14.00	✓	✓	✓	✓	3W0601171A 3W0 601 157 - Black 3W0601157A - Red	3W0601144	3W0601159B	N/A	WHT001812	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

spike spider can only be fitted to 3W0601433D Winter Tyre

New Continental GT / GTC Tyre Matrix

- * Summer tyres marked 'B' are W12 Fitment only
- * Summer tyres marked 'BL' are V8T+ Fitment only
- * Only use snow chains with 275/35 R20 Pirelli Winter tyres
- * Tyre variants should not be mixed on a vehicle

		20"			
		Pirelli	Pirelli	Pirelli	Pirelli
	Classic Spec	3W0601313AD	3W0601313AT	3W0601433D	3W0601433E
		275 / 40 R 20 106 Y XL P-ZERO B PIRELLI	275 / 40 R 20 106 Y XL P-ZERO BL PIRELLI	275 / 30 R20 102W M+S SOTTOZERO II(SNOW CHAIN) B PIRELLI SP	275 / 40 R 20 106W M+S SOTTOZERO II B PIRELLI
New GT	W12	✓	X	✓	✓
	V8	X	✓	✓	✓
New GTC	W12	✓	X	✓	✓
	V8	X	✓	✓	✓

		21"		
		Pirelli	Pirelli	Dunlop
	Classic Spec	3W0601313AE	3W0601313BA	3W0601433F
		275 / 35 ZR 21 103Y B P-ZERO B	275 / 35 ZR 21 103Y BL P-ZERO B	275 / 35 R21 103W M+S SP WINTER SPORT 3D B DUNLOP
		✓	X	✓
		X	✓	✓
		✓	X	✓
		X	✓	✓

Vehicle	Tyre				Speed Break	Pressures		Pressures (psi)	
	Size	Type	Supplier	Brand		Front	Rear	Front	Rear
Continental GT									
Continental GT Speed	275/35R20	Summer	Pirelli	Pzero	<270	2.9	2.4	43	35
					>270	3.4	2.8	49	41
Continental GT Speed	275/35R20	Winter W	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental GT Supersport	275/35R20	Summer	Pirelli	Pzero	<270	2.9	2.4	43	35
					>270	3.4	2.8	49	41
Continental GT Supersport	275/35R20	Winter W	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental GT	275/35R20	Summer	Pirelli	Pzero	<270	2.9	2.4	43	35
					>270	3.4	2.8	49	41
Continental GT	275/35R20	Summer	Pirelli	Pzero Rosso	<200	2.4	2.1	35	31
					<270	2.9	2.4	43	35
					>270	3.4	2.8	49	41
Continental GT	275/40R19	Comfort	Pirelli	Pzero Rosso	<200	2.4	2.1	35	31
					<270	2.9	2.4	43	35
					>270	3.4	2.8	49	41
Continental GT	275/40R19	Summer	Pirelli	Pzero Rosso	<200	2.4	2.1	35	31
					<270	2.9	2.4	43	35
					>270	3.4	2.8	49	41
Continental GT	255/40R20	Winter W	Yokohama	Advan	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental GT	275/35R20	Winter W	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental GT	275/40R19	Winter W	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental GT	275/40R19	Winter V	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 240	3.2	2.9	46	43
Continental GT	245/45R19	Winter V	Dunlop	Winter V	<160	2.9	2.6	43	38
					upto 240	3.2	2.9	46	43
Continental GT	245/45R19	Winter V	Pirelli	Sottozero	<160	2.9	2.6	43	38
					upto 240	3.2	2.9	46	43
Continental Flying Spur									
Continental Flying Spur Speed	275/35R20	Summer	Pirelli	Pzero	<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental Flying Spur	275/35R20	Summer	Pirelli	Pzero Rosso	<200	2.4	2.1	35	31
					<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental Flying Spur	275/40R19	Comfort	Pirelli	Pzero Rosso	<200	2.4	2.1	35	31
					<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental Flying Spur	275/40R19	Summer	Pirelli	Pzero Rosso	<200	2.4	2.1	35	31
					<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental Flying Spur Speed	275/35R20	Winter W	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental Flying Spur	255/40R20	Winter W	Yokohama	Advan	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental Flying Spur	275/40R19	Winter W	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental Flying Spur	245/45R19	Winter V	Dunlop	Winter V	<160	2.9	2.6	43	38
					upto 240	3.2	2.9	46	43
Continental Flying Spur	245/45R19	Winter V	Pirelli	Sottozero	<160	2.9	2.6	43	38
					upto 240	3.2	2.9	46	43
Continental GTC									
Continental GTC Speed	275/35R20	Summer	Pirelli	Pzero	<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental GTC Speed	275/35R20	Winter	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43

Continental GTC Supersport	275/35R20	Summer	Pirelli	Pzero	<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental GTC Supersport	275/35R20	Winter	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental GTC	275/35R20	Summer	Pirelli	Pzero	<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental GTC	275/35R20	Summer	Pirelli	Pzero Rosso	<200	2.4	2.1	35	31
					<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental GTC	275/40R19	Comfort	Pirelli	Pzero Rosso	<200	2.4	2.1	35	31
					<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental GTC	275/40R19	Summer	Pirelli	Pzero Rosso	<200	2.4	2.1	35	31
					<270	2.7	2.5	40	36
					>270	3.4	3.2	49	46
Continental GTC	275/35R20	Winter W	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental GTC	255/40R20	Winter W	Yokohama	Advan	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental GTC	275/40R19	Winter W	Pirelli	Sottozero II	<160	2.9	2.6	43	38
					upto 270	3.2	2.9	46	43
Continental GTC	245/45R19	Winter V	Dunlop	Winter V	<160	2.9	2.6	43	38
					upto 240	3.2	2.9	46	43
Continental GTC	245/45R19	Winter V	Pirelli	Sottozero	<160	2.9	2.6	43	38
					upto 240	3.2	2.9	46	43
New Continental GT									
New Continental GT	275/40R20	Summer	Pirelli	Pzero	<200 km/h	2.3	2.0	34	30
					200 -270 km/h	2.7	2.4	40	35
					> 270 km/h	3.1	2.7	45	40
New Continental GT / Speed	275/35R21	Summer	Pirelli	Pzero	<200 km/h	2.5	2.2	36	32
					200 -270 km/h	3.0	2.7	44	40
					>270 km/h	3.4	3.2	49	46
New Continental GT	275/40R20	Winter W	Pirelli	Sottozero II	<200 km/h	2.3	2.2	34	32
					Upto 270 km/h	2.8	2.6	41	38
New Continental GT / Speed	275/35R21	Winter W	Dunlop	SP Winter Sport 3D	<200 km/h	2.5	2.2	36	32
					Upto 270 km/h	3.4	3.2	49	46
For New Continental GT SNOWCHAIN FITMENT									
New Continental GT	275/35R20	Winter W	Pirelli	Sottozero II	<200 km/h	2.3	2.2	34	32
					Upto 270 km/h	3.2	3.0	46	44
New Continental GTC									
New Continental GTC	275/40R20	Summer	Pirelli	Pzero	<200 km/h	2.3	2.0	34	30
					200 -270 km/h	2.7	2.4	40	35
					>270 km/h	3.0	3.0	44	44
New Continental GTC	275/35R21	Summer	Pirelli	Pzero	<200 km/h	2.5	2.2	36	32
					200 -270 km/h	3.0	2.7	44	40
					>270 km/h	3.3	3.3	48	48
New Continental GTC	275/40R20	Winter W	Pirelli	Sottozero II	<200 km/h	2.3	2.2	34	32
					Upto 270 km/h	3.0	3.0	44	44
New Continental GTC	275/35R21	Winter W	Dunlop	SP Winter Sport 3D	<200 km/h	2.5	2.4	36	35
					Upto 270 km/h	3.4	3.4	49	49
For New Continental GTC SNOWCHAIN FITMENT									
New Continental GTC	275/35R20	Winter W	Pirelli	Sottozero II	<200 km/h	2.6	2.5	38	36
					Upto 270 km/h	3.4	3.4	49	49
Mulsanne Pre MY12									
Mulsanne	265/45R20	Summer	Pirelli	Pzero	<200 km/h	2.2	2.2	32	32
					200 - 270 km/h	2.5	2.8	36	41
					>270 km/h	2.8	3.2	41	46
Mulsanne	265/45R20	Summer	Dunlop	Sportmaxx GT	<200 km/h	2.2	2.2	32	32
					200 - 270 km/h	2.5	2.8	36	41

					>270 km/h	2.8	3.2	41	46
Mulsanne	265/40R21	Summer	Pirelli	Pzero	<200 km/h	2.2	2.5	32	36
					200 - 270 km/h	2.6	2.9	38	43
					>270 km/h	2.8	3.2	41	46
Mulsanne	265/40R21	Summer	Dunlop	Sportmaxx GT	<200 km/h	2.2	2.5	32	36
					200 - 270 km/h	2.6	2.9	38	43
					>270 km/h	2.8	3.2	41	46
Mulsanne	265/45R20	Winter W	Pirelli	Sottozero II	<200 km/h	2.4	2.4	35	35
					Upto 270 km/h	3.0	3.2	44	46
Mulsanne From MY12									
Mulsanne	265/45R20	Summer	Pirelli	Pzero	<200 km/h	2.2	2.4	32	35
					200 - 270 km/h	2.6	3.0	38	44
					>270 km/h	2.9	3.4	43	49
Mulsanne	265/45R20	Summer	Dunlop	Sportmaxx GT	<200 km/h	2.2	2.4	32	35
					200 - 270 km/h	2.6	3.0	38	44
					>270 km/h	2.9	3.4	43	49
Mulsanne	265/40R21	Summer	Pirelli	Pzero	<200 km/h	2.3	2.7	34	40
					200 - 270 km/h	2.7	3.1	40	45
					>270 km/h	2.9	3.3	43	48
Mulsanne	265/40R21	Summer	Dunlop	Sportmaxx GT	<200 km/h	2.3	2.7	34	40
					200 - 270 km/h	2.7	3.1	40	45
					>270 km/h	2.9	3.3	43	48
Mulsanne	265/45R20	Winter W	Pirelli	Sottozero II	<200 km/h	2.5	3.0	36	44
					Upto 270 km/h	2.8	3.4	41	49

iss 9 amended - 29/06/2012

EC No. 1222/2009	Rolling Resistance	E	C	C	C
	Wet Grip	A	A	C	C
	Noise dB(A)	73	73	73	73
MKE No. 2011/237	Rolling Resistance	4	3	3	3
	Wet Grip	I	I	3	3

20"					
3W0601313AD	275 / 40 R 20 106 Y XL P-ZERO B PIRELLI	Pirelli			
3W0601313AT	275 / 40 R 20 106 Y XL P-ZERO BL PIRELLI	Pirelli			
3W0601433D	275 / 35 R20 102W M+S WINTER 270 SOTTOZERO (SNOW CHAIN)	Pirelli			
3W0601433E	275 / 40 R 20 106W M+S XL WINTER 270 SOTTOZERO II	Pirelli			

21"					
3W0601313AE	275 / 35 ZR 21 103Y B P-ZERO B	Pirelli			
3W0601313BA	275 / 35 ZR 21 103Y BL P-ZERO B	Pirelli			
3W0601433F	275 / 35 R21 103W M+S SP WINTER SPORT 3D B DUNLOP	Dunlop			