

S12.2 Evo

1/10 Off Road 2WD Racing Electric Buggy



SWORKZ S12-20 EVO INSTRUCTION MANUAL



INSTRUCTION

The SWORKz S12-2D Evolution (S12-2D EVO) (Dirt Edition) 1/10 2WD is designed for pure racing. It is an evolution from the successful S12-2D platform. The new geometry of the car provides optimized corner speeds and easy handling on dirt(clay) conditions and on medium to low grip carpet tracks.

The S12-2D EVO features a new dirt version gear box system on a T7075 hard anodized and lightened aluminum chassis. It has a layout that allows up to 6 different battery positions. The flex of the chassis can be changed by adjusting the sideguards.

The S12-2D EVO comes with SWORKz brand new designed 1/10 Pro-Shock System (Long version). The shocks come with new Emulsion Precision Plastic Shock Caps, Shock Pistons with Seal Parts. The kit comes standard with a 4mm carbon dirt version front shock tower and newly designed front C-Hubs. The Teflon coated shock shafts provides smooth shock reactions. Black Line springs which are newly designed with rotation fixed spring holders comes standard in the SWORKz S12-2D EVO kit.

A brand new 5.5mm linkage ball stud system are included in the S12-2D EVO kit. Adjustable Ackermann plate and Carbon steering plates are included too. The S12-2D EVO has new angled lower arms that provide a lower Shock position which leads to a lower center of gravity.

The kit is equipped with a quick release gear differential system, which can be mounted in 3 different positions. The rear lower arms are angled and the rear shock tower (dirt version) has got different height positions. The weight of the gearbox is optimized to a perfect balance between size and strength.

The rear shock tower (dirt version) of the S12-2D EVO is made of carbon. The wing mount holder's height and angle can be adjusted. The rear width of the S12-2D EVO can be changed with the new Synthesis Rear Hub System and rear CVD modularity.

The SWORKz S12-2D EVO has a front sway bar and a completely new rear sway bar holder system.

The 2-Pad Slipper of the SWORKz S12-2D EVO comes with hard anodized plates, high temperature resistant slipper pads and a spur gear protection with a engraved SWORKz logo.

The S12-2D EVO body shell has good aerodynamics.

The SWORKz development team focused on using materials, corresponding to the highest quality standards, when designing the car. You will find only 100% SWORKz quality in the S12-2D EVO kit.

Congratulations on your purchase of the new SWORKz S12-2D EVO 1/10 scale off-road racing buggy and thanks for trusting in SWORKz.

Please read this manual carefully before you start to build and drive your SWORKz S12-2D EVO. This manual contains step-by-step instructions to help you complete, prepare and fine tune your buggy for racing. Updates, setups, and product news will be posted on SWORKz digital media.

As always, if you should ever have any questions or need help with your SWORKz products, please feel free to contact our official SWORKz dealers and distributors.

S12-2D EVO Chassis Features :

1. T7075 hard anodized & lightened aluminum chassis
2. Adjustable flex system with various sideguards
3. 6 different battery positions
4. 4mm Carbon shock tower
5. New C-Hub geometry
6. Changeable Ackerman plate
7. Carbon steering knuckle plates
8. Front sway bar system
9. Super light anodized front wheel axles
10. Front wing mount with 65mm front wing
11. Front aluminum toe in plate
12. Front lower arms in angled design
13. Easy adjustable Ackerman plate
14. The brand 5.5mm linkage ball stud system
15. Adjustable differential position
16. Quick differential release system
17. Lower shock position design with adjustable shock tower position
18. Brand new design SWORKz 1/10 Pro Shock System (Long version)
19. Adjustable rear wing height
20. Adjustable rear wing angle
21. Rear width adjustable with hubs included length adjustable CVD
22. New Synthesis Rear Hub System
23. Fully adjustable square aluminum toe in plate "SWORKz" engraved
24. New designed rear sway bar holder
25. Rear wheel hex hard anodized
26. Rear Carbon Shock tower
27. Super light CAD optimized gearbox
28. 2 Pad Slipper System with hard anodized plates
29. Slipper Anti-Clock rotation adjustment
30. High temperature resistant slipper pads
31. Spur gear protection with laser Logo
32. Precision plastic emulsion shock cap system
33. Unique designed shock stud screws
34. Hard anodized stock studs
35. Black line shock spring
36. Rotation protected spring holder
37. Teflon hard coated shock shaft
38. Hard coated shock body
39. 6 Ball bearings servo system
40. Quick release electronic plate
41. Battery pad included
42. Balanced motor position
43. Body shell with optimized aerodynamic design



Specification	
Length:	410mm
Width:	242-248mm
Height:	148mm
Ground Clearance:	40mm
Wheelbase:	282-284mm
Track:	F:220mm / R221mm
Gear Ratio:	S:81/21T
Weight:	1450g+/-10g (Race Condition)

WARRANTY

Your SWORKz S12-2D EVO kit warranty covers workmanship and manufacturing defects of the original and unmodified parts. Warranty claims resulting from crashes, abuse, improper operation, improper mounting, improper adjustment or lack of maintenance will not be honored.

Contact your local hobby shop or SWORKz distributor for all claims and questions. Claims must be well documented. All Claims are subject to expert examination approval by SWORKz.



INSTRUCTION	2
Warranty	3
INDEX	4
Required Equipment for Operation	5
Operation Guide	6
Assembly Steps	7-26
Set-up Sheet	27
Blank Set-up Sheet	28
S12-2D EVO Key No.List	29
S12-2D EVO Spare Part List	30
S12-2D EVO Option Part List	31
Explosion view with spare parts number	32-35
End cover	36




This radio controlled racing car is not a toy!


This high-performance R/C model is recommended for ages 14 and older.

Required Equipment for Operation


Radio Gear




Breshless Motor




Charger and LiPo Battery



Tools Recommended




Included items



Operation Guide



Assemble front and rear



Assemble in the specified order



Assemble both left and right sides



Assemble for 2 sets



Assemble for 4 sets



overturn




Thread Locking Compound



Grease



Ball Diff Paste



Pure Silicone Oil

Safety Precautions


The SWORKz S12-2D EVO is a high performance radio control model which needs to be operated with caution and common sense.

The S12-2D EVO Pro Kit is not intended for children under the age of 14 without adult supervision. SWORKz shall not be held liable for any loss or damages, whether direct, indirect, act of nature, arising from abuse or misuse of this product or any other product required.

- The LiPO Battery can be dangerous if improperly handled.
- Always keep your LiPO Battery in a cool area and never use it near flames, sparks, or while smoking.
- Keep your LiPO Battery, and all other flammables, out of the reach of children.
- After running your car, all parts of the Motor and ESC can become extremely hot. Be careful not to touch these parts.
- This model is controlled by your radio controller and can be vulnerable to interference from many outside sources. This interference can cause a loss of control so it is necessary to operate this model in an open area to avoid personal or property damage. Always ensure turning on your radio first.
- Keep all the products included in the package out of the reach of children.
- This model contains many fast rotating parts. Never touch them during operation.
- Follow the instructions included with your radio gear.
- Never operate your model near people or property. The speed of this model has the potential to injure people and or damage property if misused.
- Always use original SWORKz spare parts and option parts.
- Always ensure that the buggy is in proper working condition before use.
- Always exercise caution when using any tools.






116015
Ball Bearing 5x8x2.5mm x4




116013R
Ball Bearing 10x15x4mm (Red Rubber Case) x2



103004
M2.5mm Nut Lock x1








330283
Pin M2x10mm x1



108006
M3x8mm FH/ST HEX Screw x3



332005A
S12-2 Slipper Clutch Adjust Screw 2.4x60mm x1





103001
M3 Nut Lock x1




106001
M3x8mm Hex Socket OH/TP Screw x3




106002
M3x10mm Hex Socket OH/TP Screw x2



106003
M3x16mm Hex Socket OH/TP Screw x1




PRO TIP



Use a clamp to tighten and turn the slipper clutch spring all the way down and then later open back 3 to 5 turns before assembling.



106002
M3x10mm Hex Socket OH/TP Screw x8






106002
M3x10mm Hex Socket OH/TP Screw x4




106008
M3x12mm Hex Socket OH/TP Screw x1

220045(#0)



PRO TIP:

The part 220045 (S12-2 Gear Box Inserts) can be put in 4 different degrees. The basic position to start is zero degree which is the lowest position to the chassis. You can change to +1, +2 or +3 degree for lower grip conditions.



106002

106002

220045(#0)

Grease


106008



104004
M3x3mm Set Screw x1



101026
Washer M3x6xT1.5mm x2



330410
SWORKz 1/10 Motor Pinion Gear 21T x1



106001
M3x8mm Hex Socket OH/TP Screw x2

BrushLess 540 Motor
is not included


104004

330410

101026

106001

101026



Paper for gear mesh.



108003
M3x10mm FH/ST HEX Screw x6




108006
M3x8mm FH/ST HEX Screw x10

OPTION:

SW-220037H

S12-2 Side Guard Set in Pro-composite Hard Material

332042-25



PRO TIP:

The 108006 (M3x8 HEX screws) for the side guard helps adjust the chassis stiffness. With all the screws (7pcs) on, this will be the most stiff set up for the chassis and will provide the least grip. Standard suggestion to start build is with 4 screws.

10



108006
M3x8mm FH/ST HEX Screw x2



108014
M3x4mm FH/ST HEX Screw x1



106020
M2.5x5mm Hex Socket OH/TP Screw x2



334060-7
Steering Linkage Ball Stud 5.5-L7.0mm x2



101026
SWORKz Aluminum Washer 3X6X1.5mm x2



104004
M3x3mm Set Screw x3

OPTION:

SW-115173


S12-2 Front Sway Bar 1.1mm

SW-115174

S12-2 Front Sway Bar 1.2mm

SW-115175

S12-2 Front Sway Bar 1.3mm



OPTION:

SW-332028

S12-2 Aluminum Front Upper Arm Holder

11



106002
M3x10mm Hex Socket OH/TP Screw x2



330331
Steering Linkage Ball Stud 5mm x1



334060-4
Steering Linkage Ball Stud 5.5-L4.0mm x2



116015
Ball Bearing 5x8x2.5mm x4



117003
Flange Ball Bearing 3x6x2.5mm x2




101007
Washer 3x8x0.5mm x2

OPTION:

SW-332045
SW-332046

S12-2 Aluminum Servo Savor Arms (2PC)
S12-2 Aluminum Servo Savor Steering Plate




BAG D

12



108001
M3x12mm FH/ST HEX Screw x2



OPTION:

SW-332009
SW-332051

S12-2 Brass Front Lower Arm Balance Holder (25g)
S12-2 Series Aluminum Front Lower Arm Holder



106002
M3x10mm Hex Socket OH/TP Screw x4



108006
M3x8mm FH/ST HEX Screw x3



104012
M3x12mm Set Screw x1




101012
Washer M3x6xT0.5mm x4



101026
SWORKz Aluminum Washer 3X6X1.5mm x1



330643
Steering Linkage Ball Stud 5mm x1




224007S-23 224007S-25

13

STEP 4.

Take out the aluminum washers (SW-101026) when using a non-regular servo size.



STEP 3.


Take out your servo rubbers(grommets) and make the steering linkage gap to 1mm.

STEP 5.

Install your servo on the servo holder and adjust your servo saver horn to travel left /right equally.


STEP 1.

Please make sure that your steering servo is centered before mounting the servo saver horn.



STEP 2.

Mount the servo saver horn in a 90 degree position onto the servo.



14




108003
M3x10mm FH/ST HEX Screw x4



106002
M3x10mm Hex Socket OH/TP Screw x2



106017
M3x14mm Hex Scket OH/TP Screw x2






108005
M3x14mm FH/ST HEX Screw x2



106020
M2.5x5mm Hex Socket OH/TP Screw x2



104004
M3x3mm Set Screw x4



330537
Rear Hub Carriers Hinge Pin x2

332015

330537

OPTION:

SW-220035H

S12-2 Front Lower Arm Set in Pro-composite Hard Material

1:1

F ←

16mm

14mm

330315

220047

Right



106010
M3x6mm FH/ST HEX Screw x2



106001
M3x8mm Hex Socket OH/TP Screw x4



106008
M3x12mm Hex Socket OH/TP Screw x2



106017
M3x14mm Hex Scket OH/TP Screw x2



103001
M3 Nut Lock x2




116010R
Ball Bearing 5x10x4mm (Red Rubber Case) x4




101026
SWORKz Aluminum Washer 3X6X1.5mm x2




334060-7
SWORKz 1/10 Linkage Ball Stud D5.5mm x L7mm) x4






332014
Steering Hub Hinge Pin x2




Left

**PRO TIP:**

The part 220047 Front C-Hub Insert has 3 different sizes. There are 0/2.5/5 degree hubs that can change the front C-hub to 5 different caster angles -5/-2.5/0/2.5/5. The less angle, the faster the response.




Spare Parts of CVD



PRO TIP:

The part 220046 has 3 Rear Hub Inserts that come in different types which offers several different rear hub angles. Please take note when you are using different insert hub positions, the rear drive axle also change in distance.






106020
M2.5x5mm Hex Socket OH/TP Screw **x2**



101026
SWORKz Aluminum Washer 3X6X1.5mm **x2**



104002
M3X10mm Set Screw **x2**





108006
M3x8mm FH/ST HEX Screw **x4**



OPTION:

SW-362001

S12-2 15g Brass Rear Lower Arm Holder (RF)





104004
M3x3mm Set Screw x3



104005
M3x4mm Set Screw x2



106002
M3x10mm Hex Socket OH/TP Screw x2



106010
M3x6mm FH/ST HEX Screw x2




101026
SWORKz Aluminum Washer 3X6X1.5mm x2




334060-7
SWORKz 1/10 Linkage Ball Stud D5.5mm x L7mm) x2

21



OPTION:

SW-115176	S12-2 Rear Sway Bar 1.2mm
SW-115178	S12-2 Rear Sway Bar 1.4mm
SW-115179	S12-2 Rear Sway Bar 1.5mm
SW-115180	S12-2 Rear Sway Bar 1.6mm



OPTION:

SSW-332029 S12-2 Aluminum Rear Upper Linkage Mount


22

OPTION:




SW-332044 S12-2 Aluminum Gear Box Support Mount



108003
M3x10mm FH/ST HEX Screw x6




23  **x2**



332055
SWORKz 1/10 Series Linkage Turnbuckle M3X45mm



330300
Rear Upper Sus. Arm Turnbuckles **x2**



OPTION:
SWC-332049
SWORKz 1/10 Series Pro Titanium Linkage Turnbuckle M3X36mm(2PC)

24  **x2**






101026
SWORKz Aluminum Washer 3X6X1.5mm **x2**



334060-7
SWORKz 1/10 Linkage Ball Stud D5.5mm x L7mm) **x2**



330300
Rear Upper Sus. Arm Turnbuckles **x2**



BAG**25****x2****For Front****x2****For Rear**

106014
M2x6mm Hex Scket OH/TP Screw **x4**



220049-5
Shock Washer 3.0X6.3X2.0mm **x8**



101011
Shock Washer 2.6x6x0.5mm **x4**




220049-5
Shock Washer 3.0X6.3X0.9mm **x4**



400025
SWORKz 1/10 Series Pro Shock System Seal O-ring **x8**



410049
Shock Seal Cap O-ring 8x10x1mm **x4**



220049-1
SWORKz 1/10 Precision Plastic Shock Piston(1.6X2Holes) **x2**



220049-2
SWORKz 1/10 Precision Plastic Shock Piston(1.7X2Holes) **x2**

Front 220049-1
Rear 220049-2


101011

106014

Front 332037-LF
Rear 332037-LR

Front 332047-LF
Rear 332047-LR

332037-DL
Shock Shaft L **x2**



332037-DS
Shock Shaft S **x2**

410049

220049-5

220049-5

400025

220049-5

330544

330544
Aluminum Shock Seal Cover **x4**



330134
Shock Ball Stud **x4**

26**x2****For Front****x2****For Rear**

Front

Rear

330134

24.5 mm

224010

330134


31.5 mm

224010



108029

M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead) x4




410047


SWORKz Shock Cap O-Ring (SP) x4

220050-1

410047




Slowly push the shock shaft to the end of shock cap. Then tight screw M2x4mm



400014

O-Ring 1.5x13.5mm x4



330304A

Aluminum Shock Spring Adjust Nut x4

224010(L)

115186

Front


Rear

224010(L)

115162

400014

330304A



OPTION:

- SWC-115160 S14/S12 Black Competition Rear Shock Spring (L4-Dot)(57X1.1X7.5)
- SWC-115161 S14/S12 Black Competition Rear Shock Spring (L3-Dot)(57X1.1X8.0)
- SWC-115185 S12-2 Black Competition Front Shock Spring (US4-Dot)(38X1.2X6.0)
- SWC-115187 S12-2 Black Competition Front Shock Spring (US2-Dot)(38X1.2X7.25)



105021
M3x6mm Taper head screw x2




108001
M3x12mm FH/ST HEX Screw x2




106005
M3x15mm Hex Socket OH/TP Screw x2



101020A
3mm Countersunk Washers (GM) x2



334002
Aluminum Shock Cap Stud x2



101020A
3mm Countersunk Washers (GM) x2



103007
M3 Nut Lock x2




104009
M3x16mm Set Screw x2




105021
M3x6mm Taper head screw x2



108001
M3x12mm FH/ST HEX Screw x2



334002
Aluminum Shock Cap Stud x2





104004
M3x3mm Set Screw **x1**



108028
M2.6x4mm Flat Head Screw - Hex Socket **x4**

ESC is not included

200193

104004

Receiver is not included

220042

PRO TIP:

↑ Forward

**For
Dirt
Position**

108028



106008
M3x12mm Hex Socket OH/TP Screw **x2**

106008

220043

106008

220043

PRO TIP:

Use part 220043 Battery Post A and B to change your battery positions. When Post A is on the left chassis side and Post B on the right side, you can have 3 different battery positions near the motor. While on the other hand, when Post A is on the right side of the chassis and Post B on left side, there can be another 3 battery positions near the ESC plate. There are a total of 6 different positions to place the shorty battery.




106002
M3x10mm Hex Socket OH/TP Screw **x2**




106009
M3x25mm Hex Socket OH/TP Screw **x2**

Li-po Shorty Peak is not included



103002
Flange M4 Nut Lock **x4**




*Tires and Wheels
are Not included*




108007
M3x6mm FH/ST HEX Screw x2




101020A
3mm Countersunk Washers (RD) x2



108003
M3x10mm FH/ST HEX Screw x2




252001




Use body scissors to cut along the body lines.

Use water/washing solution to clean body.




Apply window masks as shown.





252001



Paint body.




Cut and put 0.8x5cm loop
decal strap in same position
as side Guard fillister.



Cut and put 0.8x3cm
hook decal strap in this
side Guard fillister.

Cut and put 0.8x5cm
hook decal strap
in this side Guard
fillister.

540004B



Cut and put 0.8x5cm
hook decal strap
in this side Guard
fillister.

540004B

Cut and put 0.8x3cm
hook decal strap in this
side Guard fillister.

Race time / Lap: _____

Best lap: _____

Name: _____
Date: _____
Track: _____

Diff. Oil

Rear: _____

Diff. Type

- ☐ Gear Diff
☐ Ball Diff

Track Conditions

- Size: ☐ Open ☐ Med. ☐ Tight
Traction: ☐ High ☐ Med. ☐ Low ☐ Wet
Surface: ☐ Smooth ☐ Med. ☐ Bumpy

Tire

Front

Rear

Type: _____

Type: _____

Foam: _____

Foam: _____

Electric System



ESC Type: _____

Motor Type: _____

Motor Gear/Spur Gear: _____

Battery Type: _____


Front Suspension



Front Lower Arm Holder

☐ 25° ☐ 30°


☐ Standard
☐ 25g Brass



Front Sway bar ☐ Use _____ mm
☐ None

Front Lower Arm Holder
Adjustment ☐ 0.5mm ☐ 1mm

Diff. Position



Ride High: _____ mm




Oil: _____




Spacer: _____ mm

Pistons: _____

Spring: _____



Rear Suspension



Wing Angle ☐ 0 ☐ +3 ☐ -3

- ☐ H
☐ L
☐ H
☐ L

Wing Position

Body: _____


Rear Wing: _____

Front Wing: _____

Notes: _____

Rear Sway bar ☐ Use _____ mm
☐ None

Ride High: _____ mm




Oil: _____

Spacer: _____ mm

Pistons: _____


Spring: _____



Option Parts List


Front lower arm

☐ Carbon composite Hard Material ☐ Standard Material




Rear lower arm

☐ Carbon composite Hard Material ☐ Standard Material



Side guard

☐ Carbon composite Hard Material ☐ Standard Material



Parts No. List

Part No.	Part Name	Q'ty in Use	Item No.	Part No.	Part Name	Q'ty in Use	Item No.
2502403-01	S12-1 Idler Gear 52T	1	SW-2502403-01	334011	S14-3 12mm Wheel Hex (5.7mm)	2	SW-334011
2503210A	SWORKz 1/10 Eccentric Bushing Set	2	SW-2503210A	334020	S14-3 Series C Hub Bushing (A)(2.5)	2	SW-334020
220031-81	S14-3 Precision Plastic Center Spur Gear 81T for Slipper Clutch	1	SW-220031-81	334021	S14-3 Series C Hub Bushing (B)(0.7)	2	SW-334021
220034	S12-2 Front C Hub Set in Pro-composite Hard Material	1	SW-220034	334022A	SWORKz 1/10 Hinge Pin (3x32mm)	2	SW-334022A
220035A	S12-2 Front Durable Lower Arm Set in Pro-composite Material (Standard)	1	SW-220035A	334060-7	SWORKz 1/10 Linkage Ball Stud (D5.5mm x L7mm)	10	SW-334060-7
220036	S12-2 Rear Lower Arm Set in Pro-composite Material (Standard)	1	SW-220036	334060-4	SWORKz 1/10 Linkage Ball Stud (D5.5mm x L4mm)	2	SW-334060-4
220037	S12-2 Side Guard Set in Pro-composite Material (Standard)	1	SW-220037	342004	S12-2 Pro-composite Front Carbon Fiber Shock Tower (Higher)	1	SW-342004
220038	S12-2 Front & Rear Hub Carry Set	2	SW-220038	342005	S12-2 Pro-composite Rear Carbon Fiber Shock Tower (Higher)	1	SW-342005
220039A	S12-2 Front Arm Holder Plastic Parts (Durable)	1	SW-220039A	342003	S12-2 Steering Carbon Plate	2	SW-342003
220040	S12-2 Servo Savor and Rear Gear Box Parts	1	SW-220040	354003-26	S12 Series POM MFR Idler Gear 26T	1	SW-354003-26
220048-MR	S12-2 Servo Middle Rear Motor Position Gear Box	1	SW-220048-MR	400002	O-ring S5	2	SW-400002
220041C-3	S12-2 Gear Box Gen 3 Cover	1	SW-220041C-3	400014	S104 Aluminum Shock Spring Adjust Nut O-Ring 1.5x13.5mm	4	SW-400014
220042	S12-2 Sway Bar Plastic Parts	1	SW-220042	400025	SWORKz 1/10 Series Pro Shock System Seal O-ring	8	SW-400025
220043	S12-2 Battery Holder Set	1	SW-220043	410047	SWORKz Shock Cap O-Ring (SP)	4	SW-410047
220044	S12-2 Rear Wing Mount Set	1	SW-220044	410049	1/10 Shock Seal Cap O-ring (8*10*1)	4	SW-410049
220045	S12-2 Gear Box Inserts	1	SW-220045	610024	S12-2 Battery Block	2	SW-610024
220046	S12-2 Rear Hub Insert Set	1	SW-220046	610013B08	S14/S12 Slipper Clutch Teflon Pad(Low Grip)(Yellow)(8mm)	2	SW-610013B08
220047	S12-2 Front C-Hub Insert& Sway Bar Ball End Parts	1	SW-220047	512001	S12-2 Eaglet ST-2 Body Shell Decal Sheet	1	SW-252001
220049-1	SWORKz 1/10 Precision Plastic Shock Piston(1.6X2Holes)	2	SW-220049-1	512002	S12-2 Eaglet ST-2 Body Shell Window Mask	1	SW-252001
220049-2	SWORKz 1/10 Precision Plastic Shock Piston(1.7X2Holes)	2	SW-220049-2	510091	SWORKz Original Logo Sticker	1	SW-510091
220049-5	SWORKz 1/10 Precision Plastic Shock Seal Part (2 Sets)	2	SW-220049-5	115089	S12 Series Ball Diff. Adjust Spring	1	SW-115089
220050-1	SWORKz 1/10 Precision Plastic Shock Cap	4	SW-220050	115162	S14/S12 Black Competition Line Rear Shock Spring (2 Dot)(57X1.1X9.25)	2	SW-115162
220050-2	SWORKz 1/10 Precision Plastic Shock Seal Cap	4	SW-220050	115186	S12-2 Black Competition Front Shock Spring (US3-Dot)(38X1.2X7.0)	2	SW-115186
224007L3	SWORKz 1/10 Plastic Ball End Set (T3.0mm)	4	SW-224007L3	115172	S12-2 Front Sway Bar 1.0mm	1	SW-115172
224007S2-25	SWORKz 1/10 2WD Savor Servo Arm (25T)	1	SW-224007S2-25	115177	S12-2 Rear Sway Bar 1.3mm	1	SW-115177
224007S2-23	SWORKz 1/10 2WD Savor Servo Arm(23T)	1	SW-224007S2-23	115188	SWORKz 1/10 Slipper Clutch Spring (D1.4x12mm)	1	SW-115188
224007S-5	S12 Ball Diff. Adjust Nut Holder	1	SW-224007S-5	115189	SWORKz 1/10 Slipper Clutch Spring (D1.6x12mm)	1	SW-115189
222001	S12-2 Plastic Synthesis Rear Hub (R=L)	2	SW-222001	116010R	Ball Bearing 5x10x4mm (Red Rubber Case)	10	SW-116010R
224010	SWORKz 1/10 Series Shock Plastic Parts	4	SW-224010	116013R	Ball Bearing 10x15x4mm(Red Rubber Case)	2	SW-116013R
250042	SWORKz 1/10 sonic wing 6.5"	1	SW-250042	116015	Ball Bearing 5x8x2.5mm	6	SW-116015
252002-65	SWORKz 1/10 sonic front lexan wing "65mm"	1	SW-250045	116019R	Ball Bearing 5x13x4mm (Red Rubber Case)	2	SW-116019R
252001	S12-2 Eaglet Style 2.0 Clean Body Sheel	1	SW-252001	117003	Flange Ball Bearing 3x6x2.5mm	2	SW-117003
212001	S12-2 Rear CVD Drive Shaft Set 62mm	2	SW-212001	101020A	3mm Countersunk Washers (RD)	6	SW-101020A
330134	Shock Ball Stud	4	SW-330134	101007	Washer 3x8x0.5	2	SW-101007
330156	Adjuster Knob	2	SW-330156	101011	M2.6x6xT0.5mm	4	SW-101011
330295	S104 CVD Join	2	SW-330295	101012	M3x6xT0.5mm	6	SW-101012
330300	S104 Rear Upper Sus. Arm Turnbuckles	4	SW-330300	101023	S104 Shim 10x12x0.1mm	1	SW-101023
330304A	S104 Aluminum Shock Spring Adjust Nut (BK)	4	SW-330304A	101024	S104 Shim 10x12x0.2mm	1	SW-101024
330315	Sway Bar Linkage Ball Stud	4	SW-330315	101026	SWORKz Aluminum Washer 3X6X1.5mm	11	SW-101026
330321	S104 Center Slipper Clutch Pin M2.0x8mm	1	SW-330321	103001	M3 Nut Lock	3	SW-103001
330331	S104 Steering Linkage 5mm Ball Stud (L4.1mm)	1	SW-330331	103002	Flage Nylon Nut M4	4	SW-103002
330410	Motor Gear 21T	1	SW-330410	103004	M2.5mm Nut Lock	1	SW-103004
330516	S12 Idler Gear Shaft 5X15L	1	SW-330516	103007	M3mm Nut Lock Thim (BK)	2	SW-103007
330525	S12 Rear Lower Arm Hinge Pin (3X44mm)	2	SW-330525	104002	Set Screw M3x10	2	SW-104002
330536	S12 Pin (3X26mm)	2	SW-330536	104004	M3x3mm Set Screw	13	SW-104004
330537	S12 Arm Hinge Pin (3X34mm)	2	SW-330537	104005	Set Screw M3x4	2	SW-104005
330544	S12 Shock Seal Cover (SP)	4	SW-330544	104009	M3x16mm Set Screw	2	SW-104009
330643	S104 EVO Steering Linkage 5mm Ball Stud (L7mm)	1	SW-330643	104012	M3x12mm Set Screw	1	SW-104012
332002	S12-2 Aluminum Idler Gear 20T	1	SW-332002	105021	M3x6mm Conical Head Screw	4	SW-105021
332005A	S12-2 Slipper Clutch Adjust Screw 2.4x65mm	1	SW-332005A	106001	M3x8mm Hex Scket OH/TP Screw	13	SW-106001
332006	S12-2 Aluminum Motor Plate	1	SW-332006	106002	M3x10mm Hex Scket OH/TP Screw	26	SW-106002
332007A	S12-2 Series Lightened Rear Lower Arm Holder (RF)	1	SW-332007A	106003	Button Head Screw M3x16mm	1	SW-106003
332008A	S12-2 Series Rear Lower Arm Plate (RR)	1	SW-332008A	106005	M3x15mm Hex Scket OH/TP Screw	2	SW-106005
332010	S12-2 CVD Axil	2	SW-332010	106008	M3x12mm Hex Scket OH/TP Screw	7	SW-106008
332011	S12-2 CVD Axil Holder	2	SW-332011	106009	M3x25mm Hex Scket OH/TP Screw	2	SW-106009
332012	S12-2 Rear Drive Shaft (62mm)	2	SW-332012	106010	M3x6mm Hex Scket OH/TP Screw	4	SW-106010
332013	S12-2 Aluminum Servo Savor Post	2	SW-332013	106014	M2x6mm Hex Scket OH/TP Screw	10	SW-106014
332014	S12-2 Aluminum Steering Hub Axil (L&R)	2	SW-332014	106015	M3x5mm Hex Scket OH/TP Screw	2	SW-106015
332015	S12-2 Aluminum Front Lower Arm Holder	1	SW-332015	106017	M3x14mm Hex Scket OH/TP Screw	4	SW-106017
330520	S12 Series Ball Diff. Caged Thrust Washer 2.6X6X1	1	SW-330520	106020	M2.5x5mm 1.5mmHex Scket OH/ST Screw	6	SW-106020
332021	S12 Differential Steel Ball 2.38mm-32-3	16	SW-332021	108001	M3x12mm FH/ST HEX Screw	6	SW-108001
332022	S12 Series Ball Differential Washer14.9X22.9X0.8	2	SW-332022	108003	M3x10mm FH/ST HEX Screw	18	SW-108003
332023	S12 Series Ball Differential Outdrive-R	1	SW-332023	108005	M3x14mm FH/ST HEX Screw	2	SW-108005
332024	S12 Series Ball Differential Outdrive-L	1	SW-332024	108006	M3x8mm FH/ST HEX Screw	26	SW-108006
332025	S12 Series Ball Diff. Adjust Screw 2.6x25	1	SW-332025	108007	M3x6mm FH/ST HEX Screw	2	SW-108007
332032	S12-2 High Torque Aluminum Slipper Clutch Pad (Outside)	1	SW-332032	108014	M3x4mm FH/ST HEX Screw	1	SW-108014
332033	S12-2 High Torque Aluminum Slipper Clutch Pad (Inside)	1	SW-332033	108028	M2.6x4mm Flat Head Screw - Hex Socket	4	SW-108028
332034	S12-2 Steel Slipper Clutch Spring Holder Washer	2	SW-332034	108029	M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead)	4	SW-108029
332037-LF	SWORKz 1/10 Series Pro Shock System Longer Front Shaft (LF-42.7mm)	2	SW-332037-LF	200193	Antenna Tube	1	SW-200193
332037-LR	SWORKz 1/10 Series Pro Shock System Longer Rear Shaft (LR-49.7mm)	2	SW-332037-LR	420010	Antenna Cup	1	SW-200193
332047-LF	SWORKz 1/10 Series Pro Shock Body for Longer Front System (LF)	2	SW-332047-LF				
332047-LR	SWORKz 1/10 Series Pro Shock Body for Longer Rear System (LR)	2	SW-332047-LR				
332042-25	S12-2C/D Full Edition Main Chassis 2.5mm	1	SW-332042-25				
332055	SWORKz 1/10 Series Linkage Turnbuckle M3X45mm	2	SW-332055				
334002	S14-3 Aluminum Shock Stud	4	SW-334002				


Spare Part List

Item No.	Part Name	Item No.	Part Name
SW-224007S-5	S12 Ball Diff. Adjust Nut Holder (2PC)	SW-334020	S14-3 Series C Hub Bushing (A)(2.5)(2PC)
SW-2502403-01	S12-1 Idler Gear 52T	SW-334021	S14-3 Series C Hub Bushing (B)(0.7)(2PC)
SW-2503210A	SWORKz 1/10 Eccentric Bushing Set	SW-334022A	SWORKz 1/10 3x32mm Hinge Pin(2PC)
SW-220031-81	S14-3 Precision Plastic Center Spur Gear 81T for Slipper Clutch	SW-334060-7	SWORKz 1/10 Linkage Ball Stud (D5.5mm x L7mm)(4PC)
SW-220034	S12-2 Front C Hub Set in Pro-composite Hard Material	SW-334060-4	SWORKz 1/10 Linkage Ball Stud (D5.5mm x L4mm)(2PC)
SW-220035A	S12-2 Front Durable Lower Arm Set in Pro-composite Material (Standard)	SW-342004	S12-2 Pro-composite Front Carbon Fiber Shock Tower (Higher)
SW-220036	S12-2 Rear Lower Arm Set in Pro-composite Material (Standard)	SW-342005	S12-2 Pro-composite Rear Carbon Fiber Shock Tower (Higher)
SW-220037	S12-2 Side Guard Set in Pro-composite Material (Standard)	SW-342003	S12-2 Steering Carbon Plate (1PC)
SW-220038	S12-2 Front & Rear Hub Carry Set	SW-354003-26	S12 Series POM MFR Idler Gear 26T
SW-220039A	S12-2 Front Arm Holder Plastic Parts (Durable)	SW-400002	O-ring S5 4.8x1.5 (6pcs)
SW-220040	S12-2 Servo Savor and Rear Gear Box Parts	SW-400014	S104 Aluminum Shock Spring Adjust Nut O-Ring 1.5x13.5mm
SW-220048-MR	S12-2 Series Middle Rear Motor Position Gear Box	SW-400025	SWORKz 1/10 Series Pro Shock System Seal O-ring
SW-220041C-3	S12-2 Middle Front Motor Gear Box Gen 3 Cover	SW-410047	S104 EVO/S12-1 Shock Cap O-Ring (SP)
SW-220042	S12-2 Sway Bar Plastic Parts	SW-410049	1/10 Shock Seal Cap O-ring (8*10*1)
SW-220043	S12-2 Battery Holder Set	SW-610024	S12-2 Battery Block
SW-220044	S12-2 Rear Wing Mount Set	SW-610013B08	S14/S12 Slipper Clutch Teflon Pad(Low Grip)(Yellow)(8mm)
SW-220045	S12-2 Gear Box Inserts	SW-252001	S12-2 Eaglet ST-2 Clean Body Shell Set
SW-220046	S12-2 Rear Hub Insert Set	SW-510091	SWORKz Original Logo Sticker (2PC)
SW-220047	S12-2 Front C-Hub Insert& Sway Bar Ball End Parts	SW-115089	S12 Series Ball Diff. Adjust Spring
SW-220049-1	SWORKz 1/10 Precision Plastic Shock Piston (1.6X2Holes)	SW-115162	S14/S12 Black Competition Line Rear Shock Spring (2 Dot)(57X1.1X9.25)
SW-220049-2	SWORKz 1/10 Precision Plastic Shock Piston (1.7X2Holes)	SW-115186	S12-2 Black Competition Front Shock Spring (US3-Dot)(38X1.2X7.0)
SW-220049-5	SWORKz 1/10 Precision Plastic Shock Seal Part (2 Sets)	SW-115172	S12-2 Front Sway Bar 1.0mm
SW-220050	SWORKz 1/10 Pro-Shock Precision Plastic Shock Cap & Seal Cap (4 Sets)	SW-115177	S12-2 Rear Sway Bar 1.3mm
SW-222001	S12-2 Plastic Synthesis Rear Hub (R=L)(1Set)	SW-115188	SWORKz 1/10 Slipper Clutch Spring (D1.4x12mm)
SW-224007S2-25	SWORKz 1/10 2WD Savor Servo Arm (25T)	SW-115189	SWORKz 1/10 Slipper Clutch Spring (D1.6x12mm)
SW-224007S2-23	SWORKz 1/10 2WD Savor Servo Arm (23T)	SW-116010R	Ball Bearing 5x10x4mm (Red Rubber Case)(4PC)
SW-224007L3	SWORKz 1/10 Plastic Ball End Set (T3.0mm)(2Sets)	SW-116013R	Ball Bearing 10x15x4mm (Red Rubber Case)(6PC)
SW-224010	SWORKz 1/10 Series Shock Plastic Parts (2 Sets)	SW-116015	Ball Bearing 5x8x2.5mm
SW-250042	SWORKz 1/10 sonic wing 6.5"	SW-116019R	Ball Bearing 5x13x4mm (Red Rubber Case)(4PC)
SW-250045	SWORKz 1/10 sonic front lexan wing "65mm"	SW-117003	Flange Ball Bearing 3x6x2.5mm (2pcs)
SW-252001	S12-2 Eaglet Style 2.0 Clean Body Sheel	SW-101020A	3mm Countersunk Washers (RD)
SW-212001	S12-2 Rear CVD Drive Shaft Set 62mm	SW-101007	Washer 3x8x0.5
SW-330134	Shock Ball Stud	SW-101011	M2.6x6xT0.5mm
SW-330156	SWORKz Adjuster Knob (GM)(2PC)	SW-101012	M3x6xT0.5mm
SW-330295	S104 CVD Join Set (2 Sets)	SW-101023	S104 Shim 10x12x0.1mm
SW-330300	S104 Rear Upper Sus. Arm Turnbuckles (2pcs)	SW-101024	S104 Shim 10x12x0.2mm
SW-330304A	S104 Aluminum Shock Spring Adjust Nut (BK)	SW-101026	SWORKz Aluminum Washer 3X6X1.5mm
SW-330315	S104 Sway Bar Linkage Ball Stud (4pcs)	SW-103001	M3 Nut Lock
SW-330321	S104 Center Slipper Clutch Pin M2.0x8mm (2pc)	SW-103002	Flage Nylon Nut M4
SW-330331	S104 Steering Linkage Ball Stud 5x4.1mm (2pcs)	SW-103004	M2.5mm Nut Lock (10pcs)
SW-330410	SWORKz 1/10 Motor Pinion Gear 21T	SW-103007	M3 Nut Lock Thim Type (BK)(10PC)
SW-330516	S12-1 Idler Gear Shaft 5X15L	SW-104002	Set Screw M3x10
SW-330520	S12 Series Ball Diff. Caged Thrust Washer 2.6X6X1(SET)	SW-104004	M3x3mm Set Screw (10pcs)
SW-330525	S12 Rear Lower Arm Hinge Pin (3X44mm)	SW-104005	M3x4mm Set Screw (10pcs)
SW-330536	S12 Pin (3X26mm)	SW-104009	M3x16mm Set Screw (10pc)
SW-330537	S12 Arm Hinge Pin (3X34mm)	SW-104012	M3x12mm Set Screw (10pcs)
SW-330544	S104EVO/S12 Shock Seal Cover (GM)	SW-105021	M3x6mm Conical Head Screw (10PC)
SW-330643	S104 EVO Steering Linkage 5mm Ball Stud (L7mm)(4PC)	SW-106001	M3x8mm Hex Soket OH/TP Screw (10pcs)
SW-332002	S12-2 Aluminum Idler Gear 20T	SW-106002	M3x10mm Hex Soket OH/TP Screw (10pcs)
SW-332005A	S12-2 Slipper Clutch Adjust Screw 2.4x65mm	SW-106003	M3x16mm Hex Soket OH/TP Screw (10pcs)
SW-332006	S12-2 Aluminum Motor Plate	SW-106005	M3x15mm Hex Soket OH/TP Screw
SW-332007A	S12-2 Series Lightened Rear Lower Arm Holder (RF)	SW-106008	M3x12mm Hex Soket OH/TP Screw (10pcs)
SW-332008A	S12-2 Series Rear Lower Arm Plate (RR)	SW-106009	M3x25mm Hex Soket OH/TP Screw (10pcs)
SW-332010	S12-2 CVD Axil (2PC)	SW-106010	M3x6mm Hex Soket OH/TP Screw (10pcs)
SW-332011	S12-2 CVD Axil Holder (2PC)	SW-106014	M2x6mm Hex Soket OH/TP Screw (10pcs)
SW-332012	S12-2 Rear Drive Shaft (62mm)(2PC)	SW-106015	M3x5mm Hex Soket OH/TP Screw (10pcs)
SW-332013	S12-2 Aluminum Servo Savor Post (2PC)	SW-106017	M3x14mm Hex Soket OH/TP Screw (10PC)
SW-332014	S12-2 Aluminum Steering Hub Axil(L&R)(2PC)	SW-106020	M2.5x5mm 1.5mmHex Soket OH/ST Screw
SW-332015	S12-2 Aluminum Front Lower Arm Holder	SW-108001	M3x12mm FH/ST HEX Screw (10pcs)
SW-332021	S12 Differential Steel Ball 2.38mm-32-3 (16PC)	SW-108003	M3x10mm FH/ST HEX Screw (10pcs)
SW-332022	S12 Series Ball Differential Washer14.9X22.9X0.8 (2PC)	SW-108005	M3x14mm FH/ST HEX Screw (10pcs)
SW-332023	S12 Series Ball Differential Outdrive-R	SW-108006	M3x8mm FH/ST HEX Screw (10pcs)
SW-332024	S12 Series Ball Differential Outdrive-L	SW-108007	M3x6mm FH/ST HEX Screw (10pcs)
SW-332025	S12 Series Ball Diff. Adjust Screw 2.6x25	SW-108014	M3x3mm FH/ST HEX Screw (10pcs)
SW-332032	S12-2 High Torque Aluminum Slipper Clutch Pad (Outside)	SW-108028	M2.6x4mm Flat Head Screw - Hex Socket (10PC)
SW-332033	S12-2 High Torque Aluminum Slipper Clutch Pad (Inside)	SW-108029	M2.0x4.6mm FH/ST HEX Screw (1.5mm Hex)(10PC)
SW-332034	S12-2 Steel Slipper Clutch Spring Holder Washer (2PC)	SW-200193	Antenna Tube (3 sets)
SW-332037-LF	SWORKz 1/10 Series Pro Shock System Longer Front Shaft (LF-42.7mm)		
SW-332037-LR	SWORKz 1/10 Series Pro Shock System Longer Rear Shaft (LR-49.7mm)		
SW-332047-LF	SWORKz 1/10 Series Pro Shock Body for Longer Front System (LF)		
SW-332047-LR	SWORKz 1/10 Series Pro Shock Body for Longer Rear System (LR)		
SW-332042-25	S12-2C/D Full Edition Main Chassis 2.5mm		
SW-332055	SWORKz 1/10 Series Linkage Turnbuckle M3X45mm (2PC)		
SW-334002	S14-3 Aluminum Shock Stud (2PC)		
SW-334011	S14-3 12mm Wheel Hex (5.7mm)(Option)(2PC)		


Option Part List

Item No.	Part Name	Item No.	Part Name
SW-210072	S12-1 Series Gear Diff Set	SWC-116013A	SWORKz Competition 10x15x4mm Ball Bearing (Metal Case)(6PC)
SW-212007-SF	SWORKz 1/10 Series Pro-Shock System Shorter Travel Front Set	SW-212003	S12-2 Series Front Sway Bar Kit (1.0/1.1/1.2/1.3mm)
SW-212007-SR	SWORKz 1/10 Series Pro-Shock System Shorter Travel Rear Set	SW-212004	S12-2 Series Rear Sway Bar Kit (1.2/1.3/1.4/1.5/1.6mm)
SW-212008-LF	SWORKz 1/10 Series Pro-Shock System Longer Travel Front Set	SW-115173	S12-2 Front Sway Bar 1.1mm
SW-212008-LR	SWORKz 1/10 Series Pro-Shock System Longer Travel Rear Set	SW-115174	S12-2 Front Sway Bar 1.2mm
SW-220025WH	SWORKz 1/10 2WD Off Road Competition Front Dish Wheel (WH) (4PC)	SW-115175	S12-2 Front Sway Bar 1.3mm
SW-220025FY	SWORKz 1/10 2WD Off Road Competition Front Dish Wheel (FY) (4PC)	SW-115176	S12-2 Rear Sway Bar 1.2mm
SW-220026WH	SWORKz 1/10 2/4WD Off Road Competition Rear Dish Wheel (WH) (4PC)	SW-115178	S12-2 Rear Sway Bar 1.4mm
SW-220026FY	SWORKz 1/10 2/4WD Off Road Competition Rear Dish Wheel (FY) (4PC)	SW-115179	S12-2 Rear Sway Bar 1.5mm
SW-220031-72	S14-3 Precision Plastic Center Spur Gear 72T for Slipper Clutch	SW-115180	S12-2 Rear Sway Bar 1.6mm
SW-220031-78	S14-3 Precision Plastic Center Spur Gear 78T for Slipper Clutch	SWC-116010C	SWORKz Competition 5x10x4mm Ball Bearing (Metal Case)(6PC)
SW-220035H	S12-2 Front Lower Arm Set in Pro-composite Hard Material	SWC-116019A	SWORKz Competition 5x13x4mm Ball Bearing (Metal Case)(4PC)
SW-220036H	S12-2 Rear Lower Arm Set in Pro-composite Hard Material		
SW-220037H	S12-2 Side Guard Set in Pro-composite Hard Material		
SW-220049-3	SWORKz 1/10 Pro-Shock Precision Plastic Shock Piston (1.6X3Holes)(2PC)		
SW-220049-4	SWORKz 1/10 Pro-Shock Precision Plastic Shock Piston (1.8X2Holes)(2PC)		
SW-250042	SWORKz 1/10 sonic lexan wing 6.5"		
SW-250042-1	SWORKz 1/10 Sonic Lexan Wing 6.5" (Harder)(1PC)		
SW-250042BK	SWORKz 1/10 sonic lexan wing 6.5" (BK)		
SW-250042WH	SWORKz 1/10 sonic lexan wing 6.5" (WH)		
SW-2501800ABK	S104 Rear Wing Set (W/O Holes) (BK)		
SW-2501800AFY	S104 Rear Wing Set (W/O Holes) (FY)		
SW-2501800AWH	S104 Rear Wing Set (W/O Holes) (WH)		
SW-252001L	S12-2 Eaglet ST-2 Clean Body Shell (Light)		
SW-330324	SWORKz 1/10 Motor Pinion Gear 20T		
SW-330335	S104 Aluminum Rear Wing Washer		
SW-330409	SWORKz 1/10 Motor Pinion Gear 19T		
SW-330411	SWORKz 1/10 Motor Pinion Gear 22T		
SW-330412	SWORKz 1/10 Motor Pinion Gear 23T		
SW-330544	S104EVO/S12 Shock Seal Cover (GM)		
SW-330689	S12-1M/R Aluminum Diff Case Cover		
SW-330690	S12-1M/R Aluminum Savor Servo Arm (25T)		
SW-330692	S12-1M/R Aluminum Savor Servo Arm (23T)		
SW-332009	S12-2 Brass Front Lower Arm Balance Holder (25g)		
SW-332028	S12-2 Aluminum Front Upper Arm Holder		
SW-332029	S12-2 Aluminum Rear Upper Linkage Mount		
SW-332040	S12-2 Aluminum Synthesis Rear Hub (1PC)(R=L)		
SW-332041	S12-2 Aluminum Synthesis Rear Hub Linkage Plate (1PC)(R=L)		
SW-332040-41	S12-2 Aluminum Synthesis Rear Hub Set (2 Sets)		
SW-332044	S12-2 Aluminum Gear Box Support Mount		
SW-332045	S12-2 Aluminum Servo Savor Arms (2PC)		
SW-332046	S12-2 Aluminum Servo Savor Steering Plate		
SW-332048	S12-2 Series Aluminum Rear Shock Tower Support		
SW-332050	S12-2 Series Aluminum Servo Holder		
SW-332051	S12-2 Series Aluminum Front Lower Arm Holder		
SW-332052-L	S12-2 Series Aluminum Front C Hub (L)		
SW-332052-R	S12-2 Series Aluminum Front C Hub (R)		
SW-332054-L	S12-2 Series Aluminum Front Shock Tower Side Support (L)		
SW-332054-R	S12-2 Series Aluminum Front Shock Tower Side Support (R)		
SW-342006	S12-2 Series Pro-composite Carbon Fiber Servo Holder Plate		
SW-212009	S12-2 Series Competition Servo Holder Unit		
SW-362001	S12-2 15g Brass Rear Lower Arm Holder (RF)		
SW-362002	S12-2 Series Quality Stainless Steel ESC/Receiver Balance Plate (20g)		
SW-334010	S14-3 12mm Wheel Hex (4.7mm)(Standard)(2PC)		
SW-334038	S14-3 12mm Wheel Hex (6.7mm)(Option)(2PC)		
SW-334039	S14-3 12mm Wheel Hex (7.7mm)(Option)(2PC)		
SW-334047BK	SWORKz T-7075 M4 Lightened Low Profile Large-contact with Serrated Wheel Nuts (BK)(6pc)		
SW-334047GM	SWORKz T-7075 M4 Lightened Low Profile Large-contact with Serrated Wheel Nuts (GM)(6pc)		
SWC-115157	S14/S12 Black Competition Front Shock Spring (S4-Dot)(43X1.2X6.5)		
SWC-115158	S14/S12 Black Competition Front Shock Spring (S3-Dot)(43X1.2X7.75)		
SWC-115159	S14/S12 Black Competition Front Shock Spring (S2-Dot)(43X1.2X8.0)		
SWC-115160	S14/S12 Black Competition Rear Shock Spring (L4-Dot)(57X1.1X7.5)		
SWC-115161	S14/S12 Black Competition Rear Shock Spring (L3-Dot)(57X1.1X8.0)		
SWC-115185	S12-2 Black Competition Front Shock Spring (US4-Dot)(38X1.2X6.0)		
SWC-115187	S12-2 Black Competition Front Shock Spring (US2-Dot)(38X1.2X7.25)		

Shock Absorbers




Differential






Chassis & Electronic Parts



Rear Suspension



S12.2 Mini

1/10 Off Road 2WD Racing Electric Buggy



SPEEDMASTER HOBBY CO., LTD.

TEL: +886-3-538-7638

FAX: +886-3-538-7328

No.42, Ruiguang St., Xiangshan Dist.,
Hsinchu City 300, Taiwan (R.O.C.)

www.sworkz.com