

Race time / Lap: \_\_\_\_\_

Best lap: \_\_\_\_\_

Name: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Track: \_\_\_\_\_

**Diff. Oil**  
 Front: \_\_\_\_\_  
 Center: \_\_\_\_\_  
 Rear: \_\_\_\_\_

**Track Conditions**  
 Size:  Open  Med.  Tight  
 Traction:  High  Med.  Low  
 Surface:  Smooth  Med.  Bumpy

**Tire**  
 Front Type: \_\_\_\_\_  
 Front Foam: \_\_\_\_\_  
 Rear Type: \_\_\_\_\_  
 Rear Foam: \_\_\_\_\_

**Electric System**  
 ESC Type: \_\_\_\_\_  
 Motor Type: \_\_\_\_\_  
 Motor Gear/Spur Gear: \_\_\_\_\_

### Front Suspension

**Front Toe-In**  
 F:  0.5  1.0  
 R:  0.5  1.0

**Steering Ackerman**  
 1  
 2  
 3

**Diff. Position**  
 Front: 0  1  2  3  
 Rear: 0  1  2  3

**Shock Absorber**  
 Oil: \_\_\_\_\_  
 Spacer: \_\_\_\_\_ mm  
 Pistons: \_\_\_\_\_  
 Spring: \_\_\_\_\_

**Front lower arm**  
 Pro-composite Hard Material  Standard Material  
 R: \_\_\_\_\_ mm  
 F: \_\_\_\_\_ mm

**Other Settings**  
 Camber: \_\_\_\_\_ mm ( ) °  
 C-Hub:  9  11  
 Track width: \_\_\_\_\_ mm  
 Camber angle: \_\_\_\_\_  
 Toe angle: \_\_\_\_\_  
 Rebound stop: \_\_\_\_\_ mm  
 Sway bar:  Use \_\_\_\_\_ mm  None  
 Ride High: \_\_\_\_\_ mm

### Rear Suspension

**Wing Angle**  0  +3  -3  
 H  M  L  
 H  M  L  
 Wing Position

**Rear Toe-In**  
 F:  0.5  1.0  
 R:  0.5  1.0

**Shock Absorber**  
 Oil: \_\_\_\_\_  
 Spacer: \_\_\_\_\_ mm  
 Pistons: \_\_\_\_\_  
 Spring: \_\_\_\_\_

**Rear lower arm**  
 Pro-composite Hard Material  Standard Material  
 F: \_\_\_\_\_ mm  
 R: \_\_\_\_\_ mm

**Notes:**  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 Rear Sway bar:  Use \_\_\_\_\_ mm  None  
 Ride High: \_\_\_\_\_ mm

### Option Parts List

**Side guard**  
 Pro-composite Hard Material  Standard Material

**Carbon Center T-brace**  
 Use  None

**T-bar**  
 Pro-composite Hard Material  Standard Material