

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

PART #	ENGLISH	DEUTSCH	FRANÇAIS	ITALIANO
LOS-3466	Locknut, M2.5 x .45 x 5mm (6)	Mutter selbstsichernd M2.5 x .45 x 5mm (6)	Ecrou M2,5 x 0,45 x 5mm (6)	Dado autobloccante, M2.5 x .45 x 5mm (6)
LOS-3467	15 x 21 x 4 Shielded Ball Bearing(2)	15 x 21 x 4mm abgedichtetes Kugellager (2)	Roulement à billes blindé 15 x 21 x 4mm (2)	Cuscinetti a sfera schermati 15 x 21 x 4mm (2)
LOS-3468	Body Clips, Black (12): 22X-4 2.0	Karosseriekammern Schwarz (12)	Clips de carrosserie noirs (12)	Clips carrozzeria, neri (12)
LOS-3469	Flat Head Screws, M3 x 6mm (10)	Flachkopfschrauben, M3 x 6mm (10)	Vis à tête fraisée M3 x 6mm (10)	Viti a testa piatta M3 x 6mm (10)
LOS-3470	8x14x4 Rubber Sealed Ball Bearing (4)	8 x 14 x 4mm gummiuersiegeltes Kugellager (4)	Roulement à billes hermétique en caoutchouc 8 x 14 x 4mm (4)	Cuscinetti a sfera sigillati in gomma 8 x 14 x 4mm (4)
LOS235001	Cap Head Screws, M2 x 6mm (10)	Inbusschrauben M2 x 6mm (10)	Vis d'assemblage creuses M2 x 6mm (10)	Viti testa a brugola, M2 x 6mm (10)
LOS235009	Flat Head Screws M2.5 x 8mm (10)	Flachkopfschrauben M2,5 x 8mm (10)	Vis à tête plate M2.5 x 8mm (10)	Viti a testa piatta, M2.5 x 8mm (10)
LOS235011	Set Screws, M3 x 3mm Cup Point(10)	Stellschrauben M3 x 3mm Ringschneide (10)	Vis de fixation M3 x 3mm Bout cuvette (10)	Grani, M3 x 3mm, punta tonda (10)
LOSA6937	5x10x4mm Shielded Ball Bearing(2)	5 x 10mm abgedichtetes Kugellager (2)	Roulement à billes blindé 5 x 10mm (2)	Cuscinetti a sfera schermati 5 x 10mm (2)
LOSA6943	10X15x4mm Sealed Ball Bearing (2)	10 X 15mm Kugellager gekapselt (2): 22	22 - Roulements étanches 10 x15mm (2)	10 x 15mm Cuscinetti stagni (2): 22
LOSA6955	5x13x4mm HD Clutch Bearings (2):8B/8T	5 x 13mm HD Kupplungslager (2):8B/8T	8B/8T - Roulements renforcés 5 x 13mm	5 x 13mm HD Cuscinetti frizione (2): 8B/8T
PRO273602	R Velocity 2.2 Hex Whl, Yel: LOS22, 12mm Hex B4.1	R Velocity 2.2 Sechskantaufnahme, Gelb: LOS22, 12 mm Sechskant B4.1	Roue hexagonale arrière Velocity 2.2, jaune : LOS22, hexagone 12 mm B4.1	Cerchio Velocity 2.2 post., Giallo: LOS22, esagono 12 mm B4.1
PRO273604	R Velocity 2.2 Hex Whl, Wht: LOS22, 12mm Hex B4.1	R Velocity 2.2 Sechskantaufnahme, Weiß: LOS22, 12 mm Sechskant B4.1	Roue hexagonale Velocity 2.2 arrière, blanche : LOS22, hexagone 12 mm B4.1	Cerchio Velocity 2.2 post., Bianco: LOS22, esagono 12 mm B4.1
PRO276702	Velocity 2.2 4WD Front Yellow Wheel (2) :XB4	Velocity 2.2 4WD Gelbes Vorderrad (2) :XB4	Velocity 2.2 4WD Roues avant jaunes (2) :XB4	Velocity 2.2 4WD Ruota anteriore gialla (2): XB4
PRO276704	Velocity 2.2 4WD Front White Wheel (2) : XB4	Velocity 2.2 4WD Weißes Vorderrad (2) : XB4	Velocity 2.2 4WD Roues avant blanches (2) :XB4	Velocity 2.2 4WD Ruota anteriore bianca (2): XB4
PRO370125	22X-4 2.0 Sector Body	Sector transparentes Gehäuse für TLR 22X-4 2.0	Carrosserie transparente Sector pour TLR 22X-4 2.0	Carrozzeria trasparente Sector per TLR 22X-4 2.0
PRO640517	Pre-Cut Air Force 7" Clear Rear Wing (2) for 1:10 Buggy	Vorgeschnittener Air Force 7" Clear Heckflügel (2) für 1:10 Buggy	Aileron arrière transparent Air Force prédécoupé de 7 pouces (2) pour buggy 1:10	Alettone posteriore trasparente Air Force pretagliato da 7" (2) per buggy 1:10
TLR-1076	Threaded Spring Collar, 13mm (2): 22X	Federteller mit Gewinde, 13 mm (2): 22X	Collier à ressort fileté, 13 mm (2) : 22X	Collare molla filettata, 13 mm (2): 22X
TLR-1085	Steering Hardware Set: 22X	Hardwaresatz Lenkung: 22X	Ensemble de matériel de direction : 22X	Set bulloneria sterzo: 22X
TLR-1095	Shock Cap, Bottom, 13mm (2): 22X	Stoßdämpferkappe, unten, 13mm (2): 22X	Capuchons d'amortisseurs bas 13 mm (2) : 22X	Tappo amm., inferiore, 13 mm (2): 22X
TLR-1102	Rod End Set, 5.8mm: 22X	Stangenkopfsatz 5,8mm: 22X	Ensemble embout de bielle 5,8 mm : 22X	Set teste a snodo 5,8 mm: 22X
TLR-1107	VHA Rebuild Set, V2 (2): 22X	VHA-Umbausatz, V2 (2): 22X	Ensemble de reconstruction VHA, V2 (2) : 22X	Kit ricostruzione VHA, V2 (2): 22X
TLR-1110	Shock Shaft, 3mm x 42.7mm, TiNi, G3 (1)	Kolbenstange, 42,7 mm, TiCN, G3 3,5 (1)	Bras d'amortisseur, 42,7 mm, TiCN, G3 3,5 (1)	Albero ammortizzatore, 42,7 mm, TiCN, G3 3,5 (1)
TLR-1117	Shock Cap, Composite (2): 22X	Stoßdämpferkappe, Komposit, G3 (4): 22X	Capuchon d'amortisseur, composite, G3 (4): 22X	Tappo ammortizzatore, composito, G3 (4): 22X
TLR-1119	Spring Cups, Shock Ends, 13mm: 22X	Federteller, Stoßdämpferenden, 13mm: 22X	Coupelles de ressorts, extrémités d'amortisseurs, 13 mm : 22X	Scodellini molle, Terminali amm., 13 mm: 22X
TLR-1129	Shock Shaft, 3mm x 48.7mm, TiNi, G3 (1)	Kolbenstange, 3 mm x 48,7 mm, TiCN, G3 (1)	Bras d'amortisseur, 3 mm x 48,7 mm, TiCN, G3 (1)	Albero ammortizzatore, 3 mm x 48,7 mm, TiCN, G3 (1)
TLR-1134	Ball Stud, 5.8mm x 6mm (4): 22X	Kugelkopf mit Gewinde 5,8 x 6mm (4): 22X	Rotules à visser 5,8 x 6mm (4): 22X	Perno sferico, 5,8 x 6mm (4): 22X
TLR-1135	13mm Shock Piston, Blank, 2.5mm (2)	13 mm Stoßdämpferkolben, leer, 2,5 mm (2)	Pistons d'amortisseur 13 mm, vierges, 2,5 mm (2)	Pistone amm. 13 mm, grezzo, 2,5 mm (2)
TLR-1149	Shock Bushing, Upper (2): 22X	Stoßdämpferbuchse, oben (2): 22X	Bagues d'amortisseurs, supérieures (2) : 22X	Boccola amm., Superiore (2): 22X
TLR-1166	13mm Shock Body, 36.5mm, G3, 3mm (1)	13 mm Stoßdämpfergehäuse, 36,5 mm, G3 3 mm (1)	Corps d'amortisseur 13 mm, 36,5 mm, G3, 3 mm (1)	Corpo amm. 13 mm, 36,5 mm, G3 3 mm (1)

PART #	ENGLISH	DEUTSCH	FRANÇAIS	ITALIANO
TLR-1171	Shock Seal Bushings, Machined, Split, G3 3mm (4)	Stoßdämpferbuchsen, gefräst, G3 3 mm (4)	Bagues de joints d'amortisseurs, partagées, G3, 3 mm (4)	Boccole tenuta amm., Lavorate, Sdoppiate, G3 3 mm (4)
TLR-1174	13mm Shock Body, 42.0mm, G3, 3mm (1)	13 mm Stoßdämpfergehäuse, 42,0 mm, G3 3 mm (1)	Corps d'amortisseur 13 mm, 42,0 mm, G3, 3 mm (1)	Corpo amm. 13 mm, 42,0 mm, G3 3 mm (1)
TLR-1179	Shock Standoff, Arm (2): 22X	Stoßdämpfer-Standoff, Arm (2): 22X	Dispositifs d'espacement d'amortisseur, bras (2) : 22X	Distanziale amm., Braccio (2): 22X
TLR-1180	Ball Stud, 5.8mm x 8mm (4): 22X	Kugelpopf mit Gewinde 5.8 x 8mm (4): 22X	Rotules à visser 5,8 x 8mm (4): 22X	Perno sferico, 5.8 x 8mm (4): 22X
TLR-1191	Rear Springs, Blue, 2.37lb, 13mm (2)	Blaue Heckfedern, 2,37lb, 13mm (2)	Ressorts arrière, bleus, 2,37 lb, 13 mm (2)	Molle posteriori, Blu, 2.37 lb, 13 mm (2)
TLR-1207	Front Springs, Green, 4.19lb, 13mm (2)	Grüne Frontfedern, 4,19lb, 13mm (2)	Ressorts avant, verts, 4,19 lb, 13 mm (2)	Molle anteriori, Verde, 4.19 lb, 13 mm (2)
TLR-1209	Button Head Screw, M3 x 22mm (10)	Rundkopfschrauben, M3 x 22mm (10)	Vis à tête bombée, M3 x 22mm (10)	Viti a testa tonda, M3 x 22mm (10)
TLR-1266	Caster Block Insert Set: 22X-4 2.0	Radblock Einbau-Set: 22X-4 2.0	Ensemble d'inserts, bloc de roulettes : 22X-4 2.0	Set inserti blocco caster: 22X-4 2.0
TLR-1267	Sticker Sheet: 22X-4 2.0	Stickerbogen: 22X-4 2.0	Autocollants : 22X-4 2.0	Foglio di adesivi: 22X-4 2.0
TLR-1269	Front Gear Box Set: 22X-4 2.0	Vorderes Getriebe: 22X-4 2.0	Boîte de vitesses avant : 22X-4 2.0	Set cambio anteriore: 22X-4 2.0
TLR-1270	Outdrive, Front, Decoupled Slipper: 22X-4 2.0	Outdrive, Front, entkoppelter Slipper: 22X-4 2.0	Transmission extérieure, avant, découplée, glissement : 22X-4 2.0	Fuoribordo, anteriore, disaccoppiato, antisaltellamento: 22X-4 2.0
TLR-1274	Slipper Plate, Main, Decoupled Slipper: 22X-4 2.0	Slipperplatte, Haupt-, entkoppelter Slipper: 22X-4 2.0	Plaque de glissement, principale, glissement découpé : 22X-4 2.0	Piastra di scorrimento, principale, disaccoppiata: 22X-4 2.0
TLR-1275	D Pivot Block Aluminum, AC: 22X-4	D-Zapfenlager, Aluminium, AC: 22X-4	Bloc pivot D, aluminium, AC : 22X-4	Blocco pivotante D, alluminio, AC: 22X-4
TLR-1276	Center Dogbones 61mm 68mm: 22X-4 2.0	Mittlere Antriebsknochen 61 mm 68 mm: 22X-4 2.0	Dogbones centraux 61 mm 68 mm : 22X-4 2.0	Ossa centrali 61mm 68mm: 22X-4 2.0
TLR-1278	Carbon Bell Crank Plate: 22X-4 2.0	Carbon-Umlenkhebelplatte: 22X-4 2.0	Plateau de manivelle en carbone : 22X-4 2.0	Piastra della pedivella in carbonio: 22X-4 2.0
TLR-1279	Chassis, +3mm: 22X-4 2.0	Fahrwerk, +3mm: 22X-4 2.0	Châssis +3mm: 22X-4 2.0	Telaio, +3mm: 22X-4 2.0
TLR-1280	HV Differential Housing (2): 22X-4 2.0	HV-Differentialgehäuse (2): 22X-4 2.0	Boîtier de différentiel HT (2) : 22X-4 2.0	Alloggiamento differenziale HV (2): 22X-4 2.0
TLR-1281	Rear Gear Box Set: 22X-4 2.0	Hinterradgetriebe: 22X-4 2.0	Boîte de vitesses arrière : 22X-4 2.0	Set cambio posteriore: 22X-4 2.0
TLR-1282	Outdrive, Rear, Decoupled Slipper: 22X-4 2.0	Außenantrieb, hinten, entkoppelter Slipper: 22X-4 2.0	Transmission extérieure, arrière, découplée, glissement : 22X-4 2.0	Fuoribordo, posteriore, disaccoppiato, antisaltellamento: 22X-4 2.0
TLR-1283	Shock Cap, Snap Fit, Composite (2): 22X-4 2.0	Stoßdämpferkappe, Schnappverschluss, Verbundwerkstoff (2): 22X-4 2.0	Capuchon d'amortisseur, à encliquetage, composite (2) : 22X-4 2.0	Tappo ammortizzatore, a scatto, composito (2): 22X-4 2.0
TLR-1286	Carbon Spindle Arm Set #2: 22X-4 2.0	Carbon-Spindelarm-Set Nr. 2: 22X-4 2.0	Ensemble de bras de broche en carbone n° 2 : 22 X-4 2.0	Set di bracci per perno in carbonio n. 2: 22X-4 2.0
TLR-1287	Center Dogbones 46mm 53mm: 22X-4 2.0	Mittlere Antriebsknochen 46 mm 53 mm: 22X-4 2.0	Dogbones centraux 46 mm 53 mm : 22X-4 2.0	Ossa centrali 46mm 53mm: 22X-4 2.0
TLR-1288	Brace, Spacer, Decoupled Slipper: 22X-4 2.0	Strebe, Abstandshalter, entkoppelter Slipper: 22X-4 2.0	Entretoise, entretoise, chausson découpé : 22X-4 2.0	Rinforzo, distanziatore, pantofola disaccoppiata: 22X-4 2.0
TLR-1289	Decoupled Slipper Springs, Collar, Screw: 22X-4 2.0	Entkoppelte Gleitfedern, Kragen, Schraube: 22X-4 2.0	Ressorts de glissement découplés, collier, vis : 22X-4 2.0	Molle antisaltellamento disaccoppiate, collare, vite: 22X-4 2.0
TLR-1290	Servo Mount Set: 22X-4 2.0	Servohalterungssatz: 22X-4 2.0	Ensemble de montage servo : 22X-4 2.0	Set di montaggio servo: 22X-4 2.0
TLR-1292	Pinion Dogbone Axle (2): 22X-4 2.0	Ritzel-Dogbone-Achse (2): 22X-4 2,0	Axe Dogbone à pignon (2) : 22X-4 2.0	Pignone Asse Dogbone (2): 22X-4 2.0
TLR-1293	Shock Standoff, Snap Fit (2): 22X-4 2.0	Stoßdämpfer-Abstandshalter, Schnappbefestigung (2): 22X-4 2.0	Entretoise d'amortisseur, à encliquetage (2) : 22X-4 2.0	Distanziale ammortizzatore, a scatto (2): 22X-4 2.0
TLR-1294	Ball Stud, 5.8mm x 10mm (4): 22X	Kugelpopf mit Gewinde, 5.8 x: 10mm (4): 22X	22X - Rotules à visser 5,8 x 10mm (4)	Perno sferico, 5.8 x 10mm (4): 22X
TLR-1295	Differential Height Inserts: 22X-4 2.0	Einsätze mit unterschiedlicher Höhe: 22X-4 2.0	Inserts de hauteur différentielle : 22X-4 2.0	Inserti di altezza differenziale: 22X-4 2.0
TLR-1296	Sway Bar Bushing Set: 22X-4 2.0	Stabilisatorbuchsensatz: 22X-4 2.0	Jeu de bagues de barre stabilisatrice : 22 X-4 2.0	Set boccole barra stabilizzatrice: 22X-4 2.0
TLR-1297	Sway Bar Mount Set (2): 22X-4 2.0	Stabilisatorhalterungssatz (2): 22X-4 2.0	Ensemble de supports de barre stabilisatrice (2) : 22X-4 2.0	Set di montaggio barra stabilizzatrice (2): 22X-4 2.0
TLR-1298	Decoupled Slipper Assembly, Complete: 22X-4 2.0	Entkoppelte Slipper-Baugruppe, komplett: 22X-4 2.0	Ensemble de patins découplés, complet : 22X-4 2.0	Gruppo pistone disaccoppiato, completo: 22X-4 2.0
TLR-1299	Side Guard Set, Stiffzel: 22X-4 2.0	Kortflügel. 22X-4 2.0	22X-4 2.0 - Bavettes, Stiffezel	Set parafanghi: 22X-4 2.0
TLR-1300	Front Arm Set, Gullwing, Stiffezel: 22X-4 2.0	Vorderarmsatz, Flügeltürer, Stiffezel: 22X-4 2.0	Ensemble de bras avant, Gullwing, Stiffezel : 22X-4 2.0	Set braccio anteriore, Gullwing, Stiffezel: 22X-4 2.0

PART #	ENGLISH	DEUTSCH	FRANÇAIS	ITALIANO
TLR-1301	Carbon Rear Shock Tower, STD: 22X-4 2.0	Hintere Carbon-Stoßdämpferbrücke, STD: 22X-4 2.0	Tour d'amortisseur arrière en carbone, STD: 22X-4 2.0	Torre amm in carbonio, pst, STD: 22X-4 2.0
TLR-1302	HD Turnbuckle Kit: 22X-4 2.0	Gewindestangenset : 22X-4 2.0	22X-4 2.0 - Set de biellettes	HD set tenditori: 22X-4 2.0
TLR-1303	Center Dogbones 93mm 96mm: 22X-4 2.0	Mittlere Antriebsknochen 93 mm 96 mm: 22X-4 2.0	Dogbones centraux 93 mm 96 mm : 22X-4 2.0	Ossa centrali 93mm 96mm: 22X-4 2.0
TLR-1304	Center Dogbones 100mm 103mm 106mm: 22X-4 2.0	Mittlere Antriebsknochen 100 mm 103 mm 106 mm: 22X-4 2.0	Dogbones centraux 100 mm 103 mm 106 mm : 22X-4 2.0	Ossa centrali 100 mm 103 mm 106 mm: 22X-4 2.0
TLR-1305	C Pivot Block Aluminum, AC: 22X-4	C-Zapfenlager, Aluminium, AC: 22X-4	Bloc pivot C, aluminium, AC : 22X-4	Blocco pivotante C, alluminio, AC: 22X-4
TLR-1306	Carbon Front Shock Tower, -2mm: 22X-4 2.0	Vordere Carbon-Stoßdämpferbrücke, -2mm: 22X-4 2.0	Tour d'amortisseur avant en carbone, -2mm: 22X-4 2.0	Torre amm in carbonio, ant, -2mm: 22X-4 2.0
TLR-1307	Shock Tower Guards, Rear (2): 22X-4 2.0	Stoßdämpferschutz, hinten (2): 22X-4 2.0	Protections de tour d'amortisseur, arrière (2) : 22X-4 2.0	Protezioni della torre ammortizzatori, posteriori (2): 22X-4 2.0
TLR-1308	Center Bulkhead, Decoupled Slipper: 22X-4 2.0	Mittelschott, entkoppelter Slipper: 22X-4 2.0	Cloison centrale, slipper découplé : 22X-4 2.0	Paratia centrale, pantofola disaccoppiata: 22X-4 2.0
TLR-1309	Slipper Pad, Plate, Sml, Decoupled Slipper: 22X-4 2.0	Slipper-Pad, Platte, klein, entkoppelter Slipper: 22X-4 2.0	Coussinet de protection, plaque, petit, chausson découplé : 22X-4 2.0	Pattino, piastra, piccolo, pantofola disaccoppiata: 22X-4 2.0
TLR-1310	Caster Blocks: 22X-4 2.0	C.Hub : 22X-4 2.0	22X-4 2.0 - Set d'étriers porte fusées	Set blocco castor: 22X-4 2.0
TLR230003	Hook and Loop Body Mounting, 10 x 20mm: (8)	Klettband 10 x20mm (8)	Bandes auto-agrippantes pour fixation de carrosserie, 10x20mm (8)	Attacco a strappo per montaggio carrozzeria, 10 x 20mm: (8)
TLR231087	Chassis Brace Set: 22X-4	Chassishalter Set: 22X-4	22X-4 - Renforts de châssis	Set trapezio: 22X-4
TLR231089	Composite Steering Set: 22X-4	Verbundstoff-Lenkungssatz: 22X-4	Ensemble de direction composite : 22X-4	Kit sterzo in composito: 22X-4
TLR231091	Body, Antenna, Wire, Fan Mount Set: 22X-4	Karosserie, Antenne, Draht, Lüfterhalterungssatz: 22X-4	Ensemble carrosserie, antenne, câble, support de ventilateur : 22X-4	Kit carrozzeria, antenna, filo, supporto ventola: 22X-4
TLR231093	Front Bumper (2): 22X-4	Stoßfänger vorne (2): 22X-4	22x-4: Pare-choc avant (2)	Paraurti anteriore (2): 22X-4
TLR231094	Wing Mount & Washers: 22X-4	Flügelhalterung und Unterlegscheiben: 22X-4	Support d'aile et rondelles : 22X-4	Supporto e rondelle alettone: 22X-4
TLR231098	Steering Posts (2): 22X-4	Lenksäule (2): 22X-4	Colonne de direction (2) : 22X-4	Supporto sterzo (2): 22X-4
TLR231101	Center Diff Fan Mount: 22X-4	Lüfterhalterung mittleres Differenzial: 22X-4	Fixation du ventilateur de différentiel central : 22X-4	Supporto ventola differenziale centrale: 22X-4
TLR231102	Carbon Tab Battery Mount Set: 22X-4	Carbon-Führung Akkuhalterungen: 22X-4	Fixations de la batterie à languettes en carbone 22X-4	Supporti batteria linguette in carbonio: 22X-4
TLR232104	CVA Driveshaft Bones, X74mm (2): 22X	CVA-Antriebsknochen, 74 mm: 22X	Os de l'arbre de transmission (74 mm) : 22X	Dogbone albero di trasmissione CVA, 74 mm: 22X
TLR232107	Front CVA Axle (2): 22X-4	CVA-Vorderachse (2): 22X-4	Axe CVA avant (2) : 22X-4	Assale CVA anteriore (2): 22X-4
TLR232110	Pinion Mounting Hardware (4): 22X-4	Ritzelhalterungshardware (4): 22X-4	Équipement de montage du pignon (4) : 22X-4	Bulloneria montaggio pignone (4): 22X-4
TLR232113	Wheel Hex, 12mm x 5mm (2)	Sechskanrad, 12 mm x 5 mm (2)	Hexagones de roues, 12 mm x 5 mm (2)	Esagoni ruote, 12 mm x 5 mm (2)
TLR232115	Wheel Hex, 12mm x 6mm (2)	Sechskanrad, 12 mm x 6 mm (2)	Hexagones de roues, 12 mm x 6 mm (2)	Esagoni ruote, 12 mm x 6 mm (2)
TLR232116	78T Spur Gear, Slipper: 22X-4	Stirnrad 78T: 22X-4	Engrenage cylindrique 78T : 22X-4	Corona 78T : 22X-4
TLR232117	81T Spur Gear, Slipper: 22X-4	Stirnrad 81T: 22X-4	Engrenage cylindrique 81T : 22X-4	Corona 81T : 22X-4
TLR232123	Motor Mount and Adapter: 22X-4	Motorhalter mit Adapter	Support moteur avec adaptateur	Supporto motore con adattatore
TLR232125	Carbon Center Bulkhead Brace: 22X-4	Mittige Kohlefaser-Spritzwandstrebe: 22X-4	Support de cloison centrale en carbone : 22X-4	Rinforzo paratia centrale in carbonio: 22X-4
TLR232126	Pinion Gear, Steel: 22X-4	Zahnradgetriebe, Stahl: 22X-4	Engrenage à pignons, acier : 22X-4	Pignone, acciaio: 22X-4
TLR232127	Ring Gear, Metal: 22X-4	Zahnradgetriebe, Metall: 22X-4	Engrenage à anneaux, métal : 22X-4	Corona dentata, metallo: 22X-4
TLR232130	Diff Seal & Hardware Set: 22X-4	Differentialgetriebedichtung und Hardwaresatz: 22X-4	Ensemble de joints et matériel pour différentiel : 22X-4	Kit bulloneria e guarnizioni diff.: 22X-4
TLR232131	Outdrive Set (2): 22X-4	Antriebsklauen Set (2): 22X-4	Noix de sortie de diff (2): 22X-4	Set trascinateur (2): 22X-4
TLR232132	CVA Sleeve, Composite (8): 22X	CVA-Hülse, Verbundstoff (8): 22X	Manchon CVA, composite (8) : 22X	Manicotto CVA, composito (8): 22X
TLR233043	Shock Hardware, G3 (4)	Stoßdämpfer-Hardware, G3 (4)	Matériel d'amortisseur, G3 (4)	Bulloneria ammortizzatore, G3 (4)
TLR233060	Seal Set, X-Rings, G3 3mm V2 (4 shocks)	Dichtungssatz, X-Ringe, G3 V2 (4 Stoßdämpfer)	Ensemble de joints, toriques, G3 V2 (4 amortisseurs)	Set tenute, anelli a X, G3 V2 (4 ammortizzatori)
TLR234116	Front Spindle Set: 22X-4	Achsschenkelset vorne: 22X-4	22X-4 - Set de fusées avant	Set fuso anteriore: 22X-4
TLR234124	Hinge Pin Set, Polished: 22X-4	charnierstiftsatz, poliert: 22X-4	Ensemble de goupilles de charnière, poli : 22X-4	Kit perno di articolazione, lucido: 22X-4

PART #	ENGLISH	DEUTSCH	FRANÇAIS	ITALIANO
TLR234126	Sway Bar Set, 1.6/1.8/2.0mm (3): 22X-4	Schwingen-Set, 1.6/1.8/2.0mm (3): 22X-4	Ensemble de barre stabilisatrice, 1.6/1.8/2.0mm (3): 22X-4	Set barra oscillante, 1.6/1.8/2.0mm (3): 22X-4
TLR234128	A Pivot Block, Aluminum: 22X-4	A-Zapfenlager, Aluminium: 22X-4	Bloc pivot A, aluminium : 22X-4	Blocco pivotante A, alluminio: 22X-4
TLR234129	B Pivot Block, Aluminum: 22X-4	B-Zapfenlager, Aluminium: 22X-4	Bloc pivot B, aluminium : 22X-4	Blocco pivotante B, alluminio: 22X-4
TLR234132	Insert Set, Adjustable Pivot, V2: 22	Einsatz-Set, anpassbarer Drehpunkt, V2: 22X-4	Ensemble d'inserts, pivot de réglage V2 : 22X-4	Set inserti, perno regolazione, V2: 22X-4
TLR235010	Screw, G3 Shock Cup (8)	Schraube, G3 Stoßdämpfer-Teller (8)	Vis, coupelle d'amortisseur G3 (8)	Vite, coppa ammortizzatore G3 (8)
TLR236006	10 x 14mm Shims, 0.1 & 0.2mm (5ea.)	Distanzscheiben 10x14 mm, 0,1 und 0,2 mm (je 5)	Set de cales 10x14mm, 0.1 et 0.2mm (5 pce)	Spessori 10x14 mm, 0,1 e 0,2 mm (5 cad.)
TLR236013	Axle Spacer Set, 2x1.3mm(2), 4x0.5mm (4)	Achsen-Abstandhalter, 5 x 1,3 mm (2), 5 x 0,5 mm (4)	Ensemble d'entretoise de l'axe, 5 x 1,3 mm (2), 5 x 0,5 mm (4)	Set distanziali assale, 5 x 1,3 mm (2), 5 x 0,5 mm (4)
TLR237000	5x8x2.5mm Bearings (2)	5 x 8 x 2.5mm Lager (2)	Roulements 5 x 8 x 2.5mm (2)	5 x 8 x 2.5mm cuscinetti (2)
TLR245012	Button Head Screws, M2.5x4mm (10)	Rundkopfschrauben, M2,5 x 4mm (10)	Vis à tête bombée, M2,5 x 4mm (10)	Viti a testa tonda, M2,5 x 4mm (10)
TLR245016	M3 Flanged Lock Nuts (10)	M3 Sicherungsmuttern mit Flansch (10)	Contre-écrous à collet M3 (10)	Dadi autobloccanti flangiati M3 (10)
TLR331037	Carbon Wing Washer (2): 22 5.0	Tragflächen-Unterlegscheibe, Karbon (2): 22 5.0	Rondelle d'aile en carbone (2) : 22 5.0	Rondella ala carbonio (2): 22 5.0
TLR331051	Clamping Servo Horn, Aluminum, 25T: 22X-4	Klemmservohorn, Aluminium 25T: 22X-4	Bras servo de serrage, aluminium 25T: 22X-4	braccio servo di serraggio, alluminio, 25T: 22X-4
TLR331057	Carbon Front Top Brace, Medium Flex: 22X-4	Vordere obere Carbon-Strebe, Med Flex: 22X-4	Arbre moyen de support supérieur avant en carbone : 22X-4	Rinf sup ant carbonio med flex:22X-4
TLR334074	VHA Camber Link Mount, Black: 22 5.0	VHA Nabensatz, Verbundstoff: 22 5.0	Ensemble de moyeux VHA, composite : 22 5.0	Set mozzo VHA, composito: 22 5.0
TLR334076	VHA Hinge Pin Insert Set: 22 5.0	VHA-Scharnierstifteinsatz-Satz: 22 5.0	Ensemble d'inserts de goupilles de charnière VHA : 22 5.0	Kit inserti perno di articolazione VHA: 22 5.0
TLR336000	4mm Aluminum Serrated Lock Nuts, Black (6)	4mm Aluminium Stopmutter mit Flanch Schwarz 6St.	Écrou auto-freiné épaulé M4, aluminium, noir (6)	Dado autobloccante seghettato 4mm, nero (6)
TLR336003	M4 Aluminum Serrated Nuts, Low Profile, Black (4)	M4 Aluminiumschrauben geriffelt schwarz (4)	Écrou strié M4 taille basse en aluminium, noir (4)	Dadi dentellati allum. M4, basso profilo, nero (4)
TLR336007	M3 x 6.5mm Aluminum Washer Set, Black (4ea)	M3 Radblock, Unterlegscheiben-Satz, Aluminium, schwarz (je 4)	Ensemble de rondelles en aluminium pour bloc de roulettes M3, noir (4ea)	Set rondella alluminio blocco ghisa M3, nero (4ea)
TLR5901	Button Head Screws, M3 x 6mm (10)	Rundkopfschraube, M3 x 6mm (10)	Vis à tête bombée M3 x 6mm (10)	Viti testa tonda, M3 x 6mm (10)
TLR5902	Button Head Screws, M3 x 8mm (10)	Rundkopfschraube, M3 x 8mm (10)	Vis à tête bombée M3 x 8mm (10)	Viti testa tonda, M3 x 8mm (10)
TLR5903	Button Head Screws, M3 x 10mm (10)	Rundkopfschraube, M3 x 10mm (10)	Vis à tête bombée M3 x 10mm (10)	Viti testa tonda, M3 x 10mm (10)
TLR5904	Button Head Screws, M3 x 12mm (10)	Rundkopfschraube, M3 x 12mm (10)	Vis à tête bombée M3 x 12mm (10)	Viti testa tonda, M3 x 12mm (10)
TLR5910	Button Head Screws, M3 x 14mm (10)	Rundkopfschrauben M3 x 14mm (10)	Vis à tête bombée M3x14mm (10)	Viti a testa tonda, M3 x 14mm (10)
TLR5961	Flathead Screws, M3 x 8mm (10)	Flachkopfschrauben, M3 x 8mm (10)	Vis à tête fraisée M3 x 8mm (10)	Vite a testa piatta, M3 x 8mm (10)
TLR5962	Flathead Screws, M3 x 10mm (10)	Flachkopfschrauben, M3 x 10mm (10)	Vis à tête fraisée M3 x 10mm (10)	Vite a testa piatta, M3 x 10mm (10)
TLR5963	Flathead Screw, M3 x 12mm (10)	Flachkopfschrauben, M3 x 12mm (10)	Vis à tête fraisée M3 x 12mm (10)	Vite a testa piatta, M3 x 12mm (10)
TLR6313	Locknut, M3 x .5 x 5.5mm (10)	TLR Mutter selbstsichernd M3 x .5 x 5.5mm (10)	Écrou M3 x 0,5 x 5,5mm (10)	Dado autobloccante, M3 x .5 x 5.5mm (10)
TLR6352	Washers, M3 (10)	U-Scheibe, M3 (10)	Rondelles M3 (10)	Rodelle, M3 (10)
TLR77000	High-Pressure Black Grease, 8cc	High-Pressure Fett Schwarz/8cc	Graisse noire haute pression, 8cc	Grasso nero alta pressione, 8cc

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

PART #	ENGLISH	DEUTSCH	FRANÇAIS	ITALIANO
LOS-3575	M3 Aluminum Lock Nuts, Black (10)	M3 Aluminium Stopmuttern Schwarz (10)	Écrou auto-freiné M3 en aluminium, noir (10)	Dadi autobloccanti allum. M3, neri (10)
LOS-3576	M3 Flanged Aluminum Lock Nuts, Black (10)	M3 Aluminium Stopmutter mit Bund Schwarz (10)	Écrou auto-freiné épaulé M3 en aluminium, noir (10)	Dadi autobloccanti allum. flangiati M3, neri (10)
REV1119	Revtech X-Factor 7.5T Modified Motor	Revtech X-Factor 7.5T Veränderter Motor	Moteur modifié Revtech X-Factor 7.5T	Motore Revtech X-Factor 7.5T Modificato
SPM5025	DX5 Pro DSMR TX w/SR2100	DX5 Pro DSMR TX w/SR2100	DX5 Pro DSMR TX w/SR2100	DX5 Pro DSMR TX w/SR2100
SPMSS6400	S6400 1/10 High Speed/Torque Servo 25T	S6400 1/10 Hochgeschwindigkeits-/Drehmomentservo 25T	Servo haute vitesse/couple 25T S6400 1/10	S6400 1/10 Servo ad alta velocità/coppia 25T
SPMXC2010	Smart S2200 G2 AC Charger, 2x200W	Smart S2200 G2 Wechselstrom-Ladegerät, 2x200 W	Chargeur c.a. G2 S2200 Smart, 2x200 W	Caricabatterie Smart S2200 G2 CA, 2x200 W
SPMXC2020	Smart S1200 G2 AC Charger; 1x200W	Smart S1200 G2 Wechselstrom-Ladegerät; 1x200W	Chargeur Smart CA S1200 G2, 1 x 200 W	Caricabatterie Smart S1200 G2 CA, 1x200 W
TLR-1123	Slipper Adjustment Tool, 5.5mm: 22X	Gleiter-Einstellwerkzeug, 5,5mm: 22X	Outil d'ajustement de sabot, 5,5 mm : 22X	Strumento regolazione antisaltellamento, 5,5 mm: 22X
TLR-1130	Ball Stud, 5.8mm x 12mm, Titanium (2): 22X	Kugelzapfen, 5,8 x 12 mm, Titan (2): 22X	Piton à rotule, 5,8 x 12 mm, titane (2): 22X	Viti a sfera, 5,8 x 12 mm, titanio (2): 22X
TLR-1141	13mm Shock Piston, Blank, 2mm (2)	13 mm Stoßdämpferkolben, leer, 2 mm (2)	Pistons d'amortisseur 13 mm, vierges, 2 mm (2)	Pistone amm. 13 mm, grezzo, 2 mm (2)
TLR-1143	13mm Shock Piston, 2 x 1.8mm, 2mm (2)	3Mm Stoßdämpferkolben, 2 x 1,8 mm, 2 mm (2)	Pistons amortisseurs 13 mm, 2 x 1,8 mm, 2 mm (2)	Pistone amm. 13 mm, 2x1,8 mm, 2 mm (2)
TLR-1145	13mm Shock Piston, 2 x 2.0mm, 2mm (2)	13Mm Stoßdämpferkolben, 2 x 2,0 mm, 2 mm (2)	Pistons amortisseurs 13 mm, 2 x 2,0 mm, 2 mm (2)	Pistone amm. 13 mm, 2x2,0 mm, 2 mm (2)
TLR-1146	13mm Kashima Shock Body, 36.5mm, G3, 3mm (1)	13mm Kashima Stoßdämpfergehäuse, 36,5 mm, G3, 3 mm (1)	Corps d'amortisseur Kashima 13 mm, 36,5 mm, G3, 3 mm (1)	Corpo amm. Kashima 13 mm, 36,5 mm, G3, 3 mm (1)
TLR-1155	13mm Shock Piston, 2 x 1.9mm, 2mm (2)	13Mm Stoßdämpferkolben, 2 x 1,9mm, 2mm (2)	Pistons amortisseurs 13 mm, 2 x 1,9 mm, 2 mm (2)	Pistone amm. 13 mm, 2x1,9 mm, 2 mm (2)
TLR-1159	Ball Stud, 5.8mm x 6mm, Titanium (2): 22X	Kugelzapfen, 5,8 x 6 mm, Titan (2): 22X	Piton à rotule, 5,8 x 6 mm, titane (2): 22X	Viti a sfera, 5,8 x 6 mm, titanio (2): 22X
TLR-1161	Wheel Hex 12mm x 8.0mm (2)	Sechskanrad, 12 mm x 8,0 mm (2)	Hexagones de roues, 12 mm x 8,0 mm (2)	Esagoni ruote, 12 mm x 8,0 mm (2)
TLR-1169	Wheel Hex 12mm x 7.0mm (2)	Sechskanrad, 12 mm x 7,0 mm (2)	Hexagones de roues, 12 mm x 7,0 mm (2)	Esagoni ruote, 12 mm x 7,0 mm (2)
TLR-1170	13mm Shock Piston, 2 x 1.7mm, 2mm (2)	13Mm Stoßdämpferkolben, 2 x 1,7mm, 2mm (2)	Pistons amortisseurs 13 mm, 2 x 1,7 mm, 2 mm (2)	Pistone amm. 13 mm, 2x1,7 mm, 2 mm (2)
TLR-1172	Ball Stud, 5.8mm x 8mm, Titanium (2): 22X	Kugelzapfen, 5,8 x 8 mm, Titan (2): 22X	Piton à rotule, 5,8 x 8 mm, titane (2): 22X	Viti a sfera, 5,8 x 8 mm, titanio (2): 22X
TLR-1176	13mm Kashima Shock Body, 42.0mm, G3, 3mm (1)	13mm Kashima Stoßdämpfergehäuse, 42,0 mm, G3, 3 mm (1)	Corps d'amortisseur Kashima 13 mm, 42,0 mm, G3, 3 mm (1)	Corpo amm. Kashima 13 mm, 42,0 mm, G3, 3 mm (1)
TLR-1177	Shock Standoff, Arm, Titanium (2): 22X	Stoßdämpfer-Standoff, Arm, Titan (2): 22X	Dispositifs d'espacement d'amortisseur, bras, titane (2) : 22X	Distanziale amm., Braccio, Titanio (2): 22X
TLR-1188	Rear Springs, Yellow, 2.10lb, 13mm (2)	Gelbe Heckfedern, 2,10lb, 13mm (2)	Ressorts arrière, jaunes, 2,10 lb, 13 mm (2)	Molle posteriori, Giallo, 2.10 lb, 13 mm (2)
TLR-1189	Rear Springs, Orange, 1.98lb, 13mm (2)	Orange Heckfedern, 1,98lb, 13mm (2)	Ressorts arrière, orange, 1,98 lb, 13 mm (2)	Molle posteriori, Arancione, 1.98 lb, 13 mm (2)
TLR-1190	Rear Springs, Green, 2.22lb, 13mm (2)	Grüne Heckfedern, 2,22lb, 13mm (2)	Ressorts arrière, verts, 2,22 lb, 13 mm (2)	Molle posteriori, Verde, 2.22 lb, 13 mm (2)
TLR-1199	Front Springs, Red, 3.56lb, 13mm (2)	Rote Frontfedern, 3,56lb, 13mm (2)	Ressorts avant, rouges, 3,56 lb, 13 mm (2)	Molle anteriori, Rosso, 3.56 lb, 13 mm (2)
TLR-1200	Front Springs, Brown, 3.39lb, 13mm (2)	Braune Frontfedern, 3,39lb, 13mm (2)	Ressorts avant, marron, 3,39 lb, 13 mm (2)	Molle anteriori, Marrone, 3.39 lb, 13 mm (2)
TLR-1202	Rear Springs, Red, 1.87lb, 13mm (2)	Rote Heckfedern, 1,87lb, 13mm (2)	Ressorts arrière, rouges, 1,87 lb, 13 mm (2)	Molle posteriori, Rosso, 1.87 lb, 13 mm (2)
TLR-1203	Front Springs, Purple, 4.75lb, 13mm (2)	Violette Frontfedern, 4,75lb, 13mm (2)	Ressorts avant, violets, 4,75 lb, 13 mm (2)	Molle anteriori, Viola, 4.75 lb, 13 mm (2)
TLR-1204	Front Springs, Yellow, 3.95lb, 13mm (2)	Gelbe Frontfedern, 3,95lb, 13mm (2)	Ressorts avant, jaunes, 3,95 lb, 13 mm (2)	Molle anteriori, Giallo, 3.95 lb, 13 mm (2)
TLR-1205	Front Springs, Orange, 3.75lb, 13mm (2)	Orange Frontfedern, 3,75lb, 13mm (2)	Ressorts avant, orange, 3,75 lb, 13 mm (2)	Molle anteriori, Arancione, 3.75 lb, 13 mm (2)

PART #	ENGLISH	DEUTSCH	FRANÇAIS	ITALIANO
TLR-1206	Front Springs, Blue, 4.45lb, 13mm (2)	Blaue Frontfedern, 4,45lb, 13mm (2)	Ressorts avant, bleus, 4,45 lb, 13 mm (2)	Molle anteriori, Blu, 4.45 lb, 13 mm (2)
TLR-1208	Rear Springs, Purple, 2.54lb, 13mm (2)	Violette Heckfedern, 2,54lb, 13mm (2)	Ressorts arrière, violets, 2,54 lb, 13 mm (2)	Molle posteriori, Viola, 2.54 lb, 13 mm (2)
TLR-1268	Side Guard Set, Soft: 22X-4 2.0	Schmutzfänger-Satz, weich/SFT: 22X-4 2.0	Ensemble garde-boue, doux/SFT : 22X-4 2.0	Kit parafanghi, morbidi/SFT: 22X-4 2.0
TLR-1271	Shock Standoff, Titanium, Snap Fit (2): 22X-4 2.0	Stoßdämpfer-Abstandshalter, Titan, Schnappverschluss (2): 22X-4 2.0	Entretoises d'amortisseur, titane, à encliquetage (2) : 22X-4 2.0	Distanziale ammortizzatore, titanio, a scatto (2): 22X-4 2.0
TLR-1272	Front Arm Set, Standard, Gullwing: 22X-4 2.0	Vorderer Querlenkersatz, Standard, Gullwing: 22X-4 2.0	Ensemble de bras avant, standard, Gullwing : 22X-4 2.0	Set braccio anteriore, standard, Gullwing: 22X-4 2.0
TLR-1273	Chassis, Standard: 22X-4 2.0	Fahrwerk: 22X-4 2.0	Châssis : 22X-4 2.0	Telaio: 22X-4 2.0
TLR-1277	CVA Driveshaft Bones 46mm 53mm: 22X-4 2.0	CVA-Antriebsknochen, 46 mm/53 mm: 22X-4 2.0	Os de l'arbre de transmission (46 mm/53 mm) : 22X-4 2.0	Dogbone albero di trasmissione CVA, 46 mm/53 mm: 22X-4 2.0
TLR-1284	Carbon Front Shock Tower, STD: 22X-4 2.0	Vordere Carbon-Stoßdämpferbrücke, STD: 22X-4 2.0	Tour d'amortisseur avant en carbone, STD: 22X-4 2.0	Torre amm in carbonio, ant, STD: 22X-4 2.0
TLR-1285	Carbon Rear Shock Tower, -2mm: 22X-4 2.0	Hintere Carbon-Stoßdämpferbrücke, -2mm: 22X-4 2.0	Tour d'amortisseur arrière en carbone, -2mm: 22X-4 2.0	Torre amm in carbonio, pst, -2mm: 22X-4 2.0
TLR-1291	CVA Driveshaft Bones 96mm 103mm 106mm: 22X-4 2.0	CVA-Antriebsknochen, 96 mm/103 mm/106mm: 22X-4 2.0	Os de l'arbre de transmission (96 mm/103 mm 106mm) : 22X-4 2.0	Dogbone albero di trasmissione CVA, 96 mm/103 mm 106mm: 22X-4 2.0
TLR-1311	Chassis, -3mm: 22X-4 2.0	Fahrwerk, -3mm: 22X-4 2.0	Châssis, -3 mm : 22X-4 2.0	Telaio, -3 mm: 22X-4 2.0
TLR-1313	HD Turnbuckle Kit Titanium: 22X-4 2.0	Gewindestangenset Titan: 22X-4 2.0	22X-4 2.0 - Set de biellettes en titane	HD set tenditori, titanio: 22X-4 2.0
TLR231088	Carbon Chassis Brace Support Set: 22X-4	Kohlefaser-Karosseriestrebensatz: 22X-4	Ensemble de support de châssis en carbone : 22X-4	Kit montanti di supporto in carbonio: 22X-4
TLR231096	Carbon Spindle Arm Set, #1: 22X-4	Kohlefaser-Spindelarmsatz Nr. 1: 22X-4	Ensemble de bras d'axe en carbone, n° 1 : 22X-4	Kit bracci del fuso in carbonio, #1: 22X-4
TLR231104	Carbon Chassis Brace Supports, 1.5 & 3.5mm: 22X-4	Carbon-Karosseriestrebe 1.5 & 3.5 22X-4	Support de châssis en carbone 1.5&3.5 22X-4	Rinforzo telaio in carbonio 1.5&3.5 22X-4
TLR232105	CVA Driveshaft Bones, X68mm/X93mm: 22X	CVA-Antriebsknochen, 68 mm/93 mm: 22X	Os de l'arbre de transmission (68 mm/93 mm) : 22X	Dogbone albero di trasmissione CVA, 68 mm/93 mm: 22X
TLR232106	CVA Driveshaft Bones, X61mm/X100mm: 22X	CVA-Antriebsknochen, 61 mm/100 mm: 22X	Os de l'arbre de transmission (61 mm/100 mm) : 22X	Dogbone albero di trasmissione CVA, 61 mm/100 mm: 22X
TLR232109	Pinion CVA Axle (2): 22X-4	Ritzel CVA-Achse (2): 22X-4	Axe CVA du pignon (2) : 22X-4	Assale CVA pignone (2): 22X-4
TLR232112	Wheel Hex, 12mm x 4.5mm (2)	Sechskanrad, 12 mm x 4,5 mm (2)	Hexagones de roues, 12 mm x 4,5 mm (2)	Esagoni ruote, 12 mm x 4,5 mm (2)
TLR232118	78T Spur Gear, Center Diff: 22X-4	Stirnrad 78T, mittleres Differential: 22X-4	Engrenage cylindrique 78T, Différentiel central : 22X-4	Corona 78T, diff. centrale: 22X-4
TLR232119	81T Spur Gear, Center Diff: 22X-4	Stirnrad 81T, mittleres Differential: 22X-4	Engrenage cylindrique 81T, Différentiel central : 22X-4	Corona 81T, diff. centrale: 22X-4
TLR232120	Slipper Outdrive Set: 22X-4	Antriebsklauen Set : 22X-4	Noix de sortie de diff : 22X-4	Set trascinato : 22X-4
TLR232121	Slipper Plate Set: 22X-4	Gleiterplatten: 22X-4	Plaques de sabot : 22X-4	Piastra antisaltellamento: 22X-4
TLR232122	Slipper Hardware Set: 22X-4	Gleiterhardwaresatz: 22X-4	Ensemble de quincaillerie pour pantouffles : 22X-4	Set di ferramenta per pantofole: 22X-4
TLR232124	Center Bulkhead: 22X-4	Mittige Spritzwand: 22X-4	Cloison centrale : 22X-4	Paratia centrale: 22X-4
TLR232135	Center Diff Cover: 22X-4	Abdeckung mittleres Differential: 22X-4	Cache de différentiel central : 22X-4	Coperchio diff. centrale: 22X-4
TLR232137	Slipper Assembly, Complete: 22X-4	Gleiterbaugruppe, komplett: 22X-4	Ensemble de sabot, complet : 22X-4	Gruppo antisaltellamento completo: 22X-4
TLR234125	Sway Bar Set, 1.0/1.2/1.4mm (3): 22X-4	Schwingen-Set, 1.0/1.2/1.4 mm (3): 22X-4	Ensemble de barre stabilisatrice, 1.0/1.2/1.4 mm (3): 22X-4	Set barra oscillante, 1.0/1.2/1.4 mm (3): 22X-4
TLR234130	C Pivot Block, Aluminum: 22X-4	C-Zapfenlager, Aluminium: 22X-4	Bloc pivot C, aluminium : 22X-4	Blocco pivotante C, alluminio: 22X-4
TLR234131	D Pivot Block, Aluminum: 22X-4	D-Zapfenlager, Aluminium: 22X-4	Bloc pivot D, aluminium : 22X-4	Blocco pivotante D, alluminio: 22X-4
TLR331048	Carbon Electronics Mounting Plate: 22X-4	Elektronik-Halterungsplatte, Karbon: 22X-4	Plaque de montage électronique en carbone : 22X-4	Piastra di montaggio elettronica carbonio: 22X-4
TLR331052	Drag Link, Aluminum: 22X-4	Lenkzwischenstange, Aluminium: 22X-4	Barre d'accouplement, aluminium : 22X-4	Tirante longitudinale, alluminio: 22X-4
TLR331060	Carbon Receiver Mounting Plate: 22X-4	Carbon-Empfänger-Montageplatte: 22X-4	Plaque de montage du récepteur en carbone: 22X-4	Piastra di montaggio del ricevitore in carbonio: 22X-4
TLR332079	Center Bulkhead, Aluminum: 22X-4	Mittige Spritzwand, Aluminium: 22X-4	Cloison centrale, aluminium : 22X-4	Paratia centrale, alluminio: 22X-4

PART #	ENGLISH	DEUTSCH	FRANÇAIS	ITALIANO
TLR332080	Center Diff Cover, Aluminum: 22X-4	Abdeckung mittleres Differential, Aluminium: 22X-4	Cache de différentiel central, aluminium : 22X-4	Coperchio diff. centrale, alluminio: 22X-4
TLR332081	LCD Drive Set (2): 22X-4	LCD-Antriebssatz (2): 22X-4	Ensemble de transmission LCD (2) : 22X-4	Kit trascinamento LCD (2): 22X-4
TLR332083	Ring and Pinion, Composite(Center Diff Only):22X-4	Ring- und Ritzelsatz, Verbundstoff: 22X-4	Ensemble d'anneaux et de pignons, composite : 22X-4	Kit pignone e corona, composito: 22X-4
TLR332084	Internal Diff Gear Set, Composite: 22X-4	Interner Differentialgetriebesatz, Verbundstoff: 22X-4	Ensemble d'engrenage de différentiel interne, composite : 22X-4	Kit ingr. diff. interno, composito: 22X-4
TLR332085	Center Diff Complete, Metal: 22X-4	Mittiges Differential vollständig, Metall: 22X-4	Différentiel central complet, métal : 22X-4	Diff. centrale completo, metallo: 22X-4
TLR334078	VHA Hub Set, Aluminum: 22X-4	VHA Nabensatz, Aluminium: 22X-4	Ensemble de moyeux VHA, aluminium : 22X-4	Kit mozzo VHA, alluminio: 22X-4
TRI-1050	Slot Machine 2 13.5 SPEC Class Brushless Motor	Slot Machine 2 13.5 SPEZ Klasse bürstenloser Motor	Moteur sans balais catégorie de spéc. 13,5 Slot Machine 2	Motore Slot Machine 2 13.5 SPEC Class Brushless
TRI-1051	Slot Machine 2 13.5 Certified Brushless Motor	Slot Machine 2 13.5 Zertifizierter bürstenloser Motor	Moteur sans balais certifié 13,5 Slot Machine 2	Motore Slot Machine 2 13.5 Brushless Certificato
TRI-1071	4500mah 2S 7.4V 130C Shorty Battery 5mm Bullets	4500mah 2S 7,4V 130C Shorty Akku 5mm Steckbuchsen	Batterie Shorty 130C 7,4 V 2S 4 500 mAh connecteurs cylindriques 5 mm	Batteria corta 4500 mAh 2S 7,4 V 130C 5 mm cilindrici
TRI-1072	5200mah 2S 7.6V 130C Shorty 5mm Bullet	5200mah 2S 7,6V 130C Shorty 5mm Steckbuchse	Shorty 130C 7,6 V 2S 5 200 mAh connecteur cylindrique 5 mm	Batteria corta 5200 mAh 2S 7,6 V 130C 5 mm cilindrico
TRI-1079	MX10 Gen 3 160 Amp ESC	MX10 Gen 3 160 Amp ESC	Variateur ESC 160 A MX10 Gen 3	MX10 Gen 3 160 A ESC
TRI-1122	6400mah 2S 7.6V 130C Shorty 5mm Bullets	6400mah 2S 7,6V 130C Shorty 5mm Steckbuchsen	Shorty 130C 7,6 V 2S 6 400 mAh connecteurs cylindriques 5 mm	Batteria corta 6400 mAh 2S 7,6 V 130C 5 mm cilindrici
TRI-1123	4300mah 2S 7.4V 130C Shorty 5mm Bullets	4300mah 2S 7,4V 130C Shorty 5mm Steckbuchsen	Shorty 130C 7,4 V 2S 4 300 mAh connecteurs cylindriques 5 mm	Batteria corta 4300 mAh 2S 7,4 V 130C 5 mm cilindrici