



## REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part #    | English                                            | Deutsch                                                                   | Français                                                                                         | Italiano                                                           |
|-----------|----------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| LOS235001 | Cap Head Screws, M2 x 6mm (10)                     | Inbusschrauben M2 x 6mm (10)                                              | Vis d'assemblage creuses M2 x 6mm (10)                                                           | Viti testa a brugola, M2 x 6mm (10)                                |
| LOS235003 | Cap Head Screws M3 x 6mm (10)                      | Inbusschrauben M3 x 6mm (10)                                              | Vis d'assemblage creuses M3 x 6mm (10)                                                           | Viti testa a brugola, M3 x 6mm (10)                                |
| LOS235009 | Flat Head Screws M2.5 x 8mm (10)                   | Flachkopfschrauben M2,5 x 8mm (10)                                        | Vis à tête plate M2.5 x 8mm (10)                                                                 | Viti a testa piatta, M2.5 x 8mm (10)                               |
| LOS235011 | Set Screws, M3 x 3mm Cup Point(10)                 | Stellschrauben M3 x 3mm Ringschneide (10)                                 | Vis de fixation M3 x 3mm Bout cuvette (10)                                                       | Grani, M3 x 3mm, punta tonda (10)                                  |
| LOS235024 | Button Head Screws M3x25mm (10)                    | Rundkopfschraube, M3 x 25mm (10)                                          | Vis à tête bombée M3 x 25mm (10)                                                                 | Viti a testa tonda, M3 x 25mm (10)                                 |
| LOS235025 | Button Head Screws M3x30mm (10)                    | Rundkopfschraube, M3 x 30mm (10)                                          | Vis à tête bombée M3 x 30mm (10)                                                                 | Viti a testa tonda, M3 x 30mm (10)                                 |
| LOS235027 | Set Screws, M3 x 10mm Cup Point(10)                | Stellschrauben M3 x 10mm Ringschneide (10)                                | Vis de fixation M3 x 10mm Bout cuvette (10)                                                      | Grani, M3 x 10mm, punta tonda (10)                                 |
| LOSA6937  | 5x10x4mm Shielded Ball Bearing(2)                  | 5 x 10mm abgedichtetes Kugellager (2)                                     | Roulement à billes blindé 5 x 10mm (2)                                                           | Cuscinetti a sfera schermati 5 x 10mm (2)                          |
| LOSA6943  | 10X15x4mm Sealed Ball Bearing (2)                  | 10 X 15mm Kugellager gekapselt (2)                                        | 22 - Roulements étanches 10 x15mm (2)                                                            | 10 x 15mm Cuscinetti stagni (2)                                    |
| LOSA6955  | 5x13x4mm HD Clutch Bearings (2):8B/8T              | 5 x 13 mm HD Kupplungslager (2): 8B, 8T                                   | Roulements à embrayage ultra-résistants 5 x 13 mm (2) : 8B, 8T                                   | Cuscinetti frizione HD 5 x 13mm (2): 8B, 8T                        |
| TLR-1075  | Bulkhead, Kick Shims: 22X                          | Spritzwand, Unterlegscheiben: 22X                                         | Cloison, cales de kick : 22X                                                                     | Paratia, spessori di Kick: 22X                                     |
| TLR-1076  | Threaded Spring Collar, 13mm (2): 22X              | Federteller mit Gewinde, 13 mm (2): 22X                                   | Collier à ressort fileté, 13 mm (2) : 22X                                                        | Collare molla filettata, 13 mm (2): 22X                            |
| TLR-1077  | Bellcranks, Connecting Link, Composite: 22X        | Umlenkhebel, Verbindungsstück, Verbundwerkstoff: 22X                      | Leviers coudés, tringlerie de connexion, composite : 22X                                         | Leve a squadra, Anello di congiunzione, Composito: 22X             |
| TLR-1079  | Pivot, Bridge: 22X                                 | Drehgelenk, Brücke: 22X                                                   | Pivot, pont : 22X                                                                                | Pivot, Ponte: 22X                                                  |
| TLR-1082  | Seal & Hardware, Gear Diff: 22X                    | Dichtung und Hardware, Getriebe-Differential: 22X                         | Joint et matériel, engrenage différentiel : 22X                                                  | Tenuta e bulloneria, ingranaggio diff.: 22X                        |
| TLR-1085  | Steering Hardware Set: 22X                         | Hardwaresatz Lenkung: 22X                                                 | Ensemble de matériel de direction : 22X                                                          | Set bulloneria sterzo: 22X                                         |
| TLR-1086  | Spindle, Narrow: 22X                               | Spindel, schmal: 22X                                                      | Axe, étroit : 22X                                                                                | Fusello, Stretto: 22X                                              |
| TLR-1089  | Steering Arm, A, Narrow: 22X                       | Lenkarm, A, schmal: 22X                                                   | Bras de direction, A, étroit : 22X                                                               | Braccio di sterzo, A, Stretto: 22X                                 |
| TLR-1090  | Fan, Low Ft Wing Mt, Front Sway Bar Mounts: 22X    | Lüfter, niedrige Flügelhalterung vorne, vordere Schwingenhalterungen: 22X | Soufflante, support d'aile avant basse, supports de barres stabilisatrices avant : 22X           | Ventola, Supp. alettone ant. basso, Supp. barra torsione ant.: 22X |
| TLR-1092  | Electronics Tray, Carbon: 22X                      | Halterung für Elektronik, Carbon: 22X                                     | Plateau électronique, carbone : 22X                                                              | Vassoio elettronica, Carbonio: 22X                                 |
| TLR-1095  | Shock Cap, Bottom, 13mm (2): 22X                   | Stoßdämpferkappe, unten, 13mm (2): 22X                                    | Capuchons d'amortisseurs bas 13 mm (2) : 22X                                                     | Tappo amm., inferiore, 13 mm (2): 22X                              |
| TLR-1096  | Caster Block Insert Set: 22X                       | Radblock Einbau-Set: 22X                                                  | Ensemble d'inserts, bloc de roulettes : 22X                                                      | Set inserti blocco caster: 22X                                     |
| TLR-1097  | Battery Mount Set: 22X                             | 22X Akkuhalterset                                                         | 22X - Support batterie                                                                           | Set supporto batteria: 22X                                         |
| TLR-1098  | Caster Block, Narrow: 22X                          | Radblock, schmal: 22X                                                     | Bloc de rondelle, étroit : 22X                                                                   | Blocco caster, Stretto: 22X                                        |
| TLR-1100  | Diff Gear, Cover, Gear Diff, 52T: 22X              | Differential, Fahrwerkabdeckung, Getr. Diff. 52T: 22X                     | Cache, engrenage différentiel, 52T : 22X                                                         | Ingr. diff, coperchio, 52T: 22X                                    |
| TLR-1102  | Rod End Set, 5.8mm: 22X                            | Stangenkopfsatz 5,8mm: 22X                                                | Ensemble embout de bielle 5,8 mm : 22X                                                           | Set teste a snodo 5,8 mm: 22X                                      |
| TLR-1104  | Shock Tower Guards, Up Wing Mt, Spur Shield: 22X   | Schutz Stoßdämpferbrücke, Flügelhalterung oben, Stirnradschutz: 22X       | Protection de tour d'amortisseur, support d'aile supérieure, blindage : 22X                      | Schermi torre amm., Supp. alettone sup., Schermo riduttore: 22X    |
| TLR-1106  | Gearbox Set, Rear Sway Bar Mount, Idler Shaft: 22X | Getriebesatz, Halterung Heck-Schwinge, Zwischenradwelle: 22X              | Ensemble boîte à engrenage, support de barres stabilisatrices arrière, arbre intermédiaire : 22X | Set ingr., Supp. barra torsione post., Albero folle: 22X           |
| TLR-1107  | VHA Rebuild Set, V2 (2): 22X                       | VHA-Umbausatz, V2 (2): 22X                                                | Ensemble de reconstruction VHA, V2 (2) : 22X                                                     | Kit ricostruzione VHA, V2 (2): 22X                                 |





## REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part #   | English                                 | Deutsch                                      | Français                                                           | Italiano                                            |
|----------|-----------------------------------------|----------------------------------------------|--------------------------------------------------------------------|-----------------------------------------------------|
| TLR-1108 | Wing Mount Set, Front Bumper: 22X       | Flügelhalterungsatz, Frontstoßstange: 22X    | Ensemble support d'aile, pare-chocs avant : 22X                    | Set supporto alettone, Paraurti anteriore: 22X      |
| TLR-1109 | Diff Gear, 52T: 22X                     | TLR Diff-Zahnrad 52Z: 22X                    | 22X - Couronne de diff 52T                                         | Ingranaggio differenziale, 52T: 22X                 |
| TLR-1110 | Shock Shaft, 3mm x 42.7mm, TiNi, G3 (1) | Kolbenstange, 42,7 mm, TiCN, G3 3,5 (1)      | Bras d'amortisseur, 42,7 mm, TiCN, G3 3,5 (1)                      | Albero ammortizzatore, 42,7 mm, TiCN, G3 3,5 (1)    |
| TLR-1111 | Motor Plate, Aluminum: 22X              | Motorplatte, Aluminium: 22X                  | Plaque châssis, aluminium : 22X                                    | Piastra motore, Alluminio: 22X                      |
| TLR-1112 | Sway Bar Link Set: 22X                  | Schwingenverbindungs-Set: 22X                | Ensemble tringlerie de barre stabilisatrice : 22X                  | Set leveraggi barra antirollio: 22X                 |
| TLR-1113 | Waterfall Brace, Standard: 22X          | Kaskaden-Klammer, Standard: 22X              | Support Waterfall, standard : 22X                                  | Rinforzo Waterfall, Standard: 22X                   |
| TLR-1115 | Caster Block, Wide: 22X                 | Radblock, breit: 22X                         | Bloc de rondelle, large : 22X                                      | Blocco caster, Largo: 22X                           |
| TLR-1117 | Shock Cap, Composite (2): 22X           | Stoßdämpferkappe, Komposit, G3 (4): 22X      | Capuchon d'amortisseur, composite, G3 (4): 22X                     | Tappo ammortizzatore, composito, G3 (4): 22X        |
| TLR-1118 | Steering Arm, A, Wide: 22X              | Lenkarm, A, breit: 22X                       | Bras de direction, A, large : 22X                                  | Braccio di sterzo, A, Largo: 22X                    |
| TLR-1119 | Spring Cups, Shock Ends, 13mm: 22X      | Federteller, Stoßdämpferenden, 13mm: 22X     | Coupelles de ressorts, extrémités d'amortisseurs, 13 mm : 22X      | Scodellini molle, Terminali amm., 13 mm: 22X        |
| TLR-1120 | Idle Gear (2): 22X                      | Zwischenrad (2): 22X                         | Pignons intermédiaires (2) : 22X                                   | Ingranaggio folle (2): 22X                          |
| TLR-1126 | Spindle, Wide: 22X                      | Spindel, breit: 22X                          | Axe, large : 22X                                                   | Fusello, Largo: 22X                                 |
| TLR-1128 | Waterfall Brace, Stiffizel: 22X         | Kaskaden-Klammer, Stiffizel: 22X             | Support Waterfall, Stiffizel : 22X                                 | Rinforzo Waterfall, Stiffizel: 22X                  |
| TLR-1129 | Shock Shaft, 3mm x 48.7mm, TiNi, G3 (1) | Kolbenstange, 3 mm x 48,7 mm, TiCN, G3 (1)   | Bras d'amortisseur, 3 mm x 48,7 mm, TiCN, G3 (1)                   | Albero ammortizzatore, 3 mm x 48,7 mm, TiCN, G3 (1) |
| TLR-1131 | Slipper Spring Set: 22X                 | Gleiterfedersatz: 22X                        | Ensemble ressort sabot : 22X                                       | Set molle antisaltellamento: 22X                    |
| TLR-1132 | Camber Mount, Caster Block, C: 22X      | Sturzhalterung, Radblock, C: 22X             | Support de carrossage, bloc de rondelle, C : 22X                   | Supporto camber, Blocco caster, C: 22X              |
| TLR-1134 | Ball Stud, 5.8mm x 6mm (4): 22X         | Kugelkopf mit Gewinde 5,8 x 6mm (4): 22X     | Rotules à visser 5,8 x 6mm (4): 22X                                | Perno sferico, 5,8 x 6mm (4): 22X                   |
| TLR-1135 | 13mm Shock Piston, Blank, 2.5mm (2)     | 13 mm Stoßdämpferkolben, leer, 2,5 mm (2)    | Pistons d'amortisseur 13 mm, vierges, 2,5 mm (2)                   | Pistone amm. 13 mm, grezzo, 2,5 mm (2)              |
| TLR-1138 | Camber Block, Rear: 22X                 | Sturzblock, Heck: 22X                        | Cale de carrossage, arrière : 22X                                  | Blocco camber, Posteriore: 22X                      |
| TLR-1139 | Electronics Tray, Steel: 22X            | Halterung für Elektronik, Stahl: 22X         | Plateau électronique, acier : 22X                                  | Vassoio elettronica, Acciaio: 22X                   |
| TLR-1140 | Layshaft, Aluminum: 22X                 | Zwischenwelle, Aluminium: 22X                | Arbre intermédiaire, aluminium, : 22X<br>Sabot hautement résistant | Albero secondario, alluminio, : 22X                 |
| TLR-1141 | 13mm Shock Piston, Blank, 2mm (2)       | 13 mm Stoßdämpferkolben, leer, 2 mm (2)      | Pistons d'amortisseur 13 mm, vierges, 2 mm (2)                     | Pistone amm. 13 mm, grezzo, 2 mm (2)                |
| TLR-1143 | 13mm Shock Piston, 2 x 1.8mm, 2mm (2)   | 13Mm Stoßdämpferkolben, 2 x 1,8 mm, 2 mm (2) | Pistons amortisseurs 13 mm, 2 x 1,8 mm, 2 mm (2)                   | Pistone amm. 13 mm, 2x1,8 mm, 2 mm (2)              |
| TLR-1145 | 13mm Shock Piston, 2 x 2.0mm, 2mm (2)   | 13Mm Stoßdämpferkolben, 2 x 2,0 mm, 2 mm (2) | Pistons amortisseurs 13 mm, 2 x 2,0 mm, 2 mm (2)                   | Pistone amm. 13 mm, 2x2,0 mm, 2 mm (2)              |
| TLR-1147 | Slipper Shaft, Steel: 22X               | Gleiterwelle, Stahl: 22X                     | Arbre de sabot, acier : 22X                                        | Albero antisaltellamento, Acciaio: 22X              |
| TLR-1148 | Camber Mount, Caster Block, A: 22X      | Sturzhalterung, Radblock, A: 22X             | Support de carrossage, bloc de rondelle, A : 22X                   | Supporto camber, Blocco caster, A: 22X              |
| TLR-1149 | Shock Bushing, Upper (2): 22X           | Stoßdämpferbuchse, oben (2): 22X             | Bagues d'amortisseurs, supérieures (2) : 22X                       | Boccola amm., Superiore (2): 22X                    |
| TLR-1150 | D Pivot Block, Aluminum: 22X            | D-Zapfenlager, Aluminium, schwarz: 22X       | Bloc pivot D, aluminium, noir : 22X                                | Blocco girevole D, alluminio, nero: 22X             |
| TLR-1151 | Ball Stud, 5.8mm x 12mm (4): 22X        | Kugelkopf mit Gewinde 5.8 x 12mm (4): 22X    | Rotules à visser 5,8 x 12mm (4): 22X                               | Perno sferico, 5,8 x 12mm (4): 22X                  |
| TLR-1153 | Outdrive Set, Gear Diff (2): 22X        | Abtrieb Differential: 22X                    | 22X - Noix de sortie, pignon de différentiel                       | Trascinatori, ingran. differenziale (4): 22X        |
| TLR-1154 | Flathead Screw, M2 x 4mm (10)           | Flachkopfschrauben, M2 x 4mm (10)            | Vis à tête fraisée M2 x 4mm (10)                                   | Vite a testa piatta, M2 x 4mm (10)                  |



## REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part #   | English                                          | Deutsch                                        | Français                                                 | Italiano                                               |
|----------|--------------------------------------------------|------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------|
| TLR-1155 | 13mm Shock Piston, 2 x 1.9mm, 2mm (2)            | 13Mm Stoßdämpferkolben, 2 x 1,9mm, 2mm (2)     | Pistons amortisseurs 13 mm, 2 x 1,9 mm, 2 mm (2)         | Pistone amm. 13 mm, 2x1,9 mm, 2 mm (2)                 |
| TLR-1157 | Slipper Plates: 22X                              | Gleiterplatten: 22X                            | Plaques de sabot : 22X                                   | Piastra antisaltellamento: 22X                         |
| TLR-1160 | Hinge Pin Set: 22X                               | Scharnierbolzen Satz: 22X                      | Ensemble de goupilles de charnière : 22X                 | Set perno articolazione: 22X                           |
| TLR-1165 | C Pivot Block, Aluminum: 22X                     | C-Zapfenlager, Aluminium: 22X                  | Bloc pivot C, aluminium : 22X                            | Blocco pivot C, Alluminio: 22X                         |
| TLR-1166 | 13mm Shock Body, 36.5mm, G3, 3mm (1)             | 13 mm Stoßdämpfergehäuse, 36,5 mm, G3 3 mm (1) | Corps d'amortisseur 13 mm, 36,5 mm, G3, 3 mm (1)         | Corpo amm. 13 mm, 36,5 mm, G3 3 mm (1)                 |
| TLR-1170 | 13mm Shock Piston, 2 x 1.7mm, 2mm (2)            | 13Mm Stoßdämpferkolben, 2 x 1,7mm, 2mm (2)     | Pistons amortisseurs 13 mm, 2 x 1,7 mm, 2 mm (2)         | Pistone amm. 13 mm, 2x1,7 mm, 2 mm (2)                 |
| TLR-1171 | Shock Seal Bushings, Machined, Split, G3 3mm (4) | Stoßdämpferbuchsen, gefräst, G3 3 mm (4)       | Bagues de joints d'amortisseurs, partagées, G3, 3 mm (4) | Boccole tenuta amm., Lavorate, Sodoppiate, G3 3 mm (4) |
| TLR-1174 | 13mm Shock Body, 42.0mm, G3, 3mm (1)             | 13 mm Stoßdämpfergehäuse, 42,0 mm, G3 3 mm (1) | Corps d'amortisseur 13 mm, 42,0 mm, G3, 3 mm (1)         | Corpo amm. 13 mm, 42,0 mm, G3 3 mm (1)                 |
| TLR-1178 | Camber Mount, Caster Block, B: 22X               | Sturzhalterung, Radblock, B: 22X               | Support de carrossage, bloc de rondelle, B : 22X         | Supporto camber, Blocco caster, B: 22X                 |
| TLR-1179 | Shock Standoff, Arm (2): 22X                     | Stoßdämpfer-Standoff, Arm (2): 22X             | Dispositifs d'espacement d'amortisseur, bras (2) : 22X   | Distanziale amm., Braccio (2): 22X                     |
| TLR-1180 | Ball Stud, 5.8mm x 8mm (4): 22X                  | Kugelpopf mit Gewinde 5.8 x 8mm (4): 22X       | Rotules à visser 5,8 x 8mm (4): 22X                      | Perno sferico, 5.8 x 8mm (4): 22X                      |
| TLR-1188 | Rear Springs, Yellow, 2.10lb, 13mm (2)           | Gelbe Heckfedern, 2,10lb, 13mm (2)             | Ressorts arrière, jaunes, 2,10 lb, 13 mm (2)             | Molle posteriori, Giallo, 2.10 lb, 13 mm (2)           |
| TLR-1189 | Rear Springs, Orange, 1.98lb, 13mm (2)           | Orange Heckfedern, 1,98lb, 13mm (2)            | Ressorts arrière, orange, 1,98 lb, 13 mm (2)             | Molle posteriori, Arancione, 1.98 lb, 13 mm (2)        |
| TLR-1190 | Rear Springs, Green, 2.22lb, 13mm (2)            | Grüne Heckfedern, 2,22lb, 13mm (2)             | Ressorts arrière, verts, 2,22 lb, 13 mm (2)              | Molle posteriori, Verde, 2.22 lb, 13 mm (2)            |
| TLR-1191 | Rear Springs, Blue, 2.37lb, 13mm (2)             | Blaue Heckfedern, 2,37lb, 13mm (2)             | Ressorts arrière, bleus, 2,37 lb, 13 mm (2)              | Molle posteriori, Blu, 2.37 lb, 13 mm (2)              |
| TLR-1193 | Front Sway Bar Set, Odds: 22X                    | Heck-Schwingensatz, Ungerade: 22X              | Ensemble de barres stabilisatrices avant, Odds : 22X     | Set barra antirollio anteriore, Pari: 22X              |
| TLR-1194 | Front Sway Bar Set, Evens: 22X                   | Heck-Schwingensatz, Gerade: 22X                | Ensemble de barres stabilisatrices avant, Evens : 22X    | Set barra antirollio anteriore, Dispari: 22X           |
| TLR-1199 | Front Springs, Red, 3.56lb, 13mm (2)             | Rote Frontfedern, 3,56lb, 13mm (2)             | Ressorts avant, rouges, 3,56 lb, 13 mm (2)               | Molle anteriori, Rosso, 3.56 lb, 13 mm (2)             |
| TLR-1200 | Front Springs, Brown, 3.39lb, 13mm (2)           | Braune Frontfedern, 3,39lb, 13mm (2)           | Ressorts avant, marron, 3,39 lb, 13 mm (2)               | Molle anteriori, Marrone, 3.39 lb, 13 mm (2)           |
| TLR-1202 | Rear Springs, Red, 1.87lb, 13mm (2)              | Rote Heckfedern, 1,87lb, 13mm (2)              | Ressorts arrière, rouges, 1,87 lb, 13 mm (2)             | Molle posteriori, Rosso, 1.87 lb, 13 mm (2)            |
| TLR-1203 | Front Springs, Purple, 4.75lb, 13mm (2)          | Violette Frontfedern, 4,75lb, 13mm (2)         | Ressorts avant, violets, 4,75 lb, 13 mm (2)              | Molle anteriori, Viola, 4.75 lb, 13 mm (2)             |
| TLR-1204 | Front Springs, Yellow, 3.95lb, 13mm (2)          | Gelbe Frontfedern, 3,95lb, 13mm (2)            | Ressorts avant, jaunes, 3,95 lb, 13 mm (2)               | Molle anteriori, Giallo, 3.95 lb, 13 mm (2)            |
| TLR-1205 | Front Springs, Orange, 3.75lb, 13mm (2)          | Orange Frontfedern, 3,75lb, 13mm (2)           | Ressorts avant, orange, 3,75 lb, 13 mm (2)               | Molle anteriori, Arancione, 3.75 lb, 13 mm (2)         |
| TLR-1206 | Front Springs, Blue, 4.45lb, 13mm (2)            | Blaue Frontfedern, 4,45lb, 13mm (2)            | Ressorts avant, bleus, 4,45 lb, 13 mm (2)                | Molle anteriori, Blu, 4.45 lb, 13 mm (2)               |
| TLR-1207 | Front Springs, Green, 4.19lb, 13mm (2)           | Grüne Frontfedern, 4,19lb, 13mm (2)            | Ressorts avant, verts, 4,19 lb, 13 mm (2)                | Molle anteriori, Verde, 4.19 lb, 13 mm (2)             |
| TLR-1208 | Rear Springs, Purple, 2.54lb, 13mm (2)           | Violette Heckfedern, 2,54lb, 13mm (2)          | Ressorts arrière, violets, 2,54 lb, 13 mm (2)            | Molle posteriori, Viola, 2.54 lb, 13 mm (2)            |
| TLR-1209 | Button Head Screw, M3 x 22mm (10)                | Rundkopfschrauben, M3 x 22mm (10)              | Vis à tête bombée, M3 x 22mm (10)                        | Viti a testa tonda, M3 x 22mm (10)                     |
| TLR-1211 | Rear Sway Bar Set, Odds: 22X                     | Heck Schwingen-Satz, Ungerade: 22X             | Ensemble de barres stabilisatrices arrière, Odds : 22X   | Set barra antirollio posteriore, Dispari: 22X          |
| TLR-1212 | Rear Sway Bar Set, Evens: 22X                    | Heck Schwingen-Satz, Gerade: 22X               | Ensemble de barres stabilisatrices arrière, Evens : 22X  | Set barra antirollio posteriore, Pari: 22X             |
| TLR-1235 | Front Arm Set, Stiffezel: 22X-T                  | Vorderarmsatz, Stiffezel: 22X-T                | Bras avant, Stiffezel : 22X-T                            | Set braccio anteriore Stiffezel: 22X-T                 |
| TLR-1236 | Side Guard Set, Stiffezel: 22X-T                 | Seitenschutzset, Stiffezel: 22X-T              | Ensemble protections latérales, Stiffezel : 22X-T        | Set protezioni laterali, Stiffezel: 22X-T              |





## REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part #    | English                                     | Deutsch                                                | Français                                                                  | Italiano                                                    |
|-----------|---------------------------------------------|--------------------------------------------------------|---------------------------------------------------------------------------|-------------------------------------------------------------|
| TLR-1237  | Rear Arm Set: 22X-T                         | Querlenker hinten Set: 22X-T                           | 22X-T - Triangles arrière                                                 | Set bracci posteriori: 22X-T                                |
| TLR-1238  | Front Arm Set: 22X-T                        | Querlenker vorne Set: 22X-T                            | 22X-T - Triangles avant                                                   | Set bracci anteriori: 22X-T                                 |
| TLR-1239  | Side Guard Set, Standard: 22X-T             | Seitenschutzset, Standard: 22X-T                       | Ensemble protections latérales, standard : 22X-T                          | Set protezioni laterali, Standard: 22X-T                    |
| TLR-1240  | Side Guard Set, Soft: 22X-T                 | Seitenschutzset, weich: 22X-T                          | Ensemble protections latérales, doux : 22X-T                              | Set protezioni laterali, Morbide: 22X-T                     |
| TLR-1241  | Chassis, Standard: 22X-T                    | Fahrwerk, STD: 22X-T                                   | Châssis, standard : 22X-T                                                 | Telaio, STD: 22X-T                                          |
| TLR-1242  | Rear Tower, Carbon, -2: 22X-T               | Heckstoßdämpfer, Carbon -2: 22X-T                      | Tour arrière, carbone, -2 : 22X-T                                         | Torre posteriore, Carbonio, -2: 22X-T                       |
| TLR-1243  | Body Mount Set: 22X-T                       | Karosseriehalter: 22X-T                                | 22X-T - Support de carrosserie                                            | Set supporti carrozzeria: 22X-T                             |
| TLR-1244  | Rear Arm Set, Stiffezel: 22X-T              | Rück-Arm Set, Stiffezel: 22X-T                         | 22X-T - Triangle arrière, Stiffezel                                       | Set braccio posteriore Stiffezel: 22X-T                     |
| TLR-1245  | Rear Tower, Carbon, -4: 22X-T               | Heckstoßdämpfer, Carbon -4: 22X-T                      | Tour arrière, carbone, -4 : 22X-T                                         | Torre posteriore, Carbonio, -4: 22X-T                       |
| TLR-1250  | Front Axle, Steel: 22X-T                    | Vorderachse, Stahl : 22X-T                             | Essieux avant, acier : 22X-T                                              | Assale anteriore, acciaio: 22X-T                            |
| TLR-1251  | Sticker Sheet: 22X-T                        | Stickerbogen: 22X-T                                    | Autocollants : 22X-T                                                      | Foglio di adesivi: 22X-T                                    |
| TLR-1252  | CVA Driveshaft Bones, X92mm: 22X-T (2)      | CVA-Antriebsknochen, 92 mm (2): 22X-T                  | Os de l'arbre de transmission (92 mm) (2): 22X-T                          | Dogbone albero di trasmissione CVA, 92 mm (2): 22X-T        |
| TLR-1253  | HD Turnbuckle Kit: 22X-T                    | HD-Spannschrauben-Satz: 22X-T                          | Kit de ridoir, ultra-résistant : 22X-T                                    | Kit tenditore HD: 22X-T                                     |
| TLR230003 | Hook and Loop Body Mounting, 10 x 20mm: (8) | Klettband 10 x20mm (8)                                 | Bandes auto-agrippantes pour fixation de carrosserie, 10x20mm (8)         | Attacco a strappo per montaggio carrozzeria, 10 x 20mm: (8) |
| TLR232074 | 69T Spur Gear, SHDS, 48P                    | Stirnrad 69T, SHDS, 48P                                | Engrenage cylindrique 69T, (SHDS, Sabot hautement résistant), 48P         | Corona stampata 69T, SHDS, 48P                              |
| TLR232075 | 72T Spur Gear, SHDS, 48P                    | Stirnrad 72T, SHDS, 48P                                | Engrenage cylindrique 72T, (SHDS, Sabot hautement résistant), 48P         | Corona stampata 72T, SHDS, 48P                              |
| TLR232076 | 75T Spur Gear, SHDS, 48P                    | Stirnrad 75T, SHDS, 48P                                | Engrenage cylindrique 75T, (SHDS, Sabot hautement résistant), 48P         | Corona stampata 75T, SHDS, 48P                              |
| TLR232077 | 78T Spur Gear, SHDS, 48P                    | Stirnrad 78T, SHDS, 48P                                | Engrenage cylindrique 78T, (SHDS, Sabot hautement résistant), 48P         | Corona stampata 78T, SHDS, 48P                              |
| TLR232078 | 81T Spur Gear, SHDS, 48P                    | Stirnrad 81T, SHDS, 48P                                | Engrenage cylindrique 81T, (SHDS, Sabot hautement résistant), 48P         | Corona stampata 81T, SHDS, 48P                              |
| TLR232080 | Slipper Pads, Max Drive, SHDS (2)           | Gleitkissen, max. Antrieb, SHDS (2)                    | Sabots de pistons, entraînement max., SHDS, Sabot hautement résistant (2) | Tamponi pattini, trasmissione max, SHDS (2)                 |
| TLR232086 | Diff Screw, Nut & Spring: 22                | Diff. Schraube, Mutter & Feder: 22                     | Vis du différentiel, écrou et ressort : 22                                | Vite, dado e molla diff.: 22                                |
| TLR232087 | Tungsten Carbide Thrust Balls & Washers: 22 | Schubkugeln & Unterlegscheiben, Wolframkarbid: 22      | Billes et rondelles Thrust en carbure de tungstène : 22                   | Sfere di spinta e rondelle in carburo di tungsteno: 22      |
| TLR232108 | Rear CVA Axle (2): 22X-4                    | CVA-Hinterachse (2): 22X-4                             | Axe CVA arrière (2) : 22X-4                                               | Assale CVA posteriore (2): 22X-4                            |
| TLR232112 | Wheel Hex, 12mm x 4.5mm (2)                 | Sechskantrad, 12 mm x 4,5 mm (2)                       | Hexagones de roues, 12 mm x 4,5 mm (2)                                    | Esagoni ruote, 12 mm x 4,5 mm (2)                           |
| TLR232129 | Diff Gear & Cross Pin Set, Metal: 22X-4     | Differentialgetriebe und Querstiftesatz, Metall: 22X-4 | Engrenage différentiel et ensemble de tige transversale, métal : 22X-4    | Ingr. diff. e perno a croce, metallo: 22X-4                 |
| TLR233043 | Shock Hardware, G3 (4)                      | Stoßdämpfer-Hardware, G3 (4)                           | Matériel d'amortisseur, G3 (4)                                            | Bulloneria ammortizzatore, G3 (4)                           |
| TLR233060 | Seal Set, X-Rings, G3 3mm V2 (4 shocks)     | Dichtungssatz, X-Ringe, G3 V2 (4 Stoßdämpfer)          | Ensemble de joints, toriques, G3 V2 (4 amortisseurs)                      | Set tenute, anelli a X, G3 V2 (4 ammortizzatori)            |
| TLR234105 | Front Camber Block Inserts: 22 5.0          | Vordere Radsturzblock-Einsätze: 22 5.0                 | Inserts de cale de carrossage avant, Stiffezel : 22 5.0                   | Inserti blocco camberaggio anteriore: 22 5.0                |
| TLR234117 | Spindle Bushing Set, Aluminum (8): 22X-4    | Spindelwellensatz, Aluminium (8): 22X-4                | Ensemble de bague d'arbre, aluminium (8) : 22X-4                          | Kit boccole fusello, alluminio (8): 22X-4                   |
| TLR234121 | VHA Hub Body, Composite (2): 22X-4          | VHA Nabenkörper, Verbundstoff (2): 22X-4               | Corps de moyeu VHA, composite (2) : 22X-4                                 | Corpo mozzo VHA, composito (2): 22X-4                       |
| TLR234132 | Insert Set, Adjustable Pivot, V2: 22        | Einsatz-Set, anpassbarer Drehpunkt, V2: 22             | Ensemble d'inserts, pivot ajustable, V2 : 22                              | Set inserti, Pivot regolabile, V2: 22                       |



## REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part #    | English                                       | Deutsch                                                       | Français                                                                 | Italiano                                               |
|-----------|-----------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|--------------------------------------------------------|
| TLR235007 | Flat Head Screws, M2.5 x 10mm (10)            | Flachkopfschrauben, M2,5 x 10 mm (10)                         | Vis à tête plate M2,5 x 10 mm (10)                                       | Viti testa piana, M2.5x10 mm (10)                      |
| TLR235010 | Screw, G3 Shock Cup (8)                       | Schraube, G3 Stoßdämpfer-Teller (8)                           | Vis, coupelle d'amortisseur G3 (8)                                       | Vite, coppa ammortizzatore G3 (8)                      |
| TLR236006 | 10 x 14mm Shims, 0.1 & 0.2mm (5ea.)           | Distanzscheiben 10x14 mm, 0,1 und 0,2 mm (je 5 )              | Set de cales 10x14mm, 0.1 et 0.2mm (5 pce)                               | Spessori 10x14 mm, 0,1 e 0,2 mm (5 cad.)               |
| TLR237000 | 5x8x2.5mm Bearings (2)                        | 5 x 8 x 2.5mm Lager (2)                                       | Roulements 5 x 8 x 2.5mm (2)                                             | 5 x 8 x 2.5mm cuscinetti (2)                           |
| TLR245012 | Button Head Screws, M2.5x4mm (10)             | Rundkopfschrauben, M2,5 x 4mm (10)                            | Vis à tête bombée, M2,5 x 4mm (10)                                       | Viti a testa tonda, M2,5 x 4mm (10)                    |
| TLR245016 | M3 Flanged Lock Nuts (10)                     | M3 Sicherungsmuttern mit Flansch (10)                         | Contre-écrous à collet M3 (10)                                           | Dadi autobloccanti flangiati M3 (10)                   |
| TLR2951   | Tungsten Carbide Diff Balls, 3/32 (14) 22/22T | Tungsten Carbide Kugel 3/32 (14)                              | Bille de différentiel en carbure de tungstène, 3/32 (14)                 | Sfere diff. al carburo di tungsteno, 3/32 (14)         |
| TLR2952   | Silicone Diff Grease, 8cc: 22                 | Differentialfett/8cc                                          | Graisse silicone pour diff, 8cc                                          | Grasso silicone diff., 8cc: 22                         |
| TLR2954   | Drive Rings (2): 22                           | Gleitringe Diff                                               | Plateau de différentiel (2)                                              | Anelli trasmissione (2)                                |
| TLR2955   | Outdrive Set: 22                              | Antriebsklauen Set                                            | Noix de sortie de diff                                                   | Set trascinateore                                      |
| TLR331033 | Clamping Servo Horn, Aluminum, 25T: 22 5.0    | Klemm-Servohorn, Aluminium, 25T: 22 5.0                       | Renvoi de commande du servo de serrage, aluminium, 25T : 22 5.0          | Squadretta servo di bloccaggio, alluminio, 25T: 22 5.0 |
| TLR334074 | VHA Camber Link Mount, Black: 22 5.0          | VHA Nabensatz, Verbundstoff: 22 5.0                           | Ensemble de moyeux VHA, composite : 22 5.0                               | Set mozzo VHA, composito: 22 5.0                       |
| TLR334076 | VHA Hinge Pin Insert Set: 22 5.0              | VHA-Scharnierstifteinsatz-Satz: 22 5.0                        | Ensemble d'inserts de goupilles de charnière VHA : 22 5.0                | Kit inserti perno di articolazione VHA: 22 5.0         |
| TLR336000 | 4mm Aluminum Serrated Lock Nuts, Black (6)    | 4mm Aluminium Stopmutter mit Flansch Schwarz 6St.             | Ecrou auto-freiné épaulé M4, aluminium, noir (6)                         | Dado autobloccante seghettato 4mm, nero (6)            |
| TLR336007 | M3 x 6.5mm Aluminum Washer Set, Black (4ea)   | M3 Radblock, Unterlegscheiben-Satz, Aluminium, schwarz (je 4) | Ensemble de rondelles en aluminium pour bloc de roulettes M3, noir (4ea) | Set rondella alluminio blocco ghisa M3, nero (4ea)     |
| TLR5901   | Button Head Screws, M3 x 6mm (10)             | Rundkopfschraube, M3 x 6mm (10)                               | Vis à tête bombée M3 x 6mm (10)                                          | Viti testa tonda, M3 x 6mm (10)                        |
| TLR5902   | Button Head Screws, M3 x 8mm (10)             | Rundkopfschraube, M3 x 8mm (10)                               | Vis à tête bombée M3 x 8mm (10)                                          | Viti testa tonda, M3 x 8mm (10)                        |
| TLR5903   | Button Head Screws, M3 x 10mm (10)            | Rundkopfschraube, M3 x 10mm (10)                              | Vis à tête bombée M3 x 10mm (10)                                         | Viti testa tonda, M3 x 10mm (10)                       |
| TLR5904   | Button Head Screws, M3 x 12mm (10)            | Rundkopfschraube, M3 x 12mm (10)                              | Vis à tête bombée M3 x 12mm (10)                                         | Viti testa tonda, M3 x 12mm (10)                       |
| TLR5909   | Button Head Screws, M3 x 16mm (10)            | TLR Rundkopfschraube, M3 x 16mm (10)                          | Vis à tête bombée M3 x 16mm (10)                                         | Viti testa tonda, M3 x 16mm (10)                       |
| TLR5910   | Button Head Screws, M3 x 14mm (10)            | Rundkopfschrauben M3 x 14mm (10)                              | Vis à tête bombée M3x14mm (10)                                           | Viti a testa tonda, M3 x 14mm (10)                     |
| TLR5961   | Flathead Screws, M3 x 8mm (10)                | Flachkopfschrauben, M3 x 8mm (10)                             | Vis à tête fraisée M3 x 8mm (10)                                         | Vite a testa piatta, M3 x 8mm (10)                     |
| TLR5962   | Flathead Screws, M3 x 10mm (10)               | Flachkopfschrauben, M3 x 10mm (10)                            | Vis à tête fraisée M3 x 10mm (10)                                        | Vite a testa piatta, M3 x 10mm (10)                    |
| TLR5963   | Flathead Screw, M3 x 12mm (10)                | Flachkopfschrauben, M3 x 12mm (10)                            | Vis à tête fraisée M3 x 12mm (10)                                        | Vite a testa piatta, M3 x 12mm (10)                    |
| TLR5964   | Flathead Screw, M3 x 16mm (10)                | Flachkopfschrauben, M3 x 16mm (10)                            | Vis à tête fraisée M3 x 16mm (10)                                        | Vite a testa piatta, M3 x 16mm (10)                    |
| TLR5965   | Flathead Screw, M3 x 20mm (10)                | Flachkopfschrauben, M3 x 20mm (10)                            | Vis à tête fraisée M3 x 20mm (10)                                        | Vite a testa piatta, M3 x 20mm (10)                    |
| TLR6289   | Set Screw, M3 x 5mm (10)                      | Schraubenset, M3 x 5mm (10)                                   | Vis sans tête, M3 x 5mm (10)                                             | Grano, M3 x 5mm (10)                                   |
| TLR6313   | Locknut, M3 x .5 x 5.5mm (10)                 | TLR Mutter selbstsichernd M3 x .5 x 5.5mm (10)                | Ecrou M3 x 0,5 x 5,5mm (10)                                              | Dado autobloccante, M3 x .5 x 5.5mm (10)               |
| TLR6352   | Washers, M3 (10)                              | U-Scheibe, M3 (10)                                            | Rondelles M3 (10)                                                        | Rodelle, M3 (10)                                       |
| TLR72003  | Shock Tools, Composite: All 22                | Stoßdämpferwerkzeuge, Komposit: Alle 22                       | Outils pour amortis-seurs, composite: Tout 22                            | Attrezzi ammortizzatori, composito: Tutte le 22        |
| TLR77000  | High-Pressure Black Grease, 8cc               | High-Pressure Fett Schwarz/8cc                                | Graisse noire haute pression, 8cc                                        | Grasso nero alta pressione, 8cc                        |





## OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

| Part #    | English                                                                        | Deutsch                                                                               | Français                                                                                | Italiano                                                                                        |
|-----------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| PRO284602 | Velocity F/R 2.2" 12mm Stadium Truck Wheels (4) Yellow for TLR 22X-T & AE T6.2 | Velocity 2.2 Stadium Truck-Räder vorne/hinten, Gelb (4) 12 mm für TLR 22X-T & AE T6.2 | Roues Stadium Truck avant/arrière Velocity 2.2, jaune (4) 12mm pour TLR 22X-T & AE T6.2 | Ruote anteriori/posteriori Stadium Truck Velocity 2.2, giallo (4) 12 mm per TLR 22X-T & AE T6.2 |
| PRO358100 | Axis ST Clear Body for TLR 22T 4.0 & AE T6.2                                   | Axis ST transparentes Karosserie für TLR 22T 4.0 & AE T6.2                            | Carrosserie transparente Axis ST pour TLR 22T 4.0 & AE T6.2                             | Carrozzeria trasparente Axis ST per TLR 22T 4.0 & AE T6.2                                       |
| PRO366800 | Sector ST Clear Body: TLR 22T 4.0 & AE T6.2                                    | Sector ST transparentes Karosserie: TLR 22T 4.0 & AE T6.2                             | Carrosserie transparente Sector ST : TLR 22T 4.0 & AE T6.2                              | Carrozzeria trasparente: TLR 22T 4.0 & AE T6.2                                                  |
| REV1115   | Revtech X-Factor 5.5T Modified Motor                                           | Revtech X-Factor 5.5T Veränderter Motor                                               | Moteur modifié Revtech X-Factor 5.5T                                                    | Motore Revtech X-Factor 5.5T Modificato                                                         |
| REV1116   | Revtech X-Factor 6.0T Modified Motor                                           | Revtech X-Factor 6.0T Veränderter Motor                                               | Moteur modifié Revtech X-Factor 6.0T                                                    | Motore Revtech X-Factor 6.0T Modificato                                                         |
| REV1117   | Revtech X-Factor 6.5T Modified Motor                                           | Revtech X-Factor 6.5T Veränderter Motor                                               | Moteur modifié Revtech X-Factor 6.5T                                                    | Motore Revtech X-Factor 6.5T Modificato                                                         |
| REV1118   | Revtech X-Factor 7.0T Modified Motor                                           | Revtech X-Factor 7.0T Veränderter Motor                                               | Moteur modifié Revtech X-Factor 7.0T                                                    | Motore Revtech X-Factor 7.0T Modificato                                                         |
| REV1119   | Revtech X-Factor 7.5T Modified Motor                                           | Revtech X-Factor 7.5T Veränderter Motor                                               | Moteur modifié Revtech X-Factor 7.5T                                                    | Motore Revtech X-Factor 7.5T Modificato                                                         |
| SPMXC2010 | Smart S2200 G2 AC Charger, 2x200W                                              | Smart S2200 G2 Wechselstrom-Ladegerät, 2x200 W                                        | Chargeur c.a. G2 S2200 Smart, 2x200 W                                                   | Caricabatterie Smart S2200 G2 CA, 2x200 W                                                       |
| SPMXC2020 | Smart S1200 G2 AC Charger; 1x200W                                              | Smart S1200 G2 Wechselstrom-Ladegerät; 1x200W                                         | Chargeur Smart CA S1200 G2, 1 x 200 W                                                   | Caricabatterie Smart S1200 G2 CA, 1x200 W                                                       |
| SPMXCA316 | Adapter: IC3 Battery / 5mm Bullet 2' Smart 2S                                  | Adapter: IC3 Akku / 5mm Bullet 2' Smart 2S                                            | Adaptateur : batterie IC3 / Bullet 5 mm avec fils de 2', Smart 2S                       | Adattatore: IC3 Batteria / 5 mm cilindrico 2' Smart 2S                                          |
| TEP0013   | MX10 Gen 2 200 Amp ESC                                                         | MX10 Gen 2 200 Amp ESC                                                                | Variateur ESC 200 A MX10 Gen 2                                                          | MX10 Gen 2 200 A ESC                                                                            |
| TEP3084   | Aluminum 30x30mm Purple Fan                                                    | Aluminium 30x30mm violett Lüfter                                                      | Soufflante violette 30 x 30 mm aluminium                                                | Ventola 30x30 mm viola alluminio                                                                |
| TLR-1101  | Battery Mount Set, Carbon: 22X                                                 | Akkualterungssatz, Carbon: 22X                                                        | Ensemble support de batterie, carbone : 22X                                             | Set supporto batteria, Carbonio: 22X                                                            |
| TLR-1103  | Motor Plate, Carbon: 22X                                                       | Motorplatte, Carbon: 22X                                                              | Plaque moteur, carbone : 22X                                                            | Piastra motore, Carbonio: 22X                                                                   |
| TLR-1121  | Gear Differential Cover, Aluminum: 22X                                         | Getriebe-Differentialabdeckung, Aluminium: 22X                                        | Cache de différentiel à engrenages, aluminium : 22X                                     | Carter differenziale, Alluminio: 22X                                                            |
| TLR-1123  | Slipper Adjustment Tool, 5.5mm: 22X                                            | Gleiter-Einstellwerkzeug, 5,5mm: 22X                                                  | Outil d'ajustement de sabot, 5,5 mm : 22X                                               | Strumento regolazione antisaltellamento, 5,5 mm: 22X                                            |
| TLR-1130  | Ball Stud, 5.8mm x 12mm, Titanium (2): 22X                                     | Kugelzapfen, 5,8 x 12 mm, Titan (2): 22X                                              | Piton à rotule, 5,8 x 12 mm, titane (2): 22X                                            | Viti a sfera, 5,8 x 12 mm, titanio (2): 22X                                                     |
| TLR-1133  | Pivot, Brass: 22X                                                              | Zapfenlager, Messing: 22X                                                             | Pivot, laiton : 22X                                                                     | Pivot, Ottone: 22X                                                                              |
| TLR-1136  | Steering Arm Spacer (4): 22X                                                   | Lenkarm-Abstandhalter (4): 22X                                                        | Entretoises de bras de direction (4) : 22X                                              | Distanziale braccio di sterzo (4): 22X                                                          |
| TLR-1146  | 13mm Kashima Shock Body, 36.5mm, G3, 3mm (1)                                   | 13mm Kashima Stoßdämpfergehäuse, 36,5 mm, G3, 3 mm (1)                                | Corps d'amortisseur Kashima 13 mm, 36,5 mm, G3, 3 mm (1)                                | Corpo amm. Kashima 13 mm, 36,5 mm, G3, 3 mm (1)                                                 |
| TLR-1158  | C Pivot Block, Brass: 22X                                                      | C Zapfenlager, Messing: 22X                                                           | Bloc pivot C, laiton : 22X                                                              | Blocco pivot C, Ottone: 22X                                                                     |
| TLR-1159  | Ball Stud, 5.8mm x 6mm, Titanium (2): 22X                                      | Kugelzapfen, 5,8 x 6 mm, Titan (2): 22X                                               | Piton à rotule, 5,8 x 6 mm, titane (2): 22X                                             | Viti a sfera, 5,8 x 6 mm, titanio (2): 22X                                                      |
| TLR-1161  | Wheel Hex 12mm x 8.0mm (2)                                                     | Sechskantrad, 12 mm x 8,0 mm (2)                                                      | Hexagones de roues, 12 mm x 8,0 mm (2)                                                  | Esagoni ruote, 12 mm x 8,0 mm (2)                                                               |
| TLR-1162  | Slipper Eliminator Plates: 22X                                                 | Gleiter-Eliminatorplatten: 22X                                                        | Plaques de sabots éliminateurs : 22X                                                    | Piastre eliminazione slittamento: 22X                                                           |
| TLR-1167  | Electronics Tray, Aluminum: 22X                                                | Halterung für Elektronik, Aluminium: 22X                                              | Plateau électronique, aluminium : 22X                                                   | Vassoio elettronica, Alluminio: 22X                                                             |
| TLR-1168  | Bellcranks, Connecting Link, Aluminum: 22X                                     | Umlenkhebel, Verbindungsstück, Aluminium: 22X                                         | Leviers coudés, tringlerie de connexion, aluminium : 22X                                | Leve a squadra, Anello di congiunzione, Alluminio: 22X                                          |
| TLR-1169  | Wheel Hex 12mm x 7.0mm (2)                                                     | Sechskantrad, 12 mm x 7,0 mm (2)                                                      | Hexagones de roues, 12 mm x 7,0 mm (2)                                                  | Esagoni ruote, 12 mm x 7,0 mm (2)                                                               |





## OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

| Part #    | English                                        | Deutsch                                                | Français                                                       | Italiano                                          |
|-----------|------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------|
| TLR-1172  | Ball Stud, 5.8mm x 8mm, Titanium (2): 22X      | Kugelzapfen, 5,8 x 8 mm, Titan (2): 22X                | Piton à rotule, 5,8 x 8 mm, titane (2): 22X                    | Viti a sfera, 5,8 x 8 mm, titanio (2): 22X        |
| TLR-1175  | Slipper Shaft, Titanium: 22X                   | Gleiterwelle, Titan: 22X                               | Arbre de sabot, titane : 22X                                   | Albero antisaltellamento, Titanio: 22X            |
| TLR-1176  | 13mm Kashima Shock Body, 42.0mm, G3, 3mm (1)   | 13mm Kashima Stoßdämpfergehäuse, 42,0 mm, G3, 3 mm (1) | Corps d'amortisseur Kashima 13 mm, 42,0 mm, G3, 3 mm (1)       | Corpo amm. Kashima 13 mm, 42,0 mm, G3, 3 mm (1)   |
| TLR-1177  | Shock Standoff, Arm, Titanium (2): 22X         | Stoßdämpfer-Standoff, Arm, Titan (2): 22X              | Dispositifs d'espacement d'amortisseur, bras, titane (2) : 22X | Distanziale amm., Braccio, Titanio (2): 22X       |
| TLR-1181  | Pivot, Aluminum: 22X                           | Drehgelenk, Aluminium: 22X                             | Pivot, aluminium : 22X                                         | Pivot, Alluminio: 22X                             |
| TLR-1182  | Brass Pivot Weight: 22X                        | Gewicht Drehgelenk Messing: 22X                        | Poids de pivot, laiton : 22X                                   | Peso pivot ottone: 22X                            |
| TLR-1183  | Idler Gear, Aluminum (1): 22X                  | Zwischenrad mit Steckachse (1): 22X                    | Pignon intermédiaire en aluminium (1): 22X                     | Ingranaggio intermedio, alluminio (1): 22X        |
| TLR-1184  | Spindle, Wide, 6 Deg Incline, Aluminum: 22X    | Spindel, breit, 6 Grad Steigung, Aluminium: 22X        | Axe, large, inclinaison 6 degrés, aluminium : 22X              | Fusello, Largo, Inclinazione 6°, Alluminio: 22X   |
| TLR-1185  | Spindle, Wide, 4 Deg Incline, Aluminum: 22X    | Spindel, breit, 4 Grad Steigung, Aluminium: 22X        | Axe, large, inclinaison 4 degrés, aluminium : 22X              | Fusello, Largo, Inclinazione 4°, Alluminio: 22X   |
| TLR-1186  | Spindle, Narrow, 6 Deg Incline, Aluminum: 22X  | Spindel, schmal, 6 Grad Steigung, Aluminium: 22X       | Axe, étroit, inclinaison 6 degrés, aluminium : 22X             | Fusello, Stretto, Inclinazione 6°, Alluminio: 22X |
| TLR-1187  | Spindle Bushing Set, Delrin (8): 22X           | Spindelwellensatz, Delrin (8): 22X                     | Ensemble de bagues d'arbre, Delrin (8) : 22X                   | Set boccole fusello, Delrin (8): 22X              |
| TLR-1195  | Spindle, Wide, 8 Deg Incline, Aluminium: 22X   | Spindel, breit, 8 Grad Steigung, Aluminium: 22X        | Axe, large, inclinaison 8 degrés, aluminium : 22X              | Fusello, Largo, Inclinazione 8°, Alluminio: 22X   |
| TLR-1196  | Spindle, Narrow, 4 Deg Incline, Aluminium: 22X | Spindel, schmal, 4 Grad Steigung, Aluminium: 22X       | Axe, étroit, inclinaison 4 degrés, aluminium : 22X             | Fusello, Stretto, Inclinazione 4°, Alluminio: 22X |
| TLR-1197  | Spindle, Narrow, 2 Deg Incline, Aluminium: 22X | Spindel, schmal, 2 Grad Steigung, Aluminium: 22X       | Axe, étroit, inclinaison 2 degrés, aluminium : 22X             | Fusello, Stretto, Inclinazione 2°, Alluminio: 22X |
| TLR-1198  | Spindle, Wide, 2 Deg Incline, Aluminum: 22X    | Spindel, breit, 2 Grad Steigung, Aluminium: 22X        | Axe, large, inclinaison 2 degrés, aluminium : 22X              | Fusello, Largo, Inclinazione 2°, Alluminio: 22X   |
| TLR-1201  | Spindle, Narrow, 8 Deg Incline, Aluminum: 22X  | Spindel, schmal, 8 Grad Steigung, Aluminium: 22X       | Axe, étroit, inclinaison 8 degrés, aluminium : 22X             | Fusello, Stretto, Inclinazione 8°, Alluminio: 22X |
| TLR-1210  | Complete Gear Diff: 22X                        | Komplettes Getriebe Differential: 22X                  | Engrenage différentiel complet : 22X                           | Differenziale completo: 22X                       |
| TLR232111 | Wheel Hex, 12mm x 4.0mm (2)                    | Sechskantrad, 12 mm x 4,0 mm (2)                       | Hexagones de roues, 12 mm x 4,0 mm (2)                         | Esagoni ruote, 12 mm x 4,0 mm (2)                 |
| TLR232113 | Wheel Hex, 12mm x 5.0mm (2)                    | Sechskantrad, 12 mm x 4,0 mm (2)                       | Hexagones de roues, 12 mm x 4,0 mm (2)                         | Esagoni ruote, 12 mm x 4,0 mm (2)                 |
| TLR232114 | Wheel Hex, 12mm x 5.5mm (2)                    | Sechskantrad, 12 mm x 4,0 mm (2)                       | Hexagones de roues, 12 mm x 4,0 mm (2)                         | Esagoni ruote, 12 mm x 4,0 mm (2)                 |
| TLR232115 | Wheel Hex, 12mm x 6.0mm (2)                    | Sechskantrad, 12 mm x 4,0 mm (2)                       | Hexagones de roues, 12 mm x 4,0 mm (2)                         | Esagoni ruote, 12 mm x 4,0 mm (2)                 |
| TLR2950   | Hex Differential Wrench, Aluminum: 22          | Diff Einstellschlüssel, Aluminium: 22                  | 22 - Clé hexagonale pour différentiel                          | Chiave esagonale differenziale, alluminio: 22     |
| TLR331045 | Brass Battery Weight Set, 19g, 26g, 37g        | Messing-Akku Gewicht, Satz, 19 g, 26 g, 37 g           | Ensemble de poids de la batterie en laiton, 19 g, 26 g, 37 g   | Peso batteria ottone, 19, 26, 37 g                |
| TLR332047 | Direct Drive Spur Gear, 69T, 48P               | Zahnradatz Direktantrieb, 69T, 48P                     | Couronne entraînement direct, 69T, 48P                         | Corona Principale Diretta, 69T. 48P               |
| TLR332048 | Direct Drive Spur Gear, 72T, 48P               | Zahnradatz Direktantrieb, 72T, 48P                     | Couronne entraînement direct, 72T, 48P                         | Corona Principale Diretta, 72T. 48P               |
| TLR332049 | Direct Drive Spur Gear, 75T, 48P               | Zahnradatz Direktantrieb, 75T, 48P                     | Couronne entraînement direct, 75T, 48P                         | Corona Principale Diretta, 75T. 48P               |
| TLR99102  | Turnbuckle Wrench, 22,8B, 8T                   | Spannschraubenschlüssel, 22,8B, 8T                     | Clé de ridoir, 22,8B, 8T                                       | Chiave per tenditore, 22,8B, 8T                   |
| TRI-1050  | Slot Machine 2 13.5 SPEC Class Brushless Motor | Slot Machine 2 13.5 SPEZ Klasse bürstenloser Motor     | Moteur sans balais catégorie de spéc. 13,5 Slot Machine 2      | Motore Slot Machine 2 13.5 SPEC Class Brushless   |
| TRI-1051  | Slot Machine 2 13.5 Certified Brushless Motor  | Slot Machine 2 13.5 Zertifizierter bürstenloser Motor  | Moteur sans balais certifié 13,5 Slot Machine 2                | Motore Slot Machine 2 13.5 Brushless Certificato  |
| TRI-1055  | Slot Machine 2 17.5 SPEC Class Brushless Motor | Slot Machine 2 17.5 SPEZ Klasse bürstenloser Motor     | Moteur sans balais catégorie de spéc. 17,5 Slot Machine 2      | Motore Slot Machine 2 17.5 SPEC Class Brushless   |





## OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

| Part #   | English                                         | Deutsch                                               | Français                                                              | Italiano                                              |
|----------|-------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------------------------|-------------------------------------------------------|
| TRI-1056 | Slot Machine 2 17.5 Certified Brushless Motor   | Slot Machine 2 17.5 Zertifizierter bürstenloser Motor | Moteur sans balais certifié 17,5 Slot Machine 2                       | Motore Slot Machine 2 17.5 Brushless Certificato      |
| TRI-1071 | 4500mah 2S 7.4V 130C Shorty Battery 5mm Bullets | 4500mah 2S 7,4V 130C Shorty Akku 5mm Steckbuchsen     | Batterie Shorty 130C 7,4 V 2S 4 500 mAh connecteurs cylindriques 5 mm | Batteria corta 4500 mAh 2S 7,4 V 130C 5 mm cilindrici |
| TRI-1072 | 5200mah 2S 7.6V 130C Shorty 5mm Bullet          | 5200mah 2S 7,6V 130C Shorty 5mm Steckbuchse           | Shorty 130C 7,6 V 2S 5 200 mAh connecteur cylindrique 5 mm            | Batteria corta 5200 mAh 2S 7,6 V 130C 5 mm cilindrico |
| TRI-1122 | 6400mah 2S 7.6V 130C Shorty 5mm Bullets         | 6400mah 2S 7,6V 130C Shorty 5mm Steckbuchsen          | Shorty 130C 7,6 V 2S 6 400 mAh connecteurs cylindriques 5 mm          | Batteria corta 6400 mAh 2S 7,6 V 130C 5 mm cilindrici |
| TRI-1123 | 4300mah 2S 7.4V 130C Shorty 5mm Bullets         | 4300mah 2S 7,4V 130C Shorty 5mm Steckbuchsen          | Shorty 130C 7,4 V 2S 4 300 mAh connecteurs cylindriques 5 mm          | Batteria corta 4300 mAh 2S 7,4 V 130C 5 mm cilindrici |