

Driver : Tim Hippensteel  
Date : November 15, 2024  
Track : \_\_\_\_\_  
Event : \_\_\_\_\_

Track Condition  
Size : Open  Med.  Tight   
Traction : High  Med.  Low   
Condition : Smooth  Bumpy  Dry  Wet   
Dusty  Grooved  Hard Packed

### Front Suspension

**Shock Tower**  
Alu.  CFRP

**Caster Spacer**  
F/R: 2/2 mm

**Lower Arm Plate**  
None

**Lower Arm Type**  
STD.  LW.

**Upper: Alu.**  **Steel**   
**Lower: Alu.**  **Steel**

**Upper Ball Spacer**  
1.0 mm

**Bump Spacer**  
0 mm

**Lower Arm Spacer**  
1.0 mm

**Wheel Hex**  
+1mm

**Upright Type**  
0  1.5

**Ball Position : Forward**  **Back**

**Lower Arm Spacer**  
F/R: 0 / 1 mm

Ride Height : 25 mm	Toe : -1
Anti-Roll Bar : 2.2mm	
F Upright Arm : 0 Dot <input type="radio"/> 1 Dot <input checked="" type="radio"/>	
Drive Shaft : CVA <input type="radio"/> Universal <input checked="" type="radio"/>	
Chassis Brace : Short <input checked="" type="radio"/> Long <input type="radio"/>	
Servo Saver Arm : STD. <input type="radio"/> Alu. <input type="radio"/>	
Servo Horn : STD. <input type="radio"/> Alu. <input type="radio"/>	
Size :	

### Rear Suspension

**Shock Tower**  
Alu.  CFRP

**Lower Arm Spacer**  
F/R: 0 / 1 mm

**Lower Arm Type**  
STD.  LW.

**Hub Spacer**  
F/R: 3 / 2 mm

**Link Spacer**  
F/R: 0 / 6 mm

**Lower Arm Plate**  
None

**Ball Position : Forward**  **Back**

**Wheel Hex**  
+1mm

**Down and in**  **Down**

Ride Height : 27 mm	Camber : -2
Rear Hub : Plastic <input checked="" type="radio"/> Alu. <input type="radio"/>	
Anti-Roll Bar : 2.5mm	
Drive Shaft : CVA <input type="radio"/> Universal <input checked="" type="radio"/>	
Rear Link Plate : 1Dot <input type="radio"/> 3Dot <input checked="" type="radio"/>	
Dot Orientation : In <input type="radio"/> Out <input checked="" type="radio"/>	

Shocks	Front	Rear	Differential		Front	Center	Rear
		3x1.35 3x1.45 MIP blue	3x1.15 3x1.5 MIP clear	42T/12T <input type="radio"/>	Oil	10,000	10,000
Oil	45 wt	450 cst	44T/13T <input checked="" type="radio"/>	Center	Dog Born <input checked="" type="radio"/> Universal <input type="radio"/>		
Spring	70mm 1.6mm x 9.25T	86mm 1.6mm x	Drive Shaft		Universal <input type="radio"/> Universal <input type="radio"/>		
Bladder	<input type="radio"/>	<input type="radio"/>	Gearing		Notes :		
Emulsion	<input checked="" type="radio"/>	<input checked="" type="radio"/>	Spur Gear	46 T			
Length	101 mm	118.5 mm	Pinion	15 T			
Notes :	MIP ByPass Pistons 6 hole						
Oil: J&T							

Electronics		Body & Wing		Tire	Front	Rear
Radio	Sanwa/Airtronics	Body	LFR	Type		
Servo	Savox	Wing	J&T leading edge	Compound		
ESC	Hobbywing	Front Wing		Inserts		
Motor	Hobbywing 2200 Kv	Gap to Tower		Wheel		
Battery	Reedy			Chassis Weight	Front : _____ g	Rear : _____ g
Notes :	Notes					