



## RCLS4F-G

4 pole loudspeaker cable connector with latch lock, chuck and bushing, bulk and single packed



## Features & Benefits

- ✓ updated exterior design of REAN product language
- ✓ new latch system with better convenient unlocking experience
- ✓ VO plastic material ensure safety and compliance
- ✓ UL/VDE fully certified

## Article Variations

Article Name	Details	Packaging
RCLS4F-G-000-0	Female, green housing	BULK
RCLS4F-G-000-1	Female, green housing	Plastic bag
RCLS4F-G-001-0	Female, blue housing	BULK
RCLS4F-G-001-1	Female, blue housing	Plastic bag

## Technical Information

Product	
Title	RCLS4F-G-000/1
Connection type	Loudspeaker
Gender	Female

Electrical	
Contact resistance	$\leq 5 \text{ m}\Omega$
Dielectric strength	$> 1 \text{ G}\Omega$ (Initial)
Insulation resistance	4 kV dc
Rated current per contact	30 A
Rated voltage	250 VAC

Mechanical	
Cable O.D.	6.0 - 10.0mm
Lifetime	> 1000 mating cycles
Wiresize	12 AWG / 4mm <sup>2</sup>

**Material**

<b>Shell</b>	PA
<b>Contacts</b>	Bronze
<b>Contact plating</b>	Silver
<b>Locking element</b>	Zinc Alloy
<b>Chuck</b>	PA