PROVIDING COMFORT, QUALITY AND WORRY-FREE PERFORMANCE





M1200 Up to 15 SEER R-410A, Two-Stage, Variable-Speed Packaged Products



Maytag[®] M1200 Extra High-Efficiency R-410A, Two-Stage, Variable-Speed Packaged, 2-5 Tons 14 SEER/8.0 HSPF Heat Pumps 15 SEER/80 AFUE Gas/Electric Products

Unlike most heating and cooling systems, which are divided into outdoor and indoor sections, a "packaged" system includes all the components necessary to heat and/or cool your home in one, convenient unit.

Our 15 SEER/80 AFUE, two-stage, variable-speed gas/electric unit combines the electric cooling convenience of an air conditioner with the gasheat energy-efficiency of a furnace. It operates at lower capacity during mild summer days and at full capacity during hotter ones. Because this unit runs at a reduced capacity, it provides better comfort and performs more quietly than singlestage units. Maytag's 14 SEER/8.0 HSPF variable-speed heat pumps provide electric heating and cooling. During warmer months, it collects heat from the air in your home and moves it to the outside. In winter, the process reverses, and the heat pump collects heat from air outside to warm the air inside your home.

Two-stage, variable-speed units improve air circulation by minimizing temperature variations and reducing hot and cold spots. When the fan runs continuously, it reduces electrical consumption by almost 80% over products with conventional blowers.



Energy Efficiency

Maytag packaged products provide high-efficiency, less energy consumption and lower

utility bills. Look for our ecoLogic™ seal, your sign of the most ecoLogic™ energy-efficient, environmentally responsible products Maytag offers.



Annual costs based on 36,000 Btu units, 1,500 cooling load hours and .08/kwh. Actual costs may vary depending on climate conditions, energy rates and patterns of usage.

Advanced Technology

On gas/electric units, the SmartStart[®] Control Board learns the igniter's heat-up characteristics. It then adapts the ignition time to the packaged unit's characteristics, resulting in extending the life of the igniter.



Quiet Comfort

The high-efficiency condenser motor and fan blades provide quiet operation and low vibration.

Your packaged unit is only one part of the comfort system that affects your air quality and energy savings. Maytag offers a complete line of system components to improve indoor air quality and help ensure the performance of your comfort system.

Durability and Style

These models feature polyester, urethane-coated galvanized steel with a 950-hour salt spray finish, which protects the unit from corrosion 50% better than other coatings.



Environmentally Smart

Maytag Packaged Systems feature Smart Cool 410[™] refrigerant, an earth-friendly, non-ozone-depleting refrigerant.



Maytag Two-Stage Variable-Speed Packaged Systems meet the ENERGY STAR guidelines for product efficiency. ENERGY STAR certification is awarded to products designed to reduce energy consumption and utility costs.

Peace of Mind

This Maytag Series of products offer a 12-Year Worry-Free Limited Warranty on parts.

Plus, our Dependability Promise states that your entire unit will be replaced if the compressor or heat exchanger fails within the first 12 years of purchase.



Ask your Select Maytag heating and cooling dealer or visit us at www.maytaghvac.com for warranty details.

						Marchand Construction				In the Refine Continue					
						· /		the Condition of the Condition	,ter	In the shirt of th	j. j. j.				
							e e				2	Sol, Part Part Part Part Part Part Part Part	e le		Clogica Sign
		/	· /	/ /	· /	*	,P	e l	SE	In the first of	Je Je	So. Per Out	Le le	· /	5
				Social Providence	41, 10 Children A	2 	ě /	è . 5	e ,	ی ۳			And Oliver	A CONTRACTOR	Eller Sol
				En Qu	zi ^r	in the second se	Jul C	in the second second	Jul C	a de	Sel Sel	2	C.S.	کی /	. Č
		002 N	₽/;		¥ /	<u>ر `کْنْ</u>	\$ ² /	<u>ر `کْ</u>	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	20× 1	$\frac{1}{2}$	F.	4	.x.	$\frac{2}{2}$
MODELS	2	1	. Ž	<u>`/ ଔ</u>	7	·/ ×	7	·/ ×	<u>ٌ ج</u>	<u>_ {</u>	<u>`</u> &	i/ 60	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	· · ·	· []
15 SEER, Multi-Stage, Variable-Speed	Х	Х	Х						Х	X	Х	X	Х	Х	Х
15 SEER, 2-Stage, Variable-Speed	Х	Х		Х					Х	X	Х	Х	Х	Х	Х
15 SEER, 2-Stage, Fixed-Speed	Х	Х					Х	Х	Х			X	X		х
14 SEER, 2-Stage, Variable-Speed	Х	Х				Х			Х	Х	Х	Х	Х	X	х
13 SEER, 1-Stage, Fixed-Speed	Х	Х		Х	х	Х	Х	Х	Х			Х	Х		
WARRANTY															
12-Year Parts	Х	Х													
Dependability Promise (Years)	12	1/10													
Limited Lifetime Heat Exchanger	Х	Х	Х	Х											
FEATURES															
Charcoal Galvanized Steel Cabinet	Х		Х	х	Х	Х	Х	X					X		
Galvanized Steel Cabinet	Х	Х	Х	Х	Х	Х	Х	Х					Х		
Earth-Friendly Epoxy Coated Wire Guard	Х	Х	Х	Х	Х	Х	Х	Х					Х		
Mesh Hail Guard	Х	Х	Х	Х	Х	Х	Х	Х					Х		
SmartStart [®] Control Board	Х	Х	Х	Х											
Corrosion-Resistant Drain Pan	Х	Х	Х	Х	Х	Х	Х	Х							
Compressor Sound Blanket	Х		Х	Х	Х	Х						X			
Heavy-Gauge, Full-Perimeter Base Rails	Х	Х	Х	Х	Х	Х									
Compact Footprint & Profile	Х	Х					Х	Х							



This product uses environmentally friendly refrigerant.



Specifications and illustrations subject to change without notice and without incurring obligation.

iHybrid, SmartCool and ecoLogic are trademarks of NORDYNE SmartStart is a registered trademark of Maytag Corporation. Printed in the U.S.A.



www.maytaghvac.com