



90% AFUE GAS FURNACES

NEW R-32 MODELS



DEPENDABLE HOME HEATING & BOLD PERFORMANCE

A **Daikin gas furnace** offers reliable, **energy-efficient heating**, and is designed to keep your home warm, even during the coldest months. As you think about the functionality of your home's indoor comfort system, the Daikin gas furnace solutions can offer **control, efficiency, and long-term comfort**.

Home Solutions



Replacing Soon



Home Remodel or Additions



Energy Savings



Comfort



Indoor Air Quality












HVAC Smart Home

BUILD YOUR SYSTEM | DISCOVER REBATES | FIND A CONTRACTOR | LEARN ABOUT FINANCING & MORE:

www.daikincomfort.com



GAS FURNACES 90+% AFUE

MODELS	DR97MC	DD97MC	DR96TC	DR96SC-U [^]	DD96TC	DR96TN	DD96TN	DR96SN / DR96SN-U [^]	DD96SN	DR92SN
R-32 ready?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Will it work with an R-410A system?	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible	Convertible
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	12-Year	12-Year	6-Year	6-Year	6-Year	6-Year	6-Year
20 Year Heat Exchanger and One-Time Heat Exchanger Replacement Limited Warranty*	■	■	■	■	■	■	■	■	■	■
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One+</i> smart thermostat, Daikin <i>One</i> touch smart thermostat, Daikin <i>One</i> cloud services, and other Daikin communicating equipment).	■	■	■	■	■	N/A	N/A	N/A	N/A	N/A
AFUE	Up to 97%	Up to 97%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 97%	Up to 96%	Up to 96%
Gas Valve Type	Modulating	Modulating	Two-Stage	Single-Stage	Two-Stage	Two-Stage	Two-Stage	Single-Stage	Single-Stage	Single-Stage
Self-Diagnostics Control Board	■	■	■	■	■	■	■	■	■	■
Tubular, Primary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Secondary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Motor Type	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM
Igniter Type	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride
Installation Options	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal
ENERGY STAR® Certified**										NO

* Complete warranty available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, the 99-Year Heat Exchanger Limited Warranty (good for as long as you own your home), and/or 6 or 12-Year Unit Replacement Limited Warranty (good for as long as you own your home), online registration must be completed within 60 days of installation. Online registration is not required in California, Florida, or Québec. The duration of warranty coverages in Texas and Florida differs in some cases. Additional requirements for annual maintenance are required for the 6 or 12-Year Unit Replacement Limited Warranty. Changes in law, regulations, or technology may result in an equivalent unit not being available. Other limitations and exclusions apply, refer to complete warranty details for full list of limitations and exclusions, as well as rights and obligations should an equivalent unit not be available.

[^] All Ultra-Low NOx DR96SC-U and DR96SN-U models comply with the 14 ng/J emission limit specified in the South Coast Air Quality Management District (SCAQMD) Rule 1111, Bay Area Air Quality Management District (BAAQMD) Rule 9-4, and San Joaquin Valley Air Pollution Control District (SJVAPCD) Rule 4905. Learn more at www.aqmd.gov, www.baaqmd.gov, and www.valleyair.org.

** Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® criteria. Ask your contractor for details or visit www.energystar.gov.

WARNINGS:

- » Always use a licensed installer or contractor to install this product. Do not try to install the product yourself. Improper installation can result in water or refrigerant leakage, electrical shock, fire or explosion.
- » Use only those parts and accessories supplied or specified by Daikin. Ask a licensed contractor to install those parts and accessories. Use of unauthorized parts and accessories or improper installation of parts and accessories can result in water or refrigerant leakage, electrical shock, fire or explosion.
- » Read the Product Manuals carefully before using this product. The Product Manuals provides important safety instructions and warnings. Be sure to follow these instructions and warnings.

ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

Our continuing commitment to quality products may mean a change in specifications without notice.

© 2025 DAIKIN COMFORT TECHNOLOGIES, INC. · Houston, Texas · USA · www.daikincomfort.com or www.daikinac.com

PF-90FURNACE_R32_04-25

