



SOLUTIONS GUIDE

---

# Superwide Format

---

**Glen Makary**  
National Sales Manager - Sign & Display  
E. [glen.makary@spicers.com.au](mailto:glen.makary@spicers.com.au)  
**1300 132 644** [spicers.com.au](http://spicers.com.au)

**wide and grand  
format printing  
and finishing  
equipment**

---

# Get noticed

## About us

Spicers are a leading supplier of wide and grand format printing products encompassing consumables, hardware, software, accessories, training and support. From point-of-sale and vehicle graphics right through to exhibition stand construction and shop fit-out, Spicers has a product to bring your sign and display ideas to life.

With our team of sign and display specialists, Spicers can provide you with information and expert advice. We are your local supplier with stock on the floor and a distribution network ready to deliver to you.

## Environment

Spicers are FSC® and PEFC™ certified, offer a wide choice of environmentally friendly materials and operate under a Sustainable Supply Chain Policy.

## Roll media

Spicers carry all of your roll media essentials as well as a collection of specialty products. We have media for aqueous, Eco-Solvent, UV Curable, Latex and LED Ink Technologies. Key brands include 3M™, LG Hausys, dtec™, Yupo®, Photo-Tex™ OPA and Digitac.

Spicers offer a range of computer cut colours, wall coverings, banners and repositionable materials to create a unique look and feel compared to traditional signage and graphics.

## Rigid media

Spicers supply a market leading range of essential sign and display substrates, as well as some unique products that stand out from the crowd. Key brands include Yupo®, Corflute®, Skybond™, Ace Screenboard, Ace Outdoor, Re-Board®, Foamstar, Palfoam and ARMABoard.

## Finishing

If you require essential laminating products to protect your print and extend its longevity, Spicers can help you. Our range includes satin, matt, gloss and specialty anti-graffiti and textured floor graphic products from 3M™ and LG Hausys.

## Ink

OEM ink and toner for a vast range of digital wide and grand format printers are part of our offering. These include Mimaki®, and Roland.

## Hardware

Spicers hold a vast portfolio of wide and grand format printing and finishing equipment. We are proud to sell and service machinery from respected brands such as Mimaki™, Roland, Fotoba International, ROLLSROLLER™, Kala, Canon and Epson.

## Sales and distribution network

Spicers boast a dedicated sales team and stock on the floor ready to deliver in Melbourne, Sydney, Brisbane, Townsville, Darwin, Perth, Adelaide and Hobart.

# Contents

<b>MIMAKI</b>	<b>4</b>	<b>ROLLSROLLER</b>	<b>18</b>
UCJV300-160	5	Entry	19
UCJV150-160	5	Regular	19
CJV300-160	5	Premium	20
CJV150-160	6	Roll-X	21
JV150-160	6		
JV300-160	6		
JV400-160LX	7	<b>FOTOBA</b>	<b>22</b>
JV400-160SUV	7	XLD170	23
UJV55-320	7	XLD320	23
JFX200-2513	8		
JFX500-2131	8	<b>KALA</b>	<b>24</b>
UJF-6042MKII	8	Mistral	25
UJF-3042MKII	9	Arkane	25
CG-130SRIII Vinyl Cutter	9	Atlantic 1650	25
CG-160FXII Vinyl Cutter	9		
		<b>ALC</b>	<b>26</b>
		Denmark	27
<b>ROLAND</b>	<b>10</b>	Finland	27
TrueVIS VG-640	11	Neolt	27
TrueVIS VG-540	11		
TrueVIS SG-540	11	<b>MIMAKI</b>	<b>28</b>
TrueVIS SG-300	12	LA-160W	29
XR-640	12	CF22-1225	29
RF-640	12		
EJ-640	13		
VersaUV LEJ-640FT	13		
VersaUV LEJ-640	13		
VersaUV LEF-300	14		
VersaUV LEF-200	14		
VersaUV LEF-12i	14		
CAMM-1 GR-420	15		
CAMM-1 GR-540	15		
CAMM-1 GR-640	15		



- ✓ Outstanding speed
- ✓ High-quality signage production
- ✓ High reliability, innovation and engineering

Mimaki™ are renowned for offering a wide range of original industrial inkjet printers, cutting plotters and inks at a fantastic price. Spicers supply a large selection of their offering due to Mimaki's reputation for reliability, innovation and engineering.



### Mimaki™ UCJV300-160

The Mimaki™ UCJV300-160 - a versatile inkjet printer/cutter mounted with LED UV-curable ink.

<b>INK SET</b>	LED-UV ink: LUS-170 or LUS-200 Ink (Certified by 3M) (C, M, Y, K, Lc, Lm, W)
<b>MACHINE SPEED</b>	4C Draft mode: 25.8 sqm/h; 4C Standard mode: 15.7 sqm/h; 7C Draft mode: 13.4 sqm/h; 7C Standard mode: 8.0 sqm/h
<b>PRINT &amp; CUT AREA</b>	Maximum print/cut width: 1,610 mm (63.4")



### Mimaki™ UCJV150-160

The Mimaki™ UCJV150-160 - a versatile inkjet printer/cutter mounted with LED UV-curable ink.

<b>INK SET</b>	LED-UV ink: LUS-170 or LUS-200 Ink (Certified by 3M) (C, M, Y, K, Lc, Lm, W)
<b>MACHINE SPEED</b>	4C Draft mode: 13.4 sqm/h; 4C Standard mode: 8.0 sqm/h
<b>PRINT &amp; CUT AREA</b>	Maximum print/cut width: 1,610 mm (63.4")



### Mimaki™ CJV300-160

For a wide format inkjet printer/cutter with silver ink, you can't go past the Mimaki™ CJV300-160

<b>INK SET</b>	SS21 with silver and white ink option/eco solvent and sublimation
<b>MACHINE SPEED</b>	4 col Draft mode: 105.9m2/h 4C Standard mode: 30.0 sqm/h
<b>PRINT &amp; CUT AREA</b>	Maximum print/cut width: 1,610 mm (63.4")



## Mimaki™ CJV150-160

For cost effective production of large high-quality signage and vehicle wrapping films, you need the Mimaki™ CJV150-160.

<b>INK SET</b>	SS21 with silver and white ink option/ eco solvent and sublimation
<b>MACHINE SPEED</b>	4 col Draft mode: 56.2m <sup>2</sup> /h - 4C Standard mode: 16.0 sqm/h
<b>PRINT &amp; CUT AREA</b>	Maximum print/cut width: 1,610 mm (63.4")



## Mimaki™ JV150-160

For high speed and reliable print quality, opt for the Mimaki™ JV150-160.

<b>INK SET</b>	ss21/eco solvent/sublimation
<b>MACHINE SPEED</b>	4 col Draft mode: 56.2m <sup>2</sup> /h - 4C Standard mode: 16.0 sqm/h
<b>PRINT AREA</b>	1,610mm (63.4")



## Mimaki™ JV300-160

For outstanding speed and stunning output, try the Mimaki™ JV300-160.

<b>INK SET</b>	ss21/eco solvent/sublimation
<b>MACHINE SPEED</b>	4 col Draft mode: 105.9m <sup>2</sup> /h 4C Standard mode: 30.0 sqm/h
<b>PRINT AREA</b>	1,610mm (63.3")



## Mimaki™ JV400-160LX

With latex ink, the Mimaki™ JV400LX-160 is ideal for signage, posters, colour proofing and more. JV400LX meets a wide range of applications.

<b>INK SET</b>	Latex ink LX101; *White ink is LX100 (C, M, Y, K, Or, Gr, W)
<b>MACHINE SPEED</b>	4C Draft mode: 18.2□/h - 4C Standard mode 11.0□/h 7c Draft mode 9.1 sqm/h - 7C Standard mode: 5.5 sqm/hr
<b>PRINT AREA</b>	1,610mm (63.4")



## Mimaki™ JV400-160SUV

The Mimaki™ JV400SUV - A brighter, faster, Solvent UV Printer.

<b>INK SET</b>	Solvent UV ink SU100 (C, M, Y, K)
<b>MACHINE SPEED</b>	4C Draft mode: 18.s□/h - 4C Standard mode 14.2□/h
<b>PRINT AREA</b>	1,610mm (63.4")



## Mimaki™ UJV55-320

For a 3.2 M grand format LED-UV Inkjet Printer that expands your business, try the Mimaki™ UJV55-320.

<b>INK SET</b>	LUS-120 (C, M, Y, K, Lc, Lm, W)
<b>MACHINE SPEED</b>	4 col Draft mode 110 m <sup>2</sup> /h - 4 col Standard mode 40m <sup>2</sup> /h - 7 col Draft mode: 60 m <sup>2</sup> /h - 7 col Standard mode: 20 m <sup>2</sup> /h
<b>PRINT AREA</b>	3,200 mm (126 in)



## Mimaki™ JFX200-2513

For an entry level large format UV LED Flatbed Inkjet printer, opt for the Mimaki™ JFX200-2513.

<b>INK SET</b>	UV curable ink - LUS120/150/200 (C, M, Y, K, W, Clr)
<b>MACHINE SPEED</b>	4 col Draft mode 25 m <sup>2</sup> /h - 4 col Standard mode 12.5 m <sup>2</sup> /h
<b>PRINT AREA</b>	2,500 x 1,300 mm, often used for 1,220mmx2,440mm panel boards



## Mimaki™ JFX500-2131

The Mimaki™ JFX500-2131 is a large format UV LED Flatbed Inkjet printer with a powerful combination of speed and quality.

<b>INK SET</b>	UV curable ink - LUS150 (C, M, Y, K, W, Clr)
<b>MACHINE SPEED</b>	4 col Draft mode 60 m <sup>2</sup> /h - 4 col Standard mode 26 m <sup>2</sup> /h
<b>PRINT AREA</b>	2,100 mm X 3,100 mm



## Mimaki™ UJF-6042MKII

This Mimaki™ desk top printer with best-in-class productivity delivers effective on-demand print production.

<b>INK SET</b>	UV curable ink LUS120 - LH100
<b>MACHINE SPEED</b>	6 col Draft mode 3.52 m <sup>2</sup> /h - 4 col Standard mode 1.74 m <sup>2</sup> /h
<b>PRINT AREA</b>	610mm x 420mm



## Mimaki™ UJF-3042MKII

This Mimaki™ desk top printer with best-in-class productivity delivers effective on-demand print production.

<b>INK SET</b>	UV curable ink LUS120 - LH101
<b>MACHINE SPEED</b>	4 col Draft mode 2.48 m <sup>2</sup> /h - 4 col Standard mode 1.22 m <sup>2</sup> /h
<b>PRINT AREA</b>	300mm x 420mm



## Mimaki™ CG-130SRIII Vinyl Cutter

The Mimaki™ CG-130 SRIII is a high quality & Multifunction Cutting Plotter to Meet Various Cutting Needs.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	Cutting: 70 cm/s, Moving: 100 cm/s
<b>CUTTING AREA</b>	Effective cutting area 1,370mm



## Mimaki™ CG-160 FXII Vinyl Cutter

The Mimaki™ CG FX is capable of hitting even the most complicated contour cuts with speed and precision.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	Maximum cutting speed 100cm/s (39.3"/s); Maximum moving speed 140cm/s (55"/s)
<b>CUTTING AREA</b>	Effective cutting area 1,600mm

- ✓ New generation of digital technology
- ✓ Wide variety of ground breaking products
- ✓ A reputation for innovation, quality and reliability

Spicers supply Roland DG's full range of printers and consumables. This exemplary range includes eco-solvent printers and printer cutters, dye sublimation printers, UV benchtop and flatbed printers and vinyl cutters.



### Roland TrueVIS VG-640

This Large-Format Inkjet Printer/Cutters delivers amazing results more effectively and efficiently.

<b>INK SET</b>	Roland TrueVIS INK (C, M, Y, K, Lc, Lm, Lk, W)
<b>MACHINE SPEED</b>	Maximum speed (dual CMYK, 2-pass) 34.8 sqm/hr; Standard speed (dual CMYK, 6-pass) 14 sqm/hr; Cutting speed 10 to 300 mm/s
<b>PRINT &amp; CUT WIDTH</b>	Maximum 1,600 mm (63 in)



### Roland TrueVIS VG-540

This Large-Format Inkjet Printer/Cutters delivers amazing results more effectively and efficiently.

<b>INK SET</b>	Roland TrueVIS INK (C, M, Y, K, Lc, Lm, Lk, W)
<b>MACHINE SPEED</b>	Maximum speed (dual CMYK, 2-pass) 32 sqm/hr; Standard speed (dual CMYK, 6-pass) 13 sqm/hr; Cutting speed 10 to 300 mm/s
<b>PRINT &amp; CUT WIDTH</b>	Maximum 1,346 mm (53 in)



### Roland TrueVIS SG-540

True Colour. True Quality. True Value.

<b>INK SET</b>	Roland TrueVIS INK (C, M, Y, K)
<b>MACHINE SPEED</b>	Maximum Speed (CMYK) 9.4 sqm/hr Standard Speed (CMYK) 7.9 sqm/hr Cutting speed 10 to 300 mm/s (0.4 to 11.8 in/s)
<b>PRINT &amp; CUT WIDTH</b>	Maximum 1,346 mm (53 in.)



### Roland TrueVIS SG-300

True Colour. True Quality. True Value.

<b>INK SET</b>	Roland TrueVIS INK (C, M, Y, K)
<b>MACHINE SPEED</b>	Maximum Speed (CMYK) 7.5 sqm/hr Standard Speed (CMYK) 6 sqm/hr Cutting speed 10 to 300 mm/s (0.4 to 11.8 in/s)
<b>PRINT &amp; CUT WIDTH</b>	Maximum 736 mm (29 in.)



### Roland XR-640

The XR-640 is a very fast and powerful wide format printer and cutter.

<b>INK SET</b>	Roland ECO-SOL MAX 2 Ink (C, M, Y, K, Lc, Lm, Lk, W, Metallic)
<b>MACHINE SPEED</b>	Maximum speed 49 m2/hr - Standard speed 17 m2/hr
<b>PRINT &amp; CUT WIDTH</b>	Max. 1600 mm (63 in.)



### Roland RF-640

The Roland RF-640 offers productivity and reliability at a smart price.


<b>INK SET</b>	Roland ECO-SOL MAX 2 INK (C, M, Y, K)
<b>MACHINE SPEED</b>	Maximum speed 48.5 m2/hr - Standard speed 13.1 m2/hr
<b>PRINT WIDTH</b>	Max. 1615 mm (63.6 in.)



### Roland EJ-640

To boost productivity and cut costs, you need the EJ-640.

<b>INK SET</b>	Roland DG EJ INK (C, M, Y, K, Lc, Lm, Lk)
<b>MACHINE SPEED</b>	Maximum speed 102 m2/hr - Standard speed 24 m2/hr
<b>PRINT WIDTH</b>	Max. 1615 mm (63.6 in.)



### Roland VersaUV LEJ-640FT

The LEJ-640FT offers unparalleled printing capabilities, allowing you to explore a new world of products and applications, including heavy, rigid materials up to 150mm thick and weighing up to 100kg.

<b>INK SET</b>	ECO-UV inks
<b>MACHINE SPEED</b>	12.4 m2/h
<b>PRINT AREA</b>	Maximum 1600 mm x 2439 mm (63 in x 96 in)



### Roland VersaUV LEJ-640

The LEJ-640 represents the height of print innovation by offering both flatbed and roll-fed printing in a single device. Printing CMYK, White and Clear Coat inks on virtually any substrate up to a half-inch thick, the LEJ is capable of producing a massive range of large-format graphics.

<b>INK SET</b>	ECO-UV or ECO-UV S inks
<b>MACHINE SPEED</b>	12.4 m2/h
<b>PRINT AREA</b>	Maximum 63.6 in (1615 mm)



### Roland VersaUV LEF-300

The LEF-300 is the latest and greatest of our VersaUV LEF series of flatbed printers. It offers the same brilliant colour and direct printing capabilities on a vast array of materials, including three-dimensional items up to 100mm thick, and now also enables printing larger items and higher quantities. Featuring a 30" print width, four print heads and two UV-LED lamps for faster curing, the LEF-300 significantly increases productivity and delivers stunning results.

<b>INK SET</b>	ECO-UV
<b>MACHINE SPEED</b>	2.68 m <sup>2</sup> /h @ 720x720dpi
<b>PRINT AREA</b>	770mm x 330mm x 100mm



### Roland VersaUV LEF-200

The LEF-200 offers countless product customisation possibilities, including printing directly on three-dimensional objects up to 100mm thick. Featuring a host of unique ink options and optional on-board Primer, it quickly and effectively prints onto a wide variety of promotional products and media substrates.

<b>INK SET</b>	ECO-UV
<b>MACHINE SPEED</b>	2.1 m <sup>2</sup> /h @ 720x720dpi
<b>PRINT AREA</b>	508mm x 330mm x 100mm



### Roland VersaUV LEF-12i

The VersaUV LEF-12i offers countless product customisation and substrate possibilities, including printing directly on three-dimensional objects up to 100mm thick.

<b>INK SET</b>	ECO-UV
<b>MACHINE SPEED</b>	1.1m <sup>2</sup> /h @ 1440x720dpi
<b>PRINT AREA</b>	305mm x 280mm x 100mm



### Roland CAMM-1 GR-420

Cut More, Cut Faster and Cut Tougher with the Roland GR Series.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	1,485 mm/s (High speed mode - 45° direction)
<b>CUTTING AREA</b>	Width: 42 in. (1,075 mm) Length: 984 in. (25 m)



### Roland CAMM-1 GR-540

Cut More, Cut Faster and Cut Tougher with the Roland GR Series.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	1,485 mm/s (High speed mode - 45° direction)
<b>CUTTING AREA</b>	Width: 55 in. (1,397 mm) Length: 984 in. (25 m)



### Roland CAMM-1 GR-640

Cut More, Cut Faster and Cut Tougher with the Roland GR Series.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	1,485 mm/s (High speed mode - 45° direction)
<b>CUTTING AREA</b>	Width: 65 in. (1,651 mm) Length: 984 in. (25 m)



# hardware solutions for any application

- POS, POP and retail
- External displays
- Vehicle graphics and traffic management
- Corporate signage
- Interior fit-out



**ROLLSROLLER®**  
— FLATBED APPLICATOR —



- ✓ Increased productivity
- ✓ Improved quality
- ✓ High precision
- ✓ Easy to use

Fast and amazingly efficient, the ROLL SROLLER® saves you time and money. The dry application also turns a two-man operation into a one-man operation, freeing up resources. Spicers are pleased to be distributing the original, premium flatbed technology.

ROLLSROLLER®

**ENTRY**



**ROLLSROLLER®**  
**THE ORIGINAL SIGNMAKING FLATBED APPLICATOR**

The Entry model is delivered flat-packed so provides easy access even in restricted areas. Excellent solid steel build at a low cost entry level.

**MOUNTING AREA** Up to 1700 x 3400mm

ROLLSROLLER®

**REGULAR**



**ROLLSROLLER®**  
**THE ORIGINAL SIGNMAKING FLATBED APPLICATOR**

The Regular model is the workhorse of the range. With LED lighting self-healing cutting mat and superb build quality it will save you time and effort for years to come.

**MOUNTING AREA** Up to 1700 x 4000mm

**the ROLLSROLLER® is the original flatbed applicator and a benchmark for this technology**

ROLLSROLLER® is a flexible tool that can be used for a wide variety of techniques:

- Digital printing, large format printing and print finishing
- Application tape
- Panels such as Corflute®, Skybond™ and Palfoam
- Flexible face signs and banners
- Road sign production
- Application for self-adhesive film
- Lamination of glass, film and car wrap film
- Interior finishing and building materials

ROLLSROLLER®

**PREMIUM**

ROLL-X BY ROLLSROLLER®

**ROLL-X**



**ROLLSROLLER®  
THE ORIGINAL SIGNMAKING FLATBED APPLICATOR**

The Premium model is the most popular flatbed applicator in the world and our flagship. Designed with additional features for high volume specialist mounting.

**MOUNTING AREA** Up to 1700 x 10,040mm

**ROLL-X MULTIPURPOSE APPLICATOR**

The super-fast roll-x production method eliminates several time consuming steps for sign making and print finishing. In mounting, lamination and pre-masking.

**MOUNTING AREA** Up to 1750 x 4700 mm

- ✓ Finish prints to size
- ✓ Amazing speed. Trims an A1 in 4 seconds
- ✓ Incredible accuracy suitable for wallpaper
- ✓ Relieves the finishing bottleneck

Fotoba is the world leader in automated cutting equipment to trim large format prints to final size. Spicers carry the entire range with top end models such as the XLD170 and XLD320.



### Fotoba XLD170

For a Fully Automatic XY cutter, Fotoba XLD170

<b>MACHINE SPEED</b>	Up to 1000 sq.M per hour
<b>CUTTING AREA</b>	Max:1700mm Min:280mm



### Fotoba XLD320

For a Fully Automatic XY cutter, try the XLD320

<b>MACHINE SPEED</b>	Up to 35metres per minute
<b>CUTTING AREA</b>	Max:3300mm Min:500mm

- ✓ Hot and cold laminators for finishing requirements
- ✓ Extensive range for all kinds of budgets
- ✓ Ideal partner for your finishing needs

When it comes to laminators, Spicers offers a huge, all-encompassing range of laminating solutions to suit your needs, and importantly, your cost base. In fact, matching the right laminator to your budget and your requirements is Spicers specialty. European-made, industrial strength Kala® laminators are built to last for over 15 years, and with LED display and 1650ml wide, they are a great option for those looking for either a hot or cold laminator.

## Mistral

The Mistral offers heat-assisted lamination at a great price.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	Lamination speed from 0,30cm (1ft) to 6,20m/min (21ft)
<b>LAMINATING AREA</b>	Film width 165 cm (65"); Mounting up to 50 mm (2") thick



## Arkane

With heat assisted lamination and soft rollers, the Arkane is great for laminating your UV prints.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	Speed up to 6,20 m/mn (21 ft/mn)
<b>LAMINATING AREA</b>	Film width 165 cm (65"); Mounting up to 50 mm (2") thick



## Atlantic 1650

The Atlantic 1650 delivers independent heat on top and bottom up to 140 degrees celsius.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	Speed up to 6,20 m/mn (21 ft/mn)
<b>LAMINATING AREA</b>	Film width 165 cm (65"); Mounting up to 50 mm (2") thick





- ✓ Hot and cold laminators for finishing requirements
- ✓ Reliable and cost effective

When it comes to laminators, Spicers offers a huge, all-encompassing range of laminating solutions to suit your needs, and importantly, your cost base. In fact, matching the right laminator to your budget and requirements is Spicers specialty. ALC are an Australian owned family business and Spicers are pleased to supply their range of Laminators (both Cold and Heat assist) up to 1650mm.

### Denmark

The Denmark Laminator 1650 delivers heat assisted lamination at 45-50 degrees celsius.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	Variable speed (up to 7mts per minute)
<b>LAMINATING AREA</b>	Lam. Width 1650 mm, Lam. Thickness Opens up to 10mm



### Finland

The Finland Laminator 1650 offers cold lamination at a great price.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	Variable speed (up to 7mts per minute)
<b>LAMINATING AREA</b>	Lam. Width 1650 mm, Lam. Thickness Opens up to 10mm



### Neolt

The Shield 165 Laminator 1650 offers heated rolls up to 50°C.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	Max speed: 4 m/min.
<b>LAMINATING AREA</b>	Max working width: 1650 mm, Max laminating thickness: 30 mm



- ✓ High reliability, innovation and engineering at an affordable price.

Mimaki™ now offers a new laminating and cutting solution which is offered by Spicers. Matching the right laminator and cutter to your budget and your requirements is our specialty.



### Mimaki™ LA-160W

The Mimaki™ LA-160w offers warm lamination up to 60 degrees celsius.

<b>INK SET</b>	n/a
<b>MACHINE SPEED</b>	Max speed: 7.5 m/min
<b>LAMINATING AREA</b>	Lam. Width 1580 mm, Lam. Thickness Opens up to 35mm.



### Mimaki™ CF22-1225 Cutting Table

Available in CF22-1225TD and CF22-1225RC models

The Mimaki™ CF22-1225 is omnipotent to be capable of cutting coated cardboard / corrugated cardboard, marking their gauge for folding, and also reciprocating cutting foam materials used as cushions for cartons.

<b>EFFECTIVE PLOTTING AREA</b>	2,500 x 1,220mm (98.4x48.0 in)
<b>MAX. MEDIA SIZE</b>	2,600 x 1,360 (102.4x53.5 in)
<b>CUTTER HEAD TYPE</b>	For Industrial: T/TF/RT head For Package: TD/RC head
<b>MACHINE SPEED</b>	55cm/sec
<b>CUTTING PRESSURE</b>	Eccentric cutter: 20 to 400g Low Pressure tangential: 300 to 1,500g High pressure tangential: 1,000 to 5,000g Cresing roller: 1,000 to 5,000g

Spicers hold a vast portfolio of wide and grand format printing and finishing equipment.



With our team of sign and display and hardware specialists, Spicers can provide you with information and expert advice. We are your local supplier with stock on the floor and a distribution network ready to deliver to you.

# We have supporting substrates for any application.

- 3M
- LG Hausys
- Skybond™
- Yupo®
- Corflute®
- Photo-Tex
- Digitac
- Re-board®
- Echo Matt
- dtec™
- Apex 1/S Bleachboard
- Ace Screenboard
- Ace Outdoor
- Palfoam
- Armaboard







spicers.com.au  
1300 132 644

# MIMAKI<sup>TM</sup> ROLAND ROLLSROLLER<sup>®</sup> FOTOBA KALA<sup>®</sup> ALC

For any product users, please contact your Spicer's representative directly, or your local branch from the list below.

---

**VIC**

155 Logis Boulevard  
Dandenong South VIC 3175

T (03) 9768 8400  
F (03) 9768 8401

info.vic@spicers.com.au

**NT**

57 Winnellie Road  
Winnellie NT 0820

T (08) 8947 0188  
F (08) 8947 1366

info.nt@spicers.com.au

**QLD Brisbane**

Building 5, 441 Nudgee Road  
Hendra QLD 4011

T (07) 3084 5200  
F (07) 3084 5297

Info.qld@spicers.com.au

**SA**

113 Ledger Road  
Beverley SA 5009

T (08) 8243 9393  
F (08) 8243 9397

info.sa@spicers.com.au

**NSW**

21 Worth Street  
Chullora NSW 2190

T (02) 9735 2666  
F (02) 9735 2600

salesnsw@spicers.com.au

**WA**

19 Milly Court  
Malaga WA 6090

T (08) 6310 4300  
F (08) 9248 6515

info.wa@spicers.com.au

**QLD Townsville**

28A Casey Street  
Aitkenvale QLD 4818

T (07) 3084 5200  
F (07) 3084 5297

info.qld@spicers.com.au

**TAS**

4-8 Sunmont Street  
Derwent Park TAS 7009

T (03) 6272 5333  
F (03) 6272 8103

info.tas@spicers.com.au