




SIGN & DISPLAY

CATALOGUE

EDITION

02



CREATING SOLUTIONS TOGETHER

- PRINT MEDIA
- DYE SUBLIMATION & HEAT TRANSFER
- RIGID SUBSTRATES
- FINISHING
- WINDOW GRAPHIC SUBSTRATES
- VEHICLE WRAP
- CUT COLOUR VINYL
- REFLECTIVES
- INK
- ACCESSORIES



EDITION
02

WELCOME TO THE SIGN & DISPLAY CATALOGUE EDITION 2.

Our Sign and Display portfolio is an invaluable resource to the screen and wide format printing industry and encompasses consumables, hardware, inks, software, accessories, training and support. From point-of-sale and vehicle graphics right through to exhibition stand construction and shop fit out, Spicers has a product to get you noticed, and the hardware to print and finish.



Follow us! @spicersaus

Spicers

ABOUT US

Spicers is a dynamic and solutions-focused company with a passion for supplying quality materials, equipment, and solutions to our customers in the commercial print, labelling, signage, visual display, and architectural industries.

With our team of sign and display specialists, Spicers can provide you with information and expert advice. We are your local supplier with stock on the floor and a distribution network ready to deliver to you.

ENVIRONMENT

Spicers is FSC® and PEFC™ certified, offers a wide choice of environmentally friendly materials and operates under a Sustainable Supply Chain Policy.

ROLL MEDIA

Spicers carries your roll media essentials as well as a collection of specialty products to help bring your creative ideas to life. We have media for eco-solvent, UV curable, Latex and LED ink technologies. Key brands include 3M™, Yupo®, Photo-Tex™, Digitac and General Formulations.

Spicers offers a range of computer cut colours, wall coverings, banners and repositionable materials to create a unique look and feel.

RIGID MEDIA

Spicers supplies a market leading range of essential sign and display substrates, as well as some unique products that stand out from the crowd. Key brands include Yupo®, Corflute®, Skybond™, Ace Screenboard, Ace Outdoor, Re-Board®, Palight®, Palboard™, Foamstar and ARMABoard.

FINISHING

If you require essential laminating products to protect your print and extend its longevity, Spicers can help you. Our range includes matt, gloss, specialty, anti-graffiti and textured floor graphic products.

INK

OEM ink for a vast range of digital wide printers are part of our offering. These include Mimaki™, Roland and Epson®.

HARDWARE

Spicers holds a vast portfolio of wide format printing and finishing equipment. We are proud to sell machinery from respected brands such as Mimaki™, Roland, Epson®, ROLLSCROLLER™ and Neolt.

SALES & DISTRIBUTION NETWORK

Spicers boasts a dedicated sales team and stock on the floor ready to deliver in Melbourne, Sydney, Brisbane, Townsville, Darwin, Perth, Adelaide and Hobart.



DRIVE YOUR BUSINESS FORWARD FASTER.

Spicers Credit Application form is the easiest way to start driving your business forward. Applications are open to businesses registered in Australia, and individuals requiring Spicers for business purposes.

APPLY ONLINE

1. Visit www.spicers.com.au
2. Click on the **Credit Application** option on the Home page.
3. Complete the form.

For enquiries please contact
03 9768 8400.

1300 132 644 | SPICERS.COM.AU

SIGN & DISPLAY

ICONS GUIDE

Below are icons used throughout this catalogue to guide you through a range of applications and features to assist in your environmental stock choices.


APPLICATION ICONS



FEATURES ICONS



GREEN ICONS



Find the GREEN SPOTLIGHTS throughout the catalogue. By choosing substrates that are environmentally sound, you can continue to enjoy the many benefits of using print, while keeping your environmental footprint to a minimum.

Find out more spicers.com.au/environs

CONTENTS

PRINT MEDIA	RIGID SUBSTRATES	FINISHING	VEHICLE WRAP	CUT COLOUR VINYL	INK
SELF-ADHESIVE	ALUMINIUM PANEL	LAMINATE	PREMIUM SAV	PREMIUM CUT SAV	MIMAKI INK
Premium Self Adhesive Vinyl..... 12	Skybond Print..... 79	Premium Laminate 100	3M Envision LX480mC..... 124	3M Controltac Plus with Comply180mC Series 140	Mimaki Solvent Ink..... 168
Intermediate Self Adhesive Vinyl 14	Skybond FR 80	Intermediate Laminate..... 102	3M Envision SV480mC 124	3M 180mC Series 143	Mimaki Latex Ink..... 169
Promotional Self Adhesive Vinyl..... 23	ACRYLIC	Promotional Laminate 104	3M IJ280mC SF..... 124	3M 7725 Series 143	Mimaki UV Curable 170
Low-Tack & Ultra Removable..... 28	dtec Acrylic 80	Optically Clear Laminate..... 105	3M IJ180mC-10 125	3M 7725 ElectroCut Series..... 144	Mimaki Dye Sublimation..... 171
Hi Tack & Low Surface Energy..... 31	DISPLAY BOARD	Anti-Graffiti Laminate 107	3M IJ180mC-10UR..... 125	3M 3630 Translucent 151	ROLAND INK
Ultra Clear..... 34	Ace Screenboard..... 81	Floor Graphic Laminate..... 109	3M IJ180mC-114..... 125	INTERMEDIATE CUT SAV	Roland Solvent Ink..... 172
Backlit..... 34	Ace Kraft Screenboard 83	White & Blackboard..... 110	3M IJ180mC-120..... 125	3M Scotchcal 50 Series 147	EPSON INK
Floor Graphics 36	Ace Outdoor 83	APPLICATION TAPE	3M IJ180mC-10SLS 125	GF 500 Series 149	Epson UltraChrome 174
Wall Graphics 37	ARMABoard..... 83	RTape 110	3M IJ180mC-10LSE..... 125	LIGHT MANAGEMENT FILMS	CONSUMABLES
Window Graphics 41	Foamstar XPS 83	General Formulations Sign Mask..... 112	PREMIUM LAMINATE	3M 3635-20B/22B Blockout Film..... 154	Roland Cleaning Cartridges & Accessories 182
Chalkboard Graphics..... 43	Palight..... 85	B.FLEX Mylar..... 113	3M Envision 8548G, 8549L & 8550M 127	3M 3635-91 Day/Night Film 154	Mimaki Cleaning & Accessories..... 182
Perforated Window Films 43	Palight LW..... 85	MOUNTING FILM	3M IJ180 Laminate 8428G 127	3M 3635-30/70 Diffuser Film 154	Epson Spare Parts (IM)..... 183
Heat Transfer 47	Palboard 85	General Formulations Ultra Clear 113	3M 8518, 8519 & 8520 127	3M 3635-210/222 Dual Colour Films..... 155	ACCESSORIES
BANNER	Re-board Print..... 87	Graffimount..... 113	PREMIUM WRAP SAV	3M 3635-110 Chrome Translucent Film 155	TAPES
Frontlit Banner..... 48	Re-board Kraft..... 87	UNDERLAY	3M 2080 Series 128	GF PET Chrome Series 155	Tapes..... 186
Backlit Banner..... 50	Re-board Premium..... 87	Sacrificial Underlay Polypropylene 113	3M 8900 Series 134	REFLECTIVES	Protective Packaging..... 187
Blockout Banner..... 50	E Flute Clay Coat 1/S..... 88	WINDOW GRAPHIC SUBSTRATES	PAINT PROTECTION FILM	3M 983 Series	A-Frames 187
Scrimless Banner..... 52	B Flute Clay Coat 1/S..... 88	WINDOW FILM & GRAPHIC	3M Scotchgard PPF SGH6 Pro 134	- Diamond Grade Vehicle Tapes 158	Pull Up Stands..... 187
Kavalan PVC Free..... 54	DISPLAY PAPER	Perforated Window Film Premium..... 116	3M Knifeless Tape 135	3M 983-32 Series Red and White 158	3M Liquids..... 189
Mesh Banner FR..... 56	Digistar HB 1/S Bleach Board 89	Perforated Window Film Value..... 118	3M PPF Install Gel..... 135	3M 983-23 Diamond Grade 159	Viponds Liquids 189
FILM	True Hi-Bulk 2/S Artboard..... 89	Window Film 119	3M Ventureshield GC..... 135	3M Diamond Grade Retail Packs..... 159	Accessories 189
Display Films 57	Digistar Matt Art Paper 89	Window Graphic 120		3M SIGNAGE REFLECTIVE	
Backlit Film 58	PP DISPLAY FILM			3M 680CR Reflective 160	
Greyback & Blockout Film..... 59	Promeg Polypropylene 90			3M 780mC Reflective 161	
Pull Up..... 59	Yupo FPU Sheets 90			3M 1170 Transparent 161	
MAGNET & FERRO FILM	Rodure Ublock 91			3M 4000 Reflective..... 162	
Ferro Film..... 61	Rodure XT1200..... 91			3M 3900 Reflective..... 162	
Magnet Self Adhesive 61	Rodure XTC283 91			3M 3800 Reflective..... 163	
Magnet Printable..... 61	CORFLUTE			3M 3200 Reflective..... 163	
PAPER	Multicor..... 93			3M 7300 Reflective..... 163	
Poster Paper 63	Supercor..... 94				
Photographic 64	Encore..... 95				
Self Adhesive..... 65	dtec Flute..... 95				
CANVAS					
Bauhaus Canvas..... 65					
DYE SUBLIMATION & HEAT TRANSFER					
TRANSFER PAPERS					
Bauhaus S-Race..... 71					
Bauhaus Mimaki Sublimation..... 73					
HEAT TRANSFER					
B.FLEX..... 74					



OUTDOOR APPLICATIONS

1. Skybond Print (page 79)
Skybond FR (page 80)
dtec Acrylic (page 80)
Palboard™ Outdoor (page 85)
2. 3M™ IJ3630-20 (page 34)
Rocal 5 & 3 Year Translucent (page 35)
GF228 & GF224 TransMark® (page 35)
Rolight Soltrans (page 35)
3. dtec Acrylic (page 80)
with 3M™ 7725 (page 143)
4. 3M™ IJ8150 (page 34)
GF255 OptiMark® (page 42)
3M™ IJ40-114 (page 15)
Rocal Supacling PET (page 34)
5. Digitac Floortac Outdoor (page 36)
GF210 TrafficGraphic® (page 109)
6. 3M™ IJ40 (page 15)
GF246 & GF247 Print-n-Lam® (page 17)
Rocal/Rolam 5, 3 or 1 Year (page 20,24,27)
3M™ IJ15 Or 3M™ IJ16 (page 23)
7. Rolight Soltrans (page 35)
Yupo® FPU (page 90)
Rodure Solmaxx (page 58)
dtec Backlit PET (page 58)
8. Roban Banner (page 48)
Kavalan PVC Free Banner (page 54)





PRINT MEDIA

Spicers carry all of your print media essentials as well as a fine collection of specialty products to suit any creative sign and display project. We supply media for aqueous, eco-solvent, UV curable, latex and LED ink technologies, with innovative brands that include 3M™, Digitac, Yupo® and Photo-Tex™.

CREATING SOLUTIONS TOGETHER.

3M™ Envision™ LX480mC & SV480mC PREMIUM SELF ADHESIVE VINYL

- 3M Envision print Wrap film is a high performance, non-PVC, gloss white film with Comply Adhesive with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Up to 8 years unprinted vertical durability For use with Envision
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubblefree installations
- Specifically engineered for vehicle wraps
- Overlamine 8548G, 8549L & 8550M
- Print Compatibility for LX480mC: Latex inks
- Print Compatibility for SV480mC: Eco-solvent & UV Curable inks

Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194907	3M 8yr SAV Envision LX480mC	White Gloss	Grey Airflow Removable	50	1371	45.7
195168	3M 8yr SAV Envision LX480mC	White Gloss	Grey Airflow Removable	50	1524	45.7
194906	3M 8yr SAV Envision SV480mC	White Gloss	Grey Airflow Removable	50	1371	45.7
195169	3M 8yr SAV Envision SV480mC	White Gloss	Grey Airflow Removable	50	1524	45.7

3M™ IJ280mC SF PREMIUM SELF ADHESIVE VINYL

- Printable white lustre wrap film with new 3M Comply v4 Air Release and proprietary adhesive for fast, easy, bubble-free installations
- Conforms with less heat & removes cleanly at end of life with heat
- Excellent slideability; flexible; conforms to compound curves, corrugations and rivets
- For use with over laminates 8428G, 8518, 8519, 8520, 8548G, 8549L, 8550M & 8528
- Up to 20% faster to install & proven to lift 2x less
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Expected Performance Life of 8 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173172	3M 8yr SAV IJ280mC SF	Lustre White	Grey Airflow Removable	50	1371	45.7
173173	3M 8yr SAV IJ280mC SF	Lustre White	Grey Airflow Removable	50	1524	45.7
198292	3M 8yr SAV IJ280mC SF	Lustre White	Grey Airflow Removable	50	1371	22.8
198293	3M 8yr SAV IJ280mC SF	Lustre White	Grey Airflow Removable	50	1524	22.8

3M™ IJ180mC-10 PREMIUM SELF ADHESIVE VINYL

- Printable white lustre wrap film with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Many finished graphic constructions can be stretched up to 130% (i.e., a 10 inch [25 cm] piece of film can stretch to 13 inches [33 cm]) without primer or relief cuts and maintain lift resistance.
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Print Compatibility: Eco-solvent, Latex & UV Curable inks

Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194650	3M SAV IJ180mC-10	White Gloss	Grey Airflow Removable	50	1371	45.7
194651	3M SAV IJ180mC-10	White Gloss	Grey Airflow Removable	50	1524	45.7

3M™ IJ180mC-10UR, 114, 120,10SLS & 10LSE PREMIUM SELF ADHESIVE VINYL

- **10UR:** Gloss white premium cast wrap film, with a grey ultra removable micro-technology non-visible air release adhesive and PE coated liner. Removable without heat and/or chemicals
- **114:** Lustre clear premium cast wrap film, with a clear micro-technology non-visible air release adhesive and PE coated liner. Printable clear film for vehicle and fleet graphics
- **120:** Lustre metallic silver premium cast wrap film, with a silver micro-technology non-visible air release removable adhesive & PE coated liner. Printable metallic silver film for vehicle and fleet graphics
- **10SLS:** Gloss white premium cast wrap film, with a grey hi-tack micro-technology non-visible air release adhesive and PE coated liner. Engineered to adhere to stainless steel surfaces
- **10LSE:** Gloss white premium cast wrap film, with a grey hi-tack comply air release adhesive and PE coated liner. Designed to adhere to Low Surface Energy (LSE) plastics
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life: 8 years for 10UR. 10 years for 114, 120, 10SLS & 10LSE
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L, 8550M & 8428G
- Removable without heat and/or chemicals
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Print Compatibility: Eco-solvent, Latex & UV Curable inks

Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451375	3M SAV IJ180mC-10UR	White Gloss	Grey Air Ultra Removable	50	1371	45.7
400572	3M SAV IJ180mC-114	Clear Lustre	Clear Airflow Removable	50	1371	45.7
400573	3M SAV IJ180mC-114	Clear Lustre	Clear Airflow Removable	50	1524	45.7
400570	3M SAV IJ180mC-120	Silver Lustre	Silver Airflow Removable	50	1371	45.7
400571	3M SAV IJ180mC-120	Silver Lustre	Silver Airflow Removable	50	1524	45.7
451374	3M SAV IJ180mC-10SLS	White Gloss	Grey Airflow HiTack	50	1371	45.7
451373	3M SAV IJ180mC-10LSE	White Gloss	Grey Airflow HiTack	50	1371	45.7



3M™ Envision™ 48C PVC Free

INTERMEDIATE SELF ADHESIVE VINYL



- 3M Envision 48C print film is a high performance, non-PVC, matt white, intermediate film that incorporates air release channels (Comply Adhesive) and slideability (Controltac) for quick easy installs
- Designed for use indoors and out, for signs, walls, windows, floors, partial vehicle graphics and more
- Use with non-PVC Envision Gloss Overlaminate 8048G or Envision Matt Overlaminate 8050M for enhanced scratch resistance and UV protection



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
193430	3M Envision 48C-20R	Matt White	Clear Removable	1370	46

3M™ IJ40-10, 10T & 10R

INTERMEDIATE SELF ADHESIVE VINYL



- Gloss white polymeric vinyl, with clear permanent, grey permanent or grey removable adhesive and 1 side PE coated liner
- Perfect for flat and simple curved surfaces
- For use with overlaminate IJ40-114/124, 8993, 8508, 8519 or 8520
- Up to 5 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168029	3M 5yr SAV IJ40-10	White Gloss	Grey Permanent	75	1371	50
192660	3M 5yr SAV IJ40-10	White Gloss	Grey Permanent	75	1524	50
191619	3M 5yr SAV IJ40-10R	White Gloss	Grey Removable	75	1371	50
191620	3M 5yr SAV IJ40-10R	White Gloss	Grey Removable	75	1524	50
191704	3M 5yr SAV IJ40-10T	White Gloss	Clear Permanent	75	1371	50
191916	3M 5yr SAV IJ40-10T	White Gloss	Clear Permanent	75	1524	50

3M™ IJ40-114 & 124

INTERMEDIATE SELF ADHESIVE VINYL



- Gloss and matt clear intermediate vinyl with clear permanent adhesive and a double side PE coated kraft liner
- Graphic protection for IJ40 and IJ40C series
- Printable clear vinyl
- Up to 5 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168017	3M 5yr SAV/LAM IJ40-114	Clear Gloss	Clear Permanent	75	1372	50
168018	3M 5yr SAV/LAM IJ40-114	Clear Gloss	Clear Permanent	75	1524	50
168019	3M 5yr SAV/LAM IJ40-124	Clear Matt	Clear Permanent	75	1372	50
168020	3M 5yr SAV/LAM IJ40-124	Clear Matt	Clear Permanent	75	1524	50

3M™ 40C-10, 10R & 20R

INTERMEDIATE SELF ADHESIVE VINYL



- Gloss white polymeric vinyl, with grey permanent or removable Comply adhesive and PE coated liner
- Perfect for flat and simple curved surfaces
- Comply adhesive with air release for fast, easy bubble-free installations
- For use with overlaminate IJ40-114/124, 8993, 8508, 8519 or 8520
- Up to 5 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168032	3M 5yr SAV 40C-10	White Gloss	Grey Airflow Permanent	75	1371	50
191840	3M 5yr SAV 40C-10R	White Gloss	Grey Airflow Removable	75	1371	45.7
191859	3M 5yr SAV 40C-10R	White Gloss	Grey Airflow Removable	75	1524	45.7
194149	3M 5yr SAV 40C-20R	White Matte	Grey Airflow Removable	75	1524	45.7
168033	3M 5yr SAV 40C-20R	White Matte	Grey Airflow Removable	75	1371	45.7


PRINT MEDIA

3M™ 40C-114R

INTERMEDIATE SELF ADHESIVE VINYL




- Gloss clear intermediate vinyl with clear permanent adhesive and a double side PE coated kraft liner
- Graphic protection for IJ40 and 40C series
- Printable clear vinyl
- Up to 5 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
196818	3M 5yr SAV 40C-114R	Clear Gloss	Grey Removable	75	1370	50
196819	3M 5yr SAV 40C-114R	Clear Gloss	Grey Removable	75	1524	50

3M™ IJ35-10 & 20

INTERMEDIATE SELF ADHESIVE VINYL




- Gloss white polymeric vinyl, with grey permanent adhesive and PE coated kraft liner
- Perfect for flat and simple curved surfaces
- For use with overlamine 8508, 8509, 8510 or 8993
- Up to 5 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168049	3M 5yr SAV IJ35-10	White Gloss	Grey Permanent	80	1371	45.7
192046	3M 5yr SAV IJ35-20	White Gloss	Grey Permanent	80	1371	45.7

3M™ IJ35C-10 & 20

INTERMEDIATE SELF ADHESIVE VINYL



- Gloss and matt white polymeric vinyl, with grey permanent Comply adhesive and PE coated liner
- Perfect for flat and simple curved surfaces
- Comply adhesive with air release for fast, easy bubble-free installations
- For use with overlamine 8508, 8509, 8510 or 8993
- Up to 5 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168053	3M 5yr SAV IJ35C-10	White Gloss	Grey Airflow Permanent	80	1524	45.7
168031	3M 5yr SAV IJ35C-10	White Gloss	Grey Airflow Permanent	80	1371	45.7
191451	3M 5yr SAV IJ35C-20	White Matt	Grey Airflow Permanent	80	1371	45.7
194116	3M 5yr SAV IJ35C-20	White Matt	Grey Airflow Permanent	80	1524	45.7


PRINT MEDIA

General Formulations GF 246

INTERMEDIATE SELF ADHESIVE VINYL




- GF 246 is a Premium 60-micron polymeric gloss white vinyl film with permanent repositionable grey solvent acrylic pressure sensitive adhesive
- This product is recommended for indoor and outdoor uses where flexibility, durability and resistance to sunlight are required
- Best suited for simple to moderate curves. This product is a polymeric calendared vinyl, and thus is not meant for complex curves
- These films can be used for fleet and vehicle graphics, architectural signage, commercial-retail signage, point-of-purchase graphics, and decals
- Outdoor Durability up to 7 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173605	General Formulations GF 246	Gloss White	Grey Air Permanent	1370	45.7

General Formulations GF 247 Print-n-Lam®

INTERMEDIATE SELF ADHESIVE VINYL



- GF Print-n-Lam is a 76-micron Gloss or Matt Clear UV Polymeric Vinyl with a clear permanent Emulsion Acrylic adhesive on a double-sided PE liner
- Specifically engineered for use in flat general signage, window, and decal applications
- GF Print-n-Lam is ideal for printing OR laminating
- Outdoor Durability up to 7 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173616	General Formulations GF 247 Print-n-Lam	Gloss Clear	Permanent	1524	45.7
173615	General Formulations GF 247 Print-n-Lam	Gloss Clear	Permanent	1370	45.7
173617	General Formulations GF 247 Print-n-Lam	Matt Clear	Permanent	1370	45.7

PSA VINYL SOLUTIONS FOR

- X

BUSES

CARS

VANS

UTE

GLASS

BRICK

METAL

PLYWOOD

PLASTIC

ALUMINUM

COMPOSITE

✓

HERE

HERE

HERE

HERE

HERE

HERE

HERE

HERE

MAKE YOUR MARK



PRINT MEDIA

General Formulations
GF 230 AutoMark®

INTERMEDIATE SELF ADHESIVE VINYL



- GF 230 is a Premium 60-micron Polymeric Gloss white vinyl digital media with grey permanent repositionable acrylic adhesive on an air-egress liner
- GF 230 Premium is designed to be applied to corrugations, riveted surfaces, flat and slight to moderate curves. The construction can be used on vans, trucks, sedans of all sizes, fleet, and recreation
- The grey permanent adhesive offers excellent opacity and exceptional repositionable qualities
- Outdoor Durability up to 7 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173601	General Formulations GF 230 AutoMark	Gloss White	Grey Air Permanent	1370	45.7
173602	General Formulations GF 230 AutoMark	Gloss White	Grey Air Permanent	1524	45.7

General Formulations
GF 235 MotoMark®

INTERMEDIATE SELF ADHESIVE VINYL




- GF 235 MotoMark 100-micron GRIP is specially formulated premium flexible matte white Polymeric PVC film with double sided PE Liner and unique High Bond solvent acrylic pressure sensitive adhesive
- GF 238 MotoMark Laminate is the matching laminate and provides the most protection for the helmet and powersport types of applications
- GF 235 is designed to be applied to, quads, snowmobiles, motocross, powersport vehicles, helmets, and carts. Testing is always suggested before application
- Outdoor Durability up to 5 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173603	General Formulations GF 235 MotoMark	Matt White	Permanent	1370	45.7


Rocal 5 Year

INTERMEDIATE SELF ADHESIVE VINYL




self adhesive print media


- Intermediate 100um polymeric vinyl, with 170gsm 2-side PE coated liner and solvent acrylic adhesive
- Everyday vinyl for flat and simple curve surfaces
- Up to 5 year unprinted vertical durability
- Print Compatibility: Eco-solvent, Latex & UV Curable inks




INDOOR APPLICATIONS




EXHIBITION PANELS




OUTDOOR APPLICATIONS



POINT OF SALE



LATEX MEDIA




SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173110	Rocal 5 Year	Gloss White	Clear Permanent	100	1370	50
173111	Rocal 5 Year	Gloss White	Clear Permanent	100	1524	50
173112	Rocal 5 Year	Gloss White	Clear Removable	100	1370	50
173113	Rocal 5 Year	Gloss White	Clear Removable	100	1524	50
173114	Rocal 5 Year	Gloss White	Grey Permanent	100	1370	50
173115	Rocal 5 Year	Gloss White	Grey Permanent	100	1524	50
173116	Rocal 5 Year	Gloss White	Grey Removable	100	1370	50
173117	Rocal 5 Year	Gloss White	Grey Removable	100	1524	50
173118	Rocal 5 Year	Gloss White	Grey Permanent	100	1370	50
173119	Rocal 5 Year	Gloss White	Grey Permanent	100	1524	50
173120	Rocal 5 Year	Gloss White	Grey Removable	100	1370	50
173121	Rocal 5 Year	Gloss White	Grey Removable	100	1524	50
173122	Rocal 5 Year	Matt White	Clear Permanent	100	1370	50
173123	Rocal 5 Year	Matt White	Clear Permanent	100	1524	50
173124	Rocal 5 Year	Matt White	Clear Removable	100	1370	50
173125	Rocal 5 Year	Matt White	Clear Removable	100	1524	50
173126	Rocal 5 Year	Matt White	Grey Permanent	100	1370	50
173127	Rocal 5 Year	Matt White	Grey Permanent	100	1524	50
173128	Rocal 5 Year	Matt White	Grey Removable	100	1370	50
173129	Rocal 5 Year	Matt White	Grey Removable	100	1524	50
173130	Rocal 5 Year	Matt White	Grey Permanent	100	1370	50
173131	Rocal 5 Year	Matt White	Grey Permanent	100	1524	50
173132	Rocal 5 Year	Matt White	Grey Removable	100	1370	50
173133	Rocal 5 Year	Matt White	Grey Removable	100	1524	50


Rolam Printable 5 Year Clear

INTERMEDIATE SELF ADHESIVE VINYL




laminate media


- Intermediate polymeric gloss, matt & lustre laminates with clear permanent or removable adhesive
- Up to 5 year unprinted vertical durability
- 100um 170gsm 2-side PE coated liner printable Solvent Latex and UV
- 80um 120gsm 2-side PE coated liner laminate only
- Graphic protection for ROCAL 5 year print vinyls




INDOOR APPLICATIONS




LAMINATES




LAMINATED APPLICATIONS



OUTDOOR APPLICATIONS



FINISHING



SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173134	Rolam 5 Year Clear	Gloss Clear	Clear Permanent	100	1370	50
173135	Rolam 5 Year Clear	Gloss Clear	Clear Permanent	100	1524	50
173136	Rolam 5 Year Clear	Gloss Clear	Clear Removable	100	1370	50
173137	Rolam 5 Year Clear	Gloss Clear	Clear Removable	100	1524	50
198172	Rolam 5 Year Clear	Matt Clear	Clear Permanent	100	1370	50
198173	Rolam 5 Year Clear	Matt Clear	Clear Permanent	100	1524	50



THE ULTIMATE SUITE OF PRINTABLE GRAPHIC FILMS

Spicers & 3M offer a suite of solutions for printable graphic wrap films.

3M Printable Graphic films cover a range of intermediate, premium and non-PVC solutions. Spicers and 3M offer the technical support and performance warranty, giving our customers confidence for more effective and efficient installs.

From vehicles, boats, fleet, windows, walls, floors, interior & exterior signs, POP displays, short, medium or long term requirements, 3M Graphic films are sure to transform, enhance and protect spaces.

Whatever your application, print, sustainability and economical requirements, Spicers and 3M have a solution.

Meet the printable suite:

- ▶ 3M™ Envision™ Print Wrap Film SV/LX 480mC
- ▶ 3M™ Print Wrap Film IJ280
- ▶ 3M™ Print Wrap Film IJ180mC
- ▶ 3M™ Envision™ 48C-20R
- ▶ 3M™ Scotchcal™ Intermediate Graphic Film 40 Series
- ▶ 3M™ Scotchcal™ Graphic Film IJ40-114 & 124
- ▶ 3M™ Scotchcal™ Intermediate Graphic Film IJ35 Series
- ▶ 3M™ Scotchcal™ High Tack Graphic Film IJ39-20 Series

PRINT MEDIA

3M™ IJ20-10R

PROMOTIONAL SELF ADHESIVE VINYL



- Gloss white monomeric vinyl, with grey removable adhesive and kraft liner
- Suitable for flat surfaces only
- For use with overlamine IJ20-114
- Up to 1 year unprinted vertical durability outdoor
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168044	3M 1yr SAV IJ20-10R	White Gloss	Grey Removable	80	1371	50

3M™ IJ20-114R & 124R

PROMOTIONAL SELF ADHESIVE VINYL



- Gloss and matt clear promotional vinyl with clear removable adhesive & a kraft liner
- Graphic protection for IJ20 series
- Printable clear vinyl
- Up to 1 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Denier/Thread Count	Face Thickness (ums)	Width (mm)	Length (m)
168021	3M 1yr SAV/LAM IJ20-114	Clear Gloss	Clear Removable	70	1371	45.7
168022	3M 1yr SAV/LAM IJ20-124	Matte Clear	Clear Removable Adhesive	70	1371	45.7

3M™ 1Year

PROMOTIONAL SELF ADHESIVE VINYL



- Gloss white, economical, promotional monomeric vinyl, with grey or clear permanent adhesive and a polycoated paper liner
- Everyday vinyl, for flat surfaces only
- For use with overlamine IJ15-114
- Up to 1 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169798	3M 1yr SAV IJ16-10	White Gloss	Grey Permanent	80	1370	50
169794	3M 1yr SAV IJ15-10	White Gloss	Clear Permanent	80	1370	50

3M™ 1Year Clear

PROMOTIONAL SELF ADHESIVE VINYL




- Gloss clear, economical, promotional monomeric vinyl, with clear permanent adhesive and a polycoated paper liner
- Also can be used as a overlamine for IJ15/16 products
- Everyday vinyl, for flat surfaces only
- Up to 1 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169796	3M 1yr SAV/LAM IJ15-114	Clear Gloss	Clear Permanent	80	1370	50


Rocal 3 Year

PROMOTIONAL SELF ADHESIVE VINYL




self adhesive print media


- Intermediate 100um polymeric vinyl, with 170gsm 2-side PE coated liner and solvent acrylic adhesive
- Everyday vinyl for flat and simple curve surfaces
- Up to 5 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




INDOOR APPLICATIONS




EXHIBITION PANELS




OUTDOOR APPLICATIONS



POINT OF SALE



LATEX MEDIA




SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173064	Rocal 3 Year	Gloss White	Clear Permanent	100	1370	50
173065	Rocal 3 Year	Gloss White	Clear Permanent	100	1524	50
173066	Rocal 3 Year	Gloss White	Clear Removable	100	1370	50
173067	Rocal 3 Year	Gloss White	Clear Removable	100	1524	50
173068	Rocal 3 Year	Gloss White	Grey Permanent	100	1370	50
173069	Rocal 3 Year	Gloss White	Grey Permanent	100	1524	50
173070	Rocal 3 Year	Gloss White	Grey Removable	100	1370	50
173071	Rocal 3 Year	Gloss White	Grey Removable	100	1524	50
173072	Rocal 3 Year	Gloss White	Grey Permanent	100	1370	50
173073	Rocal 3 Year	Gloss White	Grey Permanent	100	1524	50
173074	Rocal 3 Year	Gloss White	Grey Removable	100	1370	50
173075	Rocal 3 Year	Gloss White	Grey Removable	100	1524	50
173076	Rocal 3 Year	Matt White	Clear Permanent	100	1370	50
173077	Rocal 3 Year	Matt White	Clear Permanent	100	1524	50
173078	Rocal 3 Year	Matt White	Clear Removable	100	1370	50
173079	Rocal 3 Year	Matt White	Clear Removable	100	1524	50
173080	Rocal 3 Year	Matt White	Grey Permanent	100	1370	50
173081	Rocal 3 Year	Matt White	Grey Permanent	100	1524	50
173082	Rocal 3 Year	Matt White	Grey Removable	100	1370	50
173083	Rocal 3 Year	Matt White	Grey Removable	100	1524	50
173084	Rocal 3 Year	Matt White	Grey Permanent	100	1370	50
173085	Rocal 3 Year	Matt White	Grey Permanent	100	1524	50
173086	Rocal 3 Year	Matt White	Grey Removable	100	1370	50
173087	Rocal 3 Year	Matt White	Grey Removable	100	1524	50


Rolam Printable 3 Year Clear

PROMOTIONAL SELF ADHESIVE VINYL




laminate media


- Promotional monomeric gloss, matt & satin laminates with clear permanent or removable adhesive
- Up to 3 year unprinted vertical durability
- 100um 170gsm 2-side PE coated liner printable Solvent Latex and UV
- 80um 120gsm 2-side PE coated liner laminate only
- Graphic protection for ROCAL 3 year print vinyls




INDOOR APPLICATIONS




LAMINATES




LAMINATED APPLICATIONS



OUTDOOR APPLICATIONS



FINISHING



SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173088	Rolam Printable 3 Year Clear	Gloss Clear	Clear Permanent	100	1370	50
173089	Rolam Printable 3 Year Clear	Gloss Clear	Clear Permanent	100	1524	50
173090	Rolam Printable 3 Year Clear	Gloss Clear	Clear Removable	100	1370	50
173091	Rolam Printable 3 Year Clear	Gloss Clear	Clear Removable	100	1524	50
198170	Rolam Printable 3 Year Clear	Matt Clear	Clear Permanent	100	1370	50
198171	Rolam Printable 3 Year Clear	Matt Clear	Clear Permanent	100	1524	50



Discover a stock that offers
extraordinary strength and flexibility.
Yupo® is the synthetic stock that
excels in all worlds and conditions.
Start discovering Yupo® by Spicers



For enquiries contact your local Spicers representative.
1300 132 644 SPICERS.COM.AU

PRINT MEDIA

Rocal 1 Year Gloss & Matt

PROMOTIONAL SELF ADHESIVE VINYL



- Promotional 100um monomeric vinyl, with 140gsm 2 sided PE coated liner
- Everyday vinyl for flat surfaces only
- Stable ink absorption, bright colors, vivid images
- Up to 1 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
198436	Rocal 1 Year	Gloss White	Clear Removable	100	1524	50
172828	Rocal 1 Year	Gloss White	Clear Permanent	100	1370	50
172829	Rocal 1 Year	Gloss White	Clear Permanent	100	1524	50
172830	Rocal 1 Year	Gloss White	Clear Removable	100	1370	50
198439	Rocal 1 Year	Gloss White	Grey Air Release Per	100	1370	50
198440	Rocal 1 Year	Gloss White	Grey Air Release Per	100	1524	50
172833	Rocal 1 Year	Gloss White	Grey Air Release Rem	100	1370	50
198441	Rocal 1 Year	Gloss White	Grey Air Release Rem	100	1524	50
198437	Rocal 1 Year	Gloss White	Grey Permanent	100	1370	50
198438	Rocal 1 Year	Gloss White	Grey Permanent	100	1524	50
172831	Rocal 1 Year	Gloss White	Grey Removable	100	1370	50
172832	Rocal 1 Year	Gloss White	Grey Removable	100	1524	50
172834	Rocal 1 Year	Matt White	Clear Permanent	100	1370	50
172835	Rocal 1 Year	Matt White	Clear Removable	100	1370	50
198444	Rocal 1 Year	Matt White	Clear Removable	100	1524	50
172836	Rocal 1 Year	Matt White	Grey Air Release Rem	100	1370	50
198447	Rocal 1 Year	Matt White	Grey Air Release Rem	100	1524	50
198445	Rocal 1 Year	Matt White	Grey Removable	100	1370	50
198446	Rocal 1 Year	Matt White	Grey Removable	100	1524	50

Rolam Printable 1 Year Clear

PROMOTIONAL SELF ADHESIVE VINYL



- Promotional 100um monomeric vinyl, with 140gsm 2 sided PE coated liner
- Everyday vinyl for flat surfaces only
- Stable ink absorption, bright colors, vivid images
- Up to 1 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
172837	Rolam Printable 1 Year Clear	Gloss Clear	Clear Permanent	100	1370	50
198448	Rolam Printable 1 Year Clear	Gloss Clear	Clear Permanent	100	1524	50
172838	Rolam Printable 1 Year Clear	Matt Clear	Clear Permanent	100	1370	50
198449	Rolam Printable 1 Year Clear	Matt Clear	Clear Permanent	100	1524	50





PRINT MEDIA

Yupo® Octopus Reels (XAD1069)

LOW-TACK & ULTRA REMOVABLE




- Polypropylene film that sticks to clean, dry and smooth surfaces using Yupo's very own micro suction technology
- Premium product that offers superior print and removability for multiple POS and retail applications
- No glue or adhesives of any kind BUBBLE FREE - Easy to apply, remove and reapply - will not leave any residue behind
- Thicker, more rigid liner making the product more stable when printing and easier to cut
- Print Compatibility: UV Curable inks







Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
400588	Yupo Octopus XAD1069 (UV) 166gsm	White	Micro suction cup	166	1270	100

Yupo® Octopus Clear (XAD1068)

LOW-TACK & ULTRA REMOVABLE




- Optically Clear PET Film
- Easy to apply and is removable and reusable
- Adheres to any clean, dry and smooth surface by way of a low-tack resin
- Perfect for window graphics and multiple POS & retail applications
- Print Compatibility: UV Curable & Latex inks









Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
400834	Yupo Octopus Clear (UV) 220gsm	Clear	Low tack resin	220	1270	100

Rocal 3 Year Ultra Removable

LOW-TACK & ULTRA REMOVABLE




- Gloss white monomericvinyl, with a clear ultra removable adhesive and double side PE coated paper liner
- Perfect for promotional graphics with clean removal on flat surfaces
- Up to 3 year unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks







Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173396	Rocal 3 Year Ultra Removable	Gloss White	Clear Ultra Removable	1370	50

Rocal Supacling Ultra

LOW-TACK & ULTRA REMOVABLE



- Rocal Supacling Ultra White is removable, recyclable and environmentally friendly opaque, matte polypropylene film with a treated print surface and a suction coating on the reverse side
- Easy install, repositioning and removability, glue & residue free
- Ideal for sign, display and graphic applications where easy installation, repositioning, clean removability and re-use are desirable
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173446	Rocal Supacling Ultra	Matt White	Clear Removable	1370	50
173447	Rocal Supacling Ultra	Matt White	Clear Removable	1370	100
173448	Rocal Supacling Ultra	Matt White	Clear Removable	1370	200





PRINT MEDIA

Rocal Supercling PET Gloss Ultra Clear Removable

LOW-TACK & ULTRA REMOVABLE



- SupaCling Ultra Clear is an optically clear, gloss polyester film with a primer treated print surface and a silicone suction coating on the reverse side
- Transparent film for decals, signs or displays
- Cling firmly to glass and other glossy surfaces and remove without leaving residue
- Easy installation, repositioning, removability and re-use when required
- Print Compatibility: UV Curable inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173395	Rocal Supercling PET Gloss Ultra Clear Removable	Gloss Ultra Clear	Ultra Clear	75	1370	50

Rocal Flexi Dot

LOW-TACK & ULTRA REMOVABLE




- Rocal Flexi Dot is a satin white removable,bubble-free, environmental friendly printing media with dot shaped adhesive back
- Easy install, repositioning and removability, glue & residue free
- Ideal for short term indoor applications, such as seasonal retail sales posters, specials and advertising graphics
- Print Compatibility: Eco-solvent, UV Curable & Latex inks







Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173449	Rocal Flexi Dot	Satin White	Clear Removable	100	1370	50
199326	Rocal Flexi Dot	Satin White	Clear Removable	100	1524	50

Digitac POPDOT

LOW-TACK & ULTRA REMOVABLE




- Matt white monomeric vinyl with a dot pattern, clear, removable adhesive
- Easy & clean removal up to 1 year from installation
- For clean, flat, smooth and lightly textured surfaces (indoors)
- Dot adhesive offers quick & easy, bubble free installation with no need for tools or wet application
- Recommended for short-term indoor applications on windows, walls & other internal flat surfaces
- Print Compatibility: Eco-solvent, UV Curable & Latex inks












Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
196630	Digitac POPDOT	Clear Gloss	Clear Dot Removable	100	1372	50
196629	Digitac POPDOT	White Gloss	Clear Dot Removable	100	1372	50
194769	Digitac POPDOT	White Matt	Clear Dot Removable	100	1372	50

General Formulations GF 207 & GF 208 StaticCling®

LOW-TACK & ULTRA REMOVABLE



- GF 207 is a 179-micron premium monomeric clear static cling flexible calendared vinyl film on a double PE Liner
- This product may be used for temporary applications to exterior glass, up to 3 months
- GF 208 is a 179-micron premium white static cling flexible calendared vinyl film on a double PE Liner
- You can use either application method for this product, but the best way for a smooth, bubble free application, is to spray the glass and the graphic surface, using a wet edged squeegee to easily apply
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
173597	General Formulations GF 207 StaticCling	Clear	Static Cling	1370	45.7
173598	General Formulations GF 208 StaticCling	White	Static Cling	1370	45.7

An Evolution in Grip

Introducing Spicers Digitac
A range of versatile adhesive and film-based sign and display products – perfectly adapted for every surface

- Digitac POPDOT
- Digitac E-Stat White and Clear
- Digitac Floortac Outdoor
- Digitac Floortac Indoor
- Digitac Floortac Carpet



Contact your local Spicers representative for your copy.

1300 132 644 spicers.com.au

Multi Point Hold



DURABLE



No Slip



Smooth Stick



Soft Grip



PRINT MEDIA

Digitac E-Stat

LOW-TACK & ULTRA REMOVABLE



- Gloss clear and white promotional static cling vinyl with kraft liner
- Ideal for window displays, point of purchase decals, seasonal decals, oil change labels, price stickers and vehicle advertising
- Wet Application is recommended
- Sticks to clean, highly polished smooth, flat surfaces without adhesive
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194678	Digitac E-Stat	Gloss White	Electrostatic	175	1370	45.7
194677	Digitac E-Stat	Gloss Clear	Electrostatic	175	1370	45.7

3M™ IJ39-20 High Tack

HI TACK & LSE



- Matt white intermediate vinyl, with clear, high-tack permanent adhesive and doubled side poly coated kraft liner
- Smooth, flat and simple curved surfaces
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- For use with overlamine 8508, 8509, 8510 or 8993
- Up to 5 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169008	3M 5yr IJ39-20 High Tack	Matt White	High Tack Clear Permanent	90	1370	45.7
192965	3M 5yr IJ39-20 High Tack	Matt White	High Tack Clear Permanent	90	1524	45.7

General Formulations GF 201 & GF 203 High Tack

HI TACK & LSE



- GF 201 is a 90-micron polymeric matte white calendared vinyl with clear acrylic high-tack permanent adhesive
- GF 203 is an 80-micron polymeric gloss white calendared vinyl with clear acrylic high-tack permanent adhesive
- The HTAP adhesive creates a permanent bond to a variety of common substrates such as metals, painted metals, smooth wood, plywood, primed MDO board, vinyl, ABS, styrene, polyester and polycarbonate
- Outdoor Durability up to 7 years
- Print Compatibility: UV-curable and latex inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
173591	General Formulations GF 201 HighTack	Matt White	High Tack Permanent	1370	45.7
173592	General Formulations GF 201 HighTack	Matt White	High Tack Permanent	1524	45.7
173593	General Formulations GF 203 HighTack	Gloss White	High Tack Air Permanent	1370	45.7
173594	General Formulations GF 203 HighTack	Gloss White	High Tack Air Permanent	1524	45.7
173595	General Formulations GF 203 HighTack	Gloss White	High Tack Permanent	1370	45.7
173596	General Formulations GF 203 HighTack	Gloss White	High Tack Permanent	1524	45.7




1300 132 644

info.mail@spicers.com.au

spicers.com.au/sign-display


Rocal 5 Year

HI TACK & LSE




self adhesive print media


- Gloss & matt intermediate vinyl with high-tack permanent adhesive
- Smooth, flat and simple curved surfaces
- 100um face film on a 170gsm 2 sided PE liner
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- Up to 5 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV-curable and latex inks




INDOOR APPLICATIONS




EXHIBITION PANELS




OUTDOOR APPLICATIONS




POINT OF SALE



HIGH TACK ADHESIVE



LATEX MEDIA




SELF ADHESIVE

Material	Material Description	Liner	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173144	Rocal 5 Year	2PE	Gloss White	Clear High Tack	100	1370	50
173145	Rocal 5 Year	2PE	Gloss White	Clear High Tack	100	1524	50
173146	Rocal 5 Year	2PE	Gloss White	Grey High Tack	100	1370	50
173147	Rocal 5 Year	2PE	Gloss White	Grey High Tack	100	1524	50
173148	Rocal 5 Year	2PE AIR	Gloss White	Grey High Tack	100	1370	50
173149	Rocal 5 Year	2PE AIR	Gloss White	Grey High Tack	100	1524	50
173150	Rocal 5 Year	2PE	Matt White	Clear High Tack	100	1370	50
173151	Rocal 5 Year	2PE	Matt White	Clear High Tack	100	1524	50
173152	Rocal 5 Year	2PE	Matt White	Grey High Tack	100	1370	50
173153	Rocal 5 Year	2PE	Matt White	Grey High Tack	100	1524	50
173154	Rocal 5 Year	2PE AIR	Matt White	Grey High Tack	100	1370	50
173155	Rocal 5 Year	2PE AIR	Matt White	Grey High Tack	100	1524	50


Rocal 3 Year

HI TACK & LSE




self adhesive print media


- Gloss & matt monomeric vinyl with high-tack permanent adhesive
- Smooth, flat and simple curved surfaces
- 100um face film on a 170gsm 2 sided PE liner
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- Up to 3 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV-curable and latex inks




INDOOR APPLICATIONS




EXHIBITION PANELS




OUTDOOR APPLICATIONS




POINT OF SALE



HIGH TACK ADHESIVE



LATEX MEDIA




SELF ADHESIVE

Material	Material Description	Liner	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173098	Rocal 3 Year	2PE	Gloss White	Clear High Tack	100	1370	50
173099	Rocal 3 Year	2PE	Gloss White	Clear High Tack	100	1524	50
173100	Rocal 3 Year	2PE	Gloss White	Grey High Tack	100	1370	50
173101	Rocal 3 Year	2PE	Gloss White	Grey High Tack	100	1524	50
173102	Rocal 3 Year	2PE AIR	Gloss White	Grey High Tack	100	1370	50
173103	Rocal 3 Year	2PE AIR	Gloss White	Grey High Tack	100	1524	50
173104	Rocal 3 Year	2PE	Matt White	Clear High Tack	100	1370	50
173105	Rocal 3 Year	2PE	Matt White	Clear High Tack	100	1524	50
173106	Rocal 3 Year	2PE	Matt White	Grey High Tack	100	1370	50
173107	Rocal 3 Year	2PE	Matt White	Grey High Tack	100	1524	50
173108	Rocal 3 Year	2PE	Matt White	Grey High Tack	100	1370	50
173109	Rocal 3 Year	2PE	Matt White	Grey High Tack	100	1524	50

PRINT MEDIA

3M™ IJ8150



- Optically clear, gloss cast vinyl with clear removable adhesive and ransparent synthetic liner
- Optimized for wet application, making it very easy to install
- Perfect for window graphics
- Up to 7 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

OUTDOOR APPLICATIONS

POINT OF SALE

WINDOW GRAPHICS

LAMINATED APPLICATIONS

LATEX MEDIA

SELF ADHESIVE


ECO SOLVENT MEDIA

UV MEDIA

LAMINATES

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
450507	3M 7yr SAV IJ8150 Optically Clear	Optically Clear	Clear Permanent	1370	45.7
450839	3M 7yr SAV IJ8150 Optically Clear	Optically Clear	Clear Permanent	1524	45.7

Rocal Supacling Ultra Clear



- SupaCling Ultra Clear is an optically clear, gloss polyester film with a primer treated print surface and a silicone suction coating on the reverse side
- Transparent film for decals, signs or displays
- cling firmly to glass and other glossy surfaces and remove without leaving a residue
- Easy installation, repositioning, removability and re-use when required
- Print Compatibility: UV Curable inks

INDOOR APPLICATIONS


OUTDOOR APPLICATIONS

POINT OF SALE

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
173395	Rocal Supacling PET Gloss Ultra Clear	Clear	Ultra Clear Removable	1370	50

Yupo® Octopus Clear (XAD1062)



- Optically Clear PET Film
- Easy to apply and is removable and reusable
- Adheres to any clean, dry and smooth surface by way of a low-tack resin
- Perfect for window graphics and multiple POS & retail applications
- Print Compatibility: UV Curable & Latex inks

INDOOR APPLICATIONS


POINT OF SALE

ADHESIVE

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
400587	Yupo Octopus Clear (UV) 220gsm	Clear	Low tack resin	220	1270	100

3M™ IJ3630-20



- Matt white translucent cast vinyl with a PE coated kraft liner
- Clear permanent pressure sensitive adhesive
- For use with 3M Overlamine 8518, 8519, 8520 & 3660M
- Up to 7 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

BACKLIT

LIGHT BOXES


LATEX MEDIA

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400479	3M 7yr SAV IJ3630-20	Matt White	Clear Permanent	1370	45.7

PRINT MEDIA

General Formulations GF 224 TransMark®



- GF 224 TransMark is an 80-micron matte white translucent polymeric vinyl film with clear permanent solvent acrylic adhesive
- Uniform light diffusion properties used to produce backlit displays
- Applications include backlit vehicle or bus signs, retail displays, and illuminated artwork
- Outdoor Durability up to 7 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

BACKLIT

OUTDOOR APPLICATIONS

INDOOR APPLICATIONS

LIGHT BOXES

POINT OF SALE

TRANSPARENT GRAPHICS

ECO SOLVENT MEDIA

UV MEDIA


LATEX MEDIA

ROLLS

SELF ADHESIVE

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
173600	General Formulations GF 224 TransMark	Matt White	Permanent	1370	45.7

Rocal 5 & 3 Year Translucent



- Satin white translucent monmeric vinyl, with a clear permanent adhesive and single side PE coated liner
- Engineered for digitally printed backlit applications
- Up to 5 years or 3 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

INDOOR APPLICATIONS

BACKLIT

LIGHT BOXES

OUTDOOR APPLICATIONS


POINT OF SALE

LATEX MEDIA

SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Durability	Face Thickness (ums)	Width (mm)	Length (m)
173398	Rocal 5 Year Translucent	Satin White	Clear Permanent	5 Year	100	1370	50
173397	Rocal 3 Year Translucent	Satin White	Clear Permanent	3 Year	120	1370	50

Rolight Soltrans



- Translucent, high rigidity, white polyester film
- High resolution indoor & outdoor light box graphics
- High temperature resistance, dimensional stability
- Optimum light transmission provide flat, durable and perfect looking graphics
- Corona & ink receptive ES coating
- Print Compatibility: Eco-Solvent, UV Curable & Latex inks

INDOOR APPLICATIONS

OUTDOOR APPLICATIONS

BACKLIT

LIGHT BOXES


POINT OF SALE

LATEX MEDIA




Material	Material Description	Colour	Grammage (GSM)	Width (mm)	Length (m)
173636	Rolight Soltrans	Gloss	294	1270	30
173637	Rolight Soltrans	Gloss	294	1524	30
173635	Rolight Soltrans	Gloss	294	915	30
173633	Rolight Soltrans	Satin	294	1270	30
173634	Rolight Soltrans	Satin	294	1524	30
173632	Rolight Soltrans	Satin	294	915	30

Digitac Floortac Outdoor

FLOOR GRAPHIC



- White gloss, deep grain embossed, anti-slip vinyl with an aluminium construction and a permanent solvent acrylic adhesive
- Rated to R12 in accordance with AS 4586:2013 Slip resistance classification of new pedestrian surface materials, Appendix D – Oil Wet Inclining Platform Test – test sheet can be supplied on request
- Perfect for outdoor applications on rough wall & floor surfaces such as concrete, asphalt, brick, tiles, marble, terrazzo
- Up to 1 year outdoor
- Please see specification sheet for installation and removal instructions
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



FLOOR GRAPHICS


OUTDOOR APPLICATIONS

SELF ADHESIVE




Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451581	Digitac Floortac Outdoor 1yr SAV	White Textured	Clear Permanent	1370	30

Digitac Floortac Indoor

FLOOR GRAPHIC



- Matt white, hexagonal textured monomeric vinyl with a grey, airflow, removable adhesive
- R10 slip rating to DIN 51130
- Thanks to the innovative hexagonal surface no laminate is required – simply print and stick for indoor, hard, flat surface floor graphic applications
- Up to 1 year indoor
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



INDOOR APPLICATIONS


FLOOR GRAPHICS

SELF ADHESIVE




Material	Material Description	Finish	Face Thickness (ums)	Width (mm)	Length (m)
451828	Digitac Floortac Indoor 1yr SAV	White Textured Matt	100	1370	25

Digitac Floortac Carpet

FLOOR GRAPHIC



- Matt white PET fabric with bead adhesive technology and a R11 anti-slip rating
- Recommended for retail shop campaigns, sponsorship targeted marketing promotional events, way-finding, point of purchase and facility safety flooring
- To be applied on short pile commercial carpet only
- Excellent anti-scratch and slip technology for indoor environments on carpet
- Suitable up to 1 year indoor
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



INDOOR APPLICATIONS


FLOOR GRAPHICS

SELF ADHESIVE






Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
400785	Digitac Floortac Carpet	White Textured	Clear Removable	100	1370	30

Photo-TextTM Floortac

FLOOR GRAPHIC



- Polyester blend fabric with a high tack self-adhesive that's removable, repositionable & reusable, also totally paste free
- Very easy application with air bubbles filtering out through the fabric
- REFER TO THE SPEC SHEET FOR INSTALLATION INSTRUCTIONS
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Sticks to any non-porous surface, walls, windows, doors & floors
- Ideal for life-size photographic cut-outs, floor and wall murals
- Fire and Smoke Test certificates for AS 1530.2-1993, and AS 1530.3-1999
- Up to 7 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

INDOOR APPLICATIONS

FLOOR GRAPHICS

LATEX MEDIA


LOW TACK ADHESIVE

SELF ADHESIVE











Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
192305	Photo-Text Floortac	Matt White	Clear	1370	30

General Formulations GF 210 TrafficGraphic[®]

FLOOR GRAPHIC



- GF 210 is an 87-micron polymeric matte white flexible White Polymeric Vinyl with removable high performance pressure sensitive emulsion acrylic adhesive on a double PE Liner
- GF 210 Traffic Graphic is designed for temporary floor signs, decals, and point of purchase advertising. A laminate is required to provide protection to the graphics
- Suitable substrates include Smooth Tile, Concrete, Vinyl, Cement, Stone, Marble and Wood
- The graphic will stick to the surface and clean remove up to 6 months
- Outdoor Durability up to 5 years
- Match with GF211 Laminate
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

FLOOR GRAPHICS

OUTDOOR APPLICATIONS

INDOOR APPLICATIONS

POINT OF SALE

TRANSIT GRAPHICS

ECO SOLVENT MEDIA

UV MEDIA

LATEX MEDIA


ROLLS

REMOVABLE






Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452026	General Formulations GF 210 Traffic Graphic	Matt White	Removable	1370	30

Bauhaus STYline New York 150

WALL GRAPHIC



- STYLine New York Matt 150 is an exceptionally high quality, digitally printable self adhesive wallpaper with a fine art finish
- The blackout self adhesive backing allows for effortless install and a removable & re-positionable bond to the wall
- Perfect smudge and water-resistance
- AS/NZS 3837-1998: BCA GROUP CLASSIFICATION 1
- Removable Acrylic PSA
- Coated nonwoven homogeneous formulation
- Dry install – no mess. No drying time – instant bond
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

INDOOR APPLICATIONS

BLOCKOUT

POINT OF SALE


POSTERS

LATEX MEDIA







Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173282	Bauhaus STYline New York	Matt White	Blockout Removable	1370	50

Photo-TextTM OPAS Blockout

WALL GRAPHIC



- Polyester blend fabric with a low-tack, BLOCKOUT adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, P.O.S and wall murals
- REFER TO THE SPEC SHEET FOR INSTALLATION INSTRUCTIONS
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

BLOCKOUT

PHOTO PRINT

POINT OF SALE

LATEX MEDIA

LOW TACK ADHESIVE

SELF ADHESIVE

Material	Material Description	Machine Compatability	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
190169	Photo-Text OPAS Fabric SAR	Eco-Solvent/UV	Grey Low Tack	165	1370	30
191456	Photo-Text OPAS Fabric SAR	Eco-Solvent/UV	Grey Low Tack	165	1524	30



Blocking out walls that are marked, coloured or just need some bling is no stumbling block for the new and improved PhotoTex-OPA.

So if your wall looks like it’s been around the block a few times, block it out with PhotoTex-OPA.

Features & Benefits

- 95% block out performance (opaque version)
- Removable, reusable and repositionable
- Suitable for any non-porous flat surface
- Air bubbles filter out through fabric
- Compatible with aqueous pigment ink, eco-solvent, solvent, latex and UV curable ink
- Paint and wallpaper safe
- Tear-resistant
- Wrinkle free
- Perfect for overlapping/panelling and hiding marked or coloured surfaces

Applications

- POS
- Customized or branded wallpaper
- Wall and window graphics
- Trade show graphics
- Short or long-term applications

For enquiries contact your local Spicers representative.
1300 132 644 | SPICERS.COM.AU

PRINT MEDIA

Photo-Tex™ Non Blockout - SAR Standard “UP”

WALL GRAPHIC

Photo-Tex™

- Polyester blend fabric with a low-tack, NON BLOCKOUT adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, P.O.S and wall murals
- “UP” versions now optimised to run best with Latex
- Up-graded white point and greatly improved water resistance (outdoor upto 1 year)
- Visible “UP” stamp on PhotoTex box
- 70% opacity
- REFER TO THE SPEC SHEET FOR INSTALLATION INSTRUCTIONS
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173055	Photo-Tex Non Blockout	Matt	Clear	165	1370	30

Photo-Tex™ High Tack - SAR Standard “UP”

WALL GRAPHIC

Photo-Tex™

- Polyester blend fabric with a high tack adhesive that is removable, repositionable & reusable, also totally paste free
- Liquid laminate recommended to protect the printed image
- 50% stronger tack
- Best for those ‘hard to stick to’ surfaces like textured walls and LOW/NO VOC and eggshell paints
- Still removable
- Very easy application with air bubbles filtering out through the fabric
- REFER TO THE SPEC SHEET FOR INSTALLATION INSTRUCTIONS
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
171766	Photo-Tex High Tack	Clear High Tack	165	1370	30

Photo-Tex™ OPA Blockout

WALL GRAPHIC


Photo-Tex™

- Polyester blend fabric with a low-tack, BLOCKOUT adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, P.O.S and wall murals
- REFER TO THE SPEC SHEET FOR INSTALLATION INSTRUCTIONS
- Print Compatibility: Latex inks, UV Curable, Aqueous Dye & Aqueous Pigment inks



Material	Material Description	Machine Compatability	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
190601	Photo-Tex OPA Fabric SAR	Latex/UV/Dye Pigment	Grey Low Tack	165	1370	30
194935	Photo-Tex OPA Fabric SAR	Latex/UV/Dye Pigment	Grey Low Tack	165	1524	30
195077	Photo-Tex OPA Fabric SAR	Latex/UV/Dye Pigment	Grey Low Tack	165	1070	30

General Formulations GF 253 GraphiTex®




- GF 253 GraphiTex Opaque is a 150-micron matte white polyester wall fabric with a double PE release liner
- Unique backside coating and formulated print coating it boasts 99% opacity so you will not see dark bands when overlapping panels, and your print will look great regardless of the underlying wall surf
- The surface must be smooth and clean prior to application. If applying to new paint consult the paint manufacturer for proper drying conditions before GF 253 installation
- The adhesive is designed for long term use on smooth painted drywall, is repositionable to ease installation, and remains cleanly removable for up to 1 year
- GF 253 is designed for wall murals, decals, and graphics for most types of smooth painted interior walls. This includes most flat, semigloss and gloss paint finishes
- Indoor Durability up to 10 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

WALL GRAPHIC

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173606	General Formulations GF 253 GraphiTex	Matt White	Grey Removable	1370	30

General Formulations GF 285 & GF 287 RoughMark®




- GF RoughMark is a 90-micron matte white opaque polymeric vinyl film with a solvent acrylic high-tack removable (HTR) pressure sensitive adhesive on a double side PE Liner
- GF RoughMark can be used in applications where a conformable removable vinyl is desired. This film conforms well with controlled heat and features clean removability from a variety of moderately texture
- Designed to aggressively grip onto textured substrates such as brick or block, yet cleanly remove without leaving adhesive residue on the contact surface
- Outdoor Durability up to 5 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

WALL GRAPHIC

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173613	General Formulations GF 285 RoughMark	Matt White	Removable	1370	45.7
173614	General Formulations GF 287 RoughMark	Matt Clear	Removable	1370	45.7

Rocal Wall Mount




- Knitted polyester fabric with a opaque removable adhesive
- Easy install, repositioning and removability
- Smooth textured surface, non-reflective coating and removes cleanly
- Sticks to any non-porous surface, walls, windows and doors
- PVA coated surface, removable solvent based acrylic adhesive
- Print Compatibility: Eco-Solvent, UV Curable & Latex inks

WALL GRAPHIC

Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173539	Rocal Wall Mount	Opaque	130	1370	30
173538	Rocal Wall Mount	Opaque	130	1524	30

3M™ IJ8150 Optically Clear




- Optically clear, gloss cast vinyl with clear removable adhesive and transparent synthetic liner
- Optimised for wet application, making it very easy to install
- Perfect for window graphics
- Up to 7 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

WINDOW GRAPHIC

Material	Material Description	Finish	Width (mm)	Length (m)
450507	3M 7yr SAV IJ8150 Optically Clear	Optically Clear	1370	45.7
450839	3M 7yr SAV IJ8150 Optically Clear	Optically Clear	1524	45.7

3M™ 7725SE Dusted/Frosted




- Special effects, matt premium cast vinyl with clear permanent solvent adhesive and transparent synthetic liner
- Perfect for indoor and outdoor window decoration
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes in a range of colours
- Up to 5 years durability for internal application and up to 3 years for external unprinted vertical durability
- Print Compatibility: Suitable for electronic cutting or Eco-solvent, UV Curable & Latex inks

WINDOW GRAPHIC

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)	Length (m)
450574	3M 7725SE Crystal Glass	Dusted Crystal (314)	Clear Permanent	610	45.7	45.7
400247	3M 7725SE Crystal Glass	Dusted Crystal (314)	Clear Permanent	1220	45.7	45.7
400240	3M 7725SE Crystal Glass	Dusted Crystal (314)	Clear Permanent	1524	45.7	45.7
450576	3M 7725SE Crystal Glass	Frosted Crystal (324)	Clear Permanent	610	45.7	45.7
450919	3M 7725SE Crystal Glass	Frosted Crystal (324)	Clear Permanent	1220	45.7	45.7
450949	3M 7725SE Crystal Glass	Frosted Crystal (324)	Clear Permanent	1524	45.7	45.7
400245	3M 7725SE Crystal Glass	Frosted Gold (331)	Clear Permanent	1220	45.7	45.7

3M™ 5525SE Haze/Sandblast




- Special effects, matt intermediate polymeric vinyl with clear permanent solvent adhesive and kraft liner
- Perfect for indoor & outdoor window decoration medium term applications
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes
- Up to 5 years durability for internal application and up to 3 years for external unprinted vertical durability
- Print Compatibility: Suitable for electronic cutting or Eco-solvent, UV Curable & Latex inks

WINDOW GRAPHIC

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)	Length (m)
450577	3M 5525SE Special Effect	Haze (314)	Clear Permanent	610	50	50
400278	3M 5525SE Special Effect	Haze (314)	Clear Permanent	1220	50	50
450296	3M 5525SE Special Effect	Haze (314)	Clear Permanent	1524	50	50
450578	3M 5525SE Special Effect	Sandblast (324)	Clear Permanent	610	50	50
400279	3M 5525SE Special Effect	Sandblast (324)	Clear Permanent	1220	50	50
450562	3M 5525SE Special Effect	Sandblast (324)	Clear Permanent	1524	50	50

General Formulations GF 218 WindowMark®




• GF 218 WindowMark Blockout is a 203-micron gloss white print media with dual-layer construction making it 100% opaque with a removable adhesive for easy, clean removal


• Reverse print on GF255 (clear vinyl), print on GF218 (Right read) and laminate the two films together. Apply the film on the inside of the window for a Push Pull type decal or graphics

• Excellent for window graphics & retail displays where total opacity and zero light transmission is required and front windows and internal windows where total privacy is a must


• Print Compatibility: Eco-solvent, UV Curable & Latex inks




FRONT LIGHT




OUTDOOR APPLICATIONS




INDOOR APPLICATIONS




WINDOW GRAPHICS




POINT OF SALE




BLOCKOUT




ECO SOLVENT MEDIA




UV MEDIA




LATEX MEDIA



ROLLS




REMOVABLE



SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173599	General Formulations GF 218 WindowMark	White	Removable	1370	30

General Formulations GF 255 OptiMark®




• GF 255 OptiMark is a 76 -micron optically clear high gloss flexible calendared PVC film with a clear Solvent acrylic removable pressure sensitive adhesive and a clear polyester liner

• Wet application is the preferred method. Wet application on solvent based clear products is the best way to achieve bubble free and optically clear results


• Clean removal from glass for up to one year under normal exposure conditions

• Outdoor Durability up to 3 years


• Print Compatibility: Eco-solvent, UV Curable & Latex inks




OUTDOOR APPLICATIONS




FINISHING




INDOOR APPLICATIONS




LIGHT BOXES




WINDOW GRAPHICS




POINT OF SALE




ECO SOLVENT MEDIA




UV MEDIA




LATEX MEDIA




LAMINATES



ROLLS




REMOVABLE



SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173607	General Formulations GF 255 OptiMark	Gloss Clear	Removable	1370	45.7
173608	General Formulations GF 255 OptiMark	Gloss Clear	Removable	1524	45.7

Rocal Dusted Sparkle




• 100 micron Calandered PVC film used for privacy screening & creative patterns designed for use on glass windows where privacy is required whilst allowing effective light transmission

• Main Applications: Meeting Rooms, Retail, Partitions, Offices, Residential


• Clear solvent based acrylic PSA - permanent (can be wet applied)

• 100 gsm single PE coated release liner


• Ideal for both outdoor and indoor application up to 3 years




INDOOR APPLICATIONS



OUTDOOR APPLICATIONS




ROLLS



SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173535	Rocal Dusted Sparkle	Dusted Sparkle	Clear solvent based acrylic permanent	1220	50
173536	Rocal Dusted Sparkle	Dusted Sparkle	Clear solvent based acrylic permanent	1520	50

Rocal Frosted Silver Etch




• 100 micron Calandered PVC film used for privacy screening & creative patterns designed for use on glass windows where privacy is required whilst allowing effective light transmission

• Main Applications: Meeting Rooms, Retail, Partitions, Offices, Residential


• Clear solvent based acrylic PSA - permanent (can be wet applied)

• 100 gsm single PE coated release liner


• Ideal for both outdoor and indoor application up to 3 years




INDOOR APPLICATIONS



OUTDOOR APPLICATIONS




ROLLS



SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173537	Rocal Frosted Silver Etch	Frosted	Clear solvent based acrylic permanent	1220	50

dtec Polyfrost




• 80 micron Polymeric PVC used for privacy screening & creative patterns


• 25 ± microns pressure sensitive solvent based acrylic (Clear permanent) Frosted

• 50mic PET Liner with Smooth adhesive without any imperfections from the liner such as "orange peel effect"


• Ideal for both outdoor and indoor application up to 5 years



INDOOR APPLICATIONS




POINT OF SALE



SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
167099	dtec Polyfrost	Matt	Permanent	1220	50

General Formulations GF 290 ChalkMark®



• GF 290 ChalkMark vinyl is a 127-micron matte black embossed chalkboard vinyl with a clear high-tack Solvent Acrylic removable adhesive and a double-sided PE Liner


• The HTR adhesive works great on smooth painted drywall, plastic a-frame signs, metals and glass

• GF 290 is great for a variety of applications, from craft projects to wall graphics. This film is great for restaurant and brewery menu boards or interactive walls in homes, businesses, or schools


• Designed for use with soft chalks and liquid chalk markers and has a washable surface

• Outdoor Durability up to 3 years


• Print Compatibility: UV Curable inks




FRONT LIGHT



OUTDOOR APPLICATIONS




UV MEDIA



ROLLS

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173607	General Formulations GF 290 ChalkBoard	Gloss Clear	Removable	1370	45.7
173608	General Formulations GF 290 ChalkBoard	Gloss Clear	Removable	1524	45.7

One Way Vision High Performance SuperVue®



• Composite white (printable side)/black (adhesive side) 228 micron polymeric vinyl

• Open area is approximately 50%


• Applications: building wraps, car windows & commercial vehicle windows

• Laminate with CurvaLam


• Perforation size is 2.0mm

• Suitable for long term (3+ years), exterior mount applications on flat & curved surfaces


• Print Compatibility: Eco-solvent, UV Curable & Latex inks




OUTDOOR APPLICATIONS




POINT OF SALE




VEHICLE WRAP




SELF ADHESIVE



WINDOW GRAPHICS




ECO SOLVENT MEDIA



UV MEDIA

Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
400518	Clear Focus SuperVue	Gloss White	Rem / Plastic	1370	30

One Way Vision High Performance ClassicVue®



• Composite white (printable side)/black (adhesive side) perforated 228 micron polymeric vinyl


• Open area is approximately 50%

• Applications: Approved for APNO bus windows, building wraps, commercial shop/office windows, glass doors & other transparent surfaces


• Perforation size is 1.5mm

• Suitable for long term (3+ years), exterior mount applications on flat surfaces only


• Print Compatibility: Eco-solvent & Latex inks - NOT suitable for UV ink




OUTDOOR APPLICATIONS




POINT OF SALE




VEHICLE WRAP




SELF ADHESIVE



WINDOW GRAPHICS



ECO SOLVENT MEDIA




UV MEDIA

Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
451625	Clear Focus ClassicVue	Gloss White	Rem / Plastic	1370	61


One Way Vision JetVue®

PERFORATED WINDOW FILM




Great Choice!


- Composite white (printable side)/Black (adhesive side) perforated 203 micron polymeric vinyl with an aqueous inkjet receptive top coat
- Applications: Car windows, Building windows
- Perforation Size is 2mm
- Product with white PET liner laminated to perforated paper is suitable for aqueous inks only
- Open area is approximately 50%
- Complies with VLT rules for all Australian States and Territories
- Suitable for long term (< 3 years), exterior mount applications on flat and simple curved surfaces
- Recommended laminate is CurvaLam




WINDOW GRAPHICS



VEHICLE WRAP



AQUEOUS MEDIA




REMOVABLE

Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
451624	Clear Focus JetVue	Gloss White	Remov/Plastic	914	15


One Way Vision High Performance SunSecure®

PERFORATED WINDOW FILM




Great Choice!


- Composite white (adhesive side) /black perforated 228 micron polymeric vinyl
- Perforation size is 1.5mm
- Suitable for long term, interior mount applications on flat surfaces only
- Not printable
- Open area is approximately 35%
- Interior mount to commercial and residential windows requiring security privacy and for heat and light control and glare reduction applications




INDOOR APPLICATIONS



SELF ADHESIVE



WINDOW GRAPHICS




REMOVABLE

Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
400517	Clear Focus SunSecure	Gloss White	Remov/Plastic	1370	30


One Way Vision High Performance PosterVue®

PERFORATED WINDOW FILM




Great Choice!


- Composite white (printable side)/black perforated 304 micron monomeric vinyl
- Perforation size is 1.5mm
- Suitable for short term (<12 months), interior mount applications on flat surfaces only, not suitable for full sun windows
- Non-adhesive
- Open area is approximately 35%
- Applications: shop, office windows, glass doors, & other transparent, flat surfaces – up to 1 sqm in size
- Comes with one roll of Tackem Tape 60mm x 25M – optically clear double sided tape
- Print Compatibility: Eco-solvent, UV Curable & Latex inks (refer to spec sheet)




INDOOR APPLICATIONS




POINT OF SALE




SELF ADHESIVE




WINDOW GRAPHICS



ECO SOLVENT MEDIA



UV MEDIA




LATEX MEDIA

Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
400516	Clear Focus PosterVue	Gloss White	NIL / Plastic	1370	30.5


One Way Vision High Performance White/White

PERFORATED WINDOW FILM




Great Choice!


- Composite white (printable side)/White (liner side) perforated 200 micron PET vinyl
- Perforation Size is 1.5mm
- Product with SL liner is suitable for solvent and latex inks
- To mount to a window, use OptiTape (not included)
- Open area is approximately 30%
- Suitable for long term (< 3 years), interior mount applications on flat surfaces only
- Applications: shop, office windows, glass doors, outdoor banner, indoor banner, retractable/pull up banner




WINDOW GRAPHICS




ECO SOLVENT MEDIA



LATEX MEDIA



INDOOR APPLICATIONS




POINT OF SALE

Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
451620	Clear Focus White/White	Gloss White	NIL / Plastic	1370	30


One Way Vision High Performance ExitVue®

PERFORATED WINDOW FILM




Great Choice!


- Composite white (printable side)/Black (adhesive side) perforated 150 micron polymeric vinyl with grey Solvent/Latex liner
- Applications: Bus windows
- Perforation Size is 2mm
- Product with SL liner is suitable for solvent and latex inks
- Open area is approximately 50%
- Certified for emergency exit windows in all Australian States and Territories
- Suitable for long term (< 3 years), exterior mount applications on flat and simple curved surfaces
- For emergency exit windows, film laminate is not permitted. Score around all edges, and 50mm from edges and 200mm grid across emergency window




OUTDOOR APPLICATIONS




POINT OF SALE




VEHICLE WRAP



SELF ADHESIVE



ECO SOLVENT MEDIA




LATEX MEDIA

Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
451622	Clear Focus ExitVue	Gloss White	Perm / Solid	1370	50


One Way Vision High Performance CurvaLam®

PERFORATED WINDOW FILM




Great Choice!

- Optically clear 76 micron cast vinyl over laminating film
- Made for use on surfaces that are flat or have simple curves
- Protective over laminate specifically designed for use with Clear Focus® One Way Vision polymeric films
- Non printable



LAMINATES




VEHICLE WRAP


Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
400514	Clear Focus CurvaLam	Gloss Clear	Perm / Plastic	1370	45.7
400515	Clear Focus CurvaLam	Gloss Clear	Perm / Plastic	1520	45.7

One Way Vision EconoVue®

PERFORATED WINDOW FILM




- Composite white (printable side)/black (adhesive side) perforated 160 micron monomeric vinyl
- Exterior mount for short term applications onto flat windows or glass doors of shops, and office at ground level, coaches, buses. Not specified for APNO buses
- Perforation size is 1.5mm & the open area is approximately 40%
- Not compatible with any overlamine
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
451394	Clear Focus EconoVue	Gloss White	Rem / Universal	1370	50

One Way Vision PromoVue®

PERFORATED WINDOW FILM




- Composite white (printable side)/black (adhesive side) perforated 160 micron polymeric vinyl
- Suitable for long term (<3 years), exterior mount applications on flat & curved surfaces
- Laminate with CurvaLam
- Product with SOLID liner is suitable for solvent and LATEX inks
- Perforation size is 1.6mm & the open area is approximately 40%
- Applications: commercial vehicle windows, shop/office windows, glass doors & other transparent surfaces
- Product with UNIVERSAL liner is suitable for Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
400523	Clear Focus PromoVue	Gloss White	Rem / Universal	1370	50
451013	Clear Focus PromoVue	Gloss White	Rem / Solid	1370	50
451399	Clear Focus PromoVue	Gloss White	Rem / Universal	1520	50

One Way Vision AutoVue®

PERFORATED WINDOW FILM




- Composite white (printable side)/Black (adhesive side) perforated 160 micron polymeric vinyl
- Open area is approximately 50%
- Perforation size is 2.0mm
- Suitable for long term (<3 years), exterior mount applications on flat & simple curved surfaces
- Product with UNIVERSAL liner is suitable for UV, solvent & LATEX inks
- Laminate with CurvaLam
- Applications: Car windows
- Product with SOLID liner is suitable for Eco-solvent & Latex inks




Material	Material Description	Finish	Adhesive/Liner	Width (mm)	Length (m)
451351	Clear Focus AutoVue	Gloss White	Rem / Solid	1370	50
400521	Clear Focus AutoVue	Gloss White	Rem / Universal	1370	50
451352	Clear Focus AutoVue	Gloss White	Rem / Solid	1520	50
400522	Clear Focus AutoVue	Gloss White	Rem / Universal	1520	50

General Formulations
GF 260, 261, 270 & 280 WindowMark®

PERFORATED WINDOW FILMS




- GF WindowMark is a 150-micron perforated high performance matt white vinyl film with a clear low tack repositionable removable solvent acrylic pressure sensitive adhesive designed for exterior applications
- Dual Layer (Perforated/Solid) White 2-Sided PE-Coated liner offers good dimensional stability in a variety of ambient conditions
- Outdoor Durability up to 2 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Adhesive	Open/Close	Width (mm)	Length (m)
173609	General Formulations GF 260 WindowMark	White	Removable	60/40	1370	30
173610	General Formulations GF 261 WindowMark	Clear	Removable	60/40	1370	30
173611	General Formulations GF 270 WindowMark	White	Removable	70/30	1370	30
173612	General Formulations GF 280 WindowMark	White	Removable	80/20	1370	30

B.FLEX Print

HEAT TRANSFER



- GIMME 5 is a polyurethane opaque film suitable for heat transfer on cotton fabrics, cotton and polyester and polyester and acrylic garments
- Polyester adhesive carrier allows for easy repositioning of characters accidentally removed
- B.FLEX SERIES GIMME 5 can be pressed IN ONLY 4 SECONDS
- SUGGESTED FABRICS: cotton, polyester, mixed, printed with NON sublimaticolours
- Cut: cutting plotter, 45° blade, laser.
- Washing: wait 12 hours after application.






Material	Material Description	Finish	Ink Compatibility	Width (mm)	Length (m)
194819	B.FLEX Print	Print01	Eco Solvent Latex	500	25
195453	B.FLEX Print	Sublistop	Eco Solvent Latex	500	25
197804	B.FLEX Print	Printtop	Eco Solvent Latex	500	25
198592	B.FLEX Print	PrintUV	UV Inks	500	25
197768	B.FLEX Print	Sublistop	Eco Solvent Latex	750	25
197769	B.FLEX Print	Print01	Eco Solvent Latex	750	25
197805	B.FLEX Print	Printtop	Eco Solvent Latex	750	25
197964	B.FLEX Print	Print01	Eco Solvent Latex	1500	25




Roban Sigtuff 440

FRONTLIT BANNER



- Gloss or satin frontlit banner with high-strength and good opacity
- Denier 840D x 840D
- Suitable for a range of billboard, banner & display graphics where no show through is required
- UV additive for up to 36 months outdoor
- Black back options for 100% opaque
- Thread count 9 x 9/square inch
- Print side is on the inside of the roll
- Fire Rated B1
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



BANNERSBILLBOARDBLOCKOUT


OUTDOOR APPLICATIONSPPOINT OF SALEFRONT LIGHT




Material	Material Description	Finish	Reverse	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173253	Roban Sigtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	1370	50
173254	Roban Sigtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	1524	50
173255	Roban Sigtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	1600	50
173256	Roban Sigtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	2500	50
173257	Roban Sigtuff 440	Gloss White	Black Back	840 x 840 / 9 x 9	440	3200	50
173258	Roban Sigtuff 440	Satin White	Black Back	840 x 840 / 9 x 9	440	1370	50
173259	Roban Sigtuff 440	Satin White	Black Back	840 x 840 / 9 x 9	440	1600	50
173260	Roban Sigtuff 440	Satin White	Black Back	840 x 840 / 9 x 9	440	3200	50
173261	Roban Sigtuff 440	Satin White	White Back	840 x 840 / 9 x 9	440	1370	50
173262	Roban Sigtuff 440	Satin White	White Back	840 x 840 / 9 x 9	440	1525	50
173263	Roban Sigtuff 440	Satin White	White Back	840 x 840 / 9 x 9	440	1600	50
173264	Roban Sigtuff 440	Satin White	White Back	840 x 840 / 9 x 9	440	2500	50
173265	Roban Sigtuff 440	Satin White	White Back	840 x 840 / 9 x 9	440	3200	50




Roban IJET Premium 510

FRONTLIT BANNER



- Ultra smooth, high strength premium frontlit banner
- Denier 1000D x 1000D
- Suitable for use in billboard skins, banners & other general graphics
- UV additive for up to 12 months outdoor
- Suitable for applications that will be viewed up close
- Thread count 18 x 18/square inch
- Printsides on the inside of the roll
- Fire Rated B1
- Print Compatibility: Eco-solvent & UV Curable inks



INDOOR APPLICATIONSBANNERSBILLBOARD


OUTDOOR APPLICATIONSPPOINT OF SALEFRONT LIGHT




Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173266	Roban Ijet Premium 510	Satin White	1000 x 1000 / 18 x 18	510	1370	50
173267	Roban Ijet Premium 510	Satin White	1000 x 1000 / 18 x 18	510	1600	50
173268	Roban Ijet Premium 510	Satin White	1000 x 1000 / 18 x 18	510	1830	50
173269	Roban Ijet Premium 510	Satin White	1000 x 1000 / 18 x 18	510	2040	50
173270	Roban Ijet Premium 510	Satin White	1000 x 1000 / 18 x 18	510	2500	50
173271	Roban Ijet Premium 510	Satin White	1000 x 1000 / 18 x 18	510	3200	50
173272	Roban Ijet Premium 510	Satin White	1000 x 1000 / 18 x 18	510	4200	50
173273	Roban Ijet Premium 510	Satin White	1000 x 1000 / 18 x 18	510	5000	50



Roban IJET Premium Latex 510

FRONTLIT BANNER



- Ultra smooth, high strength premium frontlit banner for Latex printing
- Denier 1000D x 1000D
- Suitable for use in billboard skins, banners & other general graphics
- UV additive for up to 36 months outdoor
- Suitable for applications that will be viewed up close
- Thread count 18 x 18/square inch
- Printsides on the inside of the roll
- Fire Rated B1
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



BANNERSBILLBOARDOUTDOOR APPLICATIONS


FRONT LIGHTLATEX MEDIA







Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173350	Roban Ijet Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	1370	50
173351	Roban Ijet Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	1600	50
173352	Roban Ijet Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	1830	50
173353	Roban Ijet Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	2040	50
173354	Roban Ijet Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	2500	50
173355	Roban Ijet Premium Latex 510	Satin White	1000 x 1000 / 18 x 18	510	3200	50

Rolight Visiflex

BACKLIT BANNER




- Translucent PVC Coated Smooth Banner vinyl 610gsm
- Very high image quality & close viewed light box skins
- Anti-static, UV stabilized and Fire retardant
- Translucent resin, smooth coated, scrim-less appearance and round yarn
- Outdoor durability 3 years
- Print Compatibility: Solvent, UV curable & latex inks







Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
173463	Rolight Visiflex BLIT 600 (LUV)	610	1600	50
173464	Rolight Visiflex BLIT 600 (LUV)	610	2500	50
173465	Rolight Visiflex BLIT 600 (LUV)	610	3200	50
173466	Rolight Transflex BLIT 500 (SUV)	610	3200	75
173467	Rolight Transflex BLIT 500 (SUV)	610	4200	75
173468	Rolight Transflex BLIT 500 (SUV)	610	5000	75

Roban Ultra i440

BLOCKOUT BANNER




- Light weight, super smooth, matt double side blackout banner
- Used for indoor applications where no show through is critical
- Perfect for viewing at close range
- Perfect for roll up banner stands & double side displays
- Denier 300D x 300D
- Thread count 42 x 40/square inch
- UV additive for up to 36 months outdoor
- Fire Rated B1









Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173252	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	914	50
173246	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	1065	50
173247	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	1370	50
173248	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	1600	50
173249	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	1830	50
173250	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	2500	50
173251	Roban Ultra i440	Satin White	300 x 300 / 42 x 40	440	3200	50

Roban Optima UV 580

BLOCKOUT BANNER




- Heavy duty, smooth satin double sided blackout banner exhibiting a scrimless appearance
- Ideal for indoor and outdoor banner & graphics applications where no show through is critical
- Denier 1000D x 1000D
- Thread Count 20 x 20/square inch
- UV additive for up to 36 months outdoor
- Fire Rated B1
- Print Compatibility: Eco-solvent & UV Curable inks










Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173316	Roban Optima UV 580	Satin White	1000 x 1000 / 20 x 20	580	1370	50
173317	Roban Optima UV 580	Satin White	1000 x 1000 / 20 x 20	580	1600	50
173318	Roban Optima UV 580	Satin White	1000 x 1000 / 20 x 20	580	2040	50
173319	Roban Optima UV 580	Satin White	1000 x 1000 / 20 x 20	580	2500	50
173320	Roban Optima UV 580	Satin White	1000 x 1000 / 20 x 20	580	3200	50
173321	Roban Optima UV 580	Satin White	1000 x 1000 / 20 x 20	580	4200	50
173322	Roban Optima UV 580	Satin White	1000 x 1000 / 20 x 20	580	5000	50

Roban Optima Latex 580

BLOCKOUT BANNER




- Heavy duty, smooth stain double sided blackout banner exhibiting a scrimless appearance designed for Latex printing
- Ideal for indoor and outdoor banner & graphics applications where no show through is critical
- Denier 500D x 500D
- Thread Count 28 x 28/square inch
- UV additive for up to 36 months outdoor
- Fire Rated B1
- Print Compatibility: Eco-solvent, Latex & UV Curable inks







Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173356	Roban Optima Latex 580	Satin White	500 x 500 / 28 x 28	580	1370	50
173357	Roban Optima Latex 580	Satin White	500 x 500 / 28 x 28	580	1600	50
173358	Roban Optima Latex 580	Satin White	500 x 500 / 28 x 28	580	2040	50
173359	Roban Optima Latex 580	Satin White	500 x 500 / 28 x 28	580	2500	50
198390	Roban Optima Latex 580	Satin White	500 x 500 / 28 x 28	580	3200	50

PRINT MEDIA

Roban Multi 610




- Heavy duty, matt double side blackout banner
- Ideal for outdoor banner & graphics applications where no show through is critical
- UV additive for up to 12 months outdoor
- Denier 1000D x 1000D
- Thread Count 9 x 9/square inch
- Fire Rated B1
- Print Compatibility: Eco-solvent, Latex & UV Curable inks







Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173239	Roban Multi 610	Satin White	1000 x 1000 / 9 x 9	610	1370	50
173240	Roban Multi 610	Satin White	1000 x 1000 / 9 x 9	610	1600	50
173241	Roban Multi 610	Satin White	1000 x 1000 / 9 x 9	610	2040	50
173242	Roban Multi 610	Satin White	1000 x 1000 / 9 x 9	610	2500	50
173243	Roban Multi 610	Satin White	1000 x 1000 / 9 x 9	610	3200	50
173244	Roban Multi 610	Satin White	1000 x 1000 / 9 x 9	610	4200	50
173245	Roban Multi 610	Satin White	1000 x 1000 / 9 x 9	610	5200	50

Roban Blockout TR800




- High tensile woven polyester yarn knife coated with PVC Resinon 2 sides
- Two sided smooth surface, excellent white point & blockout layer
- Minimal scrim visibility
- Anti-static, UV stabilized and Fire retardant
- Denier 1000D x 1000D
- Thread Count 18 x 18/square inch
- Outdoor durability 3 years
- Print Compatibility: Solvent & UV Curable inks







Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173844	Roban B/OUT HeavyDuty TR800	Satin White	1000 x 1000 / 18 x 18	800	1370	40
173845	Roban B/OUT HeavyDuty TR800	Satin White	1000 x 1000 / 18 x 18	800	1600	40
173846	Roban B/OUT HeavyDuty TR800	Satin White	1000 x 1000 / 18 x 18	800	2500	40
173847	Roban B/OUT HeavyDuty TR800	Satin White	1000 x 1000 / 18 x 18	800	3200	40

dtec No Scrim Blockout Banner 510



- Scrimless, super smooth, double side blackout banner
- Suitable for roll-up banner stands & premium graphics
- Suitable for applications that will be viewed up close
- Ideal for applications where no show through & super smooth surface is critical
- Not recommended for outdoor use
- 2 side printable/ a print side is on the outside of the roll
- Print Compatibility: Eco-solvent, Latex & UV Curable ink



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
185046	dtec No Scrim Blockout Banner 510	Matt	510	914	50
180929	dtec No Scrim Blockout Banner 510	Matt	510	1370	50

BLOCKOUT BANNER

BLOCKOUT BANNER

SCRIMLESS BANNER



INTRODUCING

KAVALAN

THE SUSTAINABLE BANNER RANGE.



PVC-FREE • 100% CLEAN • LIGHTWEIGHT AND BOASTING SUPERIOR ENVIRONMENTAL CREDENTIALS.

Kavalan is specifically designed for responsible end-of-life disposal, so it can be safely disposed of regardless of whether it is recycled, put into landfill or incinerated in waste-to-energy schemes.

Unlike any other product in the large format printing industry before it, Kavalan's banner range is a ground-breaking alternative to PVC banner. Kavalan materials are revolutionising the large-format digital print industry, paving the way for meeting zero PVC targets while matching the physical qualities and appearance of traditional PVC banner materials.

SUSTAINABLE BANNER RANGE

- Kavalan Butterfly 360
- Kavalan Sunlight 300
- Kavalan Sunlight 330
- Kavalan Spiderweb 300 Mesh
- Kavalan Moonlight 200


For enquiries or a sample contact your local Spicers representative.

1300 132 644 spicers.com.au











Spicers are proud to be the Australian distributor of KAVALAN products and stocks are AVAILABLE NOW.

Kavalan Moonlight 200




- Kavalan Moonlight 200 is made from polyester yarn with a pvc-free and Phthalate Free resin coating for backlit applications
- A viable substitute for all indoor lightbox and banner applications
- Crease resistant and perfect for high quality digital printing
- Fire Rated B1
- Print Compatibility: Latex & UV inks







Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173200	Kavalan Moonlight 200	Matt White	200	1600	50
173201	Kavalan Moonlight 200	Matt White	200	2500	50
173202	Kavalan Moonlight 200	Matt White	200	3200	50
173203	Kavalan Moonlight 200	Matt White	200	5000	50





Kavalan Spiderweb 300




- Kavalan Spiderweb 300 Mesh is made from polyester yarn with PVC-free and Phthalate Free resin coating
- A viable substitute for all indoor and outdoor mesh banner applications
- Excellent performance, look and feel of PVC mesh delivers excellent show-through
- Fire Rated B1
- Print Compatibility: Latex & UV inks













Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173198	Kavalan Spiderweb 300	Satin White	300	1600	50
173199	Kavalan Spiderweb 300	Satin White	300	3200	50

Kavalan Sunlight 300




- Kavalan Sunlight 300 is a frontlit banner made from polyester yarn with Phthalate Free and PVC-free resin coating
- A smooth strong lightweight non-PVC banner substitute for indoor and outdoor applications
- Crease resistant and perfect for high quality digital printing
- Fire Rated B1
- Print Compatibility: Latex & UV inks











Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173190	Kavalan Sunlight 300	Matt White	300	1600	50
173191	Kavalan Sunlight 300	Matt White	300	2500	50
173192	Kavalan Sunlight 300	Matt White	300	3200	50
173193	Kavalan Sunlight 300	Matt White	300	5000	50

Kavalan Sunlight 360




- Kavalan Sunlight weldable is a frontlit banner made from polyester yarn with Phthalate Free and PVC-free resin coating
- Crease resistant and perfect for high quality digital printing and welding
- Smooth strong lightweight non-PVC material banner for indoor and outdoor application
- The grey back gives good opacity
- A viable substitute for all indoor and outdoor banner applications
- Fire Rated B1
- Print Compatibility: Latex & UV inks













Material	Material Description	Finish	Reverse	Grammage (GSM)	Width (mm)	Length (m)
173194	Kavalan Sunlight Weldable	Matt White	Grey Back	360	1600	50
173195	Kavalan Sunlight Weldable	Matt White	Grey Back	360	2500	50
173196	Kavalan Sunlight Weldable	Matt White	Grey Back	360	3200	50
173197	Kavalan Sunlight Weldable	Matt White	Grey Back	360	5000	50

Kavalan Butterfly 360



- Kavalan Butterfly Weldable is a double-sided lightweight PVC-free block-out banner with 99% opacity made from polyester yarn with Phthalate Free and PVC-free resin coating
- Indoor and outdoor signage, roll up displays, hanging and display applications
- Fire Rated B1
- Print Compatibility: Double side printing with UV and Latex inks and weldable









Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173186	Kavalan Butterfly Weldable	Matt White	360	1600	50
173187	Kavalan Butterfly Weldable	Matt White	360	2500	50
173188	Kavalan Butterfly Weldable	Matt White	360	3200	50
173189	Kavalan Butterfly Weldable	Matt White	360	5000	50

Roban Airmesh FR (Liner)

MESH BANNER FR



- 300gsm High strength banner mesh (With Liner)
- Denier 1000D x 1000D
- Fire rated B1
- Traditional closed mesh structure for greater print surface area and strength
- Thread count 12 x 12/square inch
- Print Compatibility: Solvent & UV curable inks




BANNERS
OUTDOOR APPLICATIONS
LATEX MEDIA




Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173221	Roban Airmesh FR Liner	Matt White	1000 x 1000 / 12 x 12	300	1370	50
173222	Roban Airmesh FR Liner	Matt White	1000 x 1000 / 12 x 12	300	1600	50
173223	Roban Airmesh FR Liner	Matt White	1000 x 1000 / 12 x 12	300	1800	50
173224	Roban Airmesh FR Liner	Matt White	1000 x 1000 / 12 x 12	300	2500	50
173225	Roban Airmesh FR Liner	Matt White	1000 x 1000 / 12 x 12	300	3200	50

Roban Airmesh FR (No Liner)

MESH BANNER FR



- 300gsm High strength banner mesh (No Liner)
- Denier 1000D x 1000D
- Suitable for welding & outdoor use
- Traditional closed mesh structure for greater print surface area and strength
- Thread count 12 x 12/square inch
- Fire rated B1
- Print Compatibility: Solvent, Latex and UV Curable inks




BANNERS
OUTDOOR APPLICATIONS
LATEX MEDIA





Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173216	Roban Airmesh FR	Matt White	1000 x 1000 / 12 x 12	300	1600	55
173217	Roban Airmesh FR	Matt White	1000 x 1000 / 12 x 12	300	1800	55
173218	Roban Airmesh FR	Matt White	1000 x 1000 / 12 x 12	300	2500	55
173219	Roban Airmesh FR	Matt White	1000 x 1000 / 12 x 12	300	3200	55
173220	Roban Airmesh FR	Matt White	1000 x 1000 / 12 x 12	300	5000	55

YUPO® FPU UV Rolls




DISPLAY FILM



- 250um/200gsm polypropylene film
- Adshel specified product (200um/158gsm)
- Tear & weather resistant
- Market leading bulk, whiteness, opacity, ink adhesion & colour reproduction
- Applications: Large format posters, light box & street furniture
- Custom sheeting available on request
- Print Compatibility: Screen, UV Curable inkjet and Latex



PP RECYCLABLE
BACKLIT
LIGHT BOXES
OUTDOOR APPLICATIONS




POINT OF SALE
POSTERS
RS





Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
158445	Yupo FPU UV Rolls	Satin White	250	200	1320	100
181146	Yupo FPU UV Rolls	Satin White	250	200	1600	100
184159	Yupo FPU UV Rolls	Satin White	250	200	1830	100

Rodure XTI200 UV



DISPLAY FILM



- Rodure XTI200 is a clean white, high opacity, low density polypropylene synthetic paper with a smooth, clay coated matte surface on two sides
- High temperature resistance & optimum transparency makes it suitable for outdoor light box and bus shelter posters
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown to UV exposure
- Excellent whiteness and opacity, lay-flat, print adhesion and image quality
- Print Compatibility: 173388/173389 suitable for UV ink printing
- Print Compatibility: 173390/173391 suitable for latex ink printing



INDOOR APPLICATIONS
BACKLIT
LIGHT BOXES
OUTDOOR APPLICATIONS




POINT OF SALE
POSTERS





Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
173388	Rodure XTI200 UV	Translucent	250	200	1320	100
173389	Rodure XTI200 UV	Translucent	250	200	1600	100

Rodure XTI200 Latex



DISPLAY FILM



- Rodure XTI200 is a clean white, high opacity, low density polypropylene synthetic paper with a smooth, clay coated matte surface on two sides
- High temperature resistance & optimum transparency makes it suitable for outdoor light box and bus shelter posters
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown to UV exposure
- Excellent whiteness and opacity, lay-flat, print adhesion and image quality
- Print Compatibility: 173388/173389 suitable for UV ink printing
- Print Compatibility: 173390/173391 suitable for latex ink printing



INDOOR APPLICATIONS
BACKLIT
LIGHT BOXES
OUTDOOR APPLICATIONS




POINT OF SALE
POSTERS


Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
173390	Rodure XTI200 Latex	Translucent	250	200	1320	100
173391	Rodure XTI200 Latex	Translucent	250	200	1600	100

Rodure Ublock

DISPLAY FILM




- Polypropylene film + Gravure primer coating
- Blockout core
- Perfect for double sided posters
- Excellent whiteness and opacity
- Laminated, tear & water resistant, 100% Blockout
- Corona & ink receptive primer
- Print Compatibility: UV Curable ink




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173544	Rodure Ublock 2/S PP	Matt	230	1370	100
173545	Rodure Ublock 2/S PP	Matt	230	1600	100

Rodure Solmaxx 200 Solvent

DISPLAY FILM




- Rodure Solmaxx 200 is a clean white, high opacity, low density polypropylene synthetic paper with a smooth, clay coated matte surface n two sides
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown to UV exposure
- High temperature resistance & optimum transparency makes it suitable for outdoor light box and bus shelter posters
- Excellent whiteness and opacity, lay-flat, print adhesion and image quality
- Print Compatibility: Eco-solvent & UV Curable ink




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173365	Rodure Solmaxx 200 Solvent	Satin	200	915	50
173366	Rodure Solmaxx 200 Solvent	Satin	200	1270	50
173367	Rodure Solmaxx 200 Solvent	Satin	200	1524	50

dtec Backlit PET

BACKLIT




- 210um translucent, matt, white Polyester (PET) film
- Perfect for Backlit displays, Lightbox, Cosmetic advertising, Menu-boards, Street furniture.
- Printable Surface is on the outside of the roll
- Print Compatibility: Eco-solvent, Latex & UV Curable ink




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
167501	dtec Backlit PET	Matt	300	1370	30
167502	dtec Backlit PET	Matt	300	1520	30

dtec Polypropylene 170 Blockout

BLOCKOUT




- Matt white 170gsm blockout polypropylene film
- 1 side printable with a white reverse and a blockout layer that offers 98% opacity
- Fast drying and tear resistant
- Perfect for posters, fixed and portable banner systems
- Print side is on the outside of the roll
- Print Compatibility: Eco-solvent, Latex & UV Curable ink




Material	Material Description	Finish	Thickness (ums)	Width (mm)	Length (m)
170089	dtec Polypropylene 170 Blockout	Matt	200	914	50
170090	dtec Polypropylene 170 Blockout	Matt	200	1270	50
170091	dtec Polypropylene 170 Blockout	Matt	200	1520	50

dtec Polypropylene 2/S Blockout

BLOCKOUT




- Matt white 190 & 205gsm blockout polypropylene film
- 2 side printable with a blockout layer that offers 98% opacity
- Fast drying and tear resistant
- Perfect for double sided posters, fixed and portable banner systems
- Print Compatibility: Eco-solvent, Latex & UV Curable ink




Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
194042	dtec Polypropylene 190 2/S Blockout	Matt	240	190	914	50
170092	dtec Polypropylene 190 2/S Blockout	Matt	240	190	1270	50
196534	dtec Polypropylene 205 2/S Blockout	Matt	220	205	1320	100
170594	dtec Polypropylene 205 2/S Blockout	Matt	220	205	1600	100

Rodure Pull Up PET 340 Grey Back

PULL UP




- Satin white semi-rigid 340gsm PET film with a grey blockout reverse designed for use in retractable / pull-up banner stands
- Indoor / outdoor pull-up displays, general posters and point of sale graphics
- Minimal edge curl, high durability & flatness, anti-static, dimensional stability, and excellent heat resistance
- Print Compatibility: Eco-solvent, Latex & UV Curable ink




Material	Material Description	Finish	Thickness (ums)	Width (mm)	Length (m)
173362	Rodure Pull Up PET 340 Grey Back	Satin	340	915	50
173363	Rodure Pull Up PET 340 Grey Back	Satin	340	1270	50
173364	Rodure Pull Up PET 340 Grey Back	Satin	340	1524	50

Rodure Solmaxx 200 Solvent




- Rodure Solmaxx 200 is a clean white, high opacity, low density polypropylene synthetic paper with a smooth, clay coated matte surface n two sides
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown to UV exposure
- High temperature resistance & optimum transparency makes it suitable for outdoor light box and bus shelter posters
- Excellent whiteness and opacity, lay-flat, print adhesion and image quality
- Print Compatibility: Eco-solvent & UV Curable ink




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173365	Rodure Solmaxx 200 Solvent	Satin	200	915	50
173366	Rodure Solmaxx 200 Solvent	Satin	200	1270	50
173367	Rodure Solmaxx 200 Solvent	Satin	200	1524	50

dtec Pull Up PET 290 Grey Back




- Matt white 290gsm PET film with a grey blackout reverse
- Quick dry, tear resistant & lay flat film
- Perfect for fixed and portable banner systems
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170094	dtec Pull Up PET 290 Grey Back	Matt	190	290	914	50
170095	dtec Pull Up PET 290 Grey Back	Matt	190	290	1270	50

dtec Pull Up PVC 420 Textured Lustre Grey Back



- Textured Lustre, White PET/PVC 420gsm composite film with a grey blackout reverse
- Textured Lustre finish results in an anti-scratch & high-resolution surface
- Tear resistant & dimensionably stable lay flat film
- Perfect for fixed and portable banner systems
- Print Compatibility: Eco-solvent & UV Curable inks




Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170123	dtec Pull Up PVC 420 Textured Lustre Grey Back	Lustre	325	420	914	50
170124	dtec Pull Up PVC 420 Textured Lustre Grey Back	Lustre	325	420	1270	50
170125	dtec Pull Up PVC 420 Textured Lustre Grey Back	Lustre	325	420	1520	50

PULL UP

Ferro Film


- 0.18 & 0.25mm matt, white PET film with a magnet receptive reverse
- Easy to apply and remove
- Applied to the magnetic side of a magnet
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Face Thickness (mm)	Width (mm)	Length (m)
173921	Ferro Film 0.18 ST340	White	0.18	1370	50
173922	Ferro Film 0.18 ST340	White	0.18	1626	50
169178	Ferro Film 0.25 SP320	White	0.25	1370	50
195447	Ferro Film 0.25 SP320	White	0.25	1524	50

Magnet Self-Adhesive


- Non printable magnet on 1 side and permanent adhesive on the other (non magnetized) side
- Recommended for indoor applications
- Apply the adhesive side to the wall as a "permanent" fixture and printed ferro film to the magnetic side
- Available in 0.5mm and 0.8mm (0.8mm offers a higher magnetic force)



Material	Material Description	Colour	Face Thickness (mm)	Adhesive	Width (mm)	Length (m)
195448	Wall Magnet Self Adhesive 0.5	Black	0.5	Clear Permanent	620	30
195450	Wall Magnet Self Adhesive 0.8	Black	0.8	Clear Permanent	620	15
195449	Wall Magnet Self Adhesive 0.5	Black	0.5	Clear Permanent	1250	15
195451	Wall Magnet Self Adhesive 0.8	Black	0.8	Clear Permanent	1250	15

Magnet Printable

- 0.3, 0.5 & 0.8mm Magnet with a 0.1mm Gloss White PVC printable face film
- Suitable for general magnetic work, fridges, POS and signage
- 0.8mm Magnet is perfect for car magnets
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Face Thickness (mm)	Width (mm)	Length (m)
173445	Magnet Printable Gloss White 0.3	White	0.3	1370	25
192403	Magnet Printable Gloss White 0.5	White	0.5	620	15
195028	Magnet Printable Gloss White 0.5	White	0.5	1270	15
165031	Magnet Printable Gloss White 0.8	White	0.8	620	15
192404	Magnet Printable Gloss White 0.8	White	0.8	1000	15
192841	Magnet Printable Gloss White 0.8	White	0.8	1270	15







PRINT MEDIA

Bauhaus Gloss Poster 225gsm

POSTER




- Gloss 225gsm, 2 side PE coated Poster and Photo Paper
- Suitable for indoor and outdoor applications
- Applications – posters, POS, photoprints & exhibition graphics
- Ultra white surface offering supreme image definition with a large colour gamut & fast drying properties
- Suitable for hot and cold lamination
- Print Compatibility: Eco-solvent, UV Curable & Latex inks









Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
167555	Bauhaus Gloss Solvent 225gsm	Gloss	225	1270	50
167556	Bauhaus Gloss Solvent 225gsm	Gloss	225	1524	50

Bauhaus Gloss Poster 140gsm

POSTER




- Satin 140gsm Poster and photo paper
- Fast prints in premium quality
- Applications – posters, POS, photoprints & exhibition graphics
- Excellent image quality with brilliant colours
- Free of cutting dust
- Print Compatibility: Solvent, Eco-Solvent, UV-Curable and Latex inks






Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
168676	Bauhaus Gloss Poster 140gsm	Gloss	140	1372	50

Bauhaus Photo Paper Matt 200

PHOTOGRAPHIC




- 200gsm coated paper with SLP, bright white, matt surface photo paper holds pin-sharp details and reproduces the most brilliant colours
- Low gloss levels and minimised differential gloss together with outdoor durability and optimal handling properties make this photo paper your ideal choice
- Fast drying, No waviness with Latex inks, PVC Free
- Print Compatibility: Eco-solvent, UV Curable & Latex inks







Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
199099	Bauhaus Photo Paper Matt 200	Matt	200	1370	50
171778	Bauhaus Photo Paper Matt 200	Matt	200	1524	50

Bauhaus Photo Paper Satin 275

PHOTOGRAPHIC



- 275gsm resin coated, alpine white, extra glossy photo paper that holds pin-sharp details and reproduces the most vivid colours
- High Colour consistency and gamut together with high light fastness, outdoor durability and optimal handling properties make this photo paper your ideal choice
- Fast drying
- PVC Free
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171777	Bauhaus Satin Solvent 275gsm	Satin	275	1524	30





PRINT MEDIA

Bauhaus Photo Paper Gloss 275

PHOTOGRAPHIC




- 275gsm resin coated, alpine white, extra glossy photo paper that holds pin-sharp details and reproduces the most vivid colours
- High Colour consistency and gamut together with high light fastness, outdoor durability and optimal handling properties make this photo paper your ideal choice
- Fast drying
- PVC Free
- Print Compatibility: Eco-solvent, UV Curable & Latex inks







Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171776	Bauhaus Photo Paper Gloss 275	Gloss	275	1524	30

Bauhaus Coated Self Adhesive Paper AP999 80

SELF ADHESIVE




- Bauhaus Coated 80g AP999 is a white clay coated paper produced with medium gloss levels
- One side siliconised glassine liner
- Super permanent acrylic adhesive, good moisture resistance
- Print Compatibility: UV Curable & Latex inks








Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173228	Bauhaus Coated Self Adhesive 80gsm	White	80	750	100

Bauhaus Matt 1444 Eco Canvas

CANVAS




- 355gsm gloss and 340gsm matt, 100% cotton canvas with fast curing time
- Acid Free
- Perfect for indoor decoration & photography reproductions
- Water resistant
- Print Compatibility: Eco-solvent, UV Curable & Latex inks








Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171133	Bauhaus Matt 1444 Eco Canvas	Matt White	340	1370	20
171135	Bauhaus Matt 1444 Eco Canvas	Matt White	340	1524	20

Bauhaus Gloss 1402 Eco Natural Canvas

CANVAS



- 355gsm gloss and 340gsm matt, 100% cotton canvas with fast curing time
- Acid Free
- Perfect for indoor decoration & photography reproductions
- Water resistant
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171132	Bauhaus Gloss 1402 Eco Natural Canvas	Gloss White	355	1370	20
171134	Bauhaus Gloss 1402 Eco Natural Canvas	Gloss White	355	1524	20



RETAIL APPLICATIONS

1. Palboard™ (page 85)
Re-board® (page 87)
Skybond FR (page 80)
Ace Screenboard (page 81)
2. GF218 WindowMark Blockout™ (page 42)
3M™ IJ8150 (page 34)
3M™ IJ40-114 (page 15)
Rocal Supacling PET (page 34)
3. GF212 TrafficGraphic® (page 109)
Photo-Tex™ Floortac (page 36)
3M™ IJ35C (page 16)
Digitac Floortac Indoor (page 36)
4. Palboard™ (page 85)
Re-board® (page 87)
Foamstar (page 83)
Ace Screenboard (page 81)
Palight (page 85)
5. Skybond FR (page 80)
Ace Screenboard (page 81)
Promeg (page 90)
6. 3M™ Di-Noc™ Architectural Finishes
Rocal Wall Mount (page 84)
7. Rodure Pull Up Light (page 59)
dtec Pull Up PVC (page 60)
dtec Pull Up PET (page 60)
8. GF253 GraphiTex® (page 40)
Rocal Wall Mount (page 84)
Bauhaus STYline New York 150 (page 37)
9. Palboard™ (page 85)
Re-board® (page 87)





DYE SUBLIMATION & HEAT TRANSFER

Our range of Dye Sublimation and Heat Transfer papers offer outstanding lay-flat performance, fast drying, brilliant image quality and exceptional consistency in quality for high speed and large volume applications.



BAUHAUS
MEDIA FOR CREATIVES

S-RACE®

B-FLEX
HEAT TRANSFER VINYL

Mimaki

CREATING SOLUTIONS TOGETHER.



BRILLIANT CONSISTENT RESULTS IN DYE SUBLIMATION

Our range of Dye Sublimation papers offer outstanding lay-flat performance, fast drying, brilliant image quality and exceptional consistency in quality for high speed and large volume applications.

Ideal for a variety of applications from home textiles, decor fabrics, soft-signage, sports apparel, flags to Polyester coated rigid substrates such as metal, tiles, ceramics, glass, fiberglass and boards.



CHOOSE FROM A RANGE OF DYE SUBLIMATION PAPERS

Bauhaus S-Race Photo Panel Pro 120gsm

Bauhaus S-Race Vivid 120gsm

Bauhaus S-Race Allround 130gsm

Bauhaus S-Race Allround 105gsm

Bauhaus S-Race Ultra Tacky 100gsm

Bauhaus S-Race Tacky 80gsm

Bauhaus S-Race Look 55gsm

Bauhaus Mimaki Sublimation

Visit our website for the full range and product information.
For enquiries please contact your local Spicers representative.

1300 132 644 spicers.com.au




DYE SUBLIMATION & HEAT TRANSFER

Bauhaus S-Race Vivid 120gsm

TRANSFER PAPERS



- Brand new, highly engineered Transfer paper for all Dye Sublimation desktop printers (Sawgrass, Epson or Ricoh) and large format printers
- Especially designed for sublimation onto Photo Panels, merchandise and interior & architectural articles
- Can also be used for Soft Signage
- Transfer onto the highest grade of Photo Panels (e.g. ChromaLuxe) for exceptional detail, ceramic mugs or tiles, polyester coated hard substrates such as glass, fiberglass, boards etc. and mouse pads
- Extremely fast drying, excellent line sharpness
- Outstanding lay-flat performance and offers exceptional consistency in quality
- Brilliant image quality
- Quick transfer properties and excellent transfer yield




Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
197934	Bauhaus S-Race Vivid 120gsm	120	610	55
171339	Bauhaus S-Race Vivid 120gsm	120	1120	110
171307	Bauhaus S-Race Vivid 120gsm	120	1320	110
171308	Bauhaus S-Race Vivid 120gsm	120	1620	110

Bauhaus S-Race Tacky 80 & 100gsm

TRANSFER PAPERS



- Transfer Paper that can transfer on to all kinds of Polyester, but has been especially designed for elastic textiles
- No movement between paper and fabric during transfer (optimal tack), eliminating the possibility of ghosting with optimized barrier properties
- For medium to high ink coverage
- Quick transfer properties and good transfer yield
- Outstanding lay-flat performance and offers exceptional consistency in quality
- nb Optimised for roll fed heat presses



Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
171340	Bauhaus S-Race Tacky 80gsm	80	1120	170
171341	Bauhaus S-Race Tacky 80gsm	80	1320	170
171342	Bauhaus S-Race Tacky 80gsm	80	1620	170
171343	Bauhaus S-Race Tacky 80gsm	80	1820	170
199169	Bauhaus S-Race Ultra Tacky 100gsm	100	1620	135

Bauhaus S-Race Look 55gsm

TRANSFER PAPERS



- Designed for Fashion, Décor and Soft Signage
- Transfer Paper that can transfer on to all kinds of Polyester, but was especially designed to transfer onto fabrics used in the fashion and home décor Markets
- Suitable for high speed and large volume applications
- For Low to medium Ink Coverage
- Fast drying, excellent line sharpness
- Quick transfer properties and good transfer yield
- Outstanding lay-flat performance and offers exceptional consistency in quality





Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
171304	Bauhaus S-Race Look 55gsm	55	1620	220
171337	Bauhaus S-Race Look 55gsm	55	1820	220


DYE SUBLIMATION & HEAT TRANSFER

Bauhaus S-Race Allround 130gsm

TRANSFER PAPERS





- Transfer paper that can transfer on to all kinds of Polyester Materials (Hard and Soft substrates), especially designed to transfer onto Fabrics and possibly used in soft-signage, interior and architecture applications
- Very high ink coverage and deep, rich colors possible
- Quick transfer properties and good transfer yield Outstanding lay-flat performance and offers exceptional consistency in quality
- Fast drying, excellent Line Sharpness
- Well suited for both soft and hard substrates




Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
171406	Bauhaus S-Race Allround 130gsm	130	1120	110
171407	Bauhaus S-Race Allround 130gsm	130	1320	110
171408	Bauhaus S-Race Allround 130gsm	130	1620	110

Bauhaus S-Race Allround 105gsm

TRANSFER PAPERS



- Transfer Paper that can transfer on to all kinds of Polyester, but has been especially designed to transfer onto fabrics used in the sportswear and Soft-Signage because of its optimized barrier properties
- Not recommended for Hard Substrates
- Fast drying, excellent line sharpness
- Outstanding lay-flat performance and offers exceptional consistency in quality
- For medium to high ink coverage
- Quick transfer properties and excellent transfer yield
- No ink strike-through





Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
171338	Bauhaus S-Race Allround 105gsm	105	1120	125
171305	Bauhaus S-Race Allround 105gsm	105	1320	125
171306	Bauhaus S-Race Allround 105gsm	105	1620	125
198086	Bauhaus S-Race Allround 105gsm	105	1829	135



DYE SUBLIMATION & HEAT TRANSFER

Bauhaus S-Race Photo Panel Pro 120gsm

TRANSFER PAPERS





- Designed for professional printers to handle small and large size ChromaLuxe applications
- Especially designed for photo panels or other rigid substrates
- Richer and more vibrant colours, Deeper and non-cloudy black, Perfect line sharpness
- Developed jointly with Universal Woods and ChromaLuxe
- No crumbling of paper at the edges





Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
173275	Bauhaus S-Race Photo Panel Pro 120gsm	120	610	55
173276	Bauhaus S-Race Photo Panel Pro 120gsm	120	1118	80
173277	Bauhaus S-Race Photo Panel Pro 120gsm	120	1118	110
173278	Bauhaus S-Race Photo Panel Pro 120gsm	120	1320	110
173279	Bauhaus S-Race Photo Panel Pro 120gsm	120	1620	110

Bauhaus Mimaki Sublimation

TRANSFER PAPERS



- Well suited for most applications
- High Transfer Yield and fast ink drying make this is great solution for high volume production
- Applications: Home Textile, Soft-Signage, Flags and Sports Apparel




Material	Material Description	Width (mm)	Length (m)
171762	Bauhaus Mimaki Sublimation	1120	150
171761	Bauhaus Mimaki Sublimation	1320	150
171760	Bauhaus Mimaki Sublimation	1620	150
171759	Bauhaus Mimaki Sublimation	3200	100




DYE SUBLIMATION & HEAT TRANSFER

B.FLEX Print

HEAT TRANSFER




- GIMME 5 is a polyurethane opaque film suitable for heat transfer on cotton fabrics, cotton and polyester and polyester and acrylic garments
- Polyester adhesive carrier allows for easy repositioning of characters accidentally removed
- B.FLEX SERIES GIMME 5 can be pressed IN ONLY 4 SECONDS
- SUGGESTED FABRICS: cotton, polyester, mixed, printed with NON sublimaticcolours
- Cut: cutting plotter, 45° blade, laser.
- Washing: wait 12 hours after application.



Material	Material Description	Finish	Ink Compatibility	Width (mm)	Length (m)
194819	B.FLEX Print	Print01	Eco Solvent Latex	500	25
195453	B.FLEX Print	Sublistop	Eco Solvent Latex	500	25
197804	B.FLEX Print	Printtop	Eco Solvent Latex	500	25
198592	B.FLEX Print	PrintUV	UV Inks	500	25
197768	B.FLEX Print	Sublistop	Eco Solvent Latex	750	25
197769	B.FLEX Print	Print01	Eco Solvent Latex	750	25
197805	B.FLEX Print	Printtop	Eco Solvent Latex	750	25
197964	B.FLEX Print	Print01	Eco Solvent Latex	1500	25

B.FLEX Neon Colours

HEAT TRANSFER




- GIMME5 FLUO is a polyurethane neon film suitable for heat transfer on cotton fabrics, cotton and polyester and polyester and acrylic garments
- Polyester adhesive carrier allows for fast weeding and easy repositioning
- SUGGESTED FABRICS: cotton, polyester, mixed, printed with NON sublimatic colors
- Washing: wait 12 hours after application. GIMME5 FLUO can withstand wash cycles up to 60°
- Ideal for Multi layer applications
- GIMME5 FLUO can be pressed IN ONLY 4 seconds
- Cut: cutting plotter, 45° blade, laser.

Material	Material Description	Colour	Width (mm)	Length (m)
452077	B.FLEX Neon Colours - IVEFLUO50A	Neon Green	500	25
452076	B.FLEX Neon Colours - FIVEFLUO46	Neon Light Blue	500	25
452074	B.FLEX Neon Colours - FIVEFLUO30	Neon Orange	500	25
452075	B.FLEX Neon Colours - FIVEFLUO40	Neon Pink	500	25
452073	B.FLEX Neon Colours - FIVEFLUO20	Neon Yellow	500	25

DYE SUBLIMATION & HEAT TRANSFER

B.FLEX Colours

HEAT TRANSFER




- GIMME 5 is a polyurethane opaque film suitable for heat transfer on cotton fabrics, cotton and polyester and polyester and acrylic garments
- Polyester adhesive carrier allows for easy repositioning of characters accidentally removed
- B.FLEX SERIES GIMME 5 can be pressed IN ONLY 4 SECONDS
- SUGGESTED FABRICS: cotton, polyester, mixed, printed with NON sublimatic colours
- Cut: cutting plotter, 45° blade, laser.
- Washing: wait 12 hours after application.

Material	Material Description	Colour	Width (mm)	Length (m)
452067	B.FLEX Colours - FIVE752A	Apple Green	500	25
450967	B.FLEX Colours - FIVE710A	Black	500	25
452071	B.FLEX Colours - FIVE794A	Copper	500	25
452069	B.FLEX Colours - FIVE765A	Flamingo Pink	500	25
451897	B.FLEX Colours - BFG770A	Glitter Purple	500	25
451896	B.FLEX Colours - BFG730A	Glitter Red	500	25
450978	B.FLEX Colours - FIVE792A	Gold	500	25
452068	B.FLEX Colours - FIVE754A	Grass Green	500	25
451269	B.FLEX Colours - FIVE750A	Green	500	25
451895	B.FLEX Colours - FIVE731A	Icy Pink	500	25
451842	B.FLEX Colours - FIVE728A	Lemon Yellow	500	25
452065	B.FLEX Colours - FIVE743A	Lilac	500	25
451846	B.FLEX Colours - FIVE743A	Lime Green	500	25
451993	B.FLEX Colours - FIVE720A	Medium Yellow	500	25
452072	B.FLEX Colours - FIVE747A	Midnight Blue	500	25
451845	B.FLEX Colours - FIVE748A	Navy Blue	500	25
452066	B.FLEX Colours - FIVE745A	Periwinkle	500	25
452064	B.FLEX Colours - FIVE736A	Pink	500	25
452063	B.FLEX Colours - FIVE722A	Pumpkin Yellow	500	25
451843	B.FLEX Colours - FIVE730A	Red	500	25
451730	B.FLEX Colours - Reflective	Reflect Silver1	500	25
451844	B.FLEX Colours - FIVE740A	Royal Blue	500	25
452070	B.FLEX Colours - FIVE768A	Sand	500	25
450968	B.FLEX Colours - FIVE796A	Silver	500	25
450966	B.FLEX Colours - FIVE700A	White	500	25


B.FLEX Mylar Application Tape

HEAT TRANSFER



- B.FLEX MYLAR is a polyester film designed to be used as a transfer media for printable heat transfer vinyl
- Easy to apply on all digital printed films
- Removable backing sheet

Material	Material Description	Width (mm)	Length (m)
173683	B.FLEX Mylar Application Tape	500	20
173684	B.FLEX Mylar Application Tape	750	20



RIGID SUBSTRATES

Our Rigids offering provides you with a market leading range of essential sign and display substrates, as well as some unique products that stand out from the crowd. Key brands include Yupo®, Re-board®, Corflute®, Skybond™ Print, Palboard™, Ace Screenboard, Ace Outdoor and ARMABoard.



SKYBOND™
Aluminium composite sheet

ACE SCREENBOARD

YUPO®

ARMABOARD

ACE OUTDOOR

FOAMSTAR
foamboard

PALBOARD™
Multilayered PVC Sheet

Re-board®
TECHNOLOGY

DIGISTAR

TRUE HI-BULK

altec™

CORFLUTE®

CREATING SOLUTIONS TOGETHER.

SKYBOND™
Aluminium composite sheet

Spicers

SUPERIOR
UV INK
ADHESION

NOW AVAILABLE
SKYBOND FR
with an A2 FR core
meeting AS 5637.1-
2015 Group 1

Bond with your printer. Give it something its ink will stick to.

With enhanced gloss white paint for **superior UV ink** adhesion, Skybond™ will stick in your mind...

A direct print and signage grade, its high quality ensures it gets noticed. Which is what you want for signage, or any print project.

Skybond™ has a ton of other benefits too. It's easily cut, bent and folded. It has a fantastic printing surface and an easy-to-remove protective liner on both sides.

With a **10-year warranty*** and coming as standard with 0.21mm and 0.30mm skin, you'll warm to this one.

Stick with Skybond™ by Spicers.
The ink will.

† Please contact your local Spicers representative to request a copy of the Skybond warranty statement for full conditions.

Contact your local Spicers representative for a sample. **1300 132 644** spicers.com.au

RIGID SUBSTRATES

ALUMINIUM COMPOSITE PANEL

Skybond™ Print

SKYBOND™
Aluminium composite sheet

- Premium direct print & signage grade aluminium composite panel
- Aluminium skins are twice washed during production and have two coats of specially formulated, long-life polyester PE Paint applied to ensure the best possible printing surface & ink adhesion
- Easy to remove protective liner on both sides.
- Suited to a wide range of flat and 3D interior and exterior print and fabrication applications
 - not suitable for building cladding/facades
- Backed by a 10 year warranty (excludes brushed varieties) - ask your sales rep for a copy
- Easily cut, bent or folded
- Custom colours available ex manufacturer



Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
195055	Skybond Print	Prime/Prime	1200	1800	0.21	3.0
192723	Skybond Print	White Gloss/Prime	1200	1800	0.21	3.0
194547	Skybond Print	Prime/Prime	1220	2440	0.21	3.0
192845	Skybond Print	White Gloss/Gloss	1220	2440	0.21	3.0
192286	Skybond Print	White Matt/Prime	1220	2440	0.21	3.0
192281	Skybond Print	Black Gloss/Black Matt	1220	2440	0.21	3.0
189643	Skybond Print	White Gloss/Prime	1220	2440	0.21	3.0
188480	Skybond Print	White Matt/Gloss	1220	2500	0.21	3.0
187877	Skybond Print	White Gloss/Black Gloss	1220	2500	0.21	3.0
194351	Skybond Print	White Gloss/Prime	1220	3600	0.21	3.0
194346	Skybond Print	White Matt/Prime	1500	3100	0.21	3.0
192621	Skybond Print	White Gloss/Black Gloss	1500	3100	0.21	3.0
103585	Skybond Print	White Gloss/Black Gloss	1500	3600	0.21	3.0
167124	Skybond Print	White Matt/Gloss	1250	2500	0.21	3.0
194731	Skybond Print	White Gloss/Prime	1500	3050	0.21	3.0
197014	Skybond Print	Prime/Prime	1500	3050	0.21	3.0
191566	Skybond Print	White Matt/Gloss	1500	3050	0.21	3.0
192654	Skybond Print	White Gloss/Black Gloss	1500	3100	0.21	3.0
192650	Skybond Print	White Gloss/Prime	1500	3100	0.21	3.0
192480	Skybond Print	Black Gloss/Black Matt	1500	3600	0.21	3.0
192284	Skybond Print	White Gloss/Black Gloss	1500	3600	0.21	3.0
192724	Skybond Print	White Matt/Gloss	1500	3600	0.21	3.0
194350	Skybond Print	White Gloss/Prime	1500	3600	0.21	3.0
194791	Skybond Print	Prime/Prime	1500	3600	0.21	3.0
194365	Skybond Print	White Gloss/Black Gloss	1220	2440	0.30	3.0
188479	Skybond Print	White Matt/Gloss	1220	2440	0.30	3.0
167123	Skybond Print	White Gloss/Black Gloss	1250	2500	0.30	3.0
167122	Skybond Print	White Matt/Gloss	1250	2500	0.30	3.0
113855	Skybond Print	White Gloss/Red Gloss	1250	2500	0.30	3.0
185054	Skybond Print	White Gloss/Brush Silver	1250	2500	0.30	3.0
195497	Skybond Print	White Matt/Gloss	1250	3050	0.30	3.0
196848	Skybond Print	White Gloss/Prime	1500	2440	0.30	3.0
191516	Skybond Print	White Matt/Gloss	1500	3050	0.30	3.0
190422	Skybond Print	White Matt/Matt	1500	3050	0.30	3.0
190421	Skybond Print	White Matt/Gloss	1500	3600	0.30	3.0
103524	Skybond Print	White Gloss/Black Gloss	1500	3600	0.30	3.0
194751	Skybond Print	White Gloss/Black Gloss	1220	2440	0.30	4.0
188481	Skybond Print	White Matt/Gloss	1220	2440	0.30	4.0

Spicers

1300 132 644

info.mail@spicers.com.au

spicers.com.au/sign-display

79

RIGID SUBSTRATES

Skybond™ FR

ALUMINIUM COMPOSITE PANEL



- Premium direct print & signage grade aluminium composite panel
- Aluminium skins are twice washed during production and have two coats of specially formulated, long-life polyester PE Paint applied to ensure the best possible printing surface & ink adhesion
- Easy to remove protective liner on both sides.
- Suited to a wide range of flat and 3D interior and exterior print and fabrication applications – not suitable for building cladding/facades
- Skybond FR is available with an A2 FR core meeting AS 5637.1-2015 Group 1
- Backed by a 10 year warranty (excludes brushed varieties) – ask your sales rep for a copy
- Easily cut, bent or folded



Material	Material Description	Colour	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
173638	Skybond FR	White Matt/Gloss	1220	2440	0.30	3.0

dtec Acrylic

ACRYLIC

ACE SCREENBOARD

- Cell cast acrylic sheet
- Clear, protective PET liner on both sides
- Applications include: signage, POS advertising, shop and interior fittings, trade show and display construction
- Print Compatibility: Direct UV-curable inkjet printable



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)
169338	dtec Acrylic	Clear	1220	2440	3.0
169343	dtec Acrylic	Opal	1220	2440	3.0
169352	dtec Acrylic	White	1220	2440	3.0
169339	dtec Acrylic	Clear	1220	2440	4.5
169344	dtec Acrylic	Opal	1220	2440	4.5
169353	dtec Acrylic	White	1220	2440	4.5
198233	dtec Acrylic	Opal	1300	3100	4.5
169340	dtec Acrylic	Clear	1220	2440	6.0
169345	dtec Acrylic	Opal	1220	2440	6.0
169354	dtec Acrylic	White	1220	2440	6.0
198234	dtec Acrylic	Opal	1300	3100	6.0
169341	dtec Acrylic	Clear	1220	2440	10.0
169346	dtec Acrylic	Opal	1220	2440	10.0
169355	dtec Acrylic	White	1220	2440	10.0
169342	dtec Acrylic	Clear	1220	2440	20.0
169347	dtec Acrylic	Opal	1220	2440	20.0
169357	dtec Acrylic	Opal	1220	2440	25.0

RIGID SUBSTRATES

Ace Screenboard Bulk

DISPLAY BOARD

ACE SCREENBOARD

- Premium, high white, twin-sided display board
- Super smooth surface enhances print results (especially for digital printing)
- Suitable for various types of signs, sample cards, mobiles & POS constructions
- A very rigid & dimensional stable board with a white centre
- FSC® Mix Certified
- Print Compatibility: Screen & UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
183275	Ace Screenboard Bulk	White	1220	2440	620	1.0	500
159207	Ace Screenboard Bulk	White	1320	1830	620	1.0	500
182195	Ace Screenboard Bulk	White	1220	2440	880	1.5	335
180284	Ace Screenboard Bulk	White	1220	2440	1100	2.0	245
159212	Ace Screenboard Bulk	White	1320	1830	1100	2.0	250
159213	Ace Screenboard Bulk	White	1550	2100	1100	2.0	240
194614	Ace Screenboard Bulk	White	1220	2440	1540	2.9	175

Ace Screenboard Reamed

DISPLAY BOARD

ACE SCREENBOARD

- Premium, high white, twin-sided display board
- Super smooth surface enhances print results (especially for digital printing)
- Suitable for various types of signs, sample cards, mobiles & POS constructions
- A very rigid & dimensional stable board with a white centre
- FSC® Mix Certified
- Print Compatibility: Screen & UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
158085	Ace Screenboard Reamed	White	760	1020	620	1.0	25
183276	Ace Screenboard Reamed	White	1040	1560	620	1.0	25
158086	Ace Screenboard Reamed	White	760	1020	880	1.5	25
183277	Ace Screenboard Reamed	White	1040	1560	880	1.5	25
193212	Ace Screenboard Reamed	White	650	910	1100	2.0	20
158084	Ace Screenboard Reamed	White	760	1020	1100	2.0	20
183278	Ace Screenboard Reamed	White	1040	1560	1100	2.0	20
161251	Ace Screenboard Reamed	White	760	1020	1400	2.5	20
167430	Ace Screenboard Reamed	White	1040	1560	1540	2.9	20

ACE OUTDOOR

Ace Outdoor is a 100% fibre based display board designed for short-term applications in outdoor or moisture sensitive environments.



- FSC® Mixed Certified
- Recyclable & biodegradable
- Sustainable and disposable alternative to PVC and polystyrene boards
- Suitable for up to 12 weeks depending on environmental conditions

For a sample or more information, please contact your local Spicers representative.

1300 132 644 spicers.com.au



Spicers


RIGID SUBSTRATES

Ace Kraft Screenboard

DISPLAY BOARD

ACE SCREENBOARD

- Premium, kraft twin sided rigid & dimensional stable display board
- Suitable for various types of signs, sample cards, mobiles & POS constructions
- Super smooth surface enhances print results (especially for digital printing)
- FSC® Mix Certified
- Print Compatibility: Screen & UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
173210	Ace Kraft Screenboard	Kraft	1220	2440	875	1.5	335
198224	Ace Kraft Screenboard	Kraft	760	760	1070	2.0	250
173211	Ace Kraft Screenboard	Kraft	1220	2440	1070	2.0	250
173212	Ace Kraft Screenboard	Kraft	1220	2440	1575	3.0	175

Ace Outdoor

DISPLAY BOARD

ACE OUTDOOR

- 100% fibre based display board designed for short-term outdoor applications or applications in moisture sensitive environments
- Sustainable and easy disposable alternative to PVC, polystyrene and polypropylene boards
- FSC® mixed source certified, 100% recyclable & biodegradable - no plastic or PE coating
- Water resistant - suitable for up to 12 weeks depending on application & environmental conditions
- Applications include real estate boards, election signs, event signage, A-Frames, plant tags, freezer & chiller signs, aisle signage and mass transit
- Print Compatibility: UV Curable inks & offset printing (in thinner gauges)



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
170577	Ace Outdoor - 0.83mm	White	2440	1220	555	0.8	600
170578	Ace Outdoor - 1.50mm	White	2440	1220	960	1.5	325
170579	Ace Outdoor - 2.20mm	White	2440	1220	1460	2.2	150

ARMABOARD

DISPLAY BOARD

ARMABOARD

- New generation thermoformed polypropylene, bubble structured board creates exceptional strength to weight properties
- Sustainable replacement to foamed PVC & Foamed Polystyrene
- Not recommended as a mounting board for self-adhesive products
- Suitable for indoor & outdoor applications, water resistant, high opacity & 100% recyclable
- Print Compatibility: Corona treated for Screen & UV Curable inks. Sand finish for superior printability



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
181394	Armaboard - 3.3mm	White	2050	1280	900	3.3	10

Foamstar XPS

DISPLAY BOARD

FOAMSTAR foamboard

- Light weight, high quality extruded polystyrene (XPS) core foam board
- Ideal for indoor hanging displays, exhibition panels, unsupported signs, mounting, framing & POP displays
- Can be router and knife cut
- Print Compatibility: Screen & UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
167498	Foamstar White XPS - 5.0mm Box	White	2440	1220	280	5.0	25
167843	Foamstar White XPS - 10.0mm Box	White	2440	1220	780	10.0	15

Spicers

1300 132 644

info.mail@spicers.com.au

spicers.com.au/sign-display

83

PALBOARD™


Palboard is an innovative multilayered sheet that offers the qualities of rigid and foamed PVC together.

Based on Palram's 50 year experience in extruding quality PVC sheets, it combines the surface quality and characteristics of rigid PVC with a reduced weight due to a recycled foamed PVC core.

Palboard is easy to fabricate, making it ideal for a wide variety of sign and display applications. It makes an excellent printing substrate which is suitable for digital or screen printing. Palboard can be used in harsh chemical environments due to its high chemical resistance.

For more information, please contact your local Spicers representative.

1300 132 644 spicers.com.au



RIGID SUBSTRATES

Palight®

DISPLAY BOARD

- PALIGHT is a lightweight, flexible and durable foamed PVC sheet
- Protective liner (unprinted) on 1 or 2 sides
- Palight has low water absorption (closed cell structure), is self extinguishing, good insulation and low heat transmission and high chemical resistance
- PALIGHT exhibits the whitest color available, with a consistently smooth and bright surface that gives the best color interpretation in digital printing
- PALIGHT is easy to handle, cut and fabricate using conventional tools and equipment, and can be also painted or laminated
- Lightweight and durable signs, displays, screen and digitally printed items, exhibition stands
- Its low water absorption makes it suitable for short term outdoor applications
- Print Compatibility: Screen & UV inkjet printing (on both sides) and mounting



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)
170891	Palight PVC L1S - 1.0mm	White	2440	1220	994	1.0
170892	Palight PVC L2S - 2.0mm	White	2440	1220	1140	2.0
170893	Palight PVC L1S - 3.0mm	White	2440	1220	2100	3.0
170894	Palight PVC L2S - 3.0mm	White	2440	1220	2100	3.0
170895	Palight PVC L2S - 3.0mm	White	3050	1560	2100	3.0
170898	Palight PVC L2S - 5.0mm	White	2440	1220	2500	5.0
170900	Palight PVC L2S - 10.0mm	White	2440	1220	4900	10.0
170896	Palight Black PVC L1S - 3.0mm	Black	2440	1220	1560	3.0

Palight® LW

DISPLAY BOARD

- Smooth white, flat foamed PVC sheet
- Protective liner 1 side
- Ideal for interior and exterior signage and Point-of-Sale applications
- Lightweight and durable signs, displays, screen and digitally printed items, exhibition stands
- Print Compatibility: Screen & UV inkjet printing (on both sides) and mounting



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)
170990	Palight LW PVC L1S - 2.0mm	White	1220	2440	900	2.0
170991	Palight LW PVC L1S - 3.0mm	White	1220	2440	1350	3.0
170993	Palight LW PVC L1S - 5.0mm	White	1220	2440	2250	5.0

Palboard™

DISPLAY BOARD

- Rigid yet lightweight, making it easy to fabricate (die cutting, sawing, drilling, milling and routing)
- High structural strength with a relatively low weight with excellent chemical and fire resistance & electrical and thermal insulation
- Smooth hard, bright white and uniform surface with a Recycled lightweight foamed black PVC core
- Palboard can be used for Industrial and construction signs, point of purchase stands, fabricated and structural parts
- Print Compatibility: Screen & UV inkjet printing (on both sides) and mounting



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)
170888	Palboard - 3.0mm	White	1220	2440	1860	3.0
170889	Palboard - 5.0mm	White	1220	2440	3000	5.0
170890	Palboard - 10.0mm	White	1220	2440	5800	10.0



The original paperboard with a unique engineered fluted core.

Re-board® is incredibly lightweight yet exceptionally strong. Re-board® has excellent planar flatness and provides thermal insulation and protection from different environmental conditions. An embedded moisture barrier protects the core and the physical properties remain unchanged in humid conditions.


It is durable, contains no harmful components and is form stable. Due to the use of water-based adhesives, Re-board® can be recycled as paper in normal waste paper streams.

For more information and samples, please contact your local Spicers representative.



1300 132 644 spicers.com.au

Re-board® Technology AB 2018, all rights reserved.
The Re-board® furniture 'Edges' is a design by ATC-Groupe of Lyon, France.




RIGID SUBSTRATES

Re-board® Print

DISPLAY BOARD



- Re-board® is the original rigid paperboard with a unique engineered fluted core
- The white surface and strong core is produced using a water based glue, and the board is fully recyclable as paper
- The pioneer for eco-friendly: manufactured in Sweden in an FSC-certified mill using the best possible combination of recycled and new fibre from sustainably managed forests
- Perfect for short-to-medium term structural applications, POS displays, shop fit-out, exhibition booth construction, set construction, complex shapes and structures
- Cuts and folds well with v-cuts, bullnoses, 90° corners
- Can be laminated
- Print Compatibility: UV & Latex inks




Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Pack Quantity
170871	Re-board Print 10mm (Bulk)	White	1220	2440	1498	10.0	110
170870	Re-board Print 16mm (Bulk)	White	1220	2440	1935	16.0	70
170869	Re-board Print 10mm (Box)	White	1220	2440	1498	10.0	12
170868	Re-board Print 16mm (Box)	White	1220	2440	1498	16.0	8

Re-board® Kraft

DISPLAY BOARD



- Re-board® is the original rigid paperboard with a unique engineered fluted core
- The kraft surface and strong core is produced using a water based glue, and the board is fully recyclable as paper
- The pioneer for eco-friendly: manufactured in Sweden in an FSC-certified mill using the best possible combination of recycled and new fibre from sustainably managed forests
- Perfect for short-to-medium term structural applications, POS displays, shop fit-out, exhibition booth construction, set construction, complex shapes and structures
- Cuts and folds well with v-cuts, bullnoses, 90° corners
- Can be laminated
- Print Compatibility: UV & Latex inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Pack Quantity
195831	Re-board Kraft - 10.0mm	Brown	2440	1220	1935	10.0	110

Re-board® Premium

DISPLAY BOARD



- Re-board® Premium is the original rigid paperboard with a unique engineered fluted core made from approximately 85% virgin fibres
- The white surface and strong core is produced using a water based glue, and the board is fully recyclable as paper
- The pioneer for eco-friendly: manufactured in Sweden in an FSC-certified mill using the best possible combination of recycled and new fibre from sustainably managed forests
- Perfect for short-to-medium term structural applications, POS displays, shop fit-out, exhibition booth construction, set construction, complex shapes and structures
- Re-board Premium contains a thin PE layer making the board moisture resistance
- Cuts and folds well with v-cuts, bullnoses, 90 degree corners & can be laminated
- Ideal for printing directly on the substrate with UV-, latex- or water technology with outstanding results



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Pack Quantity
171215	Re-board Premium - 10.0mm	White	2440	1220	1935	10.0	96
171214	Re-board Premium - 16.0mm	White	2440	1220	1935	16.0	64



1300 132 644

info.mail@spicers.com.au

spicers.com.au/sign-display

RIGID SUBSTRATES

E Flute Clay Coat 1/S

DISPLAY BOARD

- Corrugated cardboard with an E Flute construction
- 2mm thick (approx.)
- Suitable for screen and UV inkjet printing
- 58% Recycled content
- 1 side white matt clay coat with a white lined reverse
- Perfect for standees, flat POS, dump bins and head cards
- Custom sizes for indent orders available upon request



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Flute Direction	Pallet Quantity
195413	Corrugated E Flute Clay 1/S White Lined	White	2460	1240F	575	1.5	S	350

B Flute Clay Coat 1/S

DISPLAY BOARD

- Corrugated cardboard with a B Flute construction
- 3mm thick (approx.)
- Suitable for screen and UV inkjet printing
- 58% Recycled content
- 1 side white matt clay coat with a white lined reverse
- Perfect for standees, flat POS, dump bins and head cards
- Custom sizes for indent orders available upon request in Clay/White, Double Clay and Double White Lined



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Flute Direction	Pallet Quantity
170310	Corrugated B Flute Clay Coat 1/S	White	2440	1220F	575	3.0	S	350
172907	Corrugated B Flute Clay Coat 1/S	White	2440	1220F	403	3.0	S	350
195414	Corrugated B Flute Clay Coat 1/S	White	2460	1240F	575	3.0	S	350

RIGID SUBSTRATES

Digistar HB 1/S Bleach Board

DISPLAY PAPER

DIGISTAR HI-BULK

- 1 side coated display paper with a clean white surface on reverse side
- Stunning colour reproduction
- UV curable inks
- Outstanding brightness, smoothness & stiffness
- Available in 1320 & 1600mm wide rolls for custom sheeting



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Pallet Quantity
173713	Digistar HB 1/S Bleach Board	White	1600	2600	325	400
173711	Digistar HB 1/S Bleach Board	White	1320	2440	380	400
173710	Digistar HB 1/S Bleach Board	White	1320	1900	325	400
173709	Digistar HB 1/S Bleach Board	White	1320	2440	325	400
173712	Digistar HB 1/S Bleach Board	White	1320	1990	380	400

True Hi-Bulk 2/S Artboard 400gsm

DISPLAY PAPER

TRUE HI-BULK

- 400gsm Artboard with smooth matt printing suraces on both sides
- Custom sheet and roll sizes available on request
- Ideal for posters & point of sale applications
- UV curable ink



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Pallet Quantity
195303	Tru Hi-Bulk 2/S Artboard	Matt White	1600	2220	400	400
194717	Tru Hi-Bulk 2/S Artboard	Matt White	1320	2440	400	400
195126	Tru Hi-Bulk 2/S Artboard	Matt White	1600	2600	400	400
195224	Tru Hi-Bulk 2/S Artboard	Matt White	1220	2440	400	400

Digistar Matt Art Paper (Sheets)

DISPLAY PAPER

DIGISTAR

- Ideal for posters & point of sale applications
- 1320 & 1600mm reels available for sheeting & rewinding to bobbin rolls on request
- FSC® Mix Certified
- Quality matt coating provides excellent surface for fine colour reproduction
- High whiteness & opacity with excellent bulk
- Print Compatibility: UV Curable & Latex inks



Material	Material Description	Colour	Width (mm)	Length (m)	Grammage (GSM)	Pallet Quantity
196729	Digistar Matt Art Paper	White	1320	2440	200	400
196602	Digistar Matt Art Paper	White	1320	2440	250	400

RIGID SUBSTRATES

Promeg Polypropylene

PROMEG

- Promeg is an extruded polypropylene brilliant opaque white, with a smooth tactile surface feel, incorporating a high cosmetic finish
- Customised sheet sizes and thicknesses (up to 3mm)available on request
- Applications include signage and POS display, packaging, promotional, marketing, architecture and shop fit-outs
- Promeg has superior ink adhesion and lay-flat qualities to reduce printing costs and production time. It can be printed both sides, hinged, folded, creased, die-cut and curved
- Locally made, 100% recyclable, completely non toxic, small carbon footprint
- Print Compatibility: Screen & UV Curable inks

AUSTRALIAN MADE

RECYCLABLE

EXHIBITION PANELS

MOUNTING BOARD

OUTDOOR APPLICATIONS

POINT OF SALE

READ SHEET

GREEN DOT LIGHTS SUSTAINABLE PRODUCT

Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Pack Quantity
171587	Promeg PP - 0.4mm Box	White	2440	1220	0.4	20
171184	Promeg PP - 0.6mm Box	White	2440	1220	0.6	20
171185	Promeg PP - 0.8mm Box	White	2440	1220	0.8	15
171277	Promeg PP - 1.0mm Box	White	2440	1220	1.0	12
171186	Promeg PP - 1.4mm Box	White	2440	1220	1.4	10
171503	Promeg PP - 1.9mm Box	White	2440	1220	1.9	5

Yupo® FPU Sheets

YUPO®

- Polypropylene film
- Tear & weather resistant
- Market leading bulk, whiteness, opacity, ink adhesion & colour reproduction
- Applications: Large format posters, light box & street furniture
- Custom sheeting available on request
- Print Compatibility: Screen & UV Curable inks

PP RECYCLABLE

LIGHT BOXES

POINT OF SALE

POSTERS

READ SHEET

ROLLS

Material	Material Description	Colour	Finish	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (ums)	Sheets per Pack
188263	Yupo FPU Sheets	White	Satin	1320	2650	200	250	200
137747	Yupo FPU Sheets	White	Satin	1540	1060	200	250	200
104919	Yupo FPU Sheets	White	Satin	1600	2600	200	250	200

RIGID SUBSTRATES

Rodure Ublock

RODUREdisplay films

- Polypropylene film + Gravure primer coating
- Blockout core
- Perfect for double sided posters
- Excellent whiteness and opacity
- Laminated, tear & water resistant, 100% Blockout
- Corona & ink receptive primer
- Print Compatibility: UV Curable ink

PP RECYCLABLE

BLOCKOUT

UV MEDIA

POSTERS

READ SHEET

ROLLS

Material	Material Description	Colour	Finish	Width (mm)	Length (mm)	Grammage (GSM)	Sheets per Pack
173561	Rodure Ublock 2/S PP	White	Matt	1370	2440	230	200
173562	Rodure Ublock 2/S PP	White	Matt	1370	2705	230	200
173564	Rodure Ublock 2/S PP	White	Matt	1600	2705	230	200
173565	Rodure Ublock 2/S PP	White	Matt	1600	3050	230	200

Rodure XT1200

RODUREdisplay films

- 200gsm Single side Polypropylene film
- Bus shelter posters
- Excellent whiteness & opacity
- Lay Flat, print adhesion & image quality
- Corona & clay coating both sides
- Excellent durability and water resistance
- Print Compatibility: UV curable & Latex inks

PP RECYCLABLE

BLOCKOUT

UV MEDIA

POSTERS

READ SHEET

ROLLS

Material	Material Description	Colour	Finish	Width (mm)	Length (mm)	Grammage (GSM)	Sheets per Pack
173388	Rodure XT1200	White	Matt	1320	100	200	200
173389	Rodure XT1200	White	Matt	1600	100	200	200

Rodure XTC283

RODUREdisplay films

- 283gsm High density Polypropylene film
- Bus shelter light boxes / posters
- Semi opaque, stiff, matte, UV stabilised, anti-static & UV resistant
- Reliable printing 2 sides, high durability, frontlit & backlit & economically
- Corona both sides
- Excellent durability and water resistance
- Print Compatibility: UV curable inks

PP RECYCLABLE

BLOCKOUT

UV MEDIA

POSTERS

READ SHEET

ROLLS

Material	Material Description	Colour	Finish	Width (mm)	Length (mm)	Grammage (GSM)	Sheets per Pack
199371	Rodure XTC283	White	Matt	1320	2440	283	200
195145	Rodure XTC283	White	Matt	1600	2150	283	200



Durability meets graphic, wow!

100% recyclable & Australian made Corflute® has been formulated for all weather signage and retail display applications.

PROUDLY
Australian

Corflute®

Multicor™ & Supercor™ Corflute®

Twin-wall fluted polypropylene available in 3-8mm thicknesses, in white, black & yellow. Designed for signage and display applications, Corflute® is the substrate of choice when it comes to premium printing in indoor and outdoor environments.

Encore 100% Recycled Corflute®

Encore as the name suggests, is made from recycled post-industrial waste. This sheet usually has an off-white look due to its recycled content. All other mechanical and printing attributes remain the same as Corflute®.



Corflute® is reusable and recyclable. When your Corflute® products are ready to retire or if you have post-industrial waste you want to return, Corex can recycle and reuse them.

Every sheet of Corflute® is invited to be brought back. We supply industrial size recycling bins called Corpaks® to Spicers customers.

Contact your local Spicers representative for enquiries or a sample.
Call 1300 132 644 spicers.com.au



RIGID SUBSTRATES

Multicor™ Corflute™ Reamed

FLUTE

CORFLUTE®

- High quality, Australian made, graphical grade of twin-wall fluted polypropylene
- UV stabilised for up to 2 years outdoor use
- 100% recyclable - ask us about the Corflute recycling program
- Direct screen and UV inkjet printable
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Perfect for real estate, POS, signage and packaging applications
- Fast turn around for custom sizes
- Flutes run parallel to the width measurement



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Pack Quantity
110228	Multicor Corflute Reamed - 3.0mm	White	600	900	3.0	L	50
110240	Multicor Corflute Reamed - 3.0mm	White	900	600	3.0	L	50
110215	Multicor Corflute Reamed - 3.0mm	White	1830	915	3.0	L	25
110207	Multicor Corflute Reamed - 3.0mm	White	1830	1220	3.0	L	25
110219	Multicor Corflute Reamed - 3.0mm	White	2440	1220	3.0	L	20
110216	Multicor Corflute Reamed - 3.3mm	White	1830	915	3.3	L	25
110208	Multicor Corflute Reamed - 3.3mm	White	1830	1220	3.3	L	25
110220	Multicor Corflute Reamed - 3.3mm	White	2440	1220	3.3	L	25
117824	Multicor Corflute Reamed - 3.0mm	Black	1830	1220	3.0	L	25

Multicor™ Corflute™ Bulk

FLUTE

CORFLUTE®

- High quality, hi-white, Australian made, graphical grade of twin-wall fluted polypropylene
- UV stabilised for up to 2 years outdoor use
- 100% recyclable - ask us about the Corflute recycling program
- Direct screen and UV inkjet printable
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Perfect for real estate, POS, signage and packaging applications
- Fast turn around for custom sizes
- Flutes run parallel to the width measurement



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Pack Quantity
197575	Multicor Corflute Bulk - 3.0mm	White	1200	900	3.0	L	350
113624	Multicor Corflute Bulk - 3.0mm	White	1830	915	3.0	L	380
189858	Multicor Corflute Bulk - 3.0mm	White	1830	1220	3.0	L	400
188227	Multicor Corflute Bulk - 3.3mm	White	2440	1220	3.3	L	400
180435	Multicor Corflute Bulk - 3.3mm	White	1830	915	3.3	L	350
186221	Multicor Corflute Bulk - 3.3mm	White	1830	1220	3.3	L	350
183057	Multicor Corflute Bulk - 3.3mm	White	2440	1220	3.3	L	350

RIGID SUBSTRATES

Supercor™ Corflute™ Reamed

FLUTE

CORFLUTE®

- High quality, hi-white, Australian made, graphical grade of twin-wall fluted polypropylene
- 100% recyclable – ask us about the Corflute recycling program
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Perfect for real estate, POS, signage and packaging applications
- Fast turn around for custom sizes
- Flutes run parallel to the width measurement
- UV stabilised for up to 2 years outdoor use
- Direct screen and UV inkjet printable



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Sheets per Pack
170254	Supercor Corflute Reamed - 5.0mm	White	1830	915	5.0	L	15
170081	Supercor Corflute Reamed - 5.0mm	White	1830	1220	5.0	L	15
170080	Supercor Corflute Reamed - 5.0mm	White	2440	1220	5.0	L	10

Supercor™ Corflute™ Bulk

FLUTE

CORFLUTE®

- High quality, hi-white, Australian made, graphical grade of twin-wall fluted polypropylene
- 100% recyclable – ask us about the Corflute recycling program
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Perfect for real estate, POS, signage and packaging applications
- Fast turn around for custom sizes
- Flutes run parallel to the width measurement
- UV stabilised for up to 2 years outdoor use
- Direct screen and UV inkjet printable



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Sheets per Pack
170259	Supercor Corflute Bulk - 5.0mm	White	1830	915	5.0	L	240
170260	Supercor Corflute Bulk - 5.0mm	White	1830	1220	5.0	L	240
170261	Supercor Corflute Bulk - 5.0mm	White	2440	1220	5.0	L	240

Supercor™ Corflute™ CTS

FLUTE

CORFLUTE®

- High quality, hi-white, Australian made, graphical grade of twin-wall fluted polypropylene
- Precise, cut to size sheet ready for digital printing
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Perfect for real estate, POS, signage and packaging applications
- 100% recyclable – ask us about the Corflute recycling program
- Flutes run parallel to the width measurement
- UV stabilised for up to 2 years outdoor use
- Direct screen and UV inkjet printable



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Sheets per Pack
170262	Supercor Corflute CTS - 5.0mm	White	600	900	5.0	L	40
170263	Supercor Corflute CTS - 5.0mm	White	900	600	5.0	L	40
170264	Supercor Corflute CTS - 5.0mm	White	900	1200	5.0	L	30
170266	Supercor Corflute CTS - 5.0mm	White	1200	900	5.0	L	30
170268	Supercor Corflute CTS - 5.0mm	White	1830	1220	5.0	L	15
170269	Supercor Corflute CTS - 5.0mm	White	2440	1220	5.0	L	10

RIGID SUBSTRATES

Supercor™ 8mm Reamed

FLUTE

CORFLUTE®

- High quality, hi-white, Australian made, graphical grade of twin-wall fluted polypropylene
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Perfect for real estate, POS, signage and packaging applications
- 100% recyclable – ask us about the Corflute recycling program
- Flutes run parallel to the width measurement
- Fast turn around for custom sizes
- UV stabilised for up to 2 years outdoor use
- Direct screen and UV inkjet printable



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Sheets per Pack
170271	Supercor Reamed - 8mm	White	2440	1220	8.0	L	5

Encore™ Corflute™

FLUTE

CORFLUTE®

- Sustainable, Australian made, graphical grade twin-wall fluted polypropylene
- 100% recyclable – ask us about the Corflute recycling program
- Perfect for real estate, POS, signage and packaging applications
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Flutes run parallel to the width measurement
- UV stabilised for 1 year outdoor use
- Direct screen and UV inkjet printable



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Sheets per Pack
171268	Encore Corflute - 5.0mm	White	2440	1220	5.0	L	25

dtec Flute (Bulk & Reamed)

FLUTE

dtec™

- White, graphical grade of twin-wall fluted polypropylene
- 100% recyclable – ask us about the Corflute recycling program
- Perfect for real estate, POS, signage and packaging applications
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Flutes run parallel to the width measurement
- UV stabilised for up to 2 years outdoor use
- Direct screen and UV inkjet printable




Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Pack or Pallet Quantity
198696	Dtec Flute 5mm Bulk	White	1200	900	5.0	L	480
198570	Dtec Flute 5mm Bulk	White	1830	1220	5.0	L	240
169887	Dtec Flute 5mm Bulk	White	2440	1220	5.0	L	240
196793	Dtec Flute 5mm Reamed	White	600	450	5.0	L	40
196339	Dtec Flute 5mm Reamed	White	600	900	5.0	L	40
196888	Dtec Flute 5mm Reamed	White	900	600	5.0	L	40
196790	Dtec Flute 5mm Reamed	White	900	1200	5.0	L	20
169886	Dtec Flute 5mm Reamed	White	1830	1220	5.0	L	15
170946	Dtec Flute 5mm Reamed	White	2440	1220	5.0	L	10

Reamed – Sold in full packs only. Bulk – Sold as full pallets only



SUPERMARKET APPLICATIONS

1. Foamstar (page 83)
Ace Screenboard (page 81)
Palboard™ (page 85)
Re-board® (page 87)
2. Skybond (page 79)
Skybond FR (page 80)
Ace Screenboard (page 81)
Promeg (page 90)
Palight (page 85)
3. 3M™ SC50 Series (page 147)
3M™ IJ35C (page 16)
4. GF210 TrafficGraphic® (page 109)
Photo-Tex™ Floortac (page 36)
Digitac Floortac Indoor (page 36)
5. Ace Screenboard (page 81)
Foamstar (page 83)
Palboard™ (page 85)
Palight (page 85)
6. Rodure XT1200 (page 57)
Rodure Ublock 2/S PP 230gsm (page 58)
Yupo® FPU (page 90)
Promeg (page 90)
7. GF 207 StaticCling (page 29)
3M™ IJ8150 (page 118)
Rocal Supacling PET (page 34)
8. Palboard™ (page 85)
Re-board® (page 87)
9. Photo-Tex™ (page 37)
Bauhaus STYline New York 150 (page 37)
GF253 GraphiTex® (page 40)





FINISHING

Our Finishing section offers essential laminating products to protect your print and extend its longevity. Our consistently excellent and diverse range includes satin, matt, gloss and specialty anti-graffiti and textured floor graphic products.



3M

CLEAR FOCUS
ONEWAY VISION
Great Choice!

GENERAL FORMULATIONS

ROLAM
laminate media

DiGitac.

r.tape

B-FLEX
HEAT TRANSFER VINYL

ALC
Australian Laminating Company

CREATING SOLUTIONS TOGETHER.

3M™ Envision™ 8548G, 8549L & 8550M

PREMIUM LAMINATE



- New 3M Envision high performance non-PVC high gloss, matt & lustre wrap overlamine with a polyester liner and clear permanent adhesive
- Less prone to scratching
- Up to 8 year unprinted vertical durability
- Exceptional conformability and lifting resistance
- Superior UV and acid dew protection
- For use with Envision Print Wrap Film 480mC, IJ180mC, IJ780mC & IJ680CR



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
400590	3M 8yr LAM 8548G	Clear Gloss	50	Clear Permanent	1370	45.7
400591	3M 8yr LAM 8548G	Clear Gloss	50	Clear Permanent	1524	45.7
451530	3M 8yr LAM 8550M	Clear Matt	50	Clear Permanent	1370	45.7
451531	3M 8yr LAM 8550M	Clear Matt	50	Clear Permanent	1524	45.7
451614	3M 8yr LAM 8549L	Clear Lustre	50	Clear Permanent	1220	45.7

3M™ 8518G, 8519L & 8520M

PREMIUM LAMINATE



- High gloss, matt & lustre clear premium over laminate with clear permanent adhesive
- The matt and lustre finishes have a kraft liner
- Highly conformable
- Graphic protection for IJ180mC & IJ680CR printable films
- High gloss finish offers a wet paint look and has polyester liner
- Resists fuel vapours
- Up to 8 year unprinted vertical durability



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
451534	3M 8yr LAM 8518 High Gloss	Clear	50	Clear Permanent	1370	45.7
451535	3M 8yr LAM 8518 High Gloss	Clear	50	Clear Permanent	1524	45.7
451532	3M 8yr LAM 8520 Matte	Clear	50	Clear Permanent	1370	45.7
451533	3M 8yr LAM 8520 Matte	Clear	50	Clear Permanent	1524	45.7
400787	3M 8yr LAM 8519 Lustre	Clear	50	Clear Permanent	1524	45.7
400786	3M 8yr LAM 8519 Lustre	Clear	50	Clear Permanent	1370	45.7

3M™ 8428G

PREMIUM LAMINATE



- High gloss, clear premium over laminate with clear permanent adhesive
- Excellent lifting resistance
- Graphic protection for IJ280mC
- Highly conformable for compound curves and deep recesses, this 1.2 mil (30 µm) overlamine delivers exceptional performance, productivity, and enhanced UV durability.
- Features a gloss finish for a wet paint look



Material	Material Description	Adhesive	Width (mm)	Length (m)
451921	3M IJ280 Overlamine 8428G	Clear Permanent	1371	45.7
451922	3M IJ280 Overlamine 8428G	Clear Permanent	1524	45.7

3M™ 8528

PREMIUM LAMINATE



- High gloss clear premium over laminate with clear permanent pressure-sensitive adhesive
- Highly conformable
- Up to 8 year vertical durability
- Lasting protection from acid rain, intense UV rays and extreme heat to help prevent discoloration
- Graphic protection for IJ180mC & 680CR printable films



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
194222	3M IJ180 Overlamine 8528G	Gloss Clear	Clear Permanent	1371	45.7

One Way Vision High Performance CurvaLam®

PREMIUM LAMINATE




- Optically clear 76 micron cast vinyl over laminating film
- Made for use on surfaces that are flat or have simple curves
- Protective over laminate specifically designed for use with Clear Focus® One Way Vision polymeric films
- Non printable







Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400514	Clear Focus CurvaLam	Clear	Permanent / Plastic	1370	30.5
400515	Clear Focus CurvaLam	Clear	Permanent / Plastic	1520	30.5





General Formulations GF 242 OptiMark®





INTERMEDIATE LAMINATE



- GF 242 Optically Clear Cast Over laminating film is a pressure sensitive vinyl with an optically clear, permanent, solvent based adhesive on a clear polyester liner
- Outdoor Durability up to 7 years
- Recommended for use over perforated window Films
- Produces vibrant graphics for vehicle wraps. Compatible print films include GF230 & GF246









Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173590	General Formulations GF 242 Optimark	Gloss Clear	Permanent	1370	45.7

3M™ Envision™ 8048G & 8050M

INTERMEDIATE LAMINATE




- 3M Envision high performance intermediate non-PVC gloss and matt overlaminate protection for 3M Envision Print Film 48C.
- Superior UV protection
- Less prone to scratching
- Suitable for application surfaces that are flat or have simple curves






Material	Material Description	Adhesive	Width (mm)	Length (m)
193431	3M Envision 8048G	Clear Permanent	1370	46
197381	3M Envision 8050M	Clear Permanent	1370	46




3M™ IJ40-114 & 124

INTERMEDIATE LAMINATE



- Gloss and matt clear intermediate vinyl with clear permanent adhesive and a double side PE coated kraft liner
- Up to 5 year unprinted vertical durability
- Graphic protection for IJ40 and IJ40C series
- Printable clear vinyl
- Print Compatibility: Eco-solvent, Latex & UV Curable inks









Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
168017	3M 5yr SAV/LAM IJ40-114	Clear Gloss	75	Clear Permanent	1370	50
168018	3M 5yr SAV/LAM IJ40-114	Clear Gloss	75	Clear Permanent	1524	50
168020	3M 5yr SAV/LAM IJ40-124	Clear Matt	75	Clear Permanent	1524	50
168019	3M 5yr SAV/LAM IJ40-124	Clear Matt	75	Clear Permanent	1370	50




3M™ 40C Series 114R

INTERMEDIATE LAMINATE



- Gloss clear intermediate vinyl with clear permanent adhesive and a double side PE coated kraft liner
- Up to 5 year unprinted vertical durability
- Graphic protection for IJ40 and 40C series
- Printable clear vinyl
- Print Compatibility: Eco-solvent, Latex & UV Curable inks









Material	Material Description	Adhesive	Width (mm)	Length (m)
196818	3M 40C-114R	Clear Removable	1372	45.7
196819	3M 40C-114R	Clear Removable	1524	45.7



3M™ 8508, 8509 & 8510

INTERMEDIATE LAMINATE



- Gloss, lustre & matt clear intermediate over laminate with clear permanent adhesive and kraft liner
- Not for use on applications that must be stretched during application
- Graphic protection for IJ35C and IJ35 series
- Apply at room temperature
- Up to 5 year unprinted vertical durability










Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
168023	3M 5yr LAM 8508 Gloss	Clear Gloss	60	Clear Permanent	1370	45.7
168054	3M 5yr LAM 8508 Gloss	Clear Gloss	60	Clear Permanent	1524	45.7
191574	3M 5yr LAM 8509 Lustre	Clear Lustre	60	Clear Permanent	1370	45.7
192447	3M 5yr LAM 8510 Matt	Clear Matt	60	Clear Permanent	1370	45.7
192526	3M 5yr LAM 8510 Matt	Clear Matt	60	Clear Permanent	1549	45.7





General Formulations GF 238 MotoMark®



INTERMEDIATE LAMINATE



- GF 238 MotoMark ARMOR is a 300-micron flexible gloss clear monomeric laminate with single sided PE liner designed for use as a protective overlaminating film when used in combination with GF 235 Moto
- Designed for use as a very thick protective over laminating film suitable for a variety of applications including quads, snowmobiles, motocross, powersport vehicles, helmets and carts
- Outdoor Durability up to 5 years








Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173604	General Formulations GF 238 MotoMark	Gloss Clear	Permanent	1370	22.86


FINISHING


Rolam 5 Year


INTERMEDIATE LAMINATE





- Intermediate polymeric gloss, matt & lustre laminates with clear permanent or removable adhesive
- 100um 170gsm 2-side PE coated liner printable Solvent Latex and UV
- Graphic protection for ROCAL 5 year print vinyls
- 80um 120gsm 2-side PE coated liner laminate only
- Up to 5 year unprinted vertical durability



INDOOR APPLICATIONS


LAMINATES


LAMINATED APPLICATIONS


OUTDOOR APPLICATIONS



FINISHING


SELF ADHESIVE


Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173134	Rolam 5 year	Gloss Clear	Clear Permanent	100	1370	50
173135	Rolam 5 year	Gloss Clear	Clear Permanent	100	1524	50
198172	Rolam 5 year	Matt Clear	Clear Permanent	100	1370	50
198173	Rolam 5 year	Matt Clear	Clear Permanent	100	1370	50
173138	Rolam 5 year	Gloss Clear	Clear Permanent	100	1370	50
173139	Rolam 5 year	Gloss Clear	Clear Permanent	100	1524	50
173140	Rolam 5 year	Matt Clear	Clear Permanent	100	1370	50
173141	Rolam 5 year	Matt Clear	Clear Permanent	100	1524	50
173142	Rolam 5 year	Lustre Clear	Clear Permanent	100	1370	50
173143	Rolam 5 year	Lustre Clear	Clear Permanent	100	1524	50


3M™ IJ20-114 Series Clear


PROMOTIONAL LAMINATE





- Gloss and matt clear promotional vinyl with clear removable adhesive & a kraft liner
- Printable clear vinyl
- Up to 1 year unprinted vertical durability
- Graphic protection for IJ20 series
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



LAMINATES


LAMINATED APPLICATIONS


OUTDOOR APPLICATIONS


POINT OF SALE



LATEX MEDIA


SELF ADHESIVE


Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
168021	IJ20-114 Series Clear	Gloss & Matt Clear	Clear Removable	1371	45.7


3M™ IJ15-114 Series Clear


PROMOTIONAL LAMINATE





- Gloss clear, economical, promotional monomeric vinyl, with clear permanent adhesive and a polycoated paper liner
- Up to 1 year unprinted vertical durability
- Also can be used as a overlaminate for IJ15/16 products
- Everyday vinyl, for flat surfaces only
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



LAMINATES


LAMINATED APPLICATIONS


OUTDOOR APPLICATIONS


POINT OF SALE


LATEX MEDIA



SELF ADHESIVE

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169796	3M 1YR SAV/LAM IJ15-114	Clear Gloss	Clear Permanent	80	1370	50
169797	3M 1YR SAV/LAM IJ15-114	Clear Gloss	Clear Permanent	80	1520	50


FINISHING


Rolam 3 Year


PROMOTIONAL LAMINATE





- Promotional monomeric gloss, matt & satin laminates with clear permanent or removable adhesive
- 100um 170gsm 2-side PE coated liner printable Solvent Latex and UV
- Graphic protection for ROCAL 3 year print vinyls
- 80um 120gsm 2-side PE coated liner laminate only
- Up to 3 year unprinted vertical durability



INDOOR APPLICATIONS



LAMINATES


LAMINATED APPLICATIONS


OUTDOOR APPLICATIONS


POINT OF SALE



FINISHING


SELF ADHESIVE


Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173088	Rolam 3 year	Gloss Clear	Clear Permanent	100	1370	50
173089	Rolam 3 year	Gloss Clear	Clear Permanent	100	1524	50
198170	Rolam 3 year	Matt Clear	Clear Permanent	100	1370	50
198171	Rolam 3 year	Matt Clear	Clear Permanent	100	1370	50
173090	Rolam 3 year	Gloss Clear	Clear Removable	100	1370	50
173091	Rolam 3 year	Gloss Clear	Clear Removable	100	1524	50
173092	Rolam 3 year	Gloss Clear	Clear Permanent	100	1370	50
173093	Rolam 3 year	Gloss Clear	Clear Permanent	100	1524	50
173094	Rolam 3 year	Matt Clear	Clear Permanent	100	1370	50
173095	Rolam 3 year	Matt Clear	Clear Permanent	100	1524	50
173096	Rolam 3 year	Satin Clear	Clear Permanent	100	1370	50
173097	Rolam 3 year	Satin Clear	Clear Permanent	100	1524	50


Rolam 1 Year


PROMOTIONAL LAMINATE





- Promotional 100um monomeric vinyl, with 140gsm 2 sided PE coated liner
- Everyday vinyl for flat surfaces only
- Stable ink absorption, bright colors, vivid images
- Up to 1 year unprinted vertical durability
- Print Compatibility: Eco-solvent, Latex & UV Curable inks


LAMINATES


POINT OF SALE


FINISHING



LATEX MEDIA


SELF ADHESIVE


Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
172837	Rolam 1 Year	Gloss Clear	Clear Permanent	100	1370	50
198448	Rolam 1 Year	Gloss Clear	Clear Permanent	100	1524	50
172838	Rolam 1 Year	Matt Clear	Clear Permanent	100	1370	50
198449	Rolam 1 Year	Matt Clear	Clear Permanent	100	1524	50


Rolam 5 Year Optically Clear


OPTICALLY CLEAR LAMINATE




- Optically clear, cold laminating film with clear permanent adhesive, engineered for protective lamination onto digitally printed images to extend durability
- Suitable protective over lamination to one way view film
- Consistent performance, low shrinkage, optimum clarity and gloss level
- Calandered PVC film, 100gsm single PE release liner
- Up to 5 years unprinted vertical durability


INDOOR APPLICATIONS


LAMINATED APPLICATIONS


OUTDOOR APPLICATIONS


FINISHING

Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173533	Rolam 5 Year Optically Clear	Ultra Clear	Clear Permanent	230	1370	50
173534	Rolam 5 Year Optically Clear	Ultra Clear	Clear Permanent	230	1524	50



Naturally Versatile.

3M™ Envision™ Print Wrap Films
3M™ Envision™ Wrap Overlaminate

The non-PVC films that outperforms the rest.

When a non-PVC film is this conformable and versatile, why use anything else?

3M™ Envision™ Wrap Films include the 3M innovations you know and love: excellent print quality, slideability, repositionability, heated film recovery and now non-visible air-release channels using micro technology for a smooth visual appearance, superior performance and even an easier, faster and better-looking installation.

High-performance technology with a sustainable edge.

For enquiries or a sample please contact your local Spicers representative.

1300 132 644 spicers.com.au

Meet the suite that's 100% printer compatible:

Conformable and durable Non-PVC Wrap Films

3M Envision™ Print Wrap Film SV480mC
3M Envision™ Print Wrap Film LX480mC
3M Envision™ Gloss Wrap Overlaminate 8548G
3M Envision™ Luster Wrap Overlaminate 8549L
3M Envision™ Matt Wrap Overlaminate 8550M

ALSO available in Versatile Non-PVC Intermediate Film

3M Envision™ Print 48C
3M Envision™ Gloss Overlaminate 8048G
3M Envision™ Matt Overlaminate 8050M



FINISHING

3M™ 8588G Anti Graffiti

ANTI-GRAFFITI LAMINATE



- PVDF polymer blended anti graffiti, high gloss 30um overlamine with a clear permanent adhesive and PET liner
- Designed to protect graphic surfaces from stains, abrasion, UV light and graffiti
- Recommended for use flat to compound curves, including rivets and corrugations
- Graphic protection for Envision 480mC series, IJ180mC series
- Up to 8 years vertical durability



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
171188	3M 8588G	High Gloss Clear	Clear Permanent	30	1220	50

3M™ 8993 Anti Graffiti

ANTI-GRAFFITI LAMINATE



- Clear, anti graffiti, high gloss 25um polyester overlamine with a clear permanent adhesive and kraft liner
- Recommended for use flat & simple surfaces only
- Graphic protection for IJ180c, IJ180mC, 680CR, IJ40C, IJ40, IJ35C, IJ35
- Superior resistance against harsh solvents
- It is recommended to give additional time for out gasing solvent ink when laminating with a polyester (PET) film
- Up to 5 year unprinted vertical durability




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
450535	3M 5yr LAM Anti-Graffiti 8993 High Gloss	Clear Gloss	Clear Permanent	25	1371	50
450534	3M 5yr LAM Anti-Graffiti 8993 High Gloss	Clear Gloss	Clear Permanent	25	1524	50

General Formulations GF 108 Tedlar®

ANTI-GRAFFITI LAMINATE



- GF 108 Tedlar® DuPont is a satin clear 1.0 mil transparent PVF Film with a solvent permanent pressure sensitive adhesive
- Extended resistance to UV exposure, colour stability or abrasion resistance. GF 108 made with Tedlar® DuPont is graffiti resistant
- Designed to extend the exposure resistance of graphics, decals, and nameplates. This laminate will protect inks and graphics from fading caused by exposure to UV radiation. Tedlar® DuPont film is resistant
- For smooth surface and substrate applications only. The PVF film is not suitable for use as a laminate on textured print materials
- Outdoor Durability up to 10 years



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173588	General Formulations GF 108 Tedlar	Gloss Clear	Permanent	1370	45.7

Rolam 3 Year Anti Graffiti

ANTI-GRAFFITI LAMINATE



- Gloss Clear Polyester (PET) film specially designed for consistent performance, low shrinkage, optimum clarity, gloss level and graffiti resistance
- Permanent, solvent based acrylic adhesive on a single PE release liner
- Recommended for flat surfaces only
- Up to 3 years outdoor



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173393	Rolam 3 Year Anti Graffiti	Gloss Clear	Clear Permanent	1370	50
173394	Rolam 3 Year Anti Graffiti	Gloss Clear	Clear Permanent	1520	50



1300 132 644

info.mail@spicers.com.au

spicers.com.au/sign-display

107

PSA VINYL SOLUTIONS FOR

GLASS	X
TILE	
CARPET	
PLASTERBOARD	✓
BRICK	
BLOCK	
METAL	
ALUMINUM	
PLASTIC	
TABLES	
COUNTERS	
SNEEZE GUARDS	

HERE

HERE

HERE

HERE

HERE

MAKE YOUR
MARK



FINISHING

3M™ 8509 Lustre Clear

FLOOR GRAPHIC



- Lustre clear intermediate over laminate with clear permanent adhesive & kraft liner
- Apply at room temperature
- Not for use on applications that must be stretched during application
- Up to 5 year unprinted vertical durability
- Graphic protection for IJ35C and IJ35 series



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
191574	3M 8509 Lustre Clear	Lustre	Clear Permanent	60	1371	45.7

General Formulations GF 211 TrafficGraphic®

FLOOR GRAPHIC



- A gloss clear light emboss vinyl laminate with a permanent acrylic pressure sensitive adhesive on a white PE-Coated 1 side Kraft liner
- Can be paired with approved print films to create floor graphics for tile and carpet
- Slip Resistance: AS HB198:2014 (AS/NZS 4586) - Dry PTV: 81, Wet PTV: 20
- Used as the matching overlamine in the GF Traffic Graphic® floor decal system as a protective overlamine. The film is also great for counter mats, mouse pads, and any graphic needing lasting protection.



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173589	General Formulations GF 211 TrafficGraphic	Gloss Clear	Permanent	1370	45.7

Digitac Floor Laminate

FLOOR GRAPHIC



- 115 micron Sandtex, anti-slip, monomeric PVC floor laminate with permanent, clear adhesive
- Perfect for floor graphic applications in locations suited to the P3 non-slip rating
- P3 non-slip rating in accordance with AS 4586:2013 Slip resistance classification



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
172551	Digitac Floor Laminate	Matt Transparent	Clear Permanent	115	1370	50

ALC Floor Laminate

FLOOR GRAPHIC



- Monomeric, deep grain textured matt floor graphic over-laminate with a PE liner
- Perfect for floor graphic or vertical application
- Tested to AS/NZS 4586:2004 standard slip resistance classification of new pedestrian surfaces appendix A & B
- 200um film for longer non-slip usage & greater scratch resistance
- UV treated
- Up to 12 months indoor floor graphic application



Material	Material Description	Finish	Width (mm)	Length (m)
400550	ALC Floor Laminate	Textured Matt	1370	45
400552	ALC Floor Laminate	Textured Matt	1525	45

General Formulations Dry Erase

WHITE AND BLACKBOARD



- GF EraseMark is a 50-micron gloss clear laminate that turns any graphic into a writeable dry erase surface
- GF110 is High performance hard coated engineered scratch and abrasion resistant polyester film surface with a permanent solvent acrylic pressure sensitive adhesive
- GF 111 is a clear polypropylene film with a permanent emulsion acrylic pressure sensitive adhesive
- EraseMark is formulated for high-use dry erase applications such as hospital boards, conference rooms, menu boards, restaurants, and schools. It works well for applications where the written information
- Single Sided PE Liner
- Indoor Durability GF110 up to 5 Years GF110 up to 6 months



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452024	General Formulations Dry Erase	Gloss Clear		1370	45.7
452025	General Formulations Dry Erase	Gloss Clear	Removable	1370	45.7

RTape 4075 (Medium-High)

APPLICATION TAPE



- 4075 Medium-High tack repositionable latex adhesive
- Popular choice for every day sign shop applications & removes easily following application
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
165131	R Tape 4075 (Med-High)	White	Med-High	610	91
165128	R Tape 4075 (Med-High)	White	Med-High	1220	91

RTape 4075RLA (Medium-High)

APPLICATION TAPE



- 4075 Medium-High tack repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Popular choice for every day sign shop applications and & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunneling and edge curling
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169193	R Tape 4075RLA (Med-High)	White	Med-High	610	91
169192	R Tape 4075RLA (Med-High)	White	Med-High	1220	91

RTape 4076 (Extra High)

APPLICATION TAPE



- 4076 Extra High, repositionable latex adhesive
- Offers clean pick up and transfer of very small hard-to lift lettering & graphics & removes easily following application
- Standard Paper (101 micron)



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
189389	R Tape 4076 (Extra High)	White	Xtra High	610	91
189388	R Tape 4076 (Extra High)	White	Xtra High	1220	91

RTape 4076RLA (Extra High)

APPLICATION TAPE



- 4076 Extra High, repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Offers clean pick up and transfer of very small hard-to lift lettering & graphics & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunneling and edge curling
- Standard Paper (101 micron)



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
192253	R Tape 4076RLA (Extra High)	White	Xtra High	610	91
192030	R Tape 4076RLA (Extra High)	White	Xtra High	1220	91

RTape 4761RLA (Super Hi-Tack)

APPLICATION TAPE



- 4761 thicker, premium grade application tape with super-high tack repositionable RLA latex adhesive
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunneling and edge curling
- Premium 127um paper - allows for easier handling
- Designed as a prespacing tape for air egress vinyls
- Graphics stay neater and cleaner, even when they are rolled



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169659	R Tape 4761RLA (Super High)	White	Super High	1220	91

RTape 4775RLA (Medium to High)

APPLICATION TAPE



- 4775 thicker, premium grade application tape with Medium-High tack repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Perfect for transferring small and medium graphics onto irregular surfaces
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunneling and edge curling
- Premium 127um paper - allows for easier handling
- Protective premask for graphics printed with UV inks and clear coats



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169194	R Tape 4775RLA (Med-High)	White	Med-High	1220	91

RTape AT60N (Low)

APPLICATION TAPE




- Ultra Clear 93um Matte PP Film with low tack repositionable, non-yellow acrylic adhesive system
- The excellent water resistance of the adhesive allows for wet application without leaving any adhesive residue on the vinyl
- Designed for clean pick up of all brands of cast or calendared vinyl
- Superior adhesive reduces the static charges - improved lamination process
- Exceptional clarity provides ultimate see-through when applying graphics
- Perfect for aligning multiple colour overlays





Material	Material Description	Width (mm)	Length (m)
191648	R Tape HAT60N	1220	91

RTape AT65

APPLICATION TAPE




- R Tape AT65 is an ultra-clear, high tack film application tape that provides exceptional performance and versatility
- AT65 is a transparent 112.5 micron film, no backing paper
- multiple color overlays, while the rigid polypropylene film





Material	Material Description	Width (mm)	Length (m)
192227	R Tape AT65	610	91

RTape HotMask

APPLICATION TAPE




- HotMask is a self-wound polyester transfer tape designed to protect printed heat transfer material from the high temperatures of heat pressing
- Protects the printed surface from discoloration
- Compatible with all brands and types of printable heat activated media
- HotMask transfers print and cut graphics from the carrier film and aids alignment of the graphic to the garment
- Removes easily without any adhesive residue





Material	Material Description	Width (mm)	Length (m)
194682	R Tape HM375	762	18.2

RTape PaintMask

APPLICATION TAPE




- ProGrade vinyl paint mask is a specially designed removable film used in making computer-cut stencils for painted graphics
- User-friendly adhesive and easy to transfer from the release liner
- ProGrade uses a polymeric vinyl facstock allowing easier cut and weed when producing paint mask stencils with fine details
- ProGrade paint mask can be used for either sign lettering enamels or automotive urethane paints
- Easy to apply, and removes with no adhesive residue





Material	Material Description	Width (mm)	Length (m)
172895	R Tape PM	1220	45.7
172894	R Tape PM	1524	45.7

General Formulations Sign Mask

APPLICATION TAPE




- Yellow Paint Mask vinyl is a 3.4 mil matte yellow vinyl with removable acrylic pressure-sensitive adhesive
- The vinyl is formulated for ease of cutting while retaining resistance to common solvents encountered in typical spray paints and automotive finishes
- Bleached kraft liner provides an excellent base for plotter cut graphics and home craft applications
- Can be used as a stencil for applications like creating floor graphics graphics in gymnasiums, decorative painting or etching with craft projects, or branding mesh fencing for tennis courts and construction





Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173586	General Formulations Sign Mask	Yellow	Removable	1220	45.7
173587	General Formulations Sign Mask	Yellow	Removable	1524	45.7

B.FLEX Mylar Application Tape

APPLICATION TAPE




- B.FLEX MYLAR is a polyester film designed to be used as a transfer media for printable heat transfer vinyl
- Removable backing sheet
- Easy to apply on all digital printed films











Material	Material Description	Width (mm)	Length (m)
173683	B.FLEX Mylar Application Tape	500	20
173684	B.FLEX Mylar Application Tape	750	20

General Formulations GF 106 & GF 116 Ultra Clear Mounting Film

MOUNTING FILM



- GF 106 Mounting Film is a double-coated pressure sensitive 1.0 mil polyester film with optically clear permanent acrylic adhesive.
- GF 116 is a double-coated pressure sensitive 1.0 mil clear polyester film with a high-tack permanent adhesive on one side and a high-tack removable adhesive on the other side.
- Offers protection from UV light, abrasion, moisture and other environmental exposures
- Designed for laminating thin flexible films and papers under 10 mils in total thickness










Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173584	General Formulations GF 106 Ultra Clear Mounting Film	Clear	Permanent/Permanent	1370	45.7
173585	General Formulations GF 116 Ultra Clear Mounting Film	Clear	Permanent/Removable	1370	45.7

Graffimount

MOUNTING FILM

- Graffimount is a optically clear dual side mount film coated both sides with a permanent pressure sensitive adhesive and clear release films.
- Offers protection from UV light, abrasion, moisture and other environmental exposures
- Optically clear polyester film with permanent solvent based acrylic



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173920	Graffimount Ultra Clear	Clear	Permanent/Permanent	1550	45.7

Sacrificial Underlay Polypropylene

UNDERLAY

- 76mm core
- Polypropelene won't have static issues experienced with polyester
- If liner creased it will not transfer to the surface of the image as it can with paper

Material	Material Description	Width (mm)	Length (m)
187323	Sacrificial Underlay Polypropylene	1430	400
187324	Sacrificial Underlay Polypropylene	1540	400
187781	Sacrificial Underlay Polypropylene	1630	400



WINDOW GRAPHIC SUBSTRATES

Transform your windows with special effects or optically clear films. Available in a range of textures, finishes and colours suitable for indoor or outdoor applications.

3M

ROCAL
self adhesive print media

atec

GENERAL FORMULATIONS

ONEWAY VISION
Great Choice!

CREATING SOLUTIONS TOGETHER.

WINDOW GRAPHIC SUBSTRATES

One Way Vision
High Performance SuperVue®

PERFORATED WINDOW FILM PREMIUM



- Composite white (printable side)/black (adhesive side) 228 micron polymeric vinyl
- Open area is approximately 50%
- Applications: building wraps, car windows & commercial vehicle windows
- Laminate with CurvaLam
- Perforation size is 2.0mm
- Suitable for long term (3+ years), exterior mount applications on flat & curved surfaces
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
400518	Clear Focus SuperVue	Gloss White	Removable / Plastic	1370	30

One Way Vision
High Performance SunSecure®

PERFORATED WINDOW FILM PREMIUM



- Composite white (adhesive side) /black perforated 228 micron polymeric vinyl
- Perforation size is 1.5mm
- Suitable for long term, interior mount applications on flat surfaces only
- Open area is approximately 35%
- Interior mount to commercial and residential windows requiring security privacy and for heat and light control and glare reduction applications
- Not printable



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
400517	Clear Focus SunSecure	Gloss White	Removable / Plastic	1370	30

One Way Vision
High Performance PosterVue®

PERFORATED WINDOW FILM PREMIUM



- Composite white (printable side)/black perforated 304 micron monomeric vinyl
- Perforation size is 1.5mm
- Suitable for short term (<12 months), interior mount applications on flat surfaces only, not suitable for full sun windows
- Non-adhesive
- Open area is approximately 35%
- Applications: shop, office windows, glass doors, & other transparent, flat surfaces – up to 1 sqm in size
- Comes with one roll of Tackem Tape 60mm x 25M – optically clear double sided tape
- Print Compatibility: Eco-solvent, UV Curable & Latex inks (refer to spec sheet)



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
400516	Clear Focus PosterVue	Gloss White	NIL / Plastic	1370	30

WINDOW GRAPHIC SUBSTRATES

One Way Vision
High Performance White/White

PERFORATED WINDOW FILM PREMIUM



- Composite white (printable side)/White (liner side) perforated 200 micron PET vinyl
- Perforation Size is 1.5mm
- Product with SL liner is suitable for solvent and latex inks
- To mount to a window, use OptiTape (not included)
- Open area is approximately 30%
- Suitable for long term (< 3 years), interior mount applications on flat surfaces only
- Applications: shop, office windows, glass doors, outdoor banner, indoor banner, retractable/pull up banner



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
451620	Clear Focus White/White	Gloss White	NIL / Plastic	1370	30

One Way Vision
High Performance ExitVue®

PERFORATED WINDOW FILM PREMIUM



- Composite white (printable side)/Black (adhesive side) perforated 150 micron polymeric vinyl with grey Solvent/Latex liner
- Applications: Bus windows
- Perforation Size is 2mm
- Product with SL liner is suitable for solvent and latex inks
- Open area is approximately 50%
- Certified for emergency exit windows in all Australian States and Territories
- Suitable for long term (< 3 years), exterior mount applications on flat and simple curved surfaces
- For emergency exit windows, film laminate is not permitted. Score around all edges, and 50mm from edges and 200mm grid across emergency window



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
451622	Clear Focus ExitVue	Gloss White	Permanent / Solid	1370	50

One Way Vision
High Performance CurvaLam®

PERFORATED WINDOW FILM PREMIUM



- Optically clear 76 micron cast vinyl over laminating film
- Made for use on surfaces that are flat or have simple curves
- Protective over laminate specifically designed for use with Clear Focus® One Way Vision polymeric films
- Non printable



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
400514	Clear Focus CurvaLam	Gloss Clear	Permanent / Plastic	1370	45.7
400515	Clear Focus CurvaLam	Gloss Clear	Permanent / Plastic	1520	45.7

WINDOW GRAPHIC SUBSTRATES

One Way Vision EconoVue®

PERFORATED WINDOW FILM VALUE



- Composite white (printable side)/black (adhesive side) perforated 160 micron monomeric vinyl
- Exterior mount for short term applications onto flat windows or glass doors of shops, and office at ground level, coaches, buses. Not specified for APN buses
- Perforation size is 1.5mm & the open area is approximately 40%
- Not compatible with any overlamine
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
451394	Clear Focus EconoVue	Gloss White	Removable / Universal	1370	50

One Way Vision High Performance ClassicVue®

PERFORATED WINDOW FILM VALUE



- Composite white (printable side)/black (adhesive side) perforated 228 micron polymeric vinyl
- Open area is approximately 50%
- Applications: Approved for APN bus windows, building wraps, commercial shop/office windows, glass doors & other transparent surfaces
- Perforation size is 1.5mm
- Suitable for long term (3+ years), exterior mount applications on flat surfaces only
- Print Compatibility: Eco-solvent & Latex inks – NOT suitable for UV ink



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
451625	Clear Focus ClassicVue	Gloss White	Removable / Plastic	1370	61

One Way Vision AutoVue®

PERFORATED WINDOW FILM VALUE



- Composite white (printable side)/Black (adhesive side) perforated 160 micron polymeric vinyl
- Open area is approximately 50%
- Perforation size is 2.0mm
- Suitable for long term (<3 years), exterior mount applications on flat & simple curved surfaces
- Product with UNIVERSAL liner is suitable for UV, solvent & LATEX inks
- Laminate with CurvaLam
- Applications: Car windows
- Product with SOLID liner is suitable for Eco-solvent & Latex inks



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
451351	Clear Focus AutoVue	Gloss White	Removable / Universal	1370	50
400521	Clear Focus AutoVue	Gloss White	Removable / Universal	1520	50
451352	Clear Focus AutoVue	Gloss White	Removable / Solid	1370	50
400522	Clear Focus AutoVue	Gloss White	Removable / Solid	1520	50

WINDOW GRAPHIC SUBSTRATES

One Way Vision PromoVue®

PERFORATED WINDOW FILM VALUE



- Composite white (printable side)/black (adhesive side) perforated 160 micron polymeric vinyl
- Suitable for long term (<3 years), exterior mount applications on flat & curved surfaces
- Laminate with CurvaLam
- Product with SOLID liner is suitable for solvent and LATEX inks
- Perforation size is 1.6mm & the open area is approximately 40%
- Applications: commercial vehicle windows, shop/office windows, glass doors & other transparent surfaces
- Product with UNIVERSAL liner is suitable for Eco-solvent, UV Curable & Latex inks



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
400523	Clear Focus PromoVue	Gloss White	Removable / Universal	1370	50
451013	Clear Focus PromoVue	Gloss White	Removable / Solid	1370	50
451399	Clear Focus PromoVue	Gloss White	Removable / Universal	1520	50

One Way Vision JetVue®

PERFORATED WINDOW FILM VALUE



- Composite white (printable side)/Black (adhesive side) perforated 203 micron polymeric vinyl with an aqueous inkjet receptive top coat
- Applications: Car windows, Building windows
- Perforation Size is 2mm
- Product with white PET liner laminated to perforated paper is suitable for aqueous inks only
- Open area is approximately 50%
- Complies with VLT rules for all Australian States and Territories
- Suitable for long term (< 3 years), exterior mount applications on flat and simple curved surfaces
- Recommended laminate is CurvaLam
- Print Compatibility: Dye Pigment



Material	Material Description	Finish	Adhesive / Liner	Width (mm)	Length (m)
451624	Clear Focus JetVue	Gloss White	Removable / Plastic	914	15

3M™ IJ8150 Optically Clear

WINDOW FILM



- Optically clear, gloss cast vinyl with clear removable adhesive and transparent synthetic liner
- Optimized for wet application, making it very easy to install
- Up to 7 years unprinted vertical durability
- Perfect for window graphics
- Suitable for Solvent, latex and UV-curable inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
450507	3M 7yr SAV IJ8150 Optically Clear	Clear	Clear Permanent	1370	45.7
450839	3M 7yr SAV IJ8150 Optically Clear	Clear	Clear Permanent	1524	45.7

WINDOW GRAPHIC SUBSTRATES

3M™ 7725SE Dusted/Frosted

- Special effects, matt premium cast vinyl with clear permanent solvent adhesive and transparent synthetic liner
- Perfect for indoor and outdoor window decoration
- Suitable for electronic cutting or for solvent/eco-solvent, latex and UV-curable inkjet printing
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes in a range of colours
- Up to 5 years durability for internal application and up to 3 years for external unprinted vertical durability

WINDOW FILM

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
450574	3M 7725SE Crystal Glass	Dusted Crystal (314)	Clear Permanent	610	45.7
400247	3M 7725SE Crystal Glass	Dusted Crystal (314)	Clear Permanent	1220	45.7
400240	3M 7725SE Crystal Glass	Dusted Crystal (314)	Clear Permanent	1524	45.7
450576	3M 7725SE Crystal Glass	Frosted Crystal (324)	Clear Permanent	610	45.7
450919	3M 7725SE Crystal Glass	Frosted Crystal (324)	Clear Permanent	1220	45.7
450949	3M 7725SE Crystal Glass	Frosted Crystal (324)	Clear Permanent	1524	45.7
400245	3M 7725SE Crystal Glass	Frosted Gold (331)	Clear Permanent	1220	45.7

3M™ 5525SE Haze/Sandblast

- Special effects, matt intermediate polymeric vinyl with clear permanent solvent adhesive and kraft liner
- Perfect for indoor & outdoor window decoration medium term applications
- Suitable for electronic cutting or for solvent/eco-solvent, latex and UV-curable inkjet printing
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes
- Up to 5 years durability for internal application and up to 3 years for external unprinted vertical durability

WINDOW FILM

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
450577	3M 5525SE Special Effect	Haze (314)	Clear Permanent	610	50
400278	3M 5525SE Special Effect	Haze (314)	Clear Permanent	1220	50
450296	3M 5525SE Special Effect	Haze (314)	Clear Permanent	1524	50
450578	3M 5525SE Special Effect	Sandblast (324)	Clear Permanent	610	50
400279	3M 5525SE Special Effect	Sandblast (324)	Clear Permanent	1220	50
450562	3M 5525SE Special Effect	Sandblast (324)	Clear Permanent	1524	50

General Formulations GF 260, 261, 270 & 280 WindowMark®

- GF WindowMark is a 150-micron perforated high performance matt white vinyl film with a clear low tack repositionable removable solvent acrylic pressure sensitive adhesive designed for exterior applications
- Dual Layer (Perforated/Solid) White 2-Sided PE-Coated liner offers good dimensional stability in a variety of ambient conditions
- Outdoor Durability up to 2 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

WINDOW GRAPHIC

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173609	General Formulations GF 260 WindowMark	Gloss White with 60/40 Hole pattern	Removable	1370	30
173610	General Formulations GF 261 WindowMark	Gloss Clear with 60/40 Hole pattern	Removable	1370	30
173611	General Formulations GF 270 WindowMark	Gloss White with 70/30 Hole pattern	Removable	1370	30
173612	General Formulations GF 280 WindowMark	Gloss White with 80/20 Hole pattern	Removable	1370	30

WINDOW GRAPHIC SUBSTRATES

General Formulations GF255 OptiMark®

- GF 255 OptiMark is a 76 -micron optically clear high gloss flexible calendared PVC film with a clear Solvent acrylic removable pressure sensitive adhesive and a clear polyester liner
- Wet application is the preferred method. Wet application on solvent based clear products is the best way to achieve bubble free and optically clear results
- Clean removal from glass for up to one year under normal exposure conditions
- Outdoor Durability up to 3 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks

WINDOW GRAPHIC

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173607	General Formulations GF 255 OptiMark	Optically Clear	Removable	1370	45.7
173608	General Formulations GF 255 OptiMark	Optically Clear	Removable	1524	45.7

Rocal Dusted Sparkle

- 100 micron Calandered PVC film used for privacy screening & creative patterns esigned for use on glass windows where privacy is required whilst allowing effective light transmission and an attractive visual appearance
- Main Applications: Meeting Rooms, Retail, Partitions, Offices, Residential
- Clear solvent based acrylic PSA - permanent
- 100 gsm single PE coated release liner
- Can be wet applied
- Ideal for both outdoor and indoor application up to 3 years

WINDOW GRAPHIC

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173535	Rocal Dusted Sparkle	Dusted Sparkle	Clear solvent based acrylic permanent	1220	50
173536	Rocal Dusted Sparkle	Dusted Sparkle	Clear solvent based acrylic permanent	1520	50

Rocal Frosted Silver Etch

- 100 micron Calandered PVC film used for privacy screening & creative patterns designed for use on glass windows where privacy is required whilst allowing effective light transmission and an attractive visual appearance
- Main Applications: Meeting Rooms, Retail, Partitions, Offices, Residential
- Clear solvent based acrylic PSA - permanent.
- 100 gsm single PE coated release liner
- Can be wet applied
- Ideal for both outdoor and indoor application up to 3 years

WINDOW GRAPHIC

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173537	Rocal Frosted Silver Etch	Frosted	Clear solvent based acrylic permanent	1220	50

dtec Polyfrost

- 80 micron Polymeric PVC used for privacy screening & creative patterns
- 25 ± microns pressure sensitive solvent based acrylic (Clear permanent) Frosted
- 50mic PET Liner with Smooth adhesive without any imperfections from the liner such as "orange peel effect"
- Ideal for both outdoor and indoor application up to 5 years

WINDOW GRAPHIC

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
167099	dtec Polyfrost	Matt	Permanent	1220	50



VEHICLE WRAP

Today's vehicle enthusiast no longer has to settle for the manufacturer's standard range of hues. With Spicers, your favourite machine can be pretty much any colour imaginable, or a mixture there-of.



CREATING SOLUTIONS TOGETHER.

VEHICLE WRAP

3M™ Envision™ LX480mC

PREMIUM SELF ADHESIVE VINYL

- 3M Envision print Wrap film is a high performance, non-PVC, gloss white film with Comply Adhesive with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Up to 8 years unprinted vertical durability For use with Envision
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubblefree installations
- Specifically engineered for vehicle wraps
- Overlamine 8548G, 8549L & 8550M
- Print Compatibility: Latex printing

BLOCKOUT

OUTDOOR APPLICATIONS

VEHICLE WRAP

TRANSIT GRAPHICS

LATEX MEDIA

SELF ADHESIVE

UV MEDIA

PVC FREE

Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194907	3M 8yr SAV Envision LX480mC	White Gloss	Grey Airflow Removable	50	1370	45.7
195168	3M 8yr SAV Envision LX480mC	White Gloss	Grey Airflow Removable	50	1524	45.7

3M™ Envision™ SV480mC

PREMIUM SELF ADHESIVE VINYL

- 3M Envision print Wrap film is a high performance, non-PVC, gloss white film with Comply Adhesive with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Up to 8 years unprinted vertical durability
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubblefree installations
- Specifically engineered for vehicle wraps
- For use with Envision Overlamine 8548G, 8549L & 8550M
- Print Compatibility: Eco-solvent & UV Curable inks

BLOCKOUT

OUTDOOR APPLICATIONS

VEHICLE WRAP

TRANSIT GRAPHICS

SELF ADHESIVE

ECO SOLVENT MEDIA

UV MEDIA

PVC FREE

Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194906	3M 8yr SAV Envision SV480mC	White Gloss	Grey Airflow Removable	50	1370	45.7
195169	3M 8yr SAV Envision SV480mC	White Gloss	Grey Airflow Removable	50	1524	45.7

3M™ IJ280mC SF

PREMIUM SELF ADHESIVE VINYL

- Printable white lustre wrap film with new 3M Comply v4 Air Release and proprietary adhesive for fast, easy, bubble-free installations
- Conforms with less heat & removes cleanly at end of life with heat
- Excellent slideability; flexible; conforms to compound curves, corrugations and rivets
- For use with over laminates 8428G, 8518, 8519, 8520, 8548G, 8549L, 8550M & 8528
- Up to 20% faster to install & proven to lift 2x less
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Expected Performance Life of 8 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)

OUTDOOR APPLICATIONS

VEHICLE WRAP

TRANSIT GRAPHICS

LATEX MEDIA

SELF ADHESIVE

ECO SOLVENT MEDIA

UV MEDIA

REMOVABLE

Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173172	3M 8yr SAV IJ280mC SF	Lustre White	Grey Airflow Removable	50	1371	45.7
173173	3M 8yr SAV IJ280mC SF	Lustre White	Grey Airflow Removable	50	1524	45.7
198292	3M 8yr SAV IJ280mC SF	Lustre White	Grey Airflow Removable	50	1371	22.8
198293	3M 8yr SAV IJ280mC SF	Lustre White	Grey Airflow Removable	50	1524	22.8

VEHICLE WRAP

3M™ IJ180mC-10

PREMIUM SELF ADHESIVE VINYL

- Printable white lustre wrap film with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Many finished graphic constructions can be stretched up to 30% (i.e., a 10 inch [25 cm] piece of film can stretch to 13 inches [33 cm]) without primer or relief cuts and maintain lift resistance.
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L, 8550M & 8428G
- Print Compatibility: Eco-solvent, Latex & UV Curable inks

OUTDOOR APPLICATIONS

VEHICLE WRAP

TRANSIT GRAPHICS

LATEX MEDIA

SELF ADHESIVE

ECO SOLVENT MEDIA

UV MEDIA

REMOVABLE

Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194650	3M SAV IJ180mC-10	White Gloss	Grey Airflow Removable	50	1370	45.7
194651	3M SAV IJ180mC-10	White Gloss	Grey Airflow Removable	50	1524	45.7

3M™ IJ180mC-10UR, 114, 120, 10SLS & 10LSE

PREMIUM SELF ADHESIVE VINYL

- **10UR:** Gloss white premium cast wrap film, with a grey ultra removable micro-technology non-visible air release adhesive and PE coated liner. Removable without heat and/or chemicals
- **114:** Lustre clear premium cast wrap film, with a clear micro-technology non-visible air release adhesive and PE coated liner. Printable clear film for vehicle and fleet graphics
- **120:** Lustre metallic silver premium cast wrap film, with a silver micro-technology non-visible air release removable adhesive & PE coated liner. Printable metallic silver film for vehicle and fleet graphics
- **10SLS:** Gloss white premium cast wrap film, with a grey hi-tack micro-technology non-visible air release adhesive and PE coated liner. Engineered to adhere to stainless steel surfaces
- **10LSE:** Gloss white premium cast wrap film, with a grey hi-tack comply air release adhesive and PE coated liner. Designed to adhere to Low Surface Energy (LSE) plastics
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life: 8 years for 10UR. 10 years for 114, 120, 10SLS & 10LSE
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L, 8550M & 8428G
- Removable without heat and/or chemicals
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Print Compatibility: Eco-solvent, Latex & UV Curable inks

BLOCKOUT

OUTDOOR APPLICATIONS

ADHESIVE

SELF ADHESIVE

VEHICLE WRAP

TRANSIT GRAPHICS

ECO SOLVENT MEDIA

LATEX MEDIA

UV MEDIA

REMOVABLE

Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451375	3M SAV IJ180mC-10UR	White Gloss	Grey Air Ultra Removable	50	1371	45.7
400572	3M SAV IJ180mC-114	Clear Lustre	Clear Airflow Removable	50	1371	45.7
400573	3M SAV IJ180mC-114	Clear Lustre	Clear Airflow Removable	50	1524	45.7
400570	3M SAV IJ180mC-120	Silver Lustre	Silver Airflow Removable	50	1371	45.7
400571	3M SAV IJ180mC-120	Silver Lustre	Silver Airflow Removable	50	1524	45.7
451374	3M SAV IJ180mC-10SLS	White Gloss	Grey Airflow HiTack	50	1371	45.7
451373	3M SAV IJ180mC-10LSE	White Gloss	Grey Airflow HiTack	50	1371	45.7



Wrap fast. Wrap fearlessly.

Introducing 3M™ Print Wrap Film IJ280

Proven to install up to 20%^ faster and lift 2× less,* this film was engineered to turbocharge your productivity and confidence. Optimized features—such as cutting-edge conformability, lifting resistance and air release—fuel faster installations with looks that go the distance.

Our dedicated team of Sign & Display specialists can provide you with information and expert advice. For enquiries please contact your local Spicers representative.

1300 132 644 | spicers.com.au



^When compared to Avery Dennison® 1105EZRS/1460Z, Arlon SLX®/3210, & 3M™ IJ180Cv3/mC/8518 with experienced installers applying 3M™ IJ280/8428G for the first time.
*When compared to Avery Dennison® 1105EZRS/1460Z, Arlon SLX®/3210, & 3M™ IJ180Cv3/mC/8518.

VEHICLE WRAP

3M™ Envision 8548G, 8549L & 8550M

PREMIUM LAMINATE



- New 3M Envision high performance non-PVC high gloss, matt & lustre wrap overlaminate with a polyester liner and clear permanent adhesive
- Less prone to scratching
- Up to 8 year unprinted vertical durability
- Highly conformable with up to 50% stretch
- Superior UV and acid dew protection
- For use with Envision Print Wrap Film 480mC, IJ180mC, IJ780mC & IJ680CR



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
400590	3M 8yr LAM 8548G	Clear Gloss	50	Clear Permanent	1370	45.7
400591	3M 8yr LAM 8548G	Clear Gloss	50	Clear Permanent	1524	45.7
451530	3M 8yr LAM 8550M	Clear Matt	50	Clear Permanent	1370	45.7
451531	3M 8yr LAM 8550M	Clear Matt	50	Clear Permanent	1524	45.7
451614	3M 8yr LAM 8549L	Clear Lustre	50	Clear Permanent	1220	45.7

3M™ IJ280 Laminate 8428G

PREMIUM LAMINATE



- High gloss, clear premium over laminate with clear permanent adhesive
- Excellent lifting resistance
- Graphic protection for IJ280mC
- Highly conformable for compound curves and deep recesses, this 1.2 mil (30 µm) overlaminate delivers exceptional performance, productivity, and enhanced UV durability
- Features a gloss finish for a wet paint look




Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
451921	3M IJ280 Overlaminate 8428G	Clear	30	Clear Permanent	1371	45.7
451922	3M IJ280 Overlaminate 8428G	Clear	30	Clear Permanent	1524	45.7

3M™ 8518, 8519 & 8520

PREMIUM LAMINATE



- High gloss, matt & lustre clear premium over laminate with clear permanent adhesive
- The matt and lustre finishes have a kraft liner
- Highly conformable with up to 30% stretch
- Graphic protection for IJ180mC, IJ680CR & IJ780mC printable films
- High gloss finish offers a wet paint look and has polyester liner
- Resists fuel vapours
- Up to 8 year unprinted vertical durability




Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
451534	3M 8yr LAM 8518 High Gloss	Clear	50	Clear Permanent	1370	45.7
451535	3M 8yr LAM 8518 High Gloss	Clear	50	Clear Permanent	1524	45.7
451532	3M 8yr LAM 8520 Matte	Clear	50	Clear Permanent	1370	45.7
451533	3M 8yr LAM 8520 Matte	Clear	50	Clear Permanent	1524	45.7
400786	3M 8yr LAM 8519 Lustre	Clear	50	Clear Permanent	1370	45.7
400787	3M 8yr LAM 8519 Lustre	Clear	50	Clear Permanent	1524	45.7

3M™ 2080 Series

PREMIUM WRAP SAV



- Dual premium cast vinyl wrap film, with a grey, airflow adhesive and polyethylene-coated paper liner
- Gloss colours with Conformable Protective Film Layer
- Non-visible, air release channels for fast, easy, bubble-free installations
- If we don't have a colour you want in your local branch, we will get it despatched from interstate at NO EXTRA CHARGE
- Pressure-activated adhesive for easy sliding, tacking, snap up and repositioning with enhanced conformability and cold stretch removable with heat and/or chemicals
- Comprehensive warranty* Up to eight years in vertical applications (*warranty varies by zone and colours) On vehicles, warranty is up to 7 years vertical and 2 years horizontal. Warranty is the same
- 1524mm wide rolls allows for seamless wraps



Material	Colour	Material Description	Adhesive	Material Width (mm)	Length (m)
400856	Brushed Aluminium	3M 2080 - BR120 Brushed Aluminium	Grey Repositionable	1524	25
400858	Brushed Black Metallic	3M 2080 - BR212 Brushed Black Metallic	Grey Repositionable	1524	25
400857	Brushed Steel	3M 2080 - BR201 Brushed Steel	Grey Repositionable	1524	25
400859	Brushed Titanium	3M 2080 - BR230 Brushed Titanium	Grey Repositionable	1524	25
400854	Carbon Fibre Anthracite	3M 2080 - CFS201 Carbon Fibre Anthracite	Grey Repositionable	1524	25
400860	Carbon Fibre Black	3M 2080 - CFS12 Carbon Fibre Black	Grey Repositionable	1524	25
400845	Dead Matte Black	3M 2080 - DM12 Dead Matte Black	Grey Repositionable	1524	25
400798	Gloss Black	3M 2080 - G12 Gloss Black	Grey Repositionable	1524	25
451859	Gloss Black Metallic	3M 2080 - G212 Gloss Black Metallic	Grey Repositionable	1524	25
451862	Gloss Black Rose	3M 2080 - GP99 Gloss Black Rose	Grey Repositionable	1524	25
451861	Gloss Blue Metallic	3M 2080 - G227 Gloss Blue Metallic	Grey Repositionable	1524	25
451857	Gloss Boat Blue	3M 2080 - G127 Gloss Boat Blue	Grey Repositionable	1524	25
400805	Gloss Bright Orange	3M 2080 - G54 Gloss Bright Orange	Grey Repositionable	1524	25
400803	Gloss Bright Yellow	3M 2080 - G15 Gloss Bright Yellow	Grey Repositionable	1524	25
400802	Gloss Burnt Orange	3M 2080 - G14 Gloss Burnt Orange	Grey Repositionable	1524	25
400807	Gloss Dark Red	3M 2080 - G83 Gloss Dark Red	Grey Repositionable	1524	25
451860	Gloss Deep Blue Metallic	3M 2080 - G217 Gloss Deep Blue Metallic	Grey Repositionable	1524	25
400812	Gloss Deep Orange	3M 2080 - G24 Gloss Deep Orange	Grey Repositionable	1524	25
400829	Gloss Deep Space	3M 2080 - GP278 Gloss Deep Space	Grey Repositionable	1524	25
400823	Gloss Ember Black	3M 2080 - GP282 Gloss Ember Black	Grey Repositionable	1524	25
400810	Gloss Flame Red	3M 2080 - G53 Gloss Flame Red	Grey Repositionable	1524	25
400824	Gloss Galaxy Black	3M 2080 - GP292 Gloss Galaxy Black	Grey Repositionable	1524	25
400833	Gloss Ghost Pearl	3M 2080 - GP280 Gloss Ghost Pearl	Grey Repositionable	1524	25
400808	Gloss Hot Pink	3M 2080 - G103 Gloss Hot Pink	Grey Repositionable	1524	25
400801	Gloss Hotrod Red	3M 2080 - G13 Gloss Hotrod Red	Grey Repositionable	1524	25
451853	Gloss Intense Blue	3M 2080 - G47 Gloss Intense Blue	Grey Repositionable	1524	25
400813	Gloss Light Green	3M 2080 - G16 Gloss Light Green	Grey Repositionable	1524	25

Material	Colour	Material Description	Adhesive	Material Width (mm)	Length (m)
400806	Gloss Light Ivory	3M 2080 - G79 Gloss Light Ivory	Grey Repositionable	1524	25
400811	Gloss Lucid Yellow	3M 2080 - G55 Gloss Lucid Yellow	Grey Repositionable	1524	25
400822	Gloss Midnight Blue	3M 2080 - GP272 Gloss Midnight Blue	Grey Repositionable	1524	25
400822	Gloss Psychedelic	3M 2080 - GP281 Gloss Psychedelic	Grey Repositionable	1524	25
451858	Gloss Red Metallic	3M 2080 - G203 Gloss Red Metallic	Grey Repositionable	1524	25
451854	Gloss Sky Blue	3M 2080 - G77 Gloss Sky Blue	Grey Repositionable	1524	25
451852	Gloss Storm Grey	3M 2080 - G31 Gloss Storm Grey	Grey Repositionable	1524	25
400804	Gloss Sunflower	3M 2080 - G25 Gloss Sunflower	Grey Repositionable	1524	25
400800	Gloss White	3M 2080 - G10 Gloss White	Grey Repositionable	1524	25
400821	Gloss White Gold Sparkle	3M 2080 - GP240 Gloss White Gold Sparkle	Grey Repositionable	1524	25
400853	Matrix Black	3M 2080 - MX12 Matrix Black	Grey Repositionable	1524	25
400793	Matt Black	3M 2080 - M12 Matt Black	Grey Repositionable	1524	25
400814	Matt Black Metallic	3M 2080 - M212 Matt Black Metallic	Grey Repositionable	1524	25
400840	Matt Blue Metallic	3M 2080 - M227 Matt Blue Metallic	Grey Repositionable	1524	25
400837	Matt Brown Metallic	3M 2080 - M209 Matt Brown Metallic	Grey Repositionable	1524	25
400839	Matt Charcoal Metallic	3M 2080 - M211 Matt Charcoal Metallic	Grey Repositionable	1524	25
400843	Matt Dark Grey	3M 2080 - M261 Matt Dark Grey	Grey Repositionable	1524	25
400795	Matt Deep Black	3M 2080 - M22 Matt Deep Black	Grey Repositionable	1524	25
400842	Matt Grey Aluminium	3M 2080 - M230 Matt Grey Aluminium	Grey Repositionable	1524	25
400847	Matt Indigo	3M 2080 - M27 Matt Indigo	Grey Repositionable	1524	25
400846	Matt Military Green	3M 2080 - M26 Matt Military Green	Grey Repositionable	1524	25
400836	Matt Pine Green Metallic	3M 2080 - M206 Matt Pine Green Metallic	Grey Repositionable	1524	25
400796	Matt Red	3M 2080 - M13 Matt Red	Grey Repositionable	1524	25
400835	Matt Red Metallic	3M 2080 - M203 Matt Red Metallic	Grey Repositionable	1524	25
400838	Matt Silver	3M 2080 - M21 Matt Silver	Grey Repositionable	1524	25
400815	Matt Slate Blue Metallic	3M 2080 - M217 Matt Slate Blue Metallic	Grey Repositionable	1524	25
400794	Matt White	3M 2080 - M10 Matt White	Grey Repositionable	1524	25



It's a wrap.

A finish so beautiful it should be in pictures. At 3M, we're reinventing 3M™ Wrap Film with features worthy of a five-star rating. Like a Protective Film Layer on gloss colors to reduce surface impressions and scratches.

Lead the way and see our new colors in action at [3M.com/2080](https://www.3m.com/2080)

3M™ Wrap Film Series 2080




Material	Colour	Material Description	Adhesive	Material Width (mm)	Length (m)
400817	Satin Apple Green	3M 2080 - S196 Satin Apple Green	Grey Repositionable	1524	25
400849	Satin Battleship Grey	3M 2080 - S51 Satin Battleship Grey	Grey Repositionable	1524	25
451855	Satin Bitter Yellow	3M 2080 - S335 Satin Bitter Yellow	Grey Repositionable	1524	25
400799	Satin Black	3M 2080 - S12 Satin Black	Grey Repositionable	1524	25
400848	Satin Dark Grey	3M 2080 - S261 Satin Dark Grey	Grey Repositionable	1524	25
400819	Satin Frozen Vanilla	3M 2080 - SP240 Satin Frozen Vanilla	Grey Repositionable	1524	25
400831	Satin Ghost Pearl	3M 2080 - SP280 Satin Ghost Pearl	Grey Repositionable	1524	25
400816	Satin Gold Dust Black	3M 2080 - SP242 Satin Gold Dust Black	Grey Repositionable	1524	25
400820	Satin Key West	3M 2080 - S57 Satin Key West	Grey Repositionable	1524	25
451849	Satin Ocean Shimmer	3M 2080 - S327 Satin Ocean Shimmer	Grey Repositionable	1524	25
400818	Satin Pearl White	3M 2080 - SP10 Satin Pearl White	Grey Repositionable	1524	25
451851	Satin Perfect Blue	3M 2080 - S347 Satin Perfect Blue	Grey Repositionable	1524	25
400832	Satin Psychedelic	3M 2080 - SP281 Satin Psychedelic	Grey Repositionable	1524	25
451850	Satin Smouldering Red	3M 2080 - S363 Satin Smouldering Red	Grey Repositionable	1524	25
400852	Satin Thundercloud	3M 2080 - S271 Satin Thundercloud	Grey Repositionable	1524	25
400825	Satin Vampire Red	3M 2080 - SP273 Satin Vampire Red	Grey Repositionable	1524	25
400828	Satin Volcanic Flare	3M 2080 - SP236 Satin Volcanic Flare	Grey Repositionable	1524	25
400809	Satin White	3M 2080 - S10 Satin White	Grey Repositionable	1524	25
451848	Satin White Aluminium	3M 2080 - S120 Satin White Aluminium	Grey Repositionable	1524	25
400861	Shadow Black	3M 2080 - SB12 Shadow Black	Grey Repositionable	1524	25
400862	Shadow Military Green	3M 2080 - SB26 Shadow Military Green	Grey Repositionable	1524	25

3M is a trademark of 3M. © 3M 2019. All rights reserved.


VEHICLE WRAP

3M 2080 Series


Satin



Color Flip



Texture





3M Scotchgard Paint Protection Film Pro Series

Paint protection film is one of the best ways to preserve the showroom quality finish on your vehicle. The virtually invisible film will keep your vehicle looking newer longer- without changing the design features or colour- by protecting vulnerable areas such as front bumpers, hoods, side mirrors, door handle cavities, door edges, rocker panels, and rear fender panels. Preserving the finish of your vehicle with paint protection film (PPF) keeps your vehicle looking newer longer, and can enhance the resale value of your vehicle in the future.

- Unrivalled scratch and stain resistance
- Exceptional clarity
- Superior resistance to yellowing
- Self-healing technology makes most scratches disappear
- Tough, durable and maintenance free

Chrome



VEHICLE WRAP

Gloss



Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

Other product series


Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

3M™ 8900 Series

PREMIUM WRAP SAV



- 3M Wrap Overlamine Series 8900 lets you create combinations of colour and textures like never before
- Up to 8 year unprinted vertical durability
- Suitable for laminated film applications
 - fleet/vehicle, vehicle wraps, watercraft, transit and smooth walls



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400575	3M LAM 8900-CF100 Carbon Fibre	Carbon Fibre Clear	Clear Permanent	1524	22.8

3M™ Scotchgard PPF SGH6 Pro

PAINT PROTECTION FILM



- 0.2mm Polyurethane film with elastic high gloss clear coat and flexible adhesive for ease of application
- Self-healing technology makes most scratches disappear, helping the filmlook brand new for longer
- Helps to safeguard vulnerable painted surfaces like the leading edge of the hood, bumper, door edges and trunk ledge
- Industry leading scratch and stain resistance with expectional clarity
- Helps protect paint from stones, sand, road debris, bug acids and other harsh conditions that mar that new car finish
- 7 year warranty - please see the product and application guides for more information



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400491	3M LAM PPF Gloss SGH06 Pro 0.2	Clear	Clear Permanent	610	30
400493	3M LAM PPF Gloss SGH06 Pro 0.2	Clear	Clear Permanent	1220	15
400494	3M LAM PPF Gloss SGH06 Pro 0.2	Clear	Clear Permanent	1520	15

3M™ Knifeless Tape



- Precisely and efficiently cut through film without a knife and without surface damage to create a clean line
- Available in various widths and filament types for every application
- Patented designs that turn easily in any direction

Material	Material Description	Colour	Width (mm)	Length (m)
168984	3M Knifeless Design Line Tape	Green	4	50
168985	3M Knifeless Tri Line Tape	Green	9	50
168986	3M Knifeless Finish Line Tape	Green	4	50
193763	3M Knifeless Precision Line Tape	Green	5	50

3M™ PPF Install Gel



- Paint protection film installation gel provides easier installation and better final appearance
- Clings well to vertical and horizontal surfaces
- Enables longer handling times due to thicker floating barrier
- Gel will stay wet longer, especially in hot climates

Material	Material Description	Litres
199331	3M PPF Install Gel	4.5

3M™ Ventureshield GC

PAINT PROTECTION FILM



- 0.21mm Polyurethane film with high gloss clear coat to meet demanding AOEM specifications
- The high-performance, pressure-sensitive adhesive ensures excellent adhesion to OEM paints, yet is removable if needed
- Helps to safeguard vulnerable painted surfaces like the leading edge of the hood, bumper, door edges and trunk ledge
- 5 year warranty - please see the product and application guides for more information
- The clear coat with UV protectants counteracts harmful UV rays and resists yellowing
- Helps protect paint from stones, sand, road debris, bug acids and other harsh conditions that mar that new car finish
- More conformable than the SGH6, so ideal for more complex shaped surfaces




Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400505	3M LAM PPF Ventureshield GC 0.21	Clear	Clear Permanent	610	30
400508	3M LAM PPF Ventureshield GC 0.21	Clear	Clear Permanent	1220	30
400509	3M LAM PPF Ventureshield GC 0.21	Clear	Clear Permanent	1520	15



TRANSIT APPLICATIONS

1. 3M™ Diamond Grade™ Reflective 4000 Series (page 162)
2. 3M™ Wrap Film Series 2080 (page 128)
3M™ IJ280 Print Wrap Film (page 12)
GF230 AutoMark® (page 19)
3. 3M™ 780mC Reflective Print Wrap Film (page 161)
4. 3M™ Diamond Grade™ Reflective 983 Series (page 158)
5. GF WindowMark® (page 42)
One Way Vision™ (page 43)
6. 3M™ PPF Pro Series (page 134)





CUT COLOUR VINYL


Our extensive range is one of the best in the business. With stock on hand and sold by the metre*, we have grades to suit a huge variety of applications.



CREATING SOLUTIONS TOGETHER.








CUT COLOUR VINYL

3M™ Controltac Plus with Comply 180mC Series



- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Conforms to flat surfaces, with and without rivets, simple curves, compound curves and corrugations
- Indoor and outdoor graphics and signs, including point-of-purchase and displays
- Features non-visible air release channels for fast and easy, bubble-freegraphic installations
- Expected Performance Life of up to 8 years* (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Commercial vehicles, straight trucks, buses, rails cars, semi-trucks and semi-trailers, emblems or striping
- Small format original equipment manufacturer's (OEM) decorative and identification graphics, cautionary and safety labeling

PREMIUM CUT SAV



Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
451098	Antique White	3M 8yr 180mC-90 Antique White	Repositionable	1220	45.7
451119	Apple Green	3M 8yr 180mC-196 Apple Green	Repositionable	1220	45.7
451087	Apricot	3M 8yr 180mC-64 Apricot	Repositionable	1220	45.7
451134	Atomic Red	3M 8yr 180mC-293 Atomic Red	Repositionable	1220	45.7
451077	Beige	3M 8yr 180mC-49 Beige	Repositionable	1220	45.7
451136	Bermuda Blue	3M 8yr 180mC-357 Bermuda Blue	Repositionable	1220	45.7
451056	Black	3M 8yr 180mC-12 Black	Repositionable	1220	45.7
451112	Boat Blue	3M 8yr 180mC-127 Boat Blue	Repositionable	1220	45.7
451133	Bottle Green	3M 8yr 180mC-276 Bottle Green	Repositionable	1220	45.7
451124	Bright Blue Metallic	3M 8yr 180mC-227 Bright Blue Metallic	Repositionable	1220	45.7
451117	Bright Green	3M 8yr 180mC-186 Bright Green	Repositionable	1220	45.7
451058	Bright Orange	3M 8yr 180mC-14 Bright Orange	Repositionable	1220	45.7
451059	Bright Yellow	3M 8yr 180mC-15 Bright Yellow	Repositionable	1220	45.7
451083	Burgundy	3M 8yr 180mC-58 Burgandy	Repositionable	1220	45.7
451078	Cardinal Red	3M 8yr 180mC-53 Cardinal Red	Repositionable	1220	45.7
451129	Champagne Metallic	3M 8yr 180mC-249 Champagne Metallic	Repositionable	1220	45.7
451122	Charcoal Metallic	3M 8yr 180mC-211 Charcoal Metallic	Repositionable	1220	45.7
451125	Chocolate Brown Metallic	3M 8yr 180mC-239 Choc Brown Metallic	Repositionable	1220	45.7
450736	Copper Metallic	3M 8yr 180mC-229 Copper Metallic	Repositionable	1220	45.7
451135	Dark Aqua	3M 8yr 180mC-307 Dark Aqua	Repositionable	1220	45.7
451137	Dark Blue	3M 8yr 180mC-397 Dark Blue	Repositionable	1220	45.7
451123	Dark Blue Metallic	3M 8yr 180mC-217 Dark Blue Metallic	Repositionable	1220	45.7
451080	Dark Green	3M 8yr 180mC-56 Dark Green	Repositionable	1220	45.7
451073	Dark Grey	3M 8yr 180mC-41 Dark Gray	Repositionable	1220	45.7
451035	Dark Indigo	3M 8yr 180mC-9038 Dark Indigo	Repositionable	1220	45.7
451103	Dark Violet	3M 8yr 180mC-98 Dark Violet	Repositionable	1220	45.7
451062	Deep Mahogany Brown	3M 8yr 180mC-19 Deep Mahogany Brown	Repositionable	1220	45.7
451065	Deep Red	3M 8yr 180mC-23 Deep Red	Repositionable	1220	45.7
451099	Dove Grey	3M 8yr 180mC-91 Dove Gray	Repositionable	1220	45.7
451090	Duranodic	3M 8yr 180mC-69 Duranodic	Repositionable	1220	45.7
451104	Fawn	3M 8yr 180mC-99 Fawn	Repositionable	1220	45.7
451089	Forest Green	3M 8yr 180mC-66 Forest Green	Repositionable	1220	45.7
451086	Geranium	3M 8yr 180mC-63 Geranium	Repositionable	1220	45.7

Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
451126	Gold Metallic	3M 8yr 180mC-241 Gold Metallic	Repositionable	1220	45.7
451107	Harvest Gold	3M 8yr 180mC-105 Harvest Gold	Repositionable	1220	45.7
451100	Imperial Red	3M 8yr 180mC-93 Imperial Red	Repositionable	1220	45.7
451068	Indigo	3M 8yr 180mC-27 Indigo	Repositionable	1220	45.7
451075	Intense Blue	3M 8yr 180mC-47 Intense Blue	Repositionable	1220	45.7
451074	Kelly Green	3M 8yr 180mC-46 Kelly Green	Repositionable	1220	45.7
451060	Khaki Green	3M 8yr 180mC-16 Khaki Green	Repositionable	1220	45.7
451108	Light Blue	3M 8yr 180mC-107 Light Blue	Repositionable	1220	45.7
451111	Light Grey	3M 8yr 180mC-121 Light Gray	Repositionable	1220	45.7
451088	Light Lemon Yellow	3M 8yr 180mC-65 Light Lemon Yellow	Repositionable	1220	45.7
451120	Light Navy	3M 8yr 180mC-197 Light Navy	Repositionable	1220	45.7
451079	Light Orange	3M 8yr 180mC-54 Light Orange	Repositionable	1220	45.7
451114	Lime Green	3M 8yr 180mC-136 Lime Green	Repositionable	1220	45.7
451106	Magenta	3M 8yr 180mC-103 Magenta	Repositionable	1220	45.7
451064	Matt Black	3M 8yr 180mC-22 Matte Black	Repositionable	1220	45.7
451063	Matt White	3M 8yr 180mC-20 Matte White	Repositionable	1220	45.7
450635	Medium Grey	3M 8yr 180mC-31 Medium Grey	Repositionable	1220	45.7
451085	Mid Grey	3M 8yr 180mC-61 Mid Grey	Repositionable	1220	45.7
451105	Nimbus Grey	3M 8yr 180mC-101 Nimbus Gray	Repositionable	1220	45.7
451081	Olympic Blue	3M 8yr 180mC-57 Olympic Blue	Repositionable	1220	45.7
451092	Peacock Blue	3M 8yr 180mC-77 Peacock Blue	Repositionable	1220	45.7
451055	Pearl Grey	3M 8yr 180mC-11 Pearl Gray	Repositionable	1220	45.7
451131	Perfect Match Red	3M 8yr 180mC-263 Perfect Match Red	Repositionable	1220	45.7
451109	Persian Blue	3M 8yr 180mC-117 Persian Blue	Repositionable	1220	45.7
451128	Petroleum Blue Metallic	3M 8yr 180mC-247 Petroleum Blue Metallic	Repositionable	1220	45.7
451093	Plum	3M 8yr 180mC-78 Plum	Repositionable	1220	45.7
451132	Process Magenta	3M 8yr 180mC-273 Process Magenta	Repositionable	1220	45.7
451076	Purple	3M 8yr 180mC-48 Purple	Repositionable	1220	45.7
451084	Putty	3M 8yr 180mC-59 Putty	Repositionable	1220	45.7
451091	Red Orange	3M 8yr 180mC-74 Red Orange	Repositionable	1220	45.7
451095	Robin Egg Blue	3M 8yr 180mC-86 Robin Egg Blue	Repositionable	1220	45.7
451071	Royal Purple	3M 8yr 180mC-38 Royal Purple	Repositionable	1220	45.7
451069	Russet Brown	3M 8yr 180mC-29 Russet Brown	Repositionable	1220	45.7
451097	Sandstone	3M 8yr 180mC-89 Sandstone	Repositionable	1220	45.7
451070	Sapphire Blue	3M 8yr 180mC-37 Sapphire Blue	Repositionable	1220	45.7
451110	Satin Aluminium	3M 8yr 180mC-120 Satin Aluminum	Repositionable	1220	45.7
451113	Satin Gold	3M 8yr 180mC-131 Satin Gold	Repositionable	1220	45.7
451116	Shadow Blue	3M 8yr 180mC-177 Shadow Blue	Repositionable	1220	45.7
451121	Slate Metallic	3M 8yr 180mC-201 Slate Metallic	Repositionable	1220	45.7
451102	Soft Blue	3M 8yr 180mC-97 Soft Blue	Repositionable	1220	45.7
451127	Steampunk Red Metallic	3M 8yr 180mC-243 Steampunk Red Metallic	Repositionable	1220	45.7

*Confirm with 3M as each specific colour durability may differ.

3M™ Opaque Graphic Films

3M™ Scotchcal™ ElectroCut™ Graphic Film Series 7125 and 7725
3M™ Controltac™ Graphic Film and Comply™ Adhesive Series 180mC

	Light Lemon Yellow 65		Atomic Red 293		Royal Purple 38		Olympic Blue 57 PANTONE® 7461C
	Bright Yellow 15 PANTONE® 109C		Perfect Match Red 263 PANTONE® 186C		Plum 78 PANTONE® 525C		Persian Blue 117
	Sunflower 25 PANTONE® 1235C		Geranium 63		Purple 48		Intense Blue 47 PANTONE® 301C
	Harvest Gold 105 PANTONE® 7510C		Imperial Red 93		Indigo 27 PANTONE® 2767C		Vivid Blue 17
	Apricot 64		Cardinal Red 53		Boat Blue 127		Sapphire Blue 37 PANTONE® 2747C
	Light Orange 54		Deep Red 23		Wedgewood Blue 187		Dark Blue 397
	Bright Orange 14 PANTONE® 021C		Burgundy 58		Robin Egg Blue 86		Light Navy 197 PANTONE® 289C
	Terra Cotta 24		Magenta 103 PANTONE® 205C		Peacock Blue 77 PANTONE® 298C		Shadow Blue 177
	Red Orange 74		Process Magenta 273 PANTONE® 214C		Soft Blue 97		Dark Aqua 307
	Tomato Red 13 PANTONE® 1795C		Dark Violet 98		Light Blue 107		Teal 96 PANTONE® 322C

Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® – identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC.© All rights reserved.

CUT COLOUR VINYL


Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
451094	Stone Grey	3M 8yr 180mC-81 Stone Grey	Repositionable	1220	45.7
451067	Sunflower	3M 8yr 180mC-25 Sunflower	Repositionable	1220	45.7
451072	Tan	3M 8yr 180mC-39 Tan	Repositionable	1220	45.7
451101	Teal	3M 8yr 180mC-96 Teal	Repositionable	1220	45.7
451066	Terra Cotta	3M 8yr 180mC-24 Terra Cotta	Repositionable	1220	45.7
451057	Tomato Red	3M 8yr 180mC-13 Tomato Red	Repositionable	1220	45.7
451115	Traffic Grey	3M 8yr 180mC-151 Traffic Grey	Repositionable	1220	45.7
450963	Transparent	3M 8yr 180MC-114 Transparent	Repositionable	1220	45.7
451061	Vivid Blue	3M 8yr 180mC-17 Vivid Blue	Repositionable	1220	45.7
451118	Wedgewood Blue	3M 8yr 180mC-187 Wedgewood Blue	Repositionable	1220	45.7
451053	White	3M 8yr 180mC-10 White	Repositionable	1220	45.7

3M™ 180mC Series 610mm

PREMIUM CUT SAV



- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Conforms to flat surfaces, with and without rivets, simple curves, compound curves and corrugations
- Indoor and outdoor graphics and signs, including point-of-purchase and displays
- Features non-visible air release channels for fast and easy, bubble-freegraphic installations
- Expected Performance Life of up to 8 years* (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Commercial vehicles, straight trucks, buses, rails cars, semi-trucks andsemi-trailers, emblems or striping
- If we don't have a colour you want in your local branch, we will get it despatched from interstate at NO extra delivery charge




Material	Colour	Material Description	Width (mm)	Length (m)
451139	Black	3M 8yr 180mC-12 Black	610	45.7
451147	Matt Black	3M 8yr 180mC-22 Matt Black	610	45.7
451146	Matt White	3M 8yr 180mC-20 Matt White	610	45.7
451054	White	3M 8yr 180mC-10 White	610	45.7

3M™ 7725 Series 610mm

PREMIUM CUT SAV



- High gloss, premium cast vinyl with clear permanent adhesive and transparent synthetic liner
- Superior cutting as small as 0.25 inch (0.64 cm) and weeding
- For electronic cutting, thermal transfer printing and screen printing
- Lays flat for easier assembly of multi-color graphics
- For flat rigid or simple curved surfaces
- Up to 8 years* unprinted vertical durability
- If we don't have a colour you want in your local branch, we will get it despatched from inter-state at NO extra delivery charge



Material	Colour	Material Description	Width (mm)	Length (m)
400010	Black	3M 8Yr 7725-12 Black	610	45.7
450350	Matt Black	3M 8Yr 7725-22 Matt Black	610	45.7
400012	Matt White	3M 8Yr 7725-20 Matt White	610	45.7
400011	White	3M 8Yr 7725-10 White	610	45.7

*Confirm with 3M as each specific colour durability may differ.

CUT COLOUR VINYL

3M™ 7725 ElectroCut Series 1220mm

PREMIUM CUT SAV



- High gloss, premium cast vinyl with clear permanent adhesive and transparent synthetic liner
- Superior cutting as small as 0.25 inch (0.64 cm) and weeding
- For electronic cutting, thermal transfer printing and screen printing
- Lays flat for easier assembly of multi-color graphics
- For flat rigid or simple curved surfaces
- Up to 8 years* unprinted vertical durability
- If we don't have a colour you want in your local branch, we will get it despatched from interstate at NO extra delivery charge



Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
450626	Antique White	3M 8Yr 7725-90 Antique White	Clear Permanent	1220	45.7
450766	Apricot	3M 8Yr 7725-64 Apricot	Clear Permanent	1220	45.7
400881	Atomic Red	3M 8Yr 7725-293 Atomic Red	Clear Permanent	1220	45.7
450756	Beige	3M 8Yr 7725-49 Beige	Clear Permanent	1220	45.7
450776	Bermuda Blue	3M 8Yr 7725-357 Bermuda Blue	Clear Permanent	1220	45.7
400050	Black	3M 8Yr 7725-12 Black	Clear Permanent	1220	45.7
400871	Boat Blue	3M 8Yr 7725-127 Boat Blue	Clear Permanent	1220	45.7
450772	Bottle Green	3M 8Yr 7725-276 Bottle Green	Clear Permanent	1220	45.7
400875	Bright Blue Metallic	3M 8Yr 7725-227 Bright Blue Metallic	Clear Permanent	1220	45.7
400031	Bright Green	3M 8Yr 7725-186 Bright Green	Clear Permanent	1220	45.7
400045	Bright Orange	3M 8Yr 7725-14 Bright Orange	Clear Permanent	1220	45.7
450345	Bright Yellow	3M 8Yr 7725-15 Bright Yellow	Clear Permanent	1220	45.7
400034	Burgundy	3M 8Yr 7725-58 Burgundy	Clear Permanent	1220	45.7
400038	Cardinal Red	3M 8Yr 7725-53 Cardinal Red	Clear Permanent	1220	45.7
400879	Champagne Metallic	3M 8Yr 7725-249 Champagne Metallic	Clear Permanent	1220	45.7
451742	Charcoal Metallic	3M 8Yr 7725-211 Charcoal Metallic	Clear Permanent	1220	45.7
400876	Chocolate Brown	3M 8Yr 7725-239 Chocolate Brown	Clear Permanent	1220	45.7
450778	Dark Aqua	3M 8Yr 7725-307 Dark Aqua	Clear Permanent	1220	45.7
451564	Dark Blue	3M 8Yr 7725-397 Dark Blue	Clear Permanent	1220	45.7
400874	Dark Blue Metallic	3M 8Yr 7725-217 Dark Blue Metallic	Clear Permanent	1220	45.7
400036	Dark Green	3M 8Yr 7725-56 Dark Green	Clear Permanent	1220	45.7
400041	Dark Grey	3M 8Yr 7725-41 Dark Grey	Clear Permanent	1220	45.7
450792	Dark Violet	3M 8Yr 7725-98 Dark Violet	Clear Permanent	1220	45.7
450742	Deep Mahogany Brown	3M 8Yr 7725-19 Deep Mahogany	Clear Permanent	1220	45.7
400309	Deep Red	3M 8Yr 7725-23 Deep Red	Clear Permanent	1220	45.7
400886	Dove Grey	3M 8Yr 7725-91 Dove Grey	Clear Permanent	1220	45.7
450740	Eggshell	3M 8Yr 7725-130 Eggshell	Clear Permanent	1220	45.7
450754	Fawn	3M 8Yr 7725-99 Fawn	Clear Permanent	1220	45.7
450774	Forest Green	3M 8Yr 7725-66 Forest Green	Clear Permanent	1220	45.7
400033	Geranium	3M 8Yr 7725-63 Geranium	Clear Permanent	1220	45.7
400877	Gold Metallic	3M 8Yr 7725-241 Gold Metallic	Clear Permanent	1220	45.7
450768	Harvest Gold	3M 8Yr 7725-105 Harvest Gold	Clear Permanent	1220	45.7
400887	Imperial Red	3M 8Yr 7725-93 Imperial Red	Clear Permanent	1220	45.7
400880	Indigo	3M 8Yr 7725-27 Indigo	Clear Permanent	1220	45.7
400039	Intense Blue	3M 8Yr 7725-47 Intense Blue	Clear Permanent	1220	45.7
400040	Kelly Green	3M 8Yr 7725-46 Kelly Green	Clear Permanent	1220	45.7

CUT COLOUR VINYL

Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
400872	Khaki Green	3M 8Yr 7725-16 Khaki Green	Clear Permanent	1220	45.7
400868	Light Blue	3M 8Yr 7725-107 Light Blue	Clear Permanent	1220	45.7
400870	Light Grey	3M 8Yr 7725-121 Light Grey	Clear Permanent	1220	45.7
400883	Light Lemon Yellow	3M 8Yr 7725-65 Light Lemon Yellow	Clear Permanent	1220	45.7
450308	Light Navy	3M 8Yr 7725-197 Light Navy	Clear Permanent	1220	45.7
400037	Light Orange	3M 8Yr 7725-54 Light Orange	Clear Permanent	1220	45.7
451559	Lime Green	3M 8Yr 7725-136 Lime Green	Clear Permanent	1220	45.7
450760	Magenta	3M 8Yr 7725-103 Magenta	Clear Permanent	1220	45.7
450349	Matt Black	3M 8Yr 7725-22 Matt Black	Clear Permanent	1220	45.7
400049	Matt White	3M 8Yr 7725-20 Matt White	Clear Permanent	1220	45.7
400043	Medium Grey	3M 8Yr 7725-31 Medium Grey	Clear Permanent	1220	45.7
400882	Mid Grey	3M 8Yr 7725-31 Mid Grey	Clear Permanent	1220	45.7
400867	Nimbus Grey	3M 8Yr 7725-101 Nimbus Grey	Clear Permanent	1220	45.7
400035	Olympic Blue	3M 8Yr 7725-57 Olympic Blue	Clear Permanent	1220	45.7
450782	Peacock Blue	3M 8Yr 7725-77 Peacock Blue	Clear Permanent	1220	45.7
450343	Pearl Grey	3M 8Yr 7725-11 Pearl Grey	Clear Permanent	1220	45.7
450651	Perfect Match Red	3M 8Yr 7725-263 Perfect Match Red	Clear Permanent	1220	45.7
400869	Persian Blue	3M 8Yr 7725-117 Persian Blue	Clear Permanent	1220	45.7
400884	Plum	3M 8Yr 7725-78 Plum	Clear Permanent	1220	45.7
450652	Process Magenta	3M 8Yr 7725-273 Process Magenta	Clear Permanent	1220	45.7
450790	Purple	3M 8Yr 7725-48 Purple	Clear Permanent	1220	45.7
450750	Putty	3M 8Yr 7725-59 Putty	Clear Permanent	1220	45.7
451280	Red Orange	3M 8Yr 7725-74 Red Orange	Clear Permanent	1220	45.7
450784	Robin Egg Blue	3M 8Yr 7725-86 Robin Egg Blue	Clear Permanent	1220	45.7
450625	Royal Purple	3M 8Yr 7725-38 Royal Purple	Clear Permanent	1220	45.7
450744	Russet Brown	3M 8Yr 7725-29 Russet Brown	Clear Permanent	1220	45.7
400042	Sapphire Blue	3M 8Yr 7725-37 Sapphire Blue	Clear Permanent	1220	45.7
400048	Satin Aluminium	3M 8Yr 7725-120 Satin Aluminium	Clear Permanent	1220	45.7
400032	Satin Apple Green	3M 8Yr 7725-196 Apple Green	Clear Permanent	1220	45.7
400046	Satin Gold	3M 8Yr 7725-131 Satin Gold	Clear Permanent	1220	45.7
450788	Shadow Blue	3M 8Yr 7725-177 Shadow Blue	Clear Permanent	1220	45.7
451743	Slate Metallic	3M 8Yr 7725-201 Slate Metallic	Clear Permanent	1220	45.7
400888	Soft Blue	3M 8Yr 7725-97 Soft Blue	Clear Permanent	1220	45.7
400878	Steampunk Red Metallic	3M 8Yr 7725-243 Steampunk Red Metallic	Clear Permanent	1220	45.7
400885	Stone Grey	3M 8Yr 7725-81 Stone Grey	Clear Permanent	1220	45.7
400044	Sunflower Yellow	3M 8Yr 7725-25 Sunflower Yellow	Clear Permanent	1220	45.7
450325	Teal	3M 8Yr 7725-96 Teal	Clear Permanent	1220	45.7
400047	Tomato Red	3M 8Yr 7725-13 Tomato Red	Clear Permanent	1220	45.7
451666	Traffic Grey	3M 8Yr 7725-151 Traffic Grey	Clear Permanent	1220	45.7
450366	Transparent	3M 8Yr 7725-114 Transparent	Clear Permanent	1220	45.7
450794	Violet	3M 8Yr 7725-88 Violet	Clear Permanent	1220	45.7
450347	Vivid Blue	3M 8Yr 7725-17 Vivid Blue	Clear Permanent	1220	45.7
400003	White	3M 8Yr 7725-10 White	Clear Permanent	1220	45.7

*Confirm with 3M as each specific colour durability may differ.

3M™ Scotchcal™ Film Series 50



Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® – identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC.© All rights reserved.

CUT COLOUR VINYL

3M™ Scotchcal 50 Series 610mm

INTERMEDIATE CUT SAV



- High gloss, intermediate polymeric vinyl with clear permanent adhesive (up to 3 years) and a kraft liner
- Clean, crisp cutting and weeding down to 9.5mm
- Up to 5 years* unprinted vertical durability
- For general signage, logos emblems and lettering for vehicles and windows
- For flat rigid or simple curved surfaces
- Suitable for electro-cut and Screen printing




Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
400201	Aluminium	3M 5yr SC50-58 Aluminium	Clear Permanent	610	50
400211	Black	3M 5yr SC50-12 Black	Clear Permanent	610	50
450382	Bright Green	3M 5yr SC50-745 Bright Green	Clear Permanent	610	50
400203	Bright Orange	3M 5yr SC50-34 Bright Orange	Clear Permanent	610	50
450301	Bright Yellow	3M 5yr SC50-25 Bright Yellow	Clear Permanent	610	50
450309	Deep Navy Blue	3M 5yr SC50-90 DeepNavy Blue	Clear Permanent	610	50
400202	Gold	3M 5yr SC50-54 Gold	Clear Permanent	610	50
450265	Grass Green	3M 5yr SC50-73 Grass Green	Clear Permanent	610	50
450263	Light Blue	3M 5yr SC50-82 Light Blue	Clear Permanent	610	50
450374	Light Green	3M 5yr SC50-72 Light Green	Clear Permanent	610	50
450394	Light Magenta	3M 5yr SC50-62 Light Magenta	Clear Permanent	610	50
450303	Marine Blue	3M 5yr SC50-884 Marine Blue	Clear Permanent	610	50
450274	Matt Black	3M 5yr SC50-120 Matt Black	Clear Permanent	610	50
400212	Matt White	3M 5yr SC50-100 Matt White	Clear Permanent	610	50
400283	Medium Red	3M 5yr SC50-475 Medium Red	Clear Permanent	610	50
400287	Nimbus Grey	3M 5yr SC50-97 Nimbus Grey	Clear Permanent	610	50
450386	Purple	3M 5yr SC50-66 Purple	Clear Permanent	610	50
450372	Red	3M 5yr SC50-48 Red	Clear Permanent	610	50
400285	Sapphire Blue	3M 5yr SC50-88 Sapphire Blue	Clear Permanent	610	50
400209	Sunflower Yellow	3M 5yr SC50-275 Sunflower Yellow	Clear Permanent	610	50
450384	Teal	3M 5yr SC50-79 Teal	Clear Permanent	610	50
400206	Tomato Red	3M 5yr SC50-465 Tomato Red	Clear Permanent	610	50
400210	Vivid Blue	3M 5yr SC50-862 Vivid Blue	Clear Permanent	610	50
400213	White	3M 5yr SC50-10 White	Clear Permanent	610	50
450074	Yellow	3M 5yr SC50-265 Yellow	Clear Permanent	610	50

*Confirm with 3M as each specific colour durability may differ.

CUT COLOUR VINYL

3M™ Scotchcal 50 Series 1220mm



- High gloss, intermediate polymeric vinyl with clear permanent adhesive (up to 3 years) and a kraft liner
- Clean, crisp cutting and weeding down to 9.5mm
- Up to 5 years* unprinted vertical durability
- For general signage, logos emblems and lettering for vehicles and windows
- For flat rigid or simple curved surfaces
- Suitable for electro-cut and Screen printing

OUTDOOR APPLICATIONS

SELF ADHESIVE

POINT OF SALE

WINDOW GRAPHICS


VEHICLE WRAP

Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
400201	Aluminium	3M 5yr SC50-58 Aluminium	Clear Permanent	1220	50
450073	Anthracite	3M 5yr SC50-585 Anthracite	Clear Permanent	1220	50
450086	Apricot	3M 5yr SC50-28 Apricot	Clear Permanent	1220	50
450396	Aqua	3M 5yr SC50-792 Aqua	Clear Permanent	1220	50
400204	Azure Blue	3M 5yr SC50-84 Azure Blue	Clear Permanent	1220	50
450398	Beige	3M 5yr SC50-914 Beige	Clear Permanent	1220	50
400211	Black	3M 5yr SC50-12 Black	Clear Permanent	1220	50
450382	Bright Green	3M 5yr SC50-745 Bright Green	Clear Permanent	1220	50
400203	Bright Orange	3M 5yr SC50-34 Bright Orange	Clear Permanent	1220	50
450383	Bright Red	3M 5yr SC50-42 Bright Red	Clear Permanent	1220	50
450301	Bright Yellow	3M 5yr SC50-25 Bright Yellow	Clear Permanent	1220	50
450395	Brilliant Blue	3M 5yr SC50-87 Brilliant Blue	Clear Permanent	1220	50
450391	Brown	3M 5yr SC50-92 Brown	Clear Permanent	1220	50
450380	Burgundy	3M 5yr SC50-49 Burgundy	Clear Permanent	1220	50
450096	Cardinal Red	3M 5yr SC50-473 Cardinal Red	Clear Permanent	1220	50
450400	Dark Aqua	3M 5yr SC50-795 Dark Aqua	Clear Permanent	1220	50
450378	Dark Green	3M 5yr SC50-78 Dark Green	Clear Permanent	1220	50
450376	Dark Red	3M 5yr SC50-485 Dark Red	Clear Permanent	1220	50
450399	Dark Sahara	3M 5yr SC50-917 Dark Sahara	Clear Permanent	1220	50
450309	Deep Navy Blue	3M 5yr SC50-90 DeepNavy Blue	Clear Permanent	1220	50
450385	Deep Red	3M 5yr SC50-486 Deep Red	Clear Permanent	1220	50
450397	Fawn	3M 5yr SC50-912 Fawn	Clear Permanent	1220	50
400202	Gold	3M 5yr SC50-54 Gold	Clear Permanent	1220	50
450265	Grass Green	3M 5yr SC50-73 Grass Green	Clear Permanent	1220	50
400205	Green	3M 5yr SC50-74 Green	Clear Permanent	1220	50
450277	Grey	3M 5yr SC50-96 Grey	Clear Permanent	1220	50
450351	Grey White	3M 5yr SC50-93 Grey White	Clear Permanent	1220	50
450389	Insignia blue	3M 5yr SC50-905 Insignia Blue	Clear Permanent	1220	50
450390	Ivory	3M 5yr SC50-91 Ivory	Clear Permanent	1220	50
450390	Lavender	3M 5yr SC50-91 Ivory	Clear Permanent	1220	50
450393	Leaf Green	3M 5yr SC50-77 Leaf Green	Clear Permanent	1220	50
450289	Lemon Yellow ZG34	3M 5yr SC50-24 Lemon Yellow ZG34	Clear Permanent	1220	50
450263	Light Blue	3M 5yr SC50-82 Light Blue	Clear Permanent	1220	50

CUT COLOUR VINYL

Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
450374	Light Green	3M 5yr SC50-72 Light Green	Clear Permanent	1220	50
450305	Light Grey	3M 5yr SC50-94 Light Grey	Clear Permanent	1220	50
450394	Light Magenta	3M 5yr SC50-62 Light Magenta	Clear Permanent	1220	50
450303	Marine Blue	3M 5yr SC50-884 Marine Blue	Clear Permanent	1220	50
450274	Matt Black	3M 5yr SC50-120 Matt Black	Clear Permanent	1220	50
400212	Matt White	3M 5yr SC50-100 Matt White	Clear Permanent	1220	50
450402	Medium Brown	3M 5yr SC50-918 Medium Brown	Clear Permanent	1220	50
400281	Medium Green	3M 5yr SC50-76 Medium Green	Clear Permanent	1220	50
400283	Medium Red	3M 5yr SC50-475 Medium Red	Clear Permanent	1220	50
400287	Nimbus Grey	3M 5yr SC50-97 Nimbus Grey	Clear Permanent	1220	50
400207	Orange	3M 5yr SC50-32 Orange	Clear Permanent	1220	50
450392	Pastel Blue	3M 5yr SC50-83 Pastel Blue	Clear Permanent	1220	50
450387	Pink	3M 5yr SC50-64 Pink	Clear Permanent	1220	50
450386	Purple	3M 5yr SC50-66 Purple	Clear Permanent	1220	50
450372	Red	3M 5yr SC50-48 Red	Clear Permanent	1220	50
400285	Sapphire Blue	3M 5yr SC50-88 Sapphire Blue	Clear Permanent	1220	50
450079	Sky Blue	3M 5yr SC50-834 Sky Blue	Clear Permanent	1220	50
450388	Soft Blue	3M 5yr SC50-81 Soft Blue	Clear Permanent	1220	50
400209	Sunflower Yellow	3M 5yr SC50-275 Sunflower Yellow	Clear Permanent	1220	50
450384	Teal	3M 5yr SC50-79 Teal	Clear Permanent	1220	50
400206	Tomato Red	3M 5yr SC50-465 Tomato Red	Clear Permanent	1220	50
400210	Vivid Blue	3M 5yr SC50-862 Vivid Blue	Clear Permanent	1220	50
400213	White	3M 5yr SC50-10 White	Clear Permanent	1220	50
450074	Yellow	3M 5yr SC50-265 Yellow	Clear Permanent	1220	50

General Formulations 500 Series 1220mm INTERMEDIATE CUT SAV



- GF 500 Series Cut & Craft vinyl contains a selection of 76-micron gloss and matte films
- This film is designed for roll-fed plotter cut vinyl graphics as well as as sheeted material for home craft applications
- Applications include architectural signage, commercial-retail signage, point-of-purchase graphics, and vehicle decals
- Coated with a permanent Emulsion Acrylic pressure-sensitive adhesive on a white clay coated liner. The tight release liner allows for easy weeding and is compatible with most application tapes
- Gloss white film has blue liner for easy weeding
- Recommended for outdoor and indoor uses where a high-quality marking film-requiring flexibility, durability and resistance to sunlight is required
- Outdoor Durability up to 5 years

OUTDOOR APPLICATIONS

SELF ADHESIVE

POINT OF SALE

WINDOW GRAPHICS

INDOOR APPLICATIONS

WALL GRAPHICS

Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
452033	General Formulations 500 Series	Matte Black	Permanent	1220	45.7
452031	General Formulations 500 Series	Gloss Black	Permanent	1220	45.7
452032	General Formulations 500 Series	Gloss White	Permanent	1220	45.7

*Confirm with 3M as each specific colour durability may differ.

3M™ Scotchcal™ Translucent Graphic Film
Series 3630

	Yellow 3630-15 PANTONE® 116 C		Burnt Orange 3630-124		Berry Burgundy 3630-328		Electric Blue 3630-27
	Marigold 3630-75 PANTONE® 7549 C		Light Tomato Red 3630-43		Intense Magenta 3630-118 PANTONE 241 C		Blue 3630-36 PANTONE® 281 C
	Sunflower 3630-25 PANTONE® 130 C		Poppy Red 3630-143 PANTONE® 485 C		Fuchsia 3630-38		Patriot Blue 3630-47
	Golden Yellow 3630-125		Scarlet 3630-163		Raspberry 3630-133 PANTONE 220 C		Sultan Blue 3630-157 PANTONE® 287 C
	Autumn Yellow 3630-235		Fire Engine Red 3630-93		Electric Pink 3630-98		Deep Sea Blue 3630-217
	Yellow Rose 3630-135		Red 3630-33 PANTONE® 1797 C		Vivid Rose 3630-78 PANTONE® 205 C		Azure 3630-227
	Poppy Orange 3630-144		Dark Red 3630-73 PANTONE® 7621 C		Plum Purple 3630-128 PANTONE® 525 C		Lt European Blue 3630-147 PANTONE® 7690 C
	Kumquat Orange 3730-74 PANTONE® 151		Cardinal Red 3630-53 PANTONE® 187 C		Bright Violet 3630-158		Olympic Blue 3630-57
	Tangerine 3630-84 PANTONE® 1575 C		Regal Red 3630-83		Indigo 3630-77		Process Blue 3630-337
	Orange 3630-44		Burundy 3630-49		Royal Blue 3630-87 PANTONE® 2745 C		Intense Blue 3630-127 PANTONE® 300 C

Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® – identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC.© All rights reserved.

CUT COLOUR VINYL

3M™ 3630 Translucent

PREMIUM CUT SAV



- Translucent, matte premium cast vinyl, with a clear permanent adhesive and a translucent, synthetic lay-flat liner.
- Available in over 50 crisp, clear colors (many with simulated PANTONE colour references)
- Suitable for use with fluorescent bulbs & LEDs
- Suitable for screen printing, cut graphics and thermoforming
- Matte surface finish eliminates glare and provides uniform colour in reflected and transmitted light
- Perfect for long life window and backlit applications on flat surfaces
- Up to 8 years* unprinted vertical durability



Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
451688	Azure Blue	3M 8yr 3630-227 Azure Blue	Clear Permanent	1220	45.7
450368	Beige	3M 8yr 3630-0647 Beige	Clear Permanent	1220	45.7
400089	Black	3M 8yr 3630-22 Black	Clear Permanent	1220	45.7
400134	Bright Blue	3M 8yr 3630-167 Bright Blue	Clear Permanent	1220	45.7
400114	Brilliant Green	3M 8yr 3630-106 Brilliant Green	Clear Permanent	1220	45.7
400113	Bristol Blue	3M 8yr 3630-97 Bristol Blue	Clear Permanent	1220	45.7
400098	Burgundy	3M 8yr 3630-49 Burgundy	Clear Permanent	1220	45.7
400100	Cardinal Red	3M 8yr 3630-53 Cardinal Red	Clear Permanent	1220	45.7
400095	Dark Blue	3M 8yr 3630-36 Dark Blue	Clear Permanent	1220	45.7
400102	Dark Brown	3M 8yr 3630-59 Dark Brown	Clear Permanent	1220	45.7
400119	Dark Emerald Green	3M 8yr 3630-126 Dark Emerald Green	Clear Permanent	1220	45.7
400106	Dark Red	3M 8yr 3630-73 Dark Red	Clear Permanent	1220	45.7
400104	Duranodic	3M 8yr 3630-69 Duranodic	Clear Permanent	1220	45.7
451616	Electric Blue	3M 8yr 3630-27 Electric Blue	Clear Permanent	1220	45.7
400126	European Blue	3M 8yr 3630-137 European Blue	Clear Permanent	1220	45.7
451807	Fuchsia	3M 8yr 3630-38 Fuchsia	Clear Permanent	1220	45.7
400123	Gold	3M 8yr 3630-131 Gold	Clear Permanent	1220	45.7
400127	Gold Nugget	3M 8yr 3630-141 Gold Nugget	Clear Permanent	1220	45.7
400118	Golden Yellow	3M 8yr 3630-125 Golden Yellow	Clear Permanent	1220	45.7
400093	Green	3M 8yr 3630-26 Green	Clear Permanent	1220	45.7
400108	Holly Green	3M 8yr 3630-76 Holly Green	Clear Permanent	1220	45.7
400120	Intense Blue	3M 8yr 3630-127 Intense Blue	Clear Permanent	1220	45.7
400116	Intense Magenta	3M 8yr 3630-118 Intense Magenta	Clear Permanent	1220	45.7
400090	Ivory	3M 8yr 3630-005 Ivory	Clear Permanent	1220	45.7
400107	Kumquat Orange	3M 8yr 3630-74 Kumquat Orange	Clear Permanent	1220	45.7
400131	Light Beige	3M 8yr 3630-149 Light Beige	Clear Permanent	1220	45.7
400130	Light European Blue	3M 8yr 3630-147 Light European Blue	Clear Permanent	1220	45.7
400129	Light Kelly Green	3M 8yr 3630-146 Light Kelly Green	Clear Permanent	1220	45.7
400115	Light Lemon Yellow	3M 8yr 3630-115 Light Lemon Yellow	Clear Permanent	1220	45.7
400125	Lime Green	3M 8yr 3630-136 Lime Green	Clear Permanent	1220	45.7

*Confirm with 3M as each specific colour durability may differ.

THE BEST

APP

FOR YOUR
BUSINESS

Spicers

CUT COLOUR VINYL

Need an app that puts you on the right tack? RTape from Spicers has got you covered.

With RLA® (Release Liner Adhesion), RTape's Conform® series is guaranteed not to stick together. RTape tears off clean and clear, so graphics lay flawlessly flat, with no sticky build-up.

Available in a variety of tack levels, these products are ideal for all standard sign applications, and are also widely used for surface protection on printed graphics during transportation.

So for the perfect peel-off, pick up a pack of RTape today.

APPLICATIONS

RTape tears off clean and clear, so graphics lay flawlessly flat, with no sticky build-up.

- General signs
- Wall, printed and banner graphics
- Mid sized die-cut
- Pre-spaced vinyl letters
- Screen printing
- Digital printing
- Surface protection



For enquiries please contact your local Spicers representative on 1300 132 644.

BEST BITS

Conform® Series with RLA

- Graphics stay neater and cleaner, even when rolled
- RLA adhesive protects against wrinkling, tunneling and edge curling
- Heavyweight standard paper
- Available in a variety of tack levels
- Removes easily following application
- No adhesion build on stored graphics
- Works in either wet or dry applications

ApliTape™

- Excellent premask for fleet graphic installations
- Ideal for large fleet graphics and applying graphics to vinyl banners
- Suitable for transferring small to medium sized graphics and large plotter cut letters
- Heavyweight standard paper
- Removes easily following application
- Available in a variety of tack levels
- Works in either wet or dry applications


Material	Colour	Material Description	Adhesive	Width (mm)	Length (m)
400101	Olympic Blue	3M 8yr 3630-57 Olympic Blue	Clear Permanent	1220	45.7
400097	Orange	3M 8yr 3630-44 Orange	Clear Permanent	1220	45.7
400121	Plum Purple	3M 8yr 3630-128 Plum Purple	Clear Permanent	1220	45.7
451639	Poppy Orange	3M 8yr 3630-144 Poppy Orange	Clear Permanent	1220	45.7
400128	Poppy Red	3M 8yr 3630-143 Poppy Red	Clear Permanent	1220	45.7
400137	Process Blue	3M 8yr 3630-337 Process Blue	Clear Permanent	1220	45.7
400124	Raspberry	3M 8yr 3630-133 Raspberry	Clear Permanent	1220	45.7
400094	Red	3M 8yr 3630-33 Red	Clear Permanent	1220	45.7
450307	Red	3M 8yr 3630-33 Red	Clear Permanent	1220	45.7
400110	Regal Red	3M 8yr 3630-83 Regal Red	Clear Permanent	1220	45.7
400112	Royal Blue	3M 8yr 3630-87 Royal Blue	Clear Permanent	1220	45.7
400105	Shadow Grey	3M 8yr 3630-71 Shadow Grey	Clear Permanent	1220	45.7
400117	Silver	3M 8yr 3630-121 Silver	Clear Permanent	1220	45.7
400099	Silver Grey	3M 8yr 3630-51 Silver Grey	Clear Permanent	1220	45.7
400103	Slate	3M 8yr 3630-61 Slate Grey	Clear Permanent	1220	45.7
400133	Sultan Blue	3M 8yr 3630-157 Sultan Blue	Clear Permanent	1220	45.7
400092	Sunflower	3M 8yr 3630-25 Sunflower	Clear Permanent	1220	45.7
400111	Tangerine	3M 8yr 3630-84 Tangerine	Clear Permanent	1220	45.7
400136	Teal	3M 8yr 3630-246 Teal Green	Clear Permanent	1220	45.7
400096	Tomato Red	3M 8yr 3630-43 Light Tomato Red	Clear Permanent	1220	45.7
400135	Turquoise	3M 8yr 3630-236 Turquoise	Clear Permanent	1220	45.7
400132	Vivid Green	3M 8yr 3630-156 Vivid Green	Clear Permanent	1200	45.7
400109	Vivid Rose	3M 8yr 3630-78 Vivid Rose	Clear Permanent	1220	45.7
400088	White	3M 8yr 3630-20 White	Clear Permanent	1220	45.7
400091	Yellow	3M 8yr 3630-015 Yellow	Clear Permanent	1220	45.7

*Confirm with 3M as each specific colour durability may differ.





CUT COLOUR VINYL

3M™ 3635-20B/22B Blockout Film

LIGHT MANAGEMENT FILMS




- Cast, matte, 100% opaque, white and black blockout self adhesive films
- 3635-22B (400481) is a black blockout film with white backing and a clear permanent adhesive
- May be printed with 3M Screen Printing Ink Series 1900
- 3635-20B (400480) is a white blockout film with black backing and a clear permanent adhesive
- Used to control light flow in internally illuminated signs
- Up to 5 years unprinted vertical durability





Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400481	3M 5yr SAV 3635-22B MBBP	Matt Black	Clear Permanent	1220	45.7
400480	3M 5yr SAV 3635-20B MWBP	Matt White	Clear Permanent	1220	45.7

3M™ 3635-91 Day/Night Film

LIGHT MANAGEMENT FILMS




- A matte, translucent, grey, cast film with a clear permanent adhesive
- Used in internally-illuminated signs to produce special effects
- Up to 4 years unprinted vertical durability
- Appears grey by day, and white by night when illuminated from behind
- Not suitable for printing






Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400482	3M 4yr SAV 3635-91 Smoke Grey	Smoke Grey	Clear Permanent	1220	45.7

3M™ 3635-30/70 Diffuser Film

LIGHT MANAGEMENT FILMS



- A cast, matte, white translucent film with clear permanent adhesive
- Suitable for Internally-illuminated signs with fluorescent lights
- Create custom lighting effects for backlit applications
- Up to 5 years unprinted vertical durability
- 2 transmission levels - 3635-30 (400485) allows for 30% light transmission & 3635-70 (400483) allows for 60% light transmission
- Control brightness and light distribution within light boxes without hotspots
- Not suitable for printing




Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400485	3M 5yr SAV 3635-30 Diffuser White	White	Clear Permanent	1220	45.7
400483	3M 5yr SAV 3635-70 Diffuser White	White	Clear Permanent	1220	45.7





CUT COLOUR VINYL

3M™ 3635-210/222 Dual Colour Films

LIGHT MANAGEMENT FILMS




- Perforated cast film
- 3635-222 (400487)black matt perforated cast film with a clear permanent adhesive
- Dual-color perforation pattern lets background color/image display when backlit
- Suitable for Screen Printing and Solvent Inkjet Printing
- 3635-210 (400486)white matt perforated cast film with a white permanent adhesive
- Create the special effect of a color/image by day (non lighted) and a different color by night (backlit) - use with 3M Translucent films
- Perfect for backlit vertical displays, lettering and signage
- Up to 5 years unprinted vertical durability







Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400487	3M 5yr SAV 3635-222 Dual Colour Black	Matt Black	Clear Permanent	1220	45.7
400486	3M 5yr SAV 3635-210 Dual Colour White	Matt White	Clear Permanent	1220	45.7

3M™ 3635-110 Chrome Translucent Film

LIGHT MANAGEMENT FILMS




- 3-mil translucent film that reflects light to produce a glossy chrome appearance in a finished graphic
- Made as first or second surface on any flat plastic sheet or graphics thermoformed on a high temperature copolyester sheet
- 17% Light Transmission
- Indoor and outdoor single film layer signs mounted in an internally-illuminated sign box
- Up to 9 years of outdoor durability










Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451609	3M 5yr SAV 3635-110 Chrome	Chrome	Clear Permanent	1220	45.7

General Formulations PET Chrome Series


LIGHT MANAGEMENT FILMS



- GF 759 is a 50-micron print receptive Chrome Silver metallized polyester film
- Permanent Solvent Acrylic pressure sensitive adhesive
- Chrome polyester films are recommended to simulate metallic finishes.
- These products can be used for architectural signage, commercial-retail signage, point-of-purchase graphics, product identification
- Designed for sign cutting machines
- Indoor Durability up to 2 years
- Suitable for UV curable inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
452029	General Formulations PET Chrome - GF759	Chrome	Permanent	1524	45.7
452030	General Formulations PET Chrome - GF760	Gold	Permanent	1524	45.7



REFLECTIVES

Make the world a brighter place with 3M reflectives. Films suitable for traffic, commercial signage, stickers, labels and anywhere you need high visibility are covered by the range. There's loads of colours, lots of grades, and heaps of features.


3M

CREATING SOLUTIONS TOGETHER.



REFLECTIVES

3M™ 983 Series
Diamond Grade™ Vehicle Tapes

3M CONSPICUITY TAPES



- Diamond Grade™ vehicle marking tapes for use on rigid sided vehicles, objects, machinery and equipment
- Sold as full rolls only
- Segmented tapes can be used to curve around more complex shapes, as an alternative to the 997 series
- Compliant to AS/NZS 1906.2 Class 1A



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
193819	3M 983-72ES KissCut/100mm	Red	Clear Permanent	50	45.7
169260	3M 983-72S Tanker Ovals	Red	Clear Permanent	52	45.7
193818	3M 983-10ES KissCut/100mm	White	Clear Permanent	50	45.7
169259	3M 983-10ES Tanker Ovals	White	Clear Permanent	52	45.7
169257	3M 983-10ES	White	Clear Permanent	101	45.7
169261	3M 983-71S Tanker Ovals	Yellow	Clear Permanent	52	45.7

3M™ 983-32 Series Red and White

3M CONSPICUITY TAPES



- Red and white alternating blocks, for use on rigid sided vehicles, objects, machinery and equipment
- Compliant to AS/NZS 1906.2 Class 1A
- Edge sealed
- Sold as full rolls only




Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169262	3M 983-32 ES	Red/White	Clear Permanent	50	45.7
169263	3M 983-32 ES	Red/White	Clear Permanent	75	45.7
169264	3M 983-32 ES	Red/White	Clear Permanent	100	45.7



REFLECTIVES

3M™ 983-23 Diamond Grade™

3M CONSPICUITY TAPES



- Diamond Grade™ fluorescent yellow green vehicle marking tapes for use in mining environments, or in high risk pedestrian safety zones
- 9963 ES Compliant to AU/NZS compliant to AU/NZS 1906.1 Class 1
- 83-23 compliant to AS/NZS 1906.2 Class 1A
- Edge sealed tape



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169033	3M 983-23 ES	Fluoro Yellow/Green	Clear Permanent	50	45.7
192131	3M 983-23 ES	Fluoro Yellow/Green	Clear Permanent	76	45.7
169265	3M 983-23 ES	Fluoro Yellow/Green	Clear Permanent	101	45.7

3M™ Diamond Grade™ Retail Packs

3M CONSPICUITY TAPES



- Edge Sealed Retail Packs



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
193195	3M 983-23 ES	Fluoro Yellow/Green	Clear Permanent	50	15.0
193813	3M 983-23 Retail	Fluoro Yellow/Green	Clear Permanent	76	15.0
192132	3M 983-72 ES Retail	Red	Clear Permanent	51	15.0
169256	3M 983-72 ES Retail	Red	Clear Permanent	101	15.0
192134	3M 983-10 ES	White	Clear Permanent	51	15.0
169269	3M 983-10 ES	White	Clear Permanent	51	15.0
169268	3M 983-71 ES	Yellow	Clear Permanent	51	15.0
169270	3M 997-71 ES	Yellow	Clear Permanent	51	15.0

REFLECTIVES

3M™ 680CR Reflective

3M SIGNAGE REFLECTIVE



- Printable, enclosed lens reflective vinyl with a clear, removable Comply adhesive and PE coated kraft liner
- For vertical, flat, curved or corrugated surfaces, with or without rivets
- Up to 8 years unprinted vertical durability
- Suitable for solvent, eco-solvent, UV-curable and latex
- Comply adhesive for easy and fast bubble-free installations
- Similar daytime and nighttime appearance that retains most of its reflectivity when wet
- For use with overlamine 8518, 8519, 8993, 8520, 85489, 8549L & 8550M



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400237	3M Reflective 680CR-85	Black	Clear Repositionable	610	45.7
400236	3M Reflective 680CR-85	Black	Clear Repositionable	1220	45.7
400417	3M Reflective 680CR-75	Blue	Clear Repositionable	1220	45.7
400416	3M Reflective 680CR-64	Gold	Clear Repositionable	1220	45.7
400419	3M Reflective 680CR-77	Green	Clear Repositionable	1220	45.7
400420	3M Reflective 680CR-81	Lemon Yellow	Clear Repositionable	1220	45.7
400418	3M Reflective 680CR-76	Light Blue	Clear Repositionable	1220	45.7
400415	3M Reflective 680CR-14	Orange	Clear Repositionable	1220	45.7
400238	3M Reflective 680CR-72	Red	Clear Repositionable	1220	45.7
400235	3M Reflective IJ680CR-10	White	Clear Repositionable	610	45.7
400234	3M Reflective IJ680CR-10	White	Clear Repositionable	1220	45.7
400289	3M Reflective 680CR-71	Yellow	Clear Repositionable	610	45.7
400288	3M Reflective 680CR-71	Yellow	Clear Repositionable	1220	45.7

REFLECTIVES

3M™ 780mC Reflective

3M SIGNAGE REFLECTIVE



- 6.6-mil, flexible, enclosed lens, retroreflective available in white only
- Excellent retroreflectivity at wider viewing angles
- Pressure-activated adhesive for easy sliding and tacking, snap-up and repositioning
- Suitable for solvent, eco-solvent, UV-curable and latex
- Flexible, conforms to compound curves, corrugations, and rivets
- Includes Comply Adhesive for fast, easy bubble-free installations
- Expected Performance Life of 9 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- For use with 3M overlaminates 8548G, 8549L & 8550M



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451265	3M SAV 780mC-10R	White	Clear Repositionable	1220	45.7

3M™ 1170 Transparent

3M SIGNAGE REFLECTIVE



- Transparent, acrylic, coloured film with permanent acrylic adhesive and transparent film release liner
- developed to provide optimal cutting, weeding, lifting, and transfer features when used with electronic cutting machines
- Used for applications over 3M Reflective Sheeting to produce durable sign backgrounds, copy, and logos
- Available in a range of colours




Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400081	3M Electrocut 1178	Black	Clear Permanent	1220	45.7
400079	3M Electrocut 1175	Blue	Clear Permanent	1220	45.7
450816	3M Electrocut 1179C	Brown	Clear Permanent	1220	45.7
450513	3M Electrocut 1170	Clear	Clear Permanent	1220	45.7
400078	3M Electrocut 1172	Red	Clear Permanent	1220	45.7
400077	3M Electrocut 1171	Yellow	Clear Permanent	1220	45.7



REFLECTIVES

3M™ Diamond Grade™ 4000 Reflective

3M SIGNAGE REFLECTIVE




- 3M Diamond Grade DG3, Class 1100 reflective with a permanent adhesive
- DG3 sheeting is designed to have the highest retroreflective characteristics at medium and short road distances
- Available in a range of standard and fluoro colours
- Super-high efficiency,full cube retroreflective designed for the production of traffic control signs and delineators that are exposed vertically in service
- Can be used with the 1170 Transparent films





Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
450965	3M Reflective 4095	Blue	Clear Permanent	1220	45.7
400007	3M Reflective 4084	Fluoro Orange	Clear Permanent	1220	45.7
400006	3M Reflective 4081	Fluoro Yellow	Clear Permanent	1220	45.7
450865	3M Reflective 4083	Fluoro Yellow/Green	Clear Permanent	50	45.7
400403	3M Reflective 4083	Fluoro Yellow/Green	Clear Permanent	75	45.7
400401	3M Reflective 4083	Fluoro Yellow/Green	Clear Permanent	610	45.7
400005	3M Reflective 4083	Fluoro Yellow/Green	Clear Permanent	1220	45.7
400404	3M Reflective 4090 NES	White	Clear Permanent	610	45.7
400004	3M Reflective 4090	White	Clear Permanent	1220	45.7
400405	3M Reflective 4091	Yellow	Clear Permanent	1220	45.7

3M™ 3900 Reflective

3M SIGNAGE REFLECTIVE



- High intensity prismatic Class 400 reflective with a permanent adhesive
- Provides long-term reflectivity and durability
- Non-metalized microprismatic lens reflective designed for production of reflective durable traffic control signs, work zone devices and delineators that are exposed vertically in service
- Available in a range of colours




Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451282	3M Reflective 3935	Blue	Clear Permanent	1220	45.7
451281	3M Reflective 3932	Red	Clear Permanent	1220	45.7
400008	3M Reflective 3930	White	Clear Permanent	1220	45.7
400009	3M Reflective 3931	Yellow	Clear Permanent	1220	45.7



REFLECTIVES

3M™ 3800 Reflective

3M SIGNAGE REFLECTIVE




- 3M Class 400T high intensity prismatic reflective with a clear permanent adhesive
- Specifically designed for reflective road work zone traffic signs & delineators





Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451130	3M Reflective 3824	Fluoro Orange	Clear Permanent	1220	45.7
450945	3M Reflective 3830	White	Clear Permanent	1220	45.7
450946	3M Reflective 3831	Yellow	Clear Permanent	1220	45.7

3M™ 3200 Reflective

3M SIGNAGE REFLECTIVE




- Class 100 Engineer Grade Reflective with clear permanent adhesive
- Suitable for general signage and non-critical traffic signs





Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400084	3M Reflective 3275	Blue	Clear Permanent	1220	45.7
400085	3M Reflective 3277	Green	Clear Permanent	1220	45.7
400083	3M Reflective 3272	Red	Clear Permanent	1220	45.7
400399	3M Reflective 3290	White	Clear Permanent	610	45.7
400086	3M Reflective 3290	White	Clear Permanent	1220	45.7
400400	3M Reflective 3271	Yellow	Clear Permanent	610	45.7
400082	3M Reflective 3271	Yellow	Clear Permanent	1220	45.7

3M™ 7300 Reflective

3M SIGNAGE REFLECTIVE




- 3M Advanced Flexible Engineer Grade Reflective Sheeting Series 7300
- 3M Micro-seal technology employs micro-scale targeted sealing, creating a sheeting with a more uniform, white appearance and superior handling attributes
- UV, Latex & Eco Solvent inks and is also screen printable
- Prismatic optics provide greater retroreflective efficiency
- Durability: up to 7 years



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451875	3M Reflective 7310	White	Clear Permanent	1220	45.7

REFLECTIVES

3M™ Diamond Grade™ (DG3) Reflective Sheeting Series 4000 - Class 1100




3M™ High Intensity Prismatic™ (HIP) Reflective Sheeting Series 3900 - Class 400



3M™ High Intensity Prismatic™ (HIP) Reflective Sheeting Series 3800 - Class 400T




3M™ Engineer Grade™ (EG) Reflective Sheeting Series 3200 - Class 100



REFLECTIVES


3M™ Conspicuity Markings Traffic Safety & Security Series 983




Can't find your colour?
Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

Other product series
Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

3M™ Scotchlite™ Removable Reflective Graphic Film with Comply™ Adhesive Series 680CR



3M™ Scotchlite™ ElectroCut™ Cuttable Film (ECF) Series 1170





INK

OEM ink and toner for a vast range of digital wide and grand format printers are part of our offering. These include Mimaki™, Roland and Epson®.

Mimaki

 **Roland**

EPSON
EXCEED YOUR VISION

CREATING SOLUTIONS TOGETHER.

Mimaki™ SS21 Ink

SOLVENT



- Mimaki mild solvent ink for Mimaki JV33, CJV33 & JV300 printers
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
194244	Mimaki SS21 Ink (Solvent)	Silver	220
167918	Mimaki SS21 Ink (Solvent)	White	220
167922	Mimaki SS21 Ink (Solvent)	Black	440
167919	Mimaki SS21 Ink (Solvent)	Cyan	440
167923	Mimaki SS21 Ink (Solvent)	Light Cyan	440
167924	Mimaki SS21 Ink (Solvent)	Light Magenta	440
167925	Mimaki SS21 Ink (Solvent)	Orange	440
167921	Mimaki SS21 Ink (Solvent)	Yellow	440
167920	Mimaki SS21 Ink (Solvent)	Magenta	440
167926	Mimaki SS21 Ink (Solvent)	Light Black	440
171810	Mimaki SS21 Ink (Solvent)	Black	600
171811	Mimaki SS21 Ink (Solvent)	Cyan	600
171817	Mimaki SS21 Ink (Solvent)	Light Black	600
171812	Mimaki SS21 Ink (Solvent)	Light Cyan	600
171813	Mimaki SS21 Ink (Solvent)	Light Magenta	600
171816	Mimaki SS21 Ink (Solvent)	Magenta	600
171814	Mimaki SS21 Ink (Solvent)	Orange	600
171815	Mimaki SS21 Ink (Solvent)	Yellow	600
167930	Mimaki SS21 Ink (Solvent)	Black	2000
167927	Mimaki SS21 Ink (Solvent)	Cyan	2000
167931	Mimaki SS21 Ink (Solvent)	Light Cyan	2000
167932	Mimaki SS21 Ink (Solvent)	Light Magenta	2000
167933	Mimaki SS21 Ink (Solvent)	Orange	2000
167929	Mimaki SS21 Ink (Solvent)	Yellow	2000
167928	Mimaki SS21 Ink (Solvent)	Magenta	2000
167934	Mimaki SS21 Ink (Solvent)	Light Black	2000

Mimaki™ BS3 Ink

SOLVENT



- Mimaki solvent ink for Mimaki JV33, CJV33 & JV300 printers
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
167942	Mimaki BS3 Ink (Solvent)	Black	600
167939	Mimaki BS3 Ink (Solvent)	Cyan	600
167940	Mimaki BS3 Ink (Solvent)	Magenta	600
167941	Mimaki BS3 Ink (Solvent)	Yellow	600
167938	Mimaki BS3 Ink (Solvent)	Black	2000
167935	Mimaki BS3 Ink (Solvent)	Cyan	2000
167937	Mimaki BS3 Ink (Solvent)	Yellow	2000
167936	Mimaki BS3 Ink (Solvent)	Magenta	2000

Mimaki™ ES3 Ink

SOLVENT



- Eco-solvent ink for Mimaki CJV30, JV33 & JV5 printers
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
188984	Mimaki ES3 Ink (Solvent)	Black	440
188983	Mimaki ES3 Ink (Solvent)	Cyan	440
188985	Mimaki ES3 Ink (Solvent)	Light Cyan	440
188987	Mimaki ES3 Ink (Solvent)	Light Magenta	440
188986	Mimaki ES3 Ink (Solvent)	Magenta	440
188988	Mimaki ES3 Ink (Solvent)	Yellow	440

Mimaki™ LX100 Ink

LATEX




- Mimaki latex ink for Mimaki JV400-160LX printers
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
168506	Mimaki LX100 Ink (Latex)	White	220
168501	Mimaki LX101 Ink (Latex)	Black	600
168498	Mimaki LX101 Ink (Latex)	Cyan	600
168505	Mimaki LX101 Ink (Latex)	Green	600
168499	Mimaki LX101 Ink (Latex)	Magenta	600
168504	Mimaki LX101 Ink (Latex)	Orange	600
168500	Mimaki LX101 Ink (Latex)	Yellow	600

Mimaki™ LUS-150 Ink

UV CURABLE




- Mimaki LED UV-Curable ink
- Cross check vendor part number to confirm compatibility with your machine
- Suitable for JFX Series

Material	Material Description	Colour	Volume (ml)
168514	Mimaki LUS-150 Ink (UV)	Black	1000
168511	Mimaki LUS-150 Ink (UV)	Cyan	1000
168512	Mimaki LUS-150 Ink (UV)	Magenta	1000
168515	Mimaki LUS-150 Ink (UV)	White	1000
168513	Mimaki LUS-150 Ink (UV)	Yellow	1000

Mimaki™ LUS-170 Ink

UV CURABLE




- Mimaki LED UV-Curable ink
- Cross check vendor part number to confirm compatibility with your machine
- Suitable for UCJV Series

Material	Material Description	Colour	Volume (ml)
170754	Mimaki LUS-170 Ink (UV)	Black	1000
170755	Mimaki LUS-170 Ink (UV)	Cyan	1000
195478	Mimaki LUS-170 Ink (UV)	Light Cyan	1000
195477	Mimaki LUS-170 Ink (UV)	Light Magenta	1000
170757	Mimaki LUS-170 Ink (UV)	Magenta	1000
195476	Mimaki LUS-170 Ink (UV)	White	1000
170756	Mimaki LUS-170 Ink (UV)	Yellow	1000

Mimaki™ LH-100 Ink

UV CURABLE




- Mimaki hard LED ink for Mimaki UJF3042FX/HG & UJF6042 printers
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
191313	Mimaki LH100 Ink Hard LED (UV)	Black	600
191315	Mimaki LH100 Ink Hard LED (UV)	Clear	600
191310	Mimaki LH100 Ink Hard LED (UV)	Cyan	600
191311	Mimaki LH100 Ink Hard LED (UV)	Magenta	600
191314	Mimaki LH100 Ink Hard LED (UV)	White	600
191312	Mimaki LH100 Ink Hard LED (UV)	Yellow	600
192978	Mimaki LH100 Ink Hard LED (UV)	Black	1000
192981	Mimaki LH100 Ink Hard LED (UV)	Clear	1000
192980	Mimaki LH100 Ink Hard LED (UV)	Cyan	1000
192979	Mimaki LH100 Ink Hard LED (UV)	Magenta	1000
192977	Mimaki LH100 Ink Hard LED (UV)	White	1000
192976	Mimaki LH100 Ink Hard LED (UV)	Yellow	1000

Mimaki™ SB52

DYE SUBLIMATION INK




- Mimaki Dye Sublimation ink for MimakiJV5-320DS printers
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
167602	Mimaki SB52 Ink - SPC-0584K	Black	440
167596	Mimaki SB52 Ink - SPC-0584BL	Blue	440
167600	Mimaki SB52 Ink - SPC-0584LBL	Light Blue	440
167601	Mimaki SB52 Ink - SPC-0584LM	Light Magenta	440
167597	Mimaki SB52 Ink - SPC-0584M	Magenta	440
167599	Mimaki SB52 Ink - SPC-0584NK	Natural black	440
167598	Mimaki SB52 Ink - SPC-0584Y	Yellow	440
167609	Mimaki SB52 Ink - SPC-0585K	Black	2000
167603	Mimaki SB52 Ink - SPC-0585BL	Blue	2000
167607	Mimaki SB52 Ink - SPC-0585LBL	Light Blue	2000
167608	Mimaki SB52 Ink - SPC-0585LM	Light Magenta	2000
167604	Mimaki SB52 Ink - SPC-0585M	Magenta	2000
167606	Mimaki SB52 Ink - SPC-0585NK	Natural black	2000
167605	Mimaki SB52 Ink - SPC-0585Y	Yellow	2000

Mimaki™ SB53

DYE SUBLIMATION INK



- Mimaki Dye Sublimation ink for MimakiJV5-320DS printers
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
168520	Mimaki SB53 Ink - I-SB53-K-44-1-SA	Black	440
168517	Mimaki SB53 Ink - I-SB53-BL-44-1-SA	Blue	440
168518	Mimaki SB53 Ink - I-SB53-M-44-1-SA	Magenta	440
168519	Mimaki SB53 Ink - I-SB53-Y-44-1-SA	Yellow	440

Roland Eco Sol Max

SOLVENT

- Roland Eco Sol Max Ink
- Eco Solvent ink



Material	Material Description	Colour	Volume (ml)
170481	Roland Eco Sol Max Ink	Black	440
170482	Roland Eco Sol Max Ink	Cyan	440
170483	Roland Eco Sol Max Ink	Light Cyan	440
170484	Roland Eco Sol Max Ink	Light Magenta	440
170485	Roland Eco Sol Max Ink	Magenta	440
170486	Roland Eco Sol Max Ink	Yellow	440

Roland Eco Sol Max V2

SOLVENT

- Roland Eco Sol Max 2 Ink
- Eco Solvent Ink



Material	Material Description	Colour	Volume (ml)
170495	Roland Eco Sol Max V2 Ink	White	220
170487	Roland Eco Sol Max V2 Ink	Black	440
170488	Roland Eco Sol Max V2 Ink	Cyan	440
170489	Roland Eco Sol Max V2 Ink	Light Cyan	440
170490	Roland Eco Sol Max V2 Ink	Light Magenta	440
170491	Roland Eco Sol Max V2 Ink	Magenta	440
170492	Roland Eco Sol Max V2 Ink	Yellow	440
170493	Roland Eco Sol Max V2 Ink	Light Black	440

Roland TrueVis TR2 Series Ink

SOLVENT

- Roland TR2 TruVIS Series Ink
- Suitable for SG, VG & VF Series



Material	Material Description	Colour	Volume (ml)
196666	Roland TR2 TrueVIS Ink	Black	500
196672	Roland TR2 TrueVIS Ink	Cyan	500
196673	Roland TR2 TrueVIS Ink	Light Black	500
196674	Roland TR2 TrueVIS Ink	Light Cyan	500
196675	Roland TR2 TrueVIS Ink	Light Magenta	500
196671	Roland TR2 TrueVIS Ink	Magenta	500
196664	Roland TR2 TrueVIS Ink	White	250
196665	Roland TR2 TrueVIS Ink	Yellow	500
196764	Roland TR2 TrueVIS Ink	Orange	500
197548	Roland TR2 TrueVIS Ink	Green	500

Roland EJ-640 Ink

SOLVENT

- Roland EJ Series Ink



Material	Material Description	Colour	Volume (ml)
170521	Roland EJ-640 Ink	Yellow	1000
170515	Roland EJ-640 Ink	Black	1000
170520	Roland EJ-640 Ink	Magenta	1000
170516	Roland EJ-640 Ink	Cyan	1000
170518	Roland EJ-640 Ink	Light Black	1000
170517	Roland EJ-640 Ink	Light Cyan	1000
170519	Roland EJ-640 Ink	Light Magenta	1000

Epson® UltraChrome K3

EPSON INK

• Cross check vendor part number to confirm compatibility with your machine



Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
165539	Epson UltraChrome K3	Cyan	3800/3880	C13T580200	80
171609	Epson UltraChrome K3	Light Black	3800/3880	C13T580700	80
171604	Epson UltraChrome K3	Light Black	3800/3880	C13T580900	80
171611	Epson UltraChrome K3	Light Cyan	3800/3880	C13T580500	80
171627	Epson UltraChrome K3	Light Magenta	3800/3880	C13T580600	80
171605	Epson UltraChrome K3	Magenta	3800/3880	C13T580300	80
171610	Epson UltraChrome K3	Matt Black	3800/3880	C13T580800	80
171608	Epson UltraChrome K3	Photo Black	3800/3880	C13T580100	80
171603	Epson UltraChrome K3	Vivid Light Magenta	3800/3880	C13T580B00	80
171607	Epson UltraChrome K3	Vivid Magenta	3800/3880	C13T580A00	80
171606	Epson UltraChrome K3	Yellow	3800/3880	C13T580400	80
171621	Epson UltraChrome K3	Cyan	4800/4880	C13T606200	220
165559	Epson UltraChrome K3	Cyan	7800/7880/9800/9880	C13T603200	220
165561	Epson UltraChrome K3	Light Black	7800/7880/9800/9880	C13T603700	220
171624	Epson UltraChrome K3	Light Black	4800/4880	C13T606700	220
165560	Epson UltraChrome K3	Light Cyan	7800/7880/9800/9880	C13T603500	220
171625	Epson UltraChrome K3	Light Cyan	4800/4880	C13T606500	220
171619	Epson UltraChrome K3	Light Light Black	4800/4880	C13T606900	220
165562	Epson UltraChrome K3	Light Light Black	7800/7880/9800/9880	C13T603900	220
165563	Epson UltraChrome K3	Light Magenta	7800/9800	C13T603C00	220
171589	Epson UltraChrome K3	Light Magenta	4800	C13T606C00	220
165564	Epson UltraChrome K3	Magenta	7800/9800	C13T603B00	220
171588	Epson UltraChrome K3	Magenta	4800	C13T606B00	220
171622	Epson UltraChrome K3	Matt Black	4800/4880	C13T614800	220
165565	Epson UltraChrome K3	Matt Black	7400/7450/7800/7880/9400/9450	C13T612800	220
165566	Epson UltraChrome K3	Photo Black	7800/7880/9800/9880	C13T603100	220
171623	Epson UltraChrome K3	Photo Black	4800/4880	C13T606100	220
165567	Epson UltraChrome K3	Vivid Light Magenta	7880/9880	C13T603600	220
171590	Epson UltraChrome K3	Vivid Light Magenta	4880	C13T606600	220
165568	Epson UltraChrome K3	Vivid Magenta	7880/9880	C13T603300	220
171591	Epson UltraChrome K3	Vivid Magenta	4880	C13T606300	220
171620	Epson UltraChrome K3	Yellow	4800/4880	C13T606400	220
165569	Epson UltraChrome K3	Yellow	7800/7880/9800/9880	C13T603400	220

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
165497	Epson UltraChrome K3	Cyan	11880	C13T591200	700
165502	Epson UltraChrome K3	Light Black	11880	C13T591700	700
165500	Epson UltraChrome K3	Light Cyan	11880	C13T591500	700
165504	Epson UltraChrome K3	Light Light Black	11880	C13T591900	700
165503	Epson UltraChrome K3	Matt Black	11880	C13T591800	700
165496	Epson UltraChrome K3	Photo Black	11880	C13T591100	700
165501	Epson UltraChrome K3	Vivid Light Magenta	11880	C13T591600	700
165498	Epson UltraChrome K3	Vivid Magenta	11880	C13T591300	700
165499	Epson UltraChrome K3	Yellow	11880	C13T591400	700

Epson® UltraChrome HDR

EPSON INK



EXCEED YOUR VISION


• Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171730	Epson UltraChrome HDR	Cleaning Cartridge	WT7900	C13T642000	150
171629	Epson UltraChrome HDR	Cyan	7700/9700/7890/9890/7900/9900	C13T642200	150
171643	Epson UltraChrome HDR	Green	7900/9900/7900CTP	C13T642800	150
171638	Epson UltraChrome HDR	Light Black	7890/9890/7900/9900/7900CTP	C13T642700	150
171640	Epson UltraChrome HDR	Light Cyan	7890/9890/7900/9900/7900CTP	C13T642500	150
171637	Epson UltraChrome HDR	Light Light Black	7890/9890/7900/9900/7900CTP	C13T642900	150
171631	Epson UltraChrome HDR	Matt Black	7700/9700/7890/9890/7900/9900	C13T642800	150
171642	Epson UltraChrome HDR	Orange	7900/9900/7900CTP	C13T642A00	150
171630	Epson UltraChrome HDR	Photo Black	7700/9700/7890/9890/7900/9900	C13T642100	150
171636	Epson UltraChrome HDR	Vivid Light Magenta	7890/9890/7900/9900/7900CTP	C13T642600	150
186298	Epson UltraChrome HDR	Vivid Magenta	7700/9700	C13T642300	150
171628	Epson UltraChrome HDR	Yellow	7700/9700/7890/9890/7900/9900	C13T642400	150
171598	Epson UltraChrome HDR	Cyan	4900	C13T653200	200
171596	Epson UltraChrome HDR	Green	4900	C13T653B00	200
171601	Epson UltraChrome HDR	Light Black	4900	C13T653700	200
171602	Epson UltraChrome HDR	Light Cyan	4900	C13T653500	200
171593	Epson UltraChrome HDR	Light Light Black	4900	C13T653900	200
171600	Epson UltraChrome HDR	Matt Black	4900	C13T653800	200
171595	Epson UltraChrome HDR	Orange	4900	C13T653A00	200
171599	Epson UltraChrome HDR	Photo Black	4900	C13T653100	200
171592	Epson UltraChrome HDR	Vivid Light Magenta	4900	C13T653600	200
171597	Epson UltraChrome HDR	Vivid Magenta	4900	C13T653300	200
171594	Epson UltraChrome HDR	Yellow	4900	C13T653400	200
171634	Epson UltraChrome HDR	Cyan	7700/9700/7890/9890/7900	C13T596200	350
171645	Epson UltraChrome HDR	Green	7900/9900/7900CTP/WT7900	C13T596B00	350
171639	Epson UltraChrome HDR	Light Black	7890/9890/7900/9900/7900CTP	C13T596700	350
158521	Epson UltraChrome HDR	Light Cyan	7900/9900	C13T596500	350
158525	Epson UltraChrome HDR	Light Light Black	7900/9900	C13T596900	350
171632	Epson UltraChrome HDR	Matt Black	7700/9700/7890/9890/7900/9900	C13T596800	350
171644	Epson UltraChrome HDR	Orange	7900/9900/7900CTP/WT7900	C13T596A00	350
171633	Epson UltraChrome HDR	Photo Black	7700/9700/7890/9890/7900	C13T596100	350
171633	Epson UltraChrome HDR	Vivid Light Magenta	7890/9890/7900/9900/7900CTP	C13T596600	350
158519	Epson UltraChrome HDR	Vivid Magenta	7700/7900/9700/9900	C13T596300	350
171731	Epson UltraChrome HDR	White	WT7900	C13T596C00	350
171635	Epson UltraChrome HDR	Yellow	7700/9700/7890/9890/7900	C13T596400	350
159899	Epson UltraChrome HDR	Cyan	7700/7900/9700/9900	C13T636200	700
159894	Epson UltraChrome HDR	Green	7900/9900	C13T636B00	700
159897	Epson UltraChrome HDR	Light Black	7900/9900	C13T636700	700

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
159898	Epson UltraChrome HDR	Light Cyan	7900/9900	C13T636500	700
159900	Epson UltraChrome HDR	Light Light Black	7900/9900	C13T636900	700
159901	Epson UltraChrome HDR	Matt Black	7700/7900/9700/9900	C13T636800	700
159896	Epson UltraChrome HDR	Orange	7900/9900	C13T636A00	700
159902	Epson UltraChrome HDR	Photo Black	7700/7900/9700/9900	C13T636100	700
159903	Epson UltraChrome HDR	Vivid Light Magenta	7900/9900	C13T636600	700
159904	Epson UltraChrome HDR	Vivid Magenta	7700/7900/9700/9900	C13T636300	700
159895	Epson UltraChrome HDR	Yellow	7700/7900/9700/9900	C13T636400	700

Epson® UltraChrome

EPSON INK




EXCEED YOUR VISION

• Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
158697	Epson UltraChrome	Cyan	7400/7450/9400/9450	C13T612200	220
171617	Epson UltraChrome	Cyan	4000/9600	C13T544200	220
165476	Epson UltraChrome	Light Black	4000/7600/9600	C13T544700	220
171613	Epson UltraChrome	Light Cyan	4000/9600	C13T544500	220
171616	Epson UltraChrome	Light Magenta	4000/9600	C13T544600	220
171616	Epson UltraChrome	Magenta	4000/9600	C13T544300	220
171626	Epson UltraChrome	Magenta	7400/9400/7450/9450	C13T612300	220
171612	Epson UltraChrome	Matt Black	4000/9600	C13T544800	220
171618	Epson UltraChrome	Photo Black	4000/9600	C13T544100	220
158699	Epson UltraChrome	Yellow	7400/7450/9400/9450	C13T612400	220
171615	Epson UltraChrome	Yellow	4000/9600	C13T612400	220

Epson® UltraChrome HD

EPSON INK



EXCEED YOUR VISION

• Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
197005	Epson UltraChrome HD	Cyan	P800	C13T850200	80
197010	Epson UltraChrome HD	Light Black	P800	C13T850700	80
197008	Epson UltraChrome HD	Light Cyan	P800	C13T850500	80
197012	Epson UltraChrome HD	Light Light Black	P800	C13T850900	80
197011	Epson UltraChrome HD	Matt Black	P800	C13T850800	80
197004	Epson UltraChrome HD	Photo Black	P800	C13T850100	80
197009	Epson UltraChrome HD	Vivid Light Magenta	P800	C13T850600	80
197006	Epson UltraChrome HD	Vivid Magenta	P800	C13T850300	80
197007	Epson UltraChrome HD	Yellow	P800	C13T850400	80

Epson® UltraChrome XD

EPSON INK

EPSON®

EXCEED YOUR VISION

• Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171727	Epson Ultra Chrome XD	Black	T3460/T5460/T5460M	C13T41V500	110
171710	Epson Ultra Chrome XD	Cyan	T3000/T5000/T7000/T3200	C13T692200	110
171706	Epson Ultra Chrome XD	Magenta	T3000/T5000/T7000/T3200	C13T692300	110
171712	Epson Ultra Chrome XD	Matt Black	T3000/T5000/T7000/T3200	C13T692500	110
171711	Epson Ultra Chrome XD	Photo Black	T3000/T5000/T7000/T3200	C13T692100	110
171707	Epson Ultra Chrome XD	Yellow	T3000/T5000/T7000/T3200	C13T692400	110
171713	Epson Ultra Chrome XD	Cyan	T3000/T5000/T7000/T3200	C13T693200	350
171708	Epson Ultra Chrome XD	Magenta	T3000/T5000/T7000/T3200	C13T693300	350
171705	Epson Ultra Chrome XD	Matt Black	T3000/T5000/T7000/T3200	C13T693500	350
171704	Epson Ultra Chrome XD	Photo Black	T3000/T5000/T7000/T3200	C13T693100	350
171709	Epson Ultra Chrome XD	Yellow	T3000/T5000/T7000/T3200	C13T693400	350
171410	Epson Ultra Chrome XD	Cyan	T3000/T5000/T7000/T3200	C13T694200	700
171411	Epson Ultra Chrome XD	Magenta	T3000/T5000/T7000/T3200	C13T694300	700
171413	Epson Ultra Chrome XD	Matt Black	T3000/T5000/T7000/T3200	C13T694500	700
171409	Epson Ultra Chrome XD	Photo Black	T3000/T5000/T7000/T3200	C13T694100	700
171412	Epson Ultra Chrome XD	Yellow	T3000/T5000/T7000/T3200	C13T694400	700

Epson® UltraChrome XD2

EPSON INK

EPSON®

EXCEED YOUR VISION

• Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171715	Epson UltraChrome XD2	Cyan	T3160/T5160	C13T40S200	26
171716	Epson UltraChrome XD2	Magenta	T3160/T5160	C13T40S300	26
171717	Epson UltraChrome XD2	Yellow	T3160/T5160	C13T40S400	26
171714	Epson UltraChrome XD2	Black	T3160/T5160	C13T40S100	50
171719	Epson UltraChrome XD2	Cyan	T3160/T5160	C13T40U200	50
171720	Epson UltraChrome XD2	Magenta	T3160/T5160	C13T40U300	50
171721	Epson UltraChrome XD2	Yellow	T3160/T5160	C13T40U400	50
171718	Epson UltraChrome XD2	Black	T3160/T5160	C13T40U100	80
171726	Epson UltraChrome XD2	Cyan	T3460/T5460/T5460M	C13T41V200	110
171722	Epson UltraChrome XD2	Magenta	T3460/T5460/T5460M	C13T41V300	110
171723	Epson UltraChrome XD2	Yellow	T3460/T5460/T5460M	C13T41V400	110
171728	Epson UltraChrome XD2	Black	T3460/T5460/T5460M	C13T41M500	350
171729	Epson UltraChrome XD2	Cyan	T3460/T5460/T5460M	C13T41M200	350
171724	Epson UltraChrome XD2	Magenta	T3460/T5460/T5460M	C13T41M300	350
171725	Epson UltraChrome XD2	Yellow	T3460/T5460/T5460M	C13T41M400	350

Epson® UltraChrome HDX

EPSON INK

EPSON®

EXCEED YOUR VISION


• Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171672	Epson UltraChrome HDX	Cyan	P6070/P8070/P7070/P9070	C13T770292	150
171679	Epson UltraChrome HDX	Green	P7070/P9070	C13T770B92	150
171674	Epson UltraChrome HDX	Light Black	P6070/P8070/P7070/P9070	C13T770792	150
171676	Epson UltraChrome HDX	Light Cyan	P6070/P8070/P7070/P9070	C13T770592	150
171669	Epson UltraChrome HDX	Light Light Black	P6070/P8070/P7070/P9070	C13T770992	150
171675	Epson UltraChrome HDX	Matt Black	P6070/P8070/P7070/P9070	C13T770892	150
171677	Epson UltraChrome HDX	Orange	P7070/P9070	C13T770A92	150
171673	Epson UltraChrome HDX	Photo Black	P6070/P8070/P7070/P9070	C13T770192	150
171678	Epson UltraChrome HDX	Violet	P7070/P9070	C13T770D92	150
171668	Epson UltraChrome HDX	Vivid Light Magenta	P6070/P8070/P7070/P9070	C13T770692	150
171671	Epson UltraChrome HDX	Vivid Magenta	P6070/P8070/P7070/P9070	C13T770392	150
171670	Epson UltraChrome HDX	Yellow	P6070/P8070/P7070/P9070	C13T770492	150
171663	Epson UltraChrome HDX	Cyan	P5070	C13T913200	200
171661	Epson UltraChrome HDX	Green	P5070	C13T913B00	200
171665	Epson UltraChrome HDX	Light Black	P5070	C13T913700	200
171667	Epson UltraChrome HDX	Light Cyan	P5070	C13T913500	200
171657	Epson UltraChrome HDX	Light Light Black	P5070	C13T913900	200
171666	Epson UltraChrome HDX	Matt Black	P5070	C13T913800	200
171659	Epson UltraChrome HDX	Orange	P5070	C13T913A00	200
171664	Epson UltraChrome HDX	Photo Black	P5070	C13T913100	200
171660	Epson UltraChrome HDX	Violet	P5070	C13T913D00	200
171656	Epson UltraChrome HDX	Vivid Light Magenta	P5070	C13T913600	200
171662	Epson UltraChrome HDX	Vivid Magenta	P5070	C13T913300	200
171658	Epson UltraChrome HDX	Yellow	P5070	C13T913400	200

Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171414	Epson UltraChrome HDX	Cyan	P6070/P7070/P8070/P9070	C13T769292	350
171402	Epson UltraChrome HDX	Green	P9070/P7070	C13T769292	350
171399	Epson UltraChrome HDX	Light Black	P6070/P7070/P8070/P9070	C13T769792	350
171397	Epson UltraChrome HDX	Light Cyan	P6070/P7070/P8070/P9070	C13T769592	350
171404	Epson UltraChrome HDX	Light Light Black	P6070/P7070/P8070/P9070	C13T769992	350
171400	Epson UltraChrome HDX	Matt Black	P6070/P7070/P8070/P9070	C13T769892	350
171401	Epson UltraChrome HDX	Orange	P9070/P7070	C13T769A92	350
197072	Epson UltraChrome HDX	Photo Black	P6070/P7070/P8070/P9070	C13T769192	350
171403	Epson UltraChrome HDX	Violet	P9070/P7070	C13T769D92	350
171398	Epson UltraChrome HDX	Vivid Light Magenta	P6070/P7070/P8070/P9070	C13T769692	350
171395	Epson UltraChrome HDX	Vivid Magenta	P6070/P7070/P8070/P9070	C13T769392	350
171396	Epson UltraChrome HDX	Yellow	P6070/P7070/P8070/P9070	C13T769492	350
195512	Epson UltraChrome HDX	Black	P6070/P7070/P8070/P9070	C13T768192	700
195513	Epson UltraChrome HDX	Cyan	P6070/P7070/P8070/P9070	C13T768292	700
195522	Epson UltraChrome HDX	Green	P9070/P7070	C13T768B92	700
195518	Epson UltraChrome HDX	Light Black	P6070/P7070/P8070/P9070	C13T768792	700
195516	Epson UltraChrome HDX	Light Cyan	P6070/P7070/P8070/P9070	C13T768592	700
195520	Epson UltraChrome HDX	Light Light Black	P6070/P7070/P8070/P9070	C13T768992	700
195519	Epson UltraChrome HDX	Matt Black	P6070/P7070/P8070/P9070	C13T768892	700
195521	Epson UltraChrome HDX	Orange	P9070/P7070	C13T768A92	700
195523	Epson UltraChrome HDX	Violet	P9070/P7070	C13T768D92	700
195517	Epson UltraChrome HDX	Vivid Light Magenta	P6070/P7070/P8070/P9070	C13T768692	700
195514	Epson UltraChrome HDX	Vivid Magenta	P6070/P7070/P8070/P9070	C13T768392	700
195515	Epson UltraChrome HDX	Yellow	P6070/P7070/P8070/P9070	C13T768492	700


Epson® UltraChrome PRO12

EPSON INK

<div><div> EXCEED YOUR VISION</div><div>• Cross check vendor part number to confirm compatibility with your machine</div></div>					
Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171702	Epson UltraChrome PRO12	Cyan	P7560/P9560	C13T44Q240	350
171698	Epson UltraChrome PRO12	Green	P7560/P9560	C13T44QB40	350
171684	Epson UltraChrome PRO12	Light Black	P7560/P9560	C13T44Q740	350
171688	Epson UltraChrome PRO12	Light Cyan	P7560/P9560	C13T44Q540	350
171690	Epson UltraChrome PRO12	Light Light Black	P7560/P9560	C13T44Q940	350
171681	Epson UltraChrome PRO12	Matt Black	P7560/P9560	C13T44Q840	350
171693	Epson UltraChrome PRO12	Orange	P7560/P9560	C13T44QA40	350
171680	Epson UltraChrome PRO12	Photo Black	P7560/P9560	C13T44Q140	350
171694	Epson UltraChrome PRO12	Violet	P7560/P9560	C13T44QD40	350
171686	Epson UltraChrome PRO12	Vivid Light Magenta	P7560/P9560	C13T44Q640	350
171700	Epson UltraChrome PRO12	Vivid Magenta	P7560/P9560	C13T44Q340	350
171692	Epson UltraChrome PRO12	Yellow	P7560/P9560	C13T44Q440	350
171703	Epson UltraChrome PRO12	Cyan	P7560/P9560	C13T44J240	700
171699	Epson UltraChrome PRO12	Green	P7560/P9560	C13T44JB40	700
171685	Epson UltraChrome PRO12	Light Black	P7560/P9560	C13T44J740	700
171689	Epson UltraChrome PRO12	Light Cyan	P7560/P9560	C13T44J540	700
171691	Epson UltraChrome PRO12	Light Light Black	P7560/P9560	C13T44J940	700
171687	Epson UltraChrome PRO12	Light Magenta	P7560/P9560	C13T44J640	700
171683	Epson UltraChrome PRO12	Matt Black	P7560/P9560	C13T44J840	700
171696	Epson UltraChrome PRO12	Orange	P7560/P9560	C13T44JA40	700
171682	Epson UltraChrome PRO12	Photo Black	P7560/P9560	C13T44J140	700
171697	Epson UltraChrome PRO12	Violet	P7560/P9560	C13T44JD40	700
171701	Epson UltraChrome PRO12	Vivid Magenta	P7560/P9560	C13T44J340	700
171695	Epson UltraChrome PRO12	Yellow	P7560/P9560	C13T44J440	700

Epson® UltraChrome PRO

EPSON INK

<div><div> EXCEED YOUR VISION</div><div>• Cross check vendor part number to confirm compatibility with your machine</div></div>					
Material	Material Description	Colour	Model	Vendor Part Number	Volume (ml)
171654	Epson UltraChrome PRO	Cyan	P10070/P20070	C13T809200	700
171652	Epson UltraChrome PRO	Dark Grey	P10070/P20070	C13T809700	700
171655	Epson UltraChrome PRO	Grey	P10070/P20070	C13T809900	700
171651	Epson UltraChrome PRO	Light Cyan	P10070/P20070	C13T809500	700
171650	Epson UltraChrome PRO	Light Grey	P10070/P20070	C13T809000	700
171649	Epson UltraChrome PRO	Matt Black	P10070/P20070	C13T809800	700
171648	Epson UltraChrome PRO	Photo Black	P10070/P20070	C13T809100	700
171647	Epson UltraChrome PRO	Vivid Light Magenta	P10070/P20070	C13T809600	700
171646	Epson UltraChrome PRO	Vivid Magenta	P10070/P20070	C13T809300	700
171653	Epson UltraChrome PRO	Yellow	P10070/P20070	C13T809400	700

Roland Cleaning Cartridges & Accessories

CONSUMABLES



Material	Material Description
170508	Roland Cleaning Stick TX712A
194986	Roland Cleaning Fluid (ESL5) 500ml Bottle
170505	Roland Flushing cartridge 220ml SLCL
196680	Roland VG2 True VIS CLEANING SOL.BOT 500M
197329	Roland VG2 True VIS Cleaning Cartridge 500ml
194985	Roland Blade Holder Metal XDCH2
195113	Roland Plastic Blade Holder XDCH3
198513	Roland Blade Holder XD-CH4-BL
195079	Roland Blade ZECU-1002 Standard (pk/2) - 50 degree
170475	Roland Blade ZECU-1005 Standard (pk/5) - 50 degree
195657	Roland Blade Sandblast Carbide Tip ZECU1715 - 17 degree
194968	Roland Blade ZECU-3017 Min Offset (pk/3) - 45 degree
195252	Roland Blade ZECU-3050 0.5mm Offset Pk/5 - 32 degree
103676	Roland Blade ZECU-3075 (5PK) - 32 degree
103677	Roland Blade ZECU-3100 (5PK) - 32 degree
195681	Roland Blade ZEC-U5010(2/PK) - 55 degree
195403	Roland Blade ZECU-5022 Heavytip Carbide (pk/2) - 55 degree
170476	Roland Blade ZECU 5025 Heavy Duty (pk/5) - 50 degree
195597	Roland Blade ZECU-5032 - 40 degree
195965	Roland VG Wiper Head (1000014754) sold in 1's

Mimaki™ Cleaning & Accessories

CONSUMABLES




Material	Material Description
192076	Mimaki SPA-0134 WIPER KIT 1 BOX (10pcs)
191718	Mimaki SPA-0166 Pinch roller set 4 pcs
191719	Mimaki SPA-0167 Pinch roller set 3 pcs
191342	Mimaki SPA-0193 Wiper kit (JFX200/500)
193076	Mimaki SPA-0246 Waste Ink Bottle 2L
198285	Mimaki SPA-0247 Pincher Rollers 10/PK
194053	Mimaki SPA-0271 Wiper Kit 300TS
196260	Mimaki SPA-0296 Cap Absorber
167629	Mimaki SPB-0030 Cutter Blades (3pk)
194054	Mimaki SPC-0137 Cleaning Solution A29
191935	Mimaki SPC-0259 Clean Wash Cart 220ml
191721	Mimaki 0294 ML014-Z-22 Clean-MSWash Cart

Material	Material Description
193434	Mimaki SPC-0353 Pen Line Rubber 130
194097	Mimaki SPC-0354 Pen Line Sponge 130 2pc
192726	Mimaki 0369/ML014-Z--K1 Clean Solution
192631	Mimaki SPC-0381 Pen-line rubber 160
192703	Mimaki SPC-0382 Pen-line sponge 160
194243	Mimaki SPC-0386 Cleaning sticks 10/pk
193774	Mimaki SPC-0394 Antifreeze Liquid
192078	Mimaki SPC-0527 Cleaning Swab 50 PCS
190664	Mimaki SPC-0541 UV Primer 500ml
191343	Mimaki SPC-0568 Main.liq.15 100ml
192208	Mimaki SPC-0768 RF Absorber Filter 20PK
195267	Mimaki SPC-0819 Mist Filter Set
195912	Mimaki SPC-0820 Filter Set Bottle Wiping
195268	Mimaki SPC-0822 CAP ABSORBER
195266	Mimaki SPC-0830 W Absorber Set
191891	Mimaki FL007-Z-BA Flushing Liquid 07 1L

Epson® Spare Parts (IM)

CONSUMABLES

<div><div><div>• Check vendor part number to ensure compatibility with your machine</div></div></div>			
Material	Material Description	Item	Vendor Part Number
171753	Epson Spare Parts (IM)	A0 Doc Carrier Sheet	C12C935381
171751	Epson Spare Parts (IM)	Borderless Pad Kit	C13S400064
171746	Epson Spare Parts (IM)	Cleaning Sheets pk5	C13S400045
171747	Epson Spare Parts (IM)	Cleaning Sheets pk50	C13S090013
165460	Epson Spare Parts (IM)	Epson Cutter Blade	C12C851291
171740	Epson Spare Parts (IM)	Epson Cutter Blade	C12C815351
171741	Epson Spare Parts (IM)	Epson Cutter Blade	C12C815331
171742	Epson Spare Parts (IM)	Epson Cutter Blade	C13S210040
171748	Epson Spare Parts (IM)	Epson Cutter Blade	C13S902006
171749	Epson Spare Parts (IM)	Epson Cutter Blade	C13S902007
171750	Epson Spare Parts (IM)	Epson Cutter Blade	C13S210055
171743	Epson Spare Parts (IM)	Maintenance Tank	C13T619300
165459	Epson Spare Parts (IM)	Maintenance Tank	C13T582000
188068	Epson Spare Parts (IM)	Maintenance Tank	C13T619000
184844	Epson Spare Parts (IM)	Maintenance Tank	C12C890501
165458	Epson Spare Parts (IM)	Maintenance Tank	C12C890191
195568	Epson Spare Parts (IM)	Maintenance Tank	C13T699700
197042	Epson Spare Parts (IM)	Maintenance Tank	C13T619300
171752	Epson Spare Parts (IM)	Maintenance Tank	C13S210057
171745	Epson Spare Parts (IM)	Roll Paper Belt	C12C890121



SOLUTIONS GUIDE

Wide Format

wide format printing
and finishing equipment


BROCHURE
AVAILABLE
NOW ONLINE

For enquiries contact your local Spicers representative
1300 132 644 spicers.com.au

hardware solutions for any application

- POS, POP and retail
- External displays
- Vehicle graphics and traffic management
- Corporate signage
- Interior fit-out

Spicers hold a vast portfolio of wide format printing and finishing equipment.



EPSON
EXCEED YOUR VISION



Roland



Mimaki



ROLLSROLLER
FLATBED APPLICATOR



**neolt
Factory**



MasterHeat



PENGA



ALC Australian Laminating Company

FINANCE OPTIONS
AVAILABLE ON ALL MACHINES



Tapes

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
450884	3M Adhesive Transfer Tape 467MP	Clear	300	55	1
451283	3M Adhesive Transfer Tape 467MP	Clear	1220	55	1
168984	3M Knifeless Design Line Tape	Green	4	50	1
168985	3M Knifeless Tri Line Tape	Green	9	50	1
168986	3M Knifeless Finish Line Tape	Green	4	50	1
193763	3M Knifeless Precision Line Tape	Green	5	50	1
450066	3M Fine Line 218	Green	6.3	55	1
169770	3M Edge Seal Tape 8518	Clear	12	45.7	1
450983	3M 9088 DCT (Low Energy)	Clear	25	50	1
450039	3M VHB Tape 4910 (High Energy)	Clear	12	33	1
450040	3M VHB Tape 4910 (High Energy)	Clear	24	33	1
450491	3M VHB Tape 4941 (Medium Energy)	Grey	12	33	1
451551	3M VHB Tape 4941 (Medium Energy)	Grey	18	33	1
450486	3M VHB Tape 4941 (Medium Energy)	Grey	24	33	1
450488	3M VHB Tape 4991F	Grey	12	33	1
451364	3M VHB Tape 4991F	Grey	18	33	1
450487	3M VHB Tape 4991F	Grey	24	33	1
450560	3M VHB Tape RP45	Grey	12	32.9	1
451552	3M VHB Tape RP45	Grey	18	32.9	1
450561	3M VHB Tape RP45	Grey	24	32.9	1
451536	3M VHB Tape GPH 060GF	Grey	12	33	1
451537	3M VHB Tape GPH 060GF	Grey	18	33	1
451538	3M VHB Tape GPH 060GF	Grey	24	33	1
451542	3M VHB Tape GPH 160GF	Grey	12	33	1
451543	3M VHB Tape GPH 160GF	Grey	18	33	1
451544	3M VHB Tape GPH 160GF	Grey	24	33	1
452094	3M VHB Tape LSE-110WF - 1.1mm	White	18	33	1
452095	3M VHB Tape LSE-110WF - 1.1mm	White	24	33	1
187287	ALC Mounting Tape	Clear	1370	50	1
451689	One Way Vision OptiTape	Clear	1355	30	1
450061	Packaging Tape Acrylic	Clear	48	75	36
450109	Packaging Tape Natural Rubber	Brown	48	75	36
450108	Packaging Tape Natural Rubber	Clear	48	75	36
135895	Filament Tape One Way	Clear	48	45	24
450604	Filament Tape Two Way	Clear	48	45	24
450911	Spicers Banner Tape	Clear	25	50	1
450912	Spicers Banner Tape	Clear	38	50	1
167908	Tape Dispenser Low Noise 50mm				1

Protective Packaging

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
450168	Bubblewrap 10mm 102R	Clear	1500	100	1
450169	Bubblewrap 10mm 102R Slit	Clear	500	100	3
450173	Bubblewrap 10mm 102R Slit	Clear	750	100	2
450170	Bubblewrap 10mm 103R	Clear	1500	100	1
450167	Bubblewrap 20mm 202R	Clear	1500	100	1
167151	Foam Wrap 1mm	White	1200	100	1
167152	Foam Wrap 2mm	White	1200	100	1
190824	Foam Wrap 4mm	White	1200	100	1
167173	Corrugated Cardboard 70gsm	Brown	1220	45	1
191501	Postal Tube A1 2mm	White	60	0.660	50
190415	Postal Tube A1 2mm	White	90	0.730	22
191370	Postal Tube A0 2mm	White	90	0.870	22
190558	Postal Tube 2mm	White	90	1.050	22
190671	Postal Tube 2.5mm	White	154	1.250	100
193388	Postal End Caps 60mm	White			1000
167210	Postal End Caps 90mm	White			500
190673	Postal End Caps 154mm	White			200

A-Frames

Material	Material Description	Colour	Width (mm)	Height (m)	Rolls / Packs / EA
193837	dtec A-Frame Solid (black frame)	Black	600	0.6	1
193838	dtec A-Frame Solid (black frame)	Black	600	0.9	1
193840	dtec A-Frame Solid (white frame)	White	600	0.9	1
193839	dtec A-Frame Solid (black frame)	Black	900	1.2	1
193841	dtec A-Frame Open (black frame)	Black	600	0.9	1
194970	Coreflute A-Frame Insert	Black	600	0.6	1

Pull Up Stands

Material	Material Description	Colour	Width (mm)	Height (m)	Rolls / Packs / EA
194554	dtec RBS Premium Clip	Silver	850	2	1
194555	dtec RBS Premium Clip	Black	850	2	1
194557	dtec RBS Premium Clip	Black	850	2	1
194556	dtec RBS Premium Clip	Silver	850	2	1
194559	dtec RBS Economy	Black	850	2	1
194558	dtec RBS Economy	Silver	850	2	1
194527	dtec RBS Bargain	Silver	1000	2	1

Pack and mix

INDUSTRIAL SUPPLIES AND PACKAGING

Adhesive Tapes
Cartons & Boxes
Protective Packaging
Pallet Wrapping
Strapping & Tying
Despatch & Mailing
Tools & Machinery
Safety & Machinery

Spicers' industrial packaging supplies offer the adaptability and flexibility to meet your needs.

At Spicers we deliver more than you think – a key part of our role is to make things easier for you. Our comprehensive range of packaging consumables, provide effective, competitively priced solutions to meet a wide range of requirements.

What's more, they're easily added on when you place your regular order, making it one less thing for you to worry about.

Customer Service
1300 132 644



Spicers

ACCESSORIES

3M™ Liquids

Material	Material Description	Size	Rolls / Packs / EA
168821	3M Edge Sealer 3950	236 ml	1
199331	3M PPF Install Gel	4.5 Litres	1
450329	3M Citrus Base Aerosol Cleaner	525 g	1
450041	3M Tape Primer 94	236 ml	1
450048	3M Aerosol Cleaner 700	350 g	1
450049	3M Aerosol IPA Cleaner 300	350 g	1
167952	Grip & Grab	290 Litres	1

Viponds Liquids

Material	Material Description	Size	Rolls / Packs / EA
169746	Viponds Lube	500 ml	1
194999	Viponds Lube	4 Litres	1
169747	Viponds Digi Clear Liquid/lam	1 Litre	1
169751	Viponds Dissol	5 Litres	1
169743	Viponds Prep Vinyl	20 Litres	1
169744	Viponds Prep Vinyl	4 Litres	1
169745	Viponds Prep Vinyl	1 Litre	1
169749	Viponds Prep Wash	4 Litres	1
169748	Viponds Prep Wash	20 Litres	1

Accessories

Material	Material Description	Colour	Width (mm)	Height (m)	Rolls / Packs / EA
199339	3M PPF Rubber Squeegee	Black			1
169183	3M Gold Applicator	Gold			1
169184	3M Blue Applicator	Blue			1
451264	3M Dual Lock SJ3560	Clear	24	45.7	1
450025	Cotton Gloves (600 Pairs/Carton)				600



SHOP YOUR FAVOURITE PRODUCTS ONLINE

Go to www.spicers.com.au to register.

Search for material numbers, applications, brands & add to cart.

Shop for a great range of products for Commercial Print, Digital Media, Labels, Packaging, Sign & Display, Architecture & Interior Design, Photography & Fine Art, Dye Sublimation & Heat Transfer, Ink & Consumables and Industrial Packaging.



CREATING SOLUTIONS TOGETHER

INDEX

3M

3M 1yr SAV IJ15 Series	23
3M 1yr SAV IJ16 Series	23
3M 1yr SAV IJ20 Series	23
3M 1yr SAV/LAM IJ15 Series	104
3M 1yr SAV/LAM IJ20 Series	104
3M 2080 Colour Series	128
3M 40C Series 114R	103
3M 5yr SC50 Colour Series	147
3M 5yr IJ39-20 High Tack	31
3M 5yr LAM 40C Series 114R	103
3M 5yr LAM 8508, 8509 & 8510	103
3M 5yr SAV 40C-10, 10R & 20R	15
3M 5yr SAV IJ35 Series	16
3M 5yr SAV IJ35C Series	16
3M 5yr SAV IJ40-10, 10T & 10R	14
3M 5yr SAV/LAM IJ40-114 & 124	15/102
3M 7725SE Window Film Series	41/120
3M 7yr SAV IJ3630-20	34
3M 8150 Optically Clear	34/41/119
3M 8509 Lustre Floor Laminate	109
3M 8yr SAV IJ280mC SF	124
3M 8yr 180mC Colour Series	143
3M 8yr 3630 Translucent Colour Series	151
3M 8yr 7725 Colour Series	143
3M 8yr LAM 8518 High Gloss	100/127
3M 8yr LAM 8519 Lustre	100/127
3M 8yr LAM 8520 Matte	100/127
3M 8yr LAM 8548G	100
3M 8yr LAM 8549L	100
3M 8yr LAM 8550M	100
3M 8yr LAM 8528	101
3M 8yr LAM 8900 Series	134
3M LAM 8428G	101/127
3M LAM Anti-Graffiti 8588G	107
3M LAM Anti-Graffiti 8993	107
3M LAM PPF Gloss SGH06 Pro	134
3M LAM PPF Ventureshield GC	135
3M ElectroCut 7725 Series	144
3M Envision LX480mC	12/124
3M Envision SV480mC	12/124
3M Envision 48C PVC Free	14
3M Envision 8048G & 8050M	102
3M Envision 8548G, 8549L & 8550M	127
3M Reflective 3200 Series	163
3M Reflective 3800 Series	163
3M Reflective 3900 Series	162
3M Reflective 680CR	160
3M Reflective 7300 Series	163
3M Reflective 780mC	161
3M 1170 Transparent	161
3M SAV IJ180mC-10	13/125
3M SAV IJ180mC-10SLs	13/125
3M SAV IJ180mC-10LSE	13/125
3M SAV IJ180mC-10UR	13/125
3M SAV IJ180mC-114	13/125
3M SAV IJ180mC-120	13/125
3M Controltac Plus with Comply 180mC Series	140

3M 3635-20B/22B Blockout Film	154
3M 3635-30/70 Diffuser Film	154
3M 3635-91 Day/Night Film	154
3M 3635-110 Chrome Translucent Film	155
3M 3635-210/222 Dual Colour Film	155
3M 983 Series Diamond Grade Vehicle Tapes	158
3M 983-32 Series Red and White	158
3M 983-23 Diamond Grade	159
3M Diamond Grade Retail Packs	159
3M Diamond Grade 4000 Reflective	159
3M Knifeless Tape	135
3M Liquids - Accessories	189
3M PPF Install Gel	135

A

A-Frames - Accessories	187
Accessories - Accessories	189
Accessories - 3M Liquids	189
Accessories - A-Frames	187
Accessories - Protective Packaging	187
Accessories - Pull up stands	187
Accessories - Tapes	186
Accessories - Visponds Liquids	189
Ace Kraft Screenboard	83
Ace Outdoor	83
Ace Screenboard	81
ALC Floor Laminate	109
ARMABoard	83

B

Bauhaus 120 & 180 Matt Paper	63
Bauhaus Coated Self Adhesive Paper	65
Bauhaus Gloss Poster 225	64
Bauhaus Gloss Poster 140	64
Bauhaus Gloss 1402 Eco Natural Canvas	65
Bauhaus Matt 1444 Eco Canvas	65
Bauhaus Mimaki Sublimation	73
Bauhaus Photo Paper Matt 200	64
Bauhaus Photo Paper Satin 275	64
Bauhaus Photo Paper Gloss 275	65
Bauhaus Satin Poster 140	63
Bauhaus Satin Poster 225	63
Bauhaus STYline New York 150	37
Bauhaus S-Race Vivid 120	71
Bauhaus S-Race Tacky 80 & 100	71
Bauhaus S-Race Look 55	71
Bauhaus S-Race Allround 130	72
Bauhaus S-Race Allround 105	72
Bauhaus S-Race Photo Panel Pro 120	73
B.FLEX Colours	75
B.FLEX Mylar Application Tape	75/113
B.FLEX Neon Colours	74
B.FLEX Print	47/74
B Flute	88

C

Clear Focus AutoVue	46/118
Clear Focus ClassicVue	43/118
Clear Focus CurvaLam	45/101/117
Clear Focus EconoVue	46/118
Clear Focus ExitVue	45/117
Clear Focus JetVue	44/119
Clear Focus PosterVue	44/116
Clear Focus PromoVue	46/119
Clear Focus SunSecure (no print)	44/116
Clear Focus SuperVue	43/116
Clear Focus White/White	45/117
Corflute	93

D

Digistar HB 1/S Bleach Board	89
Digistar Matt Art Paper	63
Digistar Matt Art Paper (Sheets)	89
Digitac E-Stat	31
Digitac Floortac Outdoor	36
Digitac Floortac Indoor	36
Digitac Floortac Carpet	36
Digitac Floortac Laminate	109
Digitac POPDOT	29
dtec Acrylic	80
dtec Backlit PET	58
dtec Flute	95
dtec NoScrim Blockout Banner 510	52
dtec PP Blockout Film	59
dtec PP 2/S Blockout Film	59
dtec Polyfrost	43/121
dtec Pull Up PET 290 Grey Back	60
dtec Pull Up PVC 420 Textured Lustre Grey Back	60

E

E Flute	88
Encore	95
Epson Spare Parts (IM)	183
Epson UltraChrome K3	174
Epson UltraChrome HDR	176
Epson UltraChrome	177
Epson UltraChrome HD	177
Epson UltraChrome XD	178
Epson UltraChrome XD2	178
Epson UltraChrome HDX	179
Epson UltraChrome PRO12	181
Epson UltraChrome PRO	181

F

Ferro Film	61
Foamstar	83

INDEX

G

GF 106 & 116 Ultra Clear Mounting Film..... 113
GF 108 Tedlar 107
GF 201 & 203 High Tack 31
GF 207 & 208 StaticCling..... 29
GF 210 TrafficGraphic..... 37
GF 211 TrafficGraphic 109
GF 218 WindowMark..... 42
GF 224 TransMark..... 35
GF 230 AutoMark..... 19
GF 235 MotoMark 19
GF 238 MotoMark 103
GF 242 OptiMark..... 102
GF 246 Premium Polymeric..... 17
GF 247 Print-n-Lam 17
GF 253 GraphiTex..... 40
GF 255 OptiMark..... 42/121
GF 260, 261, 270 & 280 WindowMark 47/120
GF 285 & GF 287 RoughMark..... 40
GF 290 ChalkMark 43
GF 500 Series..... 149
GF Dry Erase..... 110
GF PET Chrome Series..... 155
GF Sign Mask 112
Graffimount 113

K

Kavalan Butterfly 360..... 55
Kavalan Moonlight 200..... 54
Kavalan Spiderweb 300..... 54
Kavalan Sunlight 300..... 54
Kavalan Sunlight 360 55

M

Magnet Printable..... 61
Magnet Self-Adhesive..... 61
Mimaki BS3 Ink (Solvent)..... 169
Mimaki ES3 Ink (Solvent) 169
Mimaki SB52..... 171
Mimaki SB53..... 171
Mimaki LH-100 Ink Hard LED (UV)..... 170
Mimaki LUS-150 Ink (UV) 170
Mimaki LUS-170 Ink (UV) 170
Mimaki LX100 Ink (Latex) 169
Mimaki SS21 Ink (Solvent) 168
Mimaki Cleaning & Accessories..... 182
Multicor..... 93

P

Palboard 85
Palight 85
Palight LW..... 85
Photo-Tex Floortac 36
Photo-Tex High Tack..... 39
Photo-Tex Non Blockout..... 39
Photo-Tex OPA Blockout 39
Photo-Tex OPAS Blockout..... 37
Promeg PP..... 90
Protective Packaging - Accessories..... 187
Pull Up Stands - Accessories..... 187

R

Roban Airmesh FR (Liner) 56
Roban Airmesh FR (No Liner) 56
Roban Blockout TR800..... 52
Roban Ijet Premium 510..... 49
Roban Ijet Premium Latex 510..... 49
Roban Multi 610..... 52
Roban Optima UV 580..... 51
Roban Optima UV Latex 580..... 51
Roban Signtuff 440 48
Roban Ultra i440..... 50
Rocal 5 Year 20
Rocal 5 Year High Tack..... 32
Rocal 5 & 3 Year Translucent..... 35
Rocal 3 Year 24
Rocal 3 Year High Tack..... 33
Rocal 3 Year Ultra Removable..... 28
Rocal 1 Year 27
Rocal Dusted Sparkle..... 42/121
Rocal Frosted Silver Etch..... 42/121
Rocal Supacling Ultra..... 28
Rocal Supacling Ultra Clear..... 34
Rocal Supercing PET.....
Gloss Ultra Clear Removable 29
Rocal Wall Mount..... 40
Rodure Pull Up PET 340 Grey Back 59
Rodure Solmaxx 200 Solvent 58/60
Rodure Unblock..... 58/91
Rodure XT1200 UV..... 57
Rodure XT1200..... 91
Rodure XT1200 Latex..... 57
Rodure XTC283 91
Rolam 5 Year..... 104
Rolam 5 Year Clear (Printable)..... 20
Rolam 5 Year Optically Clear 105
Rolam 3 Year..... 105
Rolam 3 Year Anti Graffiti..... 107
Rolam 3 Year Clear (Printable)..... 25
Rolam 1 Year..... 105
Rolam 1 Year Clear (Printable)..... 27
Rolight Soltrans..... 35
Rolight Visiflex..... 50
Re-Board Kraft..... 87
Re-Board Premium..... 87
Re-Board Print..... 87
R Tape 4075 (Med-High) 110
R Tape 4075RLA (Med-High)..... 110
R Tape 4076 (Extra High)..... 110
R Tape 4076RLA (Extra High)..... 111
R Tape 4761RLA (Super High)..... 111
R Tape 4775RLA (Med-High)..... 111
R Tape AT65 112
R Tape HotMask..... 112
R Tape PaintMask..... 112
Roland Cleaning Cartridges & Accessories 182
Roland Eco Sol Max Ink (Solvent)..... 172
Roland Eco Sol Max V2 Ink (Solvent)..... 172
Roland EJ-640 Ink (Solvent)..... 173
Roland TR2 TrueVis Ink (Solvent) 173

S

Sacrificial Underlay Polypropylene..... 113
Skybond FR..... 80
Skybond Print..... 79
Supercor 94

T

Tapes - Accessories 186
True Hi-Bulk 2/S Artboard 400gsm..... 89

V

Visponds Liquids - Accessories 189

Y

Yupo FPU Sheets..... 90
Yupo FPU UV Rolls..... 57
Yupo Octopus Clear (UV) 34
Yupo Octopus XAD1069 (UV) 28
Yupo Octopus XAD1068 (UV) 28

3M DI-NOC™ Architectural
Finishes

Like nothing
you’ve used
before.

3M™ DI-NOC™ Architectural
Finishes can be applied to
various surfaces and materials,
allowing infinite creativity.



For samples please
contact your local
Spicers representative.

1300 132 644 / spicers.com.au

3M
Authorised Distributor

Grid area for notes on page 194.

Grid area for notes on page 195.

Grid area for notes on page 196.

Grid area for notes on page 197.

Grid area for notes on page 198.

Grid area for notes on page 199.

Grid area for notes on page 200.

Grid area for notes on page 201.



With our team of sign and display and hardware specialists, Spicers can provide you with information and expert advice. We are your local supplier with stock on the floor and a distribution network ready to deliver to you.

SPICERS CONSUMABLES

3M

CORFLUTE[®]

dtec[™]

Re-board

TECHNOLOGY

DIGISTAR
HI-BULK

TRUE HI-BULK

O

YUPO[®]

r

tape

FOAMSTAR
foamboard

Photo-Tex[™]

PROMEG

SKYBOND[™]

DiGitac[®]

Kavalan

CREATING CLEAN SCENES

ACE KRAFT

ACE SCREENBOARD

ACE OUTDOOR

ACE HIWHITE

ARMABOARD

PALBOARD[™]

Multilayered PVC Sheet

BAUHAUS
MEDIA FOR CREATIVES

B-FLEX[®]
HEAT TRANSFER VINYL

S-RACE[®]

RODURE
display films

ROCAL
self adhesive print media

ROLIGHT
backlit films

ROBAN
Banner media

ROLAM
laminates media

SUPERCOR[™]

MULTICOR[™]

ENCORE[™]

GENERAL
FORMULATIONS

CLEAR FOCUS

ONEWAY VISION

Great Choice!

SPICERS HARDWARE

Mimaki

Roland

EPSON[®]
EXCEED YOUR VISION

PENGDA[®]
Heat transfer printing machine

neolt
factory

MasterHeat

ROLLSROLLER[®]
FLATBED APPLICATOR

ALC
Australian Laminating Company

For T&Cs visit our website spicers.com.au/terms-and-conditions

INTRODUCING

ENVIRONS

Environs by Spicers are responsible choices made easy.



Environs by Spicers is a range of sustainable and environmentally friendly solutions for your printing requirements.

With industry leading brands, our tested and approved substrates are sure to perform both technically and aesthetically during all processes. The Spicers product portfolio includes a range of sustainable fibre-based, polypropylene and non-PVC products.



Contact your local Spicers representative for your copy of Environs.

1300 132 644 | [SPICERS.COM.AU](https://spicers.com.au)



CONTACT YOUR LOCAL BRANCH

EDITION
02



**FOR ANY PRODUCT QUERIES PLEASE CONTACT
YOUR SPICERS REPRESENTATIVE DIRECTLY, OR
YOUR LOCAL BRANCH FROM THE LIST BELOW.**

VIC

155 Logis Boulevard
Dandenong South VIC 3175

T (03) 9768 8400

F (03) 9768 8401

info.vic@spicers.com.au

NSW

21 Worth Street
Chullora NSW 2190

T (02) 9735 2666

F (02) 9735 2600

salesnsw@spicers.com.au

QLD Brisbane

Building 5, 441 Nudgee Road
Hendra QLD 4011

T (07) 3084 5200

F (07) 3084 5297

info.qld@spicers.com.au

SA

113 Ledger Road
Beverley SA 5009

T (08) 8243 9393

F (08) 8243 9397

info.sa@spicers.com.au

WA

19 Milly Court
Malaga WA 6090

T (08) 6310 4300

F (08) 9248 6515

info.wa@spicers.com.au

NT

57 Winnellie Road
Winnellie NT 0820

T (08) 8947 0188

F (08) 8947 1366

info.nt@spicers.com.au

QLD Townsville

28A Casey Street
Aitkenvale QLD 4818

T (07) 3084 5200

F (07) 3084 5297

info.qld@spicers.com.au

TAS

4-8 Sunmont Street
Derwent Park TAS 7009

T (03) 6272 5333

F (03) 6272 8103

info.tas@spicers.com.au