

**EDITION 1**

Print Media  
Finishing  
Rigid Substrates

Window Graphic Substrates  
Vehicle Wrap  
Cut Colour Vinyl

Reflectives  
Ink  
Accessories



# Sign and Display Catalogue



**Our Sign and Display portfolio is an invaluable resource to the screen & wide format printing industry and encompasses consumables, hardware, inks, software, accessories, training and support. From point-of-sale and vehicle graphics right through to exhibition stand construction and shop fit out, Spicers has a product to get you noticed, and the hardware to print and finish.**

#### **About us**

Spicers is a dynamic and solutions-focused company with a passion for supplying quality materials, equipment, and solutions to our customers in the commercial print, labelling, signage, visual display, and architectural industries.

With our team of sign and display specialists, Spicers can provide you with information and expert advice. We are your local supplier with stock on the floor and a distribution network ready to deliver to you.

#### **Environment**

Spicers is FSC® and PEFC™ certified, offers a wide choice of environmentally friendly materials and operates under a Sustainable Supply Chain Policy.

#### **Roll media**

Spicers carries your roll media essentials as well as a collection of specialty products to help bring your creative ideas to life. We have media for eco-solvent, UV curable, Latex and LED ink technologies. Key brands include 3M™, LG Hausys, dtec™, Yupo®, Photo-Tex™ and Digitac.

Spicers offers a range of computer cut colours, wall coverings, banners and repositionable materials to create a unique look and feel.

#### **Rigid media**

Spicers supplies a market leading range of essential sign and display substrates, as well as some unique products that stand out from the crowd. Key brands include Yupo®, Corflute®, Skybond™, Ace Screenboard, Ace Outdoor, Re-Board®, Palight, Palboard, Foamstar, dtec, Skyrise Print™ and ARMABoard.

#### **Finishing**

If you require essential laminating products to protect your print and extend its longevity, Spicers can help you. Our range includes matt, gloss, specialty, anti-graffiti and textured floor graphic products from 3M™ and LG Hausys.

#### **Ink**

OEM ink for a vast range of digital wide printers are part of our offering. These include Mimaki® and Roland.

#### **Hardware**

Spicers holds a vast portfolio of wide format printing and finishing equipment. We are proud to sell machinery from respected brands such as Mimaki™, Fotoba International, ROLLSROLLER™, Kala®, Neolt and Roland.

#### **Sales and distribution network**

Spicers boasts a dedicated sales team and stock on the floor ready to deliver in Melbourne, Sydney, Brisbane, Townsville, Darwin, Perth, Adelaide and Hobart.

# Application & Environmental Icons

Below are icons used throughout this catalogue to guide you through a range of applications and to assist in your environmental stock choices.



Blockout



Forest Management



Light Boxes



Rigid Sheet



Banners



Frontlit



Low Tac Adhesive



Roll



Billboard



High Tac Adhesive



Outdoor Applications



Roll-Ups



Backlit



High White



Posters



Recycled Content



CAD



ISO Certification



Mounting Board



Recyclable



Elemental Chlorine Free



ISO 9001 Mill Accredited



Photo Print



Reels For Sheeting



Environmental Management Systems



Indoor Application



POP-Ups



Self Adhesive



Exhibition Panels



Laminates



PP Recyclable



Vehicle Wrap



Fine Art Prints



Laminated Applications



Proofs



Floor Graphics



Latex Media



Point Of Sale



# Credit Application

Drive your business forward faster

Applications are open to businesses registered in Australia, and individuals requiring Spicers for business purposes.

## Apply online

1. Visit [www.spicers.com.au](http://www.spicers.com.au)
2. Click on the **Credit Application** option on the Home page.
3. Complete the form.

For enquiries please contact 03 9768 8400.

# My Portal



## Order stock online

- Sign up for My Portal access
- Search and place orders from our whole product range
- Create a list of your favourite products or check your order history
- Track orders and download invoice and POD
- Request Consignment stock

For enquiries or further information, please contact your local Spicers representative  
**1300 132 644 [spicers.com.au](http://spicers.com.au)**

# Product Index

Section	Product	Style	Page
<b>Print Media 14</b>			
Banner		Frontlit Banner	16
		Scrimless	17
		Mesh Banner	18
		Backlit	18
		Blockout Banner	19
		Film	Greyback & Blockout Film
	White Films	20	
Magnet & Ferro Film		Ferro Film	21
		Magnet Self-Adhesive	21
		Magnet 0.6mm	22
		Magnet 0.9mm	22
Paper		Bond Paper	22
		Coated Paper	23
		Poster & Photo Paper	24
Canvas		Digitac Canvas	26
Fabric		Mediatex Fabric	26
Self-Adhesive		3M Premium Self Adhesive Vinyl	26
		Premium Self Adhesive Vinyl	26
		Intermediate Self Adhesive Vinyl	29
		Promotional Self Adhesive Vinyl	33
		Low-Tack & Ultra Removable	39
		Hi Tack & LSE	41
		Ultra Clear	42
		Backlit	43
		Floor Graphic	44
		Wall Graphic	44
		<b>Rigid Substrates 50</b>	
Aluminium Panel		Skybond Print	52
		Skyrise Print	53
Acrylic		dtec Acrylic	53
Display Board		Ace Screenboard	54
		Ace Outdoor	54
		ARMABoard	55
		Foamstar XPS	55
		Foamstar EPS	55
		Palight	56
		Palight LW	56
		Palboard	27
		ReBoard White	57
		ReBoard Kraft	60
		Tranquillity Board	60
		E Flute Clay Coat 1/S	60
		B Flute Clay Coat 1/S	61
		Display Paper	
Digistar 2/S Artboard	62		
Echo Matt Recycled	62		
Digistar Matt	63		
Eclipse Premium Blockout Artboard	63		

# Product Index

Section	Product	Style	Page
Display Film		Promeg Polypropylene	63
		Yupo® FPU Sheets	64
		dtec Blockout PP	64
Flute		Supercor	64
		Multicor	65
		Dtec Flute	65
<b>Finishing 70</b>			
Laminate		3M Premium Laminate	72
		Premium Laminate	72
		Intermediate Laminate	73
		Promotional Laminate	75
		Anti-Graffiti Laminate	76
		Floor Graphic Laminate	77
		Laminate Underlay	77
Application Tape		RTape 405ORLA (Low to Medium)	78
		RTape 4075 (Medium-High)	78
		RTape 4075RLA (Medium-High)	78
		RTape 4076 (Extra High)	79
		RTape 4076RLA (Extra High)	79
		RTape 4761RLA (Super Hi-Tack)	79
		RTape 4775RLA (Medium to High)	80
		RTape AT60N (Low)	80
<b>Window Graphic Substrates 82</b>			
Perforated Window Film		Perforated Window Film Premium	84
		Perforated Window Film Value	86
		3M IJ8150	88
		3M 7725SE	88
		3M 5525SE	89
		LG LC5510 & LC5560	89
<b>Vehicle Wrap 90</b>			
Premium SAV		3M Envision LX480MC	92
		3M Envision SV480MC	92
		3M IJ180mC-10	93
		3M IJ180mC-10UR	93
		3M IJ180mC-120	93
		3M IJ180mC-114	94
		3M IJ180mC-10SLS	94
		3M IJ180mC-10LSE	94
		3M Envision 8548G, 8549L & 8550M	95
		3M 8518, 8519 & 8520	95
Premium Wrap SAV		3M 1080 Series	96
		3M 8900 Series	102
Paint Protection Film		3M Scotchgard PPF SGH6 Pro	102
		3M Scotchgard PPF SGH6	103
		3M Scotchgard PPF SGH12	103
		3M Ventureshield GC	103


# Product Index

Section	Product	Style	Page
<b>Cut Colour Vinyl 106</b>			
	Premium Cut SAV	3M Controltac Plus with Comply 180mC Series	108
		3M 7725 ElectroCut Series	112
		3M 3630 Translucent	114
		3M 3730 Translucent	118
	Intermediate Cut SAV	3M Scotchcal 50 Series	119
	Light Management Films	3M 3635-20B/22B Blockout Film	122
		3M 3635-91 Day/Night Film	122
		3M 3635-30/70 Diffuser Film	122
		3M 3635-210/222 Dual Colour Films	123
		3M 3635-100 Light Enhancement Film	123
		3M 3635-110 Chrono Translucent Film	123
	White and Blackboard Films	Aslan CR62 Blackboard SAV	124
		Dry Erase Laminate	124
<b>Reflectives 126</b>			
	3M Conspicuity Tapes	3M 983 Series - Diamond Grade Vehicle Tapes	128
		3M 983-32 Series Red and White	128
		3M 997 Series Flexible Marking (Continuous)	128
		3M 997S Series Flexible Marking (Segmented)	129
		3M 983-23 - Diamond Grade	129
		3M Diamond Grade Retail Packs	129
		3M Diamond Grade Mini Retail Packs	130
	3M Signage Reflective	3M 680CR Reflective	130
		3M 780mC Reflective	131
		3M 1170 Transparent	131
		3M 3800 Reflective	131
		3M 3930 Reflective	132
		3M 4000 Reflective	132
		3M 3200 Reflective	133
<b>Ink 136</b>			
Mimaki	Solvent	Mimaki ES3 Ink	138
		Mimaki SS21 Ink	138
		Mimaki BS3 Ink	138
	Latex	Mimaki LX100 Ink	139
	UV Curable	Mimaki LUS-120 Ink	140
		Mimaki LUS-150 Ink	140
		Mimaki LUS-170 Ink	140
		Mimaki LF-200 Ink	141
		Mimaki LH-100 Ink	141
Roland	Solvent	Roland Eco Sol Max	142
		Roland Eco Sol Max V2	142
		Roland VG Series Ink	143
		Roland VG2 Series Ink	143
		Roland EJ-640 Ink	144
<b>Accessories 148</b>			
	Tapes	Tissue Tape	148
		Transfer Tape	148
		3M Adhesive Transfer Tape	148
		3M VHB Tape	148

# Product Index

Section	Product	Style	Page
		3M Value Masking Tape	148
		Packaging Tape	148
		Filament Tape	148
		Machine Tape	148
		Black/Orange Fragile Tape	148
		Black/Orange Top Load Tape	148
		Cloth Tape	148
		Spicers Banner Tape	149
		Tape Dispenser	149
	Strapping & Finishing	Bubble Wrap	149
		Foam Wrap	149
		Corrugated Board	149
		Hand Stretch	149
		Strapping Polyester	150
		Strapping PET	150
		Rubber Band	150
		Pallet Corners	150
		Invoice Envelope	150
		Machine Stretch	150
		Metal Seals	150
		Pallet Pad	150
		Polystrap Plastic Buckles	150
	Packaging Cartons, Tubes & Paper	A3 Carton	150
		A4 Carton	150
		Relay RSC 3C	150
		Relay RSC A3	150
		Relay RSC A4	150
		Relay RSC SRA3	150
		End Caps	151
		Postal Tubes	151
		Kraft Paper	151
		Pallet Top	151
	Pull Up Stands & A-Frames	A-Frame	151
		dtec RBS Premium Clip	151
		dtec RBS Economy	151
	Signage Accessories	3M Aerosol Cleaner	152
		3M Knifeless Tape	152
		3M Primer	152
		Black Cable Ties	152
		Cotton gloves	152
		Viponds Dissol	152
		3M Edge Seal Tape	152
		3M Dual Lock	152
		3M Edge Sealer	152
		3M Gold Applicator	152
		Laminate Underlay	152
	Knives & Blades Accessories	Blade Snap	152
		Knife Snap	152
		Olfa Blades	152
<b>Index</b>			<b>155</b>

# Outdoor



## Applications

1. Skybond™ Print (pg52)  
Skyrise™ Print (pg53)
2. dtec™ Acrylic (pg53)  
3M 3630 Translucent colours (pg114)  
LG LD4910 Print Translucent (pg43)
3. 3M IJ35 Series and 8508 (pg30)  
mounted to Skybond™ Print (pg52)
4. Digitac Popdot (pg41)  
Digitac E-Stat (pg41)  
Yupo® Octopus (pg39)
5. Digitac Floortac Outdoor (pg44)
6. A-Frame (pg151)  
Corflute® (pg64)  
Ace Outdoor (pg54)
7. Yupo® FPU (pg64)
8. Ace Outdoor (pg54)  
Skyrise™ Print (pg53)  
Corflute® (pg64)





## dtec Frontlit Banner 440

### Frontlit Banner



- Matt frontlit, high-strength banner
- Thread count 9 x 9/sq inch
- Suitable for a range of billboard, banner & display graphics
- Denier 1000D x 1000D
- UV additive for up to 12 months outdoor
- Print side is on the inside of the roll
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
167712	dtec Frontlit Banner 440	White Matt	1000 x 1000 / 9 x 9	440	1370	50
167713	dtec Frontlit Banner 440	White Matt	1000 x 1000 / 9 x 9	440	1600	50
167714	dtec Frontlit Banner 440	White Matt	1000 x 1000 / 9 x 9	440	2500	50
167715	dtec Frontlit Banner 440	White Matt	1000 x 1000 / 9 x 9	440	3200	50

## dtec Frontlit Banner 440 Black Back

### Frontlit Banner



- Gloss frontlit, high-strength, black backed banner
- Thread count 9 x 9sq/inch
- UV additive for up to 12 months outdoor
- Denier 1000D x 1000D
- Black back makes the banner 100% opaque
- Suitable for a range of billboard, banner & display graphics where no show through is required
- Print side is on the inside of the roll
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
167721	dtec Frontlit Banner 440 - Black Backed	White Gloss	1000 x 1000 / 9 x 9	440	1600	50

## dtec Frontlit Banner Smooth 510

### Frontlit Banner



- Ultra smooth, high strength premium frontlit banner
- Thread count 18 x 18sq/inch
- Suitable for applications that will be viewed up close
- Printsides on the inside of the roll
- Denier 1000D x 1000D
- UV additive for up to 12 months outdoor
- Suitable for use in billboard skins, banners & other general graphics
- Print Compatibility: Eco-solvent, Latex & UV Curable inks




Material	Material Description	Colour	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
167736	dtec Frontlit Banner 510 Smooth	White Matt	1000 x 1000 / 18 x 18	510	1370	50
167737	dtec Frontlit Banner 510 Smooth	White Matt	1000 x 1000 / 18 x 18	510	1600	50
167738	dtec Frontlit Banner 510 Smooth	White Matt	1000 x 1000 / 18 x 18	510	2500	50

## dtec Blockout Banner i440

### Frontlit Banner



- Light weight, super smooth, matt double side blockout banner
- Thread count 40 x 40sq/inch
- Used for indoor applications where no show through is critical
- Perfect for roll up banner stands & double side displays
- Denier 250D x 250D
- Double-side printable
- Perfect for viewing at close range
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
167743	dtec Blockout Banner i440	White Matt	250 x 250 / 40 x 40	440	2500	50
167744	dtec Blockout Banner i440	White Matt	250 x 250 / 40 x 40	440	3200	50
167741	dtec Blockout Banner i440	White Matt	250 x 250 / 40 x 40	440	1370	50
167742	dtec Blockout Banner i440	White Matt	250 x 250 / 40 x 40	440	1600	50

## dtec Blockout Banner 610

### Frontlit Banner



- Heavy duty, matt double side blockout banner
- Thread Count 9 x 9sq/inch
- UV additive for up to 12 months outdoor
- Denier 1000D x 1000D
- Double side printable
- Ideal for outdoor banner & graphics applications where no show through is critical
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
167746	dtec Blockout Banner 610	White Matt	1000 x 1000 / 9 x 9	610	1370	50
167747	dtec Blockout Banner 610	White Matt	1000 x 1000 / 9 x 9	610	1600	50
167749	dtec Blockout Banner 610	White Matt	1000 x 1000 / 9 x 9	610	3200	50
167748	dtec Blockout Banner 610	White Matt	1000 x 1000 / 9 x 9	610	2500	50

## dtec NoScrim Blockout Banner 510

### Scrimless



- Scrimless, super smooth, double side blockout banner
- Suitable for applications that will be viewed up close
- Not recommended for outdoor use
- 2 side printable / a print side is on the outside of the roll
- Suitable for roll-up banner stands & premium graphics
- Ideal for applications where no show through & super smooth surface is critical
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Grammage (GSM)	Width (mm)	Length (m)
185046	dtec NoScrimBANA 510	White Matt	510	914	50
180929	dtec NoScrimBANA 510	White Matt	510	1370	50

# Print Media

## dtec Banner Mesh with Liner

### Mesh Banner



- High strength banner mesh with a removable back liner used to catch excess ink
- Denier 1000D x 1000D
- Suitable for welding & outdoor use
- Traditional closed mesh structure for greater print surface area and strength
- Thread count 9x9
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
169852	dtec Banner Mesh with Liner	White Matt	1000 x 1000 / 9 x 9	300	1600	50

## dtec Banner Mesh (No Liner)

### Mesh Banner



- High strength banner mesh (NO Liner)
- Denier 1000D x 1000D
- Suitable for welding & outdoor use
- Traditional closed mesh structure for greater print surface area and strength
- Thread count 9x9
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
195058	dtec Banner Mesh no Liner	White Matt	1000 x 1000 / 9 x 9	300	1600	50
195059	dtec Banner Mesh no Liner	White Matt	1000 x 1000 / 9 x 9	300	2500	50
195060	dtec Banner Mesh no Liner	White Matt	1000 x 1000 / 9 x 9	300	3200	50

## dtec Backlit PET

### Backlit Film



- 210um translucent, matt, white Polyester (PET) film
- Perfect for Backlit displays, Lightbox, Cosmetic advertising, Menu-boards, Street furniture.
- Printable Surface is on the outside of the roll
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
167501	dtec Backlit PET Matt 210	White Matt	210	300	1370	30
167502	dtec Backlit PET Matt 210	White Matt	210	300	1520	30

# Print Media

## dtec Pullup PET Matt Grey Back

### Greyback & Blockout Film



- Matt white 290gsm PET film with a grey blockout reverse
- Perfect for fixed and portable banner systems
- Quick dry, tear resistant & lay flat film
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170094	dtec Pullup PET 290 Matt Grey Back	White Matt	190	290	914	50
170095	dtec Pullup PET 290 Matt Grey Back	White Matt	190	290	1270	50

## dtec Pullup PET Velvet Grey Back

### Greyback & Blockout Film



- Premium Velvet white 290gsm PET film with a grey blockout reverse
- Velvet finish offers superior anti-scratch properties - laminate not required
- Perfect for fixed and portable banner systems
- Velvet finish produces vibrant colours and higher density black
- Quick dry, tear resistant & dimensionally stable lay flat film
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
194037	dtec Pullup PET 290 Velvet Grey Back	White Matt	190	290	914	50

## dtec Pullup PVC Textured Lustre Grey Back

### Greyback & Blockout Film



- Textured Lustre, White PET/PVC 420gsm composite film with a grey blockout reverse
- Tear resistant & dimensionally stable lay flat film
- Textured Lustre finish results in an anti-scratch & high-resolution surface
- Perfect for fixed and portable banner systems
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170123	dtec Pullup PVC 420 Lustre Grey Back Textured	White Lustre	325	420	914	50
170124	dtec Pullup PVC 420 Lustre Grey Back Textured	White Lustre	325	420	1270	50
170125	dtec Pullup PVC 420 Lustre Grey Back Textured	White Lustre	325	420	1520	50

# Print Media

## dtec PP Blockout Film



- Matt white 170gsm blockout polypropylene film
- Fast drying and tear resistant
- Print side is on the outside of the roll
- 1 side printable with a white reverse and a blockout layer that offers 98% opacity
- Perfect for posters, fixed and portable banner systems
- Print Compatibility: Eco-solvent, Latex & UV Curable inks

### White Films



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170089	dtec PP Blockout Film 170	White Matt	200	170	914	50
170090	dtec PP Blockout Film 170	White Matt	200	170	1270	50
170091	dtec PP Blockout Film 170	White Matt	200	170	1520	50

## dtec PP 2 Side Blockout 190



- Matt white 190gsm blockout polypropylene film
- Fast drying and tear resistant
- 2 side printable with a blockout layer that offers 98% opacity
- Perfect for double sided posters, fixed and portable banner systems
- Print Compatibility: Eco-solvent, Latex & UV Curable inks

### White Films



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
194042	dtec PP 2S Blockout Film	White Matt	240	190	914	50
170092	dtec PP 2S Blockout Film	White Matt	240	190	1270	50

## dtec PP 2 Side Blockout 205



- Matt white 205gsm blockout polypropylene film
- Fast drying and tear resistant
- 2 side printable with a blockout layer that offers 98% opacity
- Perfect for double sided posters
- Custom sheeting available on request
- Print Compatibility: Eco-solvent, Latex & UV Curable inks

### White Films




Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170593	dtec PP 2S Blockout Film 205gsm	White Matt	220	205	1320	100
170594	dtec PP 2S Blockout Film 205gsm	White Matt	220	205	1600	100

# Print Media

## Yupo® FPU Synthetic Rolls



- 250um/200gsm polypropylene film
- Tear & weather resistant
- Market leading bulk, whiteness, opacity, ink adhesion & colour reproduction
- Applications: Large format posters, light box & street furniture
- Custom sheeting available on request
- Print Compatibility: Screen, UV Curable inkjet and Latex



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
158445	Yupo FPU250 UV 3" Core 200gsm	White	250	200	1320	100
189408	Yupo FPU250 UV 3" Core 200gsm	White	250	200	1320	100
181146	Yupo FPU250 UV 3" Core 200gsm	White	250	200	1600	100
189409	Yupo FPU250 UV 3" Core 200gsm	White	250	200	1600	100
184159	Yupo FPU250 UV 3" Core 200gsm	White	250	200	1830	100

## Ferro Film

- 0.18mm matt, white PET film with a magnet receptive reverse
- Easy to apply and remove
- Applied to the magnetic side of a magnet
- Print Compatibility: UV Curable inkjet and Latex



Material	Material Description	Colour	Face Thickness (mm)	Width (mm)	Length (m)
169178	Ferro Film 0.18	White	0.18	1370	50
195447	Ferro Film 0.18	White	0.18	1524	50

## Magnet Self-Adhesive

- Non printable magnet on 1 side and permanent adhesive on the other (non magnetized) side
- Recommended for indoor applications
- Apply the adhesive side to the wall as a "permanent" fixture and printed ferro film to the magnetic side
- Available in 0.5mm and 0.8mm (0.8mm offers a higher magnetic force)



Material	Material Description	Colour	Face Thickness (mm)	Adhesive	Width (mm)	Length (m)
195450	Wall Magnet Self Adhesive 0.8	Black	0.80	Clear Permanent	620	15
195449	Wall Magnet Self Adhesive 0.5	Black	0.50	Clear Permanent	1250	15
195451	Wall Magnet Self Adhesive 0.8	Black	0.80	Clear Permanent	1250	15

# Print Media

## Magnet 0.6mm

### Magnet & Ferro Film

- 0.5mm Magnet with a 0.1mm Gloss White PVC printable face film
- Suitable for general magnetic work, fridges, POS and signage
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Face Thickness (mm)	Width (mm)	Length (m)
192403	Magnet Printable Gloss White 0.6	White	0.60	620	15
195028	Magnet Printable Gloss White 0.6	White	0.60	1270	15

## Magnet 0.9mm

### Magnet & Ferro Film

- .8mm Magnet with a 0.1mm Gloss White PVC printable face film
- Perfect for car magnets
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Face Thickness (mm)	Width (mm)	Length (m)
165031	Magnet Printable Gloss White 0.9	White	0.90	620	15
192404	Magnet Printable Gloss White 0.9	White	0.90	1000	15
192841	Magnet Printable Gloss White 0.9	White	0.90	1270	15

## Techplot Plotter Rolls - Unglued

### Bond Paper



- Uncoated bond paper
- For use with inkjet printers & plan copiers
- Unglued
- Perfect for architectural & engineering plan drawings
- 50mm core
- Print Compatibility: Aqueous dye & pigment inks



Material	Material Description	Colour	Rolls per Box	Grammage (GSM)	Width (mm)	Length (m)
166894	Techplot Plotter 80g	White	6	80	594	50
166896	Techplot Plotter 80g	White	6	80	610	50
166900	Techplot Plotter 80g	White	6	80	841	50
166893	Techplot Plotter 80g	White	3	80	594	50
166895	Techplot Plotter 80g	White	3	80	610	50
166899	Techplot Plotter 80g	White	3	80	841	50

# Print Media

## Techplot Plan Copier Rolls - Glued

### Bond Paper



- Uncoated bond paper
- Perfect for architectural & engineering plan drawings
- Glued
- 76mm core
- For use with plan copiers
- Print Compatibility: Dry toner systems



Material	Material Description	Colour	Rolls per Box	Grammage (GSM)	Width (mm)	Length (m)
165368	Techplot Copier 80g GLUED	White	2	80	841	150

## Techplot Plan Copier Rolls - Unglued

### Bond Paper



- Uncoated bond paper
- For use with plan copiers
- 76mm core
- Perfect for architectural & engineering plan drawings
- Unglued
- Print Compatibility: Dry toner print systems



Material	Material Description	Colour	Rolls per Box	Grammage (GSM)	Width (mm)	Length (m)
165361	Techplot Copier 80g UNGLUED	White	2	80	594	150
165367	Techplot Copier 80g UNGLUED	White	2	80	841	150

## dtec Matt Paper 170

### Coated Paper



- Matt coated paper for CAD & high resolution graphics
- Razor-sharp image with precise lines, crystal clear image quality and excellent colour reproduction
- Applications - photography, posters, graphic art reproduction, POS, CAD and exhibition graphics
- Specially developed instant-dry properties ensures that the ink fixes with total precision and dries in seconds
- Suitable for hot and cold lamination
- Print Compatibility: Aqueous dye, pigment inks & UV Curable inks



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
167525	dtec Matt Paper 170g	White Matt	200	170	914	30

# Print Media

## dtec Photo Paper 190 - FOGRA Certified

### Poster & Photo Paper



- Satin 190gsm FOGRA Certified PE-Photopaper
- Outstanding colour consistency with a large colour gamut & excellent image sharpness
- Suitable for hot and cold lamination
- FOGRA Certification guarantees verified quality to meet the highest standards in the pre-press and production stage
- Instant dry, with perfect ink control and absorption
- Perfect for photorealistic prints, proofing, POS, posters and exhibition graphics
- Print Compatibility: Aqueous dye, pigment inks & UV Curable inks



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
167536	dtec Satin Photopaper 190g	White Satin	204	190	610	30
167537	dtec Satin Photopaper 190g	White Satin	204	190	914	30
167538	dtec Satin Photopaper 190g	White Satin	204	190	1067	30
167539	dtec Satin Photopaper 190g	White Satin	204	190	1270	30

## dtec Photo Paper 250

### Poster & Photo Paper



- Lustre 250gsm PE-Photopaper
- Excellent pin sharp detail and large colour gamut
- Suitable for hot and cold lamination
- Ultra white, professional photopaper with a lightly textured surface
- Instant dry with very consistent layflat properties
- Applications - photography, posters, graphic art reproduction, POS & fine art
- Print Compatibility: Aqueous dye, pigment inks & UV Curable inks




Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
167550	dtec Lustre Photopaper 250g	White Lustre	242	250	1067	30

## dtec PE Poster Paper 225

### Poster & Photo Paper



- Gloss and Satin 225gsm, 2 side PE coated Poster and Photo Paper
- Suitable for indoor and outdoor applications
- Applications - posters, POS, photoprints & exhibition graphics
- Ultra white surface offering supreme image definition with a large colour gamut & fast drying properties
- Suitable for hot and cold lamination
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
167555	dtec Gloss Poster Paper 225	White Gloss	214	225	1270	50
167556	dtec Gloss Poster Paper 225	White Gloss	214	225	1524	50
167559	dtec Satin Poster Paper 225	White Satin	215	225	1270	50
167560	dtec Satin Poster Paper 225	White Satin	215	225	1524	50


# Print Media

## dtec Poster Paper 140

### Poster & Photo Paper



- Gloss and Satin 140gsm Poster and Photo Paper
- Fast prints in premium quality
- Applications - posters, POS, photoprints & exhibition graphics
- Excellent image quality with brilliant colours
- Free of cutting dust
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
168676	dtec Gloss Poster Paper 140	White Gloss	147	140	1370	50
168678	dtec Satin Poster Paper 140	White Satin	145	140	1370	50

## Echo Matt Recycled

### Poster & Photo Paper

- Quality matt coating provides excellent surface for fine colour reproduction
- High whiteness & opacity with excellent bulk
- 99% recycled fibre content
- Ideal for posters & point of sale applications
- 1320mm & 1600mm reels available for sheeting & rewinding to bobbin rolls on request
- FSC® Mix Certified
- Print Compatibility: UV Curable inks



Material	Material Description	Colour	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
194255	Echo Matt 99% Recycled UV 200	White Matt	165	200	1320	200
187383	Echo Matt 99% Recycled UV 200	White Matt	165	200	1600	100
194205	Echo Matt 99% Recycled UV 250	White Matt	215	250	1320	200
193100	Echo Matt 99% Recycled UV 250	White Matt	215	250	1600	100

## Digistar Matt - Reels

### Poster & Photo Paper



- Ideal for posters & point of sale applications
- 1320mm & 1600mm reels available for sheeting & rewinding to bobbin rolls on request
- FSC® Mix Certified
- Quality matt coating provides excellent surface for fine colour reproduction
- High whiteness & opacity with excellent bulk
- Print Compatibility: UV Curable & Latex Inks




Material	Material Description	Colour	Grammage (GSM)	Width (mm)	Length (m)
196641	Digistar Matt 1320x100 C3 200g R	White	200	1320	100
196642	Digistar Matt 1600x100 C3 200g R	White	200	1600	100
196613	Digistar Matt 1320x100m C3 250g R	White	250	1320	100
196612	Digistar Matt 1320x200mC3 250g R	White	250	1320	200
196656	Digistar Matt 1320x500m C3 250g R	White	250	1320	500
196586	Digistar Matt 1600x100M 250g R	White	250	1600	100
196585	Digistar Matt 1600x200M 250g R	White	250	1600	200
196657	Digistar Matt 1600x500M 250g R	White	250	1600	500

# Print Media

## Digitac Canvas



- 355gsm gloss and 340gsm matt, 100% cotton canvas with fast curing time
- Acid Free
- Perfect for indoor decoration & photography reproductions
- Water resistant
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Grammage (GSM)	Width (mm)	Length (m)
171132	Digitac 1402 Eco Natura Canvas	White Gloss	355	1370	20
171133	Digitac 1444 Eco Canvas	White Matt	340	1370	20
171134	Digitac 1402 Eco Natura Canvas	White Gloss	355	1524	20
171135	Digitac 1444 Eco Canvas	White Matt	340	1524	20

## Mediatex Fabric

- 100% woven polyester fabric with good scratch-resistance (latex printing)
- Tear resistant and dirt-repellent
- Perfect for indoor frontlit displays on most tensioning and framing systems with no white cracking / crazing
- Fire retardant standard DIN 4102 B1
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Grammage (GSM)	Width (mm)	Length (m)
171136	JM Mediatex Easybox FR 175g	White	175	1370	30
171137	JM Mediatex Easybox FR 175g	White	175	1524	30

## 3M ENVISION LX480mC

### Premium Self Adhesive Vinyl



- 3M Envision print Wrap film is a high performance, non-PVC, gloss white film with Comply Adhesive with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Up to 8 years unprinted vertical durability For use with Envision
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubblefree installations
- Specifically engineered for vehicle wraps
- Overlamine 8548G, 8549L & 8550M
- Print Compatibility: Latex inks



Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
194907	3M 8yr SAV ENVISION LX480MC	White Gloss	Grey Airflow Removable	50	1370	45.7
195168	3M 8yr SAV ENVISION LX480MC	White Gloss	Grey Airflow Removable	50	1524	45.7

# Print Media

## 3M ENVISION SV480mC

### Premium Self Adhesive Vinyl



- 3M Envision print Wrap film is a high performance, non-PVC, gloss white film with Comply Adhesive with micro technology non-visible air releasechannels for fast, easy, bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Up to 8 years unprinted vertical durability
- Grey pressure activated adhesive for easy sliding and repositioning withnon-visible air release channels for fast & easy bubblefree installations
- Specifically engineered for vehicle wraps
- For use with Envision Overlamine 8548G, 8549L & 8550M
- Print Compatibility: Eco-solvent & UV Curable inks



Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
194906	3M 8yr SAV ENVISION SV480MC	White Gloss	Grey Airflow Removable	50	1370	45.7
195169	3M 8yr SAV ENVISION SV480MC	White Gloss	Grey Airflow Removable	50	1524	45.7

## 3M IJ180mC-10

### Premium Self Adhesive Vinyl



- Printable white lustre wrap film with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Many finished graphic constructions can be stretched up to 130% (i.e., a 10 inch [25 cm] piece of film can stretch to 13 inches [33 cm]) without primer or relief cuts and maintain lift resistance.
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Print Compatibility: Eco-solvent, Latex & UV Curable inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)s	Width (mm)	Length (m)
194650	3M SAV IJ180mC-10	White Gloss	Grey Airflow Removable	50	1370	45.7
194651	3M SAV IJ180mC-10	White Gloss	Grey Airflow Removable	50	1524	45.7

## 3M IJ180mC-10UR

### Premium Self Adhesive Vinyl



- Gloss white premium cast wrap film,with a grey ultra removable micro-technology non-visible air release adhesive and PE coated liner
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 8 years
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Removable without heat and/or chemicals
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451375	3M 7yr IJ180mC-10UR	White Gloss	Grey Air Ultra Removable	50	1370	45.7
451378	3M 7yr IJ180mC-10UR	White Gloss	Grey Air Ultra Removable	50	1524	45.7

# Print Media

## 3M IJ180mC-120

### Premium Self Adhesive Vinyl



- Lustre metallic silver premium cast wrap film, with a silver micro-technology non-visible air release removable adhesive & PE coated liner
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years For Solvent, UV, and Latex Inkjet Printing
- Printable metallic silver film for vehicle and fleet graphics
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- For use with over laminates 8518, 8519, 8520, 8548G & 8549L & 8550M
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
400570	3M SAV IJ180mC-120	Silver Lustre	Silver Airflow Removable	50	1370	45.7
400571	3M SAV IJ180mC-120	Silver Lustre	Silver Airflow Removable	50	1524	45.7

## 3M IJ180mC-114

### Premium Self Adhesive Vinyl



- Lustre clear premium cast wrap film, with a clear micro-technology non-visible air release adhesive and PE coated liner
- Flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Printable clear film for vehicle and fleet graphics
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
400572	3M SAV IJ180mC-114	Clear Lustre	Clear Airflow Removable	50	1370	45.7

## 3M IJ180mC-10SLS

### Premium Self Adhesive Vinyl



- Gloss white premium cast wrap film, with a grey hi-tack micro-technology non-visible air release adhesive and PE coated liner
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Engineered to adhere to stainless steel surfaces
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451374	3M 7yr IJ180mC-10SLS	White Gloss	Grey Airflow HiTack	50	1370	45.7
451377	3M 7yr IJ180mC-10SLS	White Gloss	Grey Airflow HiTack	50	1524	45.7

# Print Media

## 3M IJ180mC-10LSE

### Premium Self Adhesive Vinyl



- Gloss white premium cast wrap film, with a grey hi-tack comply air release adhesive and PE coated liner
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Designed to adhere to Low Surface Energy (LSE) plastics
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Print Compatibility: Eco-solvent, UV Curable & Latex inks, expected performance life of 10 years.




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451373	3M 7yr IJ180C-10LSE	White Gloss	Grey Airflow HiTack	50	1370	45.7

## 3M IJ40-114 & 124

### Intermediate Self Adhesive Vinyl



- Gloss and matt clear intermediate vinyl with clear permanent adhesive and a double side PE coated kraft liner
- Up to 5 year unprinted vertical durability
- Graphic protection for IJ40 and IJ40C series
- Printable clear vinyl
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168017	3M 5yr SAV/LAM IJ40-114	Clear Gloss	Clear Permanent	75	1370	50
168018	3M 5yr SAV/LAM IJ40-114	Clear Gloss	Clear Permanent	75	1524	50
168020	3M 5yr SAV/LAM IJ40-124	Clear Matt	Clear Permanent	75	1524	50
168019	3M 5yr SAV/LAM IJ40-124	Clear Matt	Clear Permanent	75	1370	50

## 3M 40C-10 & 10R

### Intermediate Self Adhesive Vinyl



- Gloss white polymeric vinyl, with grey permanent or removable Comply adhesive and PE coated liner
- Perfect for flat and simple curved surfaces
- For use with overlaminates IJ40-114/124 or 8993
- Comply adhesive with air release for fast, easy bubble-free installations
- Up to 5 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168032	3M 5yr SAV 40C-10	White Gloss	Grey Airflow Permanent	75	1370	50
191840	3M 5yr SAV 40C-10R	White Gloss	Grey Airflow Removable	75	1370	45.7
191859	3M 5yr SAV 40C-10R	White Gloss	Grey Airflow Removable	75	1524	45.7

# Print Media

## 3M Scotchcal IJ40-10 & 10T

### Intermediate Self Adhesive Vinyl



- Gloss white polymeric vinyl, with clear permanent, grey permanent or grey removable adhesive and 1 side PE coated liner
- Up to 5 years unprinted vertical durability
- Perfect for flat and simple curved surfaces
- For use with overlamine IJ40-114/124 or 8993
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168029	3M 5yr SAV IJ40-10	White Gloss	Grey Permanent	75	1370	50
191704	3M 5yr SAV IJ40-10T	White Gloss	Clear Permanent	75	1370	50

## 3M IJ35C-10 & 20

### Intermediate Self Adhesive Vinyl



- Gloss and matt white polymeric vinyl, with grey permanent Comply adhesive and PE coated liner
- Perfect for flat and simple curved surfaces
- For use with overlamine 8508, 8509, 8510 or 8993
- Comply adhesive with air release for fast, easy bubble-free installations
- Up to 5 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168053	3M 5YR SAV IJ35C-10	White Gloss	Grey Airflow Permanent	80	1524	45.7
168031	3M 5yr SAV IJ35C-10	White Gloss	Grey Airflow Permanent	80	1370	45.7
191451	3M 5yr SAV IJ35C-20	White Matt	Grey Airflow Permanent	80	1370	45.7
194116	3M 5yr SAV IJ35C-20	White Matt	Grey Airflow Permanent	80	1524	45.7

## 3M IJ35-10

### Intermediate Self Adhesive Vinyl



- Gloss white polymeric vinyl, with grey permanent adhesive and PE coated kraft liner
- Up to 5 years unprinted vertical durability
- Perfect for flat and simple curved surfaces
- For use with overlamine 8508, 8509, 8510 or 8993
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168049	3M 5yr SAV IJ35-10	White Gloss	Grey Permanent	80	1370	45.7


# Print Media

## LG LD395T

### Intermediate Self Adhesive Vinyl



- Gloss white polymeric vinyl, with a Grey Airfree Removable adhesive and double side PE coated paper liner
- Perfect for POS, general signage, exhibition graphics & automotive advertising
- Laminate with LG LP3912
- Suitable for flat and slightly curved surfaces
- Up to 5 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170067	LG 5yr SAV LD395TG	White Gloss	Grey Airfree Removable	80	1520	50
170068	LG 5yr SAV LD395TG	White Gloss	Grey Airfree Removable	80	1370	50

## LG LD393T

### Intermediate Self Adhesive Vinyl



- Gloss white polymeric vinyl, with a Grey Airflow Removable Permanent adhesive and double side PE coated paper liner
- Perfect for POS, general signage, exhibition graphics & automotive advertising
- Laminate with LG LP3912
- Suitable for flat and slightly curved surfaces
- Up to 5 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170184	LG 5yr SAV LD393TG	White Gloss	Grey Airflow Permanent	80	1370	50
170185	LG 5yr SAV LD393TG	White Gloss	Grey Airflow Permanent	80	1520	50

## LG LD391T

### Intermediate Self Adhesive Vinyl



- Gloss and matt white polymeric vinyl, with a Grey Airflow Removable Permanent adhesive and double side PE coated paper liner
- Perfect for POS, general signage, exhibition graphics & automotive advertising
- Laminate with LG LP3912
- Suitable for flat and slightly curved surfaces
- Up to 5 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170182	LG 5yr SAV LD391TG	White Gloss	Grey Airflow Permanent	80	1370	50
170183	LG 5yr SAV LD391TG	White Gloss	Grey Airflow Permanent	80	1520	50



## LG LD3921

### Intermediate Self Adhesive Vinyl



- Gloss white and matt polymeric vinyl, with a clear permanent adhesive and double side PE coated paper liner
- Perfect for POS, general signage, exhibition graphics & automotive advertising
- Laminate with LG LP3912
- Suitable for flat and slightly curved surfaces
- Up to 5 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170065	LG 5yr SAV LD3921G	White Gloss	Clear Permanent	80	1370	50
170066	LG 5yr SAV LD3921G	White Gloss	Clear Permanent	80	1520	50
170097	LG 5yr SAV LD3921M	White Matt	Clear Permanent	80	1370	50

## LG LD3911

### Intermediate Self Adhesive Vinyl



- Gloss white polymeric vinyl, with a grey permanent adhesive and double side PE coated paper liner
- Perfect for POS, general signage, exhibition graphics & automotive advertising
- Laminate with LG LP3912
- Suitable for flat and slightly curved surfaces
- Up to 5 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170180	LG 5yr SAV LD3911G	White Gloss	Grey Permanent	80	1370	50
170181	LG 5yr SAV LD3911G	White Gloss	Grey Permanent	80	1520	50

## LG LP3912

### Intermediate Self Adhesive Vinyl



- High gloss and matt clear polymeric vinyl, with a clear permanent adhesive and double side PE coated paper liner
- Up to 5 years unprinted outdoor vertical durability
- A solvent-based acrylic adhesive offers excellent weather resistance
- Suitable for both laminating and high-quality printing
- Perfect for flat and simple curved surfaces
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170075	LG 5yr SAV/LAM LP3912G	Clear Gloss	Clear Permanent	90	1520	50
170076	LG 5yr SAV/LAM LP3912G	Clear Gloss	Clear Permanent	90	1370	50
170077	LG 5yr SAV/LAM LP3912M	Clear Matt	Clear Permanent	90	1520	50
170078	LG 5yr SAV/LAM LP3912M	Clear Matt	Clear Permanent	90	1370	50

## Digitac 1825 SAV

### Intermediate Self Adhesive Vinyl



- Gloss white, high opacity, calendared soft polymeric vinyl, with a clear permanent water based acrylic emulsion adhesive and an airflow embossed, double side PE kraft liner
- The soft nature of the film is ideal for use on simple curved and textured (with the use of heat) internal and external surfaces
- Outdoor durability up to 5 years
- High opacity film (98%) with a clear adhesive provides neutral white point with excellent block-out performance
- Stable, lay flat film for superior printability & converting performance
- Laminate with Digitac 1825 LAM
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170780	Digitac 1825 SAV	White	Clear Airflow Permanent	80	1370	50

## Digitac 1825 Laminate

### Intermediate Self Adhesive Vinyl



- Gloss clear, calendared soft polymeric vinyl, with clear permanent water based acrylic emulsion adhesive formulated with a high level of heat resistance, and a double side PE kraft liner
- Stable, lay flat film for superior printability & converting performance
- Use as a print film or as a laminate for Q-taq HyPol white opaque film
- The soft nature of the film is ideal for use on simple curved and textured (with the use of heat) internal and external surfaces
- Outdoor durability up to 5 years
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170781	Digitac 1825 LAM	Clear	Clear Permanent	80	1370	50

## 3M Scotchcal IJ20-10R

### Promotional Self Adhesive Vinyl



- Gloss white monomeric vinyl, with grey removable adhesive and kraft liner
- Up to 1 year unprinted vertical durability outdoor
- Suitable for flat surfaces only
- For use with overlamine IJ20-114
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168044	3M 1YR SAV IJ20-10R	White Gloss	Grey Removable	80	1370	50

# Print Media

## 3M IJ20-114R

### Promotional Self Adhesive Vinyl



- Gloss and matt clear promotional vinyl with clear removable adhesive & a kraft liner
- Up to 1 year unprinted vertical durability
- Graphic protection for IJ20 series
- Printable clear vinyl
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
168021	3M 1yr SAV/LAM IJ20-114	Clear Gloss	Clear Removable	70	1370	45.7

## 3M IJ16-10

### Promotional Self Adhesive Vinyl



- Gloss white, economical, promotional monomeric vinyl, with grey permanent adhesive and a polycoated paper liner
- Up to 1 year unprinted vertical durability
- Everyday vinyl, for flat surfaces only
- For use with overlamine IJ15-114
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169798	3M 1YR SAV IJ16-10	White Gloss	Grey Permanent	80	1370	50

## 3M IJ15-10

### Promotional Self Adhesive Vinyl



- Gloss white, economical, promotional monomeric vinyl, with clear permanent adhesive and a polycoated paper liner
- Up to 1 year unprinted vertical durability
- Everyday vinyl, for flat surfaces only
- For use with overlamine IJ15-114
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169794	3M 1YR SAV IJ15-10	White Gloss	Clear Permanent	80	1370	50

# Print Media

## 3M IJ15-114

### Promotional Self Adhesive Vinyl



- Gloss clear, economical, promotional monomeric vinyl, with clear permanent adhesive and a polycoated paper liner
- Up to 1 year unprinted vertical durability
- Also can be used as an overlamine for IJ15/16 products
- Everyday vinyl, for flat surfaces only
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169796	3M 1YR SAV/LAM IJ15-114	Clear Gloss	Clear Permanent	80	1370	50

## LG LD381T

### Promotional Self Adhesive Vinyl



- Gloss white promotional monomeric vinyl, with a grey airfree permanent adhesive and double side PE coated paper liner
- General purpose promotional vinyl for flat and slightly curved surfaces
- Laminate with LG LP381 2
- Thicker 100um face film
- Up to 3 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170178	LG 3yr SAV LD381TG	White Gloss	Grey Airfree Perm	100	1370	50

## LG LD285T

### Promotional Self Adhesive Vinyl



- Gloss and matt white promotional monomeric vinyl, with a grey airflow removable adhesive and double side olefin coated paper liner
- General purpose promotional vinyl for flat and slightly curved surfaces
- Laminate with LG LP281 2
- Thicker 100um face film
- Up to 2 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170177	LG 2yr SAV LD285TG	White Gloss	Grey Airflow Remov	100	1370	50
194811	LG 2yr SAV LD285TM	White Matt	Grey Airflow Remov	100	1370	50

# Print Media

## LG LD2850

### Promotional Self Adhesive Vinyl



- Gloss white promotional monomeric vinyl, with a grey removable adhesive and double side olefin coated paper liner
- General purpose promotional vinyl for flat and slightly curved surfaces
- Laminate with LG LP2812
- Up to 2 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170202	LG 2yr SAV LD2850G	White Gloss	Grey Removable	100	1370	50

## LG LD2840

### Promotional Self Adhesive Vinyl



- Gloss white promotional monomeric vinyl, with a clear removable adhesive and double side olefin coated paper liner
- General purpose promotional vinyl for flat and slightly curved surfaces
- Laminate with LG LP2812
- Thicker 100um face film
- Up to 2 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194549	LG 2yr SAV LD2840G	White Gloss	Clear Removable	100	1370	50
170176	LG 2yr SAV LD2840G	White Gloss	Clear Removable	100	1520	50

## LG LD2800

### Promotional Self Adhesive Vinyl



- Matt & gloss white promotional monomeric vinyl, with a clear permanent adhesive and double side olefin coated paper liner
- General purpose promotional vinyl for flat and slightly curved surfaces
- Laminate with LG LP2812
- Thicker 100um face film
- Up to 2 years unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170204	LG 2yr SAV LD2800G	White Gloss	Clear Permanent	100	1370	50
170206	LG 2yr SAV LD2800M	White Matt	Clear Permanent	100	1370	50
170205	LG 2yr SAV LD2800G	White Gloss	Clear Permanent	100	1520	50
170207	LG 2yr SAV LD2800M	White Matt	Clear Permanent	100	1520	50

# Print Media

## LG LD2750

### Promotional Self Adhesive Vinyl



- Gloss white promotional monomeric vinyl, with a grey removable adhesive and double side PE coated paper liner
- Up to 2 years unprinted outdoor vertical durability
- General purpose promotional vinyl for flat and slightly curved surfaces
- Laminate with LG LP2812
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170147	LG 2yr SAV LD2750G	White Gloss	Grey Removable	80	1370	50
170175	LG 2yr SAV LD2750G	White Gloss	Grey Removable	80	1520	50

## LG LD2740

### Promotional Self Adhesive Vinyl



- Gloss white promotional monomeric vinyl, with a clear removable adhesive and double side olefin coated paper liner
- Up to 2 years unprinted outdoor vertical durability
- General purpose promotional vinyl for flat and slightly curved surfaces
- Laminate with LG LP2812
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170172	LG 2yr SAV LD2740G	White Gloss	Clear Removable	80	1370	50
170173	LG 2yr SAV LD2740G	White Gloss	Clear Removable	80	1520	50

## LG LD2710

### Promotional Self Adhesive Vinyl



- Gloss white promotional monomeric vinyl, with a grey permanent adhesive and double side olefin coated paper liner
- Up to 2 years unprinted outdoor vertical durability
- General purpose promotional vinyl for flat and slightly curved surfaces
- Laminate with LG LP2812
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170170	LG 2yr SAV LD2710G	White Gloss	Grey Permanent	80	1370	50

# Print Media

## LG LD2700

### Promotional Self Adhesive Vinyl



- Gloss white promotional monomeric vinyl, with a clear permanent adhesive and double side olefin coated paper liner
- Up to 2 years unprinted outdoor vertical durability
- General purpose promotional vinyl for flat and slightly curved surfaces
- Laminate with LG LP2812
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170166	LG 2yr SAV LD2700G	White Gloss	Clear Permanent	80	1370	50

## LG LP3812

### Promotional Self Adhesive Vinyl



- Matt clear monomeric vinyl, with a clear permanent adhesive and double side PE coated paper liner
- Up to 3 years unprinted outdoor vertical durability
- Suitable for both laminating and high-quality printing
- Solvent based adhesive
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194483	LG 3yr SAV/LAM LP3812M	Clear Matt	Clear Permanent	90	1370	50

## LG LP2812

### Promotional Self Adhesive Vinyl



- High gloss and matt clear monomeric vinyl, with a clear permanent adhesive and double side PE coated paper liner
- Up to 2 years unprinted outdoor vertical durability
- Suitable for both laminating and high-quality printing
- Solvent based adhesive
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170148	LG 2yr SAV/LAM LP2812G	Clear Gloss	Clear Permanent	70	1370	50
170163	LG 2yr SAV/LAM LP2812M	Clear Matt	Clear Permanent	70	1520	50

# Print Media

## Digitac 1095

### Promotional Self Adhesive Vinyl



- Short term 95um monomeric vinyl, with 168gsm 2-side PE coated liner and solvent acrylic adhesive
- Everyday vinyl for flat surfaces only
- Up to 3 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169634	Digitac 1095 SAV	Clear Gloss	Clear Removable	100	1370	50
169618	Digitac 1095 SAV	White Gloss	Grey Airflow Permanent	95	1370	50
169620	Digitac 1095 SAV	White Gloss	Grey Airflow Removable	95	1370	50
169621	Digitac 1095 SAV	White Gloss	Grey Airflow Removable	95	1524	50

## Digitac 365

### Promotional Self Adhesive Vinyl



- Promotional 95um monomeric vinyl, with 140gsm 1-side PE coated liner and solvent acrylic adhesive
- Everyday vinyl for flat surfaces only
- Up to 1 year unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169608	Digitac 365 SAV	White Gloss	Grey Airflow Removable	95	1370	50
169610	Digitac 365 SAV	White Gloss	Grey Removable	95	1370	50
169614	Digitac 365 SAV	White Gloss	Clear Permanent	95	1370	50

## Yupo Octopus (XAD1069) Reels

### Low-Tack & Ultra Removable



- Polypropylene film that sticks to clean, dry and smooth surfaces using Yupo's very own micro suction technology
- Premium product that offers superior print and removability for multiple POS and retail applications
- No glue or adhesives of any kind BUBBLE FREE - Easy to apply, remove and reapply - will not leave any residue behind
- Thicker, more rigid liner making the product more stable when printing and easier to cut
- Print Compatibility: UV Curable inks



Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
400588	Yupo Octopus XAD1069 (UV) 166gsm	White	Micro suction cup	166	1270	100
188806	Yupo Octopus XAD1069 (UV) 166gsm	White	Micro suction cup	166	1265	375

# Print Media

## Yupo® Octopus (XAD1082)

Low-Tack & Ultra Removable



- Polypropylene film that sticks to any clean, dry and smooth surface using Yupo's very own micro suction technology
- Premium product that offers superior print and removal for multiple POS & retail applications
- No glue or adhesives of any kind BUBBLE FREE - Easy to apply, remove and reapply - will not leave any residue behind
- Print Compatibility: Eco-solvent & Latex inks



Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
400589	Yupo Octopus XAD1082 (Eco-Sol) 175gsm	White	Micro suction cup	175	1270	20

## Yupo® Octopus Clear (XAD1062)

Low-Tack & Ultra Removable



- Optically Clear PET Film
- Easy to apply and is removable and reusable
- Adheres to any clean, dry and smooth surface by way of a low-tack resin
- Perfect for window graphics and multiple POS & retail applications
- Print Compatibility: UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
400587	Yupo Octopus Clear (UV) 220gsm	Clear	Low tack resin	220	1270	100

## LG SPB014 Ultra Removable

Low-Tack & Ultra Removable



- Gloss white monomeric vinyl, with a clear ultra removable adhesive and double side PE coated paper liner
- Perfect for promotional graphics with clean removal on flat surfaces
- Up to 1 year unprinted outdoor vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
170071	LG 1yr SAV LDSPB014G	White Gloss	Clear Ultra Removable	90	1370	50

# Print Media

## Digitac POPDOT

Low-Tack & Ultra Removable



- Matt white monomeric vinyl with a dot pattern, clear, removable adhesive
- Easy & clean removal up to 1 year from installation
- For clean, flat, smooth and lightly textured surfaces (indoors)
- Dot adhesive offers quick & easy, bubble free installation with no need for tools or wet application
- Recommended for short-term indoor applications on windows, walls & other internal flat surfaces.
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194769	Digitac POPDOT	White Matt	Clear Dot Removable	100	1370	50
196629	Digitac POPDOT	White Gloss	Clear Dot Removable	100	1370	50
196630	Digitac POPDOT	Clear	Clear Dot Removable	100	1370	50

## Digitac E-Stat

Low-Tack & Ultra Removable



- Gloss clear and white promotional static cling vinyl with kraft liner
- Ideal for window displays, point of purchase decals, seasonal decals, oil change labels, price stickers and vehicle advertising
- Wet Application is recommended
- Sticks to clean, highly polished smooth, flat surfaces without adhesive
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194678	Digitac E-Stat	White Gloss	Electrostatic	175	1370	45.7
194677	Digitac E-Stat	Clear Gloss	Electrostatic	175	1370	45.7

## 3M IJ39-20 High Tack

Hi Tack & LSE



- Matt white intermediate vinyl, with clear, high-tack permanent adhesive and doubled side poly coated kraft liner
- Smooth, flat and simple curved surfaces
- For use with overlamine 8508, 8509, 8510 or 8993
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- Up to 5 years unprinted vertical durability
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169008	3M 5yr IJ39-20 High Tack	White Matt	High Tack Clear Permanent	90	1370	45.7
192965	3M 5yr IJ39-20 High Tack	White Matt	High Tack Clear Permanent	90	1524	45.7

# Print Media


# Print Media

## LG LD39A0 Ultra Tack

Hi Tack & LSE



- Matt and gloss white polymeric vinyl, with a grey ultra tack, permanent adhesive and double side PE coated paper liner
- Specifically engineered for smooth to rough wall surfaces, including smooth concrete, brick, patterned tile etc.
- Up to 5 years outdoor unprinted vertical durability
- High performance aggressive permanent solvent based acrylic adhesive
- Not suitable for low surface energy surfaces
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170122	LG 5yr SAV LD39A0M	White Matt	Grey Ultra Tack	80	1370	50
170215	LG 5yr SAV LD39A0G	White Gloss	Grey Ultra Tack	80	1370	50
170216	LG 5yr SAV LD39A0G	White Gloss	Grey Ultra Tack	80	1520	50

## LG LD3880 Ultra Tack

Hi Tack & LSE



- Gloss white polymeric vinyl, with a clear ultra tack, permanent adhesive and double side PE coated paper liner
- Specifically engineered for smooth to rough wall surfaces, including smooth concrete, brick, patterned tile etc.
- Up to 1 year outdoor unprinted vertical durability
- High performance aggressive permanent solvent based acrylic adhesive
- Not suitable for low surface energy surfaces
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170213	LG 1yr SAV LD3880G	White Gloss	Clear Ultra Tack	80	1370	50

## 3M IJ8150

Ultra Clear



- Optically clear, gloss cast vinyl with clear removable adhesive and transparent synthetic liner
- Optimized for wet application, making it very easy to install
- Up to 7 years unprinted vertical durability
- Perfect for window graphics
- Suitable for flat surfaces, without rivets, simple curves and mild compound curves
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
450507	3M 7yr SAV IJ8150 Optic Clear	Clear	Clear Permanent	1370	45.7
450839	3M 7yr SAV IJ8150 Optic Clear	Clear	Clear Permanent	1524	45.7

## Yupo® Octopus Clear (XAD1062)

Ultra Clear



- Optically Clear PET Film
- Easy to apply and is removable and reusable
- Adheres to any clean, dry and smooth surface by way of a low-tack resin
- Perfect for window graphics and multiple POS & retail applications
- Print Compatibility: UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
400587	Yupo Octopus Clear (UV) 220gsm	Clear	Low tack resin	220	1270	100

## 3M IJ3630-20

Backlit



- Matt white translucent cast vinyl with a PE coated kraft liner
- Up to 4 years unprinted vertical durability
- Clear permanent pressure sensitive adhesive
- For use with 3M Overlaminates 8518, 8519 & 8520
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400479	3M 7yr SAV IJ3630-20	Matt White	Clear Permanent	1370	45.7

## LG LD4910

Backlit



- Matt white translucent polymeric vinyl, with a clear permanent adhesive and double side PE coated paper liner
- Up to 5 years unprinted outdoor vertical durability
- Engineered for digitally printed backlit applications
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170105	LG 5yr SAV LD4910M	White Translucent	Clear Permanent	100	1370	50
170106	LG 5yr SAV LD4910M	White Translucent	Clear Permanent	100	1520	50

## Digitac Floortac Outdoor SAV

### Floor Graphic



- White gloss, deep grain embossed, anti-slip vinyl with an aluminium construction and a permanent solvent acrylic adhesive
- Rated to R12 in accordance with AS 4586:2013 Slip resistance classification of new pedestrian surface materials, Appendix D – Oil Wet Inclining Platform Test – test sheet can be supplied on request
- Perfect for outdoor applications on rough wall & floor surfaces such as concrete, asphalt, brick, tiles, marble, terrazzo
- Up to 1 year outdoor
- Please see specification sheet for installation and removal instructions
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400581	Digitac Floortac Outdoor 1yr SAV	White Textured	Clear Permanent	960	30
451581	Digitac Floortac Outdoor 1yr SAV	White Textured	Clear Permanent	1370	30

## Digitac Floortac Indoor SAV

### Floor Graphic



- Matt white, hexagonal textured monomeric vinyl with a grey, airflow, removable adhesive
- R10 slip rating to DIN 51130
- Thanks to the innovative hexagonal surface no laminate is required – simply print and stick for indoor, hard, flat surface floor graphic applications
- Up to 1 year indoor
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451400	Digitac Floortac Indoor	White Textured	Grey Airflow Removable	100	1370	25

## Digitac Floortac Carpet

### Floor Graphic



- Matt white PET fabric with bead adhesive technology and a R11 anti-slip rating
- Recommended for retail shop campaigns, sponsorship targeted marketing promotional events, way-finding, point of purchase and facility safety flooring
- To be applied on short pile commercial carpet only
- Excellent anti-scratch and slip technology for indoor environments on carpet
- Suitable up to 1 year indoor
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
400785	Digitac Floortac Carpet	White Textured	Clear Removable	100	1370	30

## LG LW3850M

### Wall Graphic



- Matt White, 150um monomeric vinyl, with a grey removable adhesive and double side PE coated paper liner
- Up to 2 years unprinted outdoor vertical durability
- Engineered as a wall graphic vinyl for flat and slightly curved surfaces
- Print Compatibility: Eco-solvent, UV Curable & Latex inks




Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170072	LG 2yr SAV LW3850M	White Matt	Grey Removable	150	1370	50

## Photo-Tex OPAS Blockout - Solvent/UV

### Wall Graphic



- Polyester blend fabric with a low-tack, BLOCKOUT adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, P.O.S and wall murals
- REFER TO THE SPEC SHEET FOR INSTALLATION INSTRUCTIONS
- Print Compatibility: Eco-solvent, UV Curable & Latex inks



Material	Material Description	Machine Compatability	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
190169	Photo-Tex OPAS Fabric SAR	Eco-Solvent/UV	Grey Low Tack	165	1370	30
191456	Photo-Tex OPAS Fabric SAR	Eco-Solvent/UV	Grey Low Tack	165	1524	30

## Photo-Tex OPA Blockout - Latex/UV/D&P

### Wall Graphic



- Polyester blend fabric with a low-tack, BLOCKOUT adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, P.O.S and wall murals
- REFER TO THE SPEC SHEET FOR INSTALLATION INSTRUCTIONS
- Print Compatibility: Latex inks, UV Curable, Aqueous Dye & Aqueous Pigment inks



Material	Material Description	Machine Compatability	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
190601	Photo-Tex OPA Fabric SAR	Latex/UV/Dye Pigment	Grey Low Tack	165	1370	30
194935	Photo-Tex OPA Fabric SAR	Latex/UV/Dye Pigment	Grey Low Tack	165	1524	30

## AMGT M-tex

### Wall Graphic

- PVC free fabric with a linen embossed finish, low tack repositionable & removable clear adhesive and double side PE liner
- This non-PVC fabric is unlike any other digital material in the market it is soft and pliable, yet strong and almost impossible to tear.
- Perfect for wall decoration, shop fitouts, point of sale and trade shows
- With a luxurious aesthetic and touch this unique material acts as an acoustic absorbing barrier and a thermal insulator
- The high surface tension provides outstanding ink adhesion & image quality
- Print Compatibility: UV Curable & Latex inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
170782	AMGT M-tex Linen S/A	White Linen	Clear Removable	360	1370	30



**Discover a stock that offers extraordinary beauty, strength and flexibility. This synthetic stock excels in all worlds and conditions. Start discovering YUPO® by Spicers.**



Contact your local Spicers representative  
1300 132 644 [SPICERS.COM.AU](http://SPICERS.COM.AU)



## dtec™ posters, pull-ups & accessories



LATEX MEDIA



OUTDOOR APPLICATIONS



PULL-UPS



POINT OF SALE



POP-UPS

Our dtec™ films include white block out PP films and grey backed PET films that are designed for high-quality Solvent, Latex and UV printing. Also playing a role is our heavy-weight grey-backed PVC/PET composite film suitable for Solvent and UV printing.

- ▶ dtec PP Blockout Film
- ▶ dtec PP 2/S Print Blockout Film
- ▶ dtec Pull-Up PET Grey Back
- ▶ dtec Pull-Up PVC Grey Back
- ▶ dtec NoScrim Blockout

Our extensive range of banner material and complementary accessories provide solutions for the most demanding of applications.



Contact your local Spicers representative for more information and printed samples.


**1300 132 644 [spicers.com.au](http://spicers.com.au)**



INTRODUCING

The Stars  
in Posters  
and Pull-Ups...





## Applications

1. Foamstar EPS (pg55)  
Palight (pg56)  
Ace Screenboard (pg54)  
Ace Outdoor (pg54)
2. 3M IJ8150 Optically Clear (pg44)  
Yupo® Octopus Clear (pg40)
3. Digitac Floortac Carpet (pg44)
4. Palight (pg56)  
Re-Board® (pg57)  
Ace Screenboard (pg54)
5. Re-Board® (pg57)  
Palight (pg56)
6. Di-Noc™ Architectural Finishes
7. Digitac Popdot (pg41)  
Yupo® Octopus White (pg40)  
Yupo® Octopus Clear (pg40)
8. Dtec Pull up film (pg19)  
Yupo® FPU (pg64)
9. Photo-Tex™ (pg45)  
AMGT M-TEX Linen (pg45)
10. Re-Board® (pg57)

Our Rigids offering provides you with a market leading range of essential sign and display substrates, as well as some unique products that stand out from the crowd. Key brands include Yupo®, Re-board®, Corflute®, Skybond™ Print, Skyrise™ Print, Ace Screenboard, Ace Outdoor and ARMABoard.

## Rigid Substrates

# Rigid Substrates

## Skybond Print

### Aluminium Composite Panel



- Premium direct print & signage grade aluminium composite panel
- Backed by a 10 year warranty (excludes brushed varieties) - ask your sales rep for a copy
- Easily cut, bent or folded
- Custom colours available ex manufacturer
- Aluminium skins are twice washed during production and have two coats of specially formulated, long-life polyester PE Paint applied to ensure the best possible printing surface & ink adhesion
- Easy to remove protective liner on both sides.
- Suited to a wide range of flat and 3D interior and exterior print and fabrication applications - not suitable for building cladding/facades



Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
192284	Skybond White Gloss / Black Gloss	White Gloss/Black Gloss	1500	3600	0.21	3.0
187877	Skybond White Gloss / Black Gloss	White Gloss/Black Gloss	1220	2440	0.21	3.0
192280	Skybond Whit Gloss / Brushed Silver	White Gloss/Brush Silver	1220	2440	0.21	3.0
188480	Skybond White Gloss / Matt	White Gloss/White Matt	1220	2440	0.21	3.0
189643	Skybond White Gloss / Prime	White Gloss/Prime	1220	2440	0.21	3.0
192286	Skybond White Matt / Prime	White Matt/Prime	1220	2440	0.21	3.0
192281	Skybond Black Gloss / Black Matt	Black Gloss/Black Matt	1220	2440	0.21	3.0
103585	Skybond White Gloss / Black Gloss	White Gloss/Black Gloss	1250	2500	0.21	3.0
167124	Skybond White Gloss / Matt	White Gloss/White Matt	1250	2500	0.21	3.0
191566	Skybond White Gloss / Matt	White Gloss/White Matt	1500	3050	0.21	3.0
192654	Skybond White Gloss / Black Gloss	White Gloss/Black Gloss	1500	3100	0.21	3.0
192650	Skybond White Gloss / Prime	White Gloss/Prime	1500	3100	0.21	3.0
192480	Skybond Black Gloss / Black Matt	Black Gloss/Black Matt	1500	3600	0.21	3.0
194547	Skybond Prime / Prime	Prime/Prime	1220	2440	0.21	3.0
194791	Skybond Prime / Prime	Prime/Prime	1500	3600	0.21	3.0
194351	Skybond White Gloss / Prime	White Gloss/Prime	1220	3600	0.21	3.0
194350	Skybond White Gloss / Prime	White Gloss/Prime	1500	3600	0.21	3.0
188479	Skybond White Gloss / Matt	White Gloss/White Matt	1220	2440	0.30	3.0
167123	Skybond White Gloss / Black Gloss	White Gloss/Black Gloss	1250	2500	0.30	3.0
113855	Skybond White Gloss / Red Gloss	White Gloss/Red Gloss	1250	2500	0.30	3.0
185054	Skybond Whit Gloss / Brushed Silver	White Gloss/Brush Silver	1250	2500	0.30	3.0
167122	Skybond White Gloss / Matt	White Gloss/White Matt	1250	2500	0.30	3.0
191516	Skybond White Gloss / Matt	White Gloss/White Matt	1500	3050	0.30	3.0
190422	Skybond White Matt / Matt	White Matt/White Matt	1500	3050	0.30	3.0
103524	Skybond White Gloss / Black Gloss	White Gloss/Black Gloss	1500	3600	0.30	3.0
190421	Skybond White Gloss / Matt	White Gloss/White Matt	1500	3600	0.30	3.0
188481	Skybond White Gloss / Matt	White Gloss/White Matt	1220	2440	0.30	4.0
192288	Skybond White Gloss / Black Gloss	White Gloss/Black Gloss	1500	4000	0.30	4.0
194537	Skybond White Gloss / Black Gloss	White Gloss/Black Gloss	2000	4000	0.30	4.0

# Rigid Substrates

## Skyrise Print

### Aluminium Composite Panel



- Premium direct print & signage grade non combustable aluminium panel
- Backed by a 10 year warranty - ask your sales rep for a copy
- 3000 alloy aluminium skin: 0.5mm front & 0.5mm back
- Suited to a wide range of flat and 3D interior and exterior print and fabrication applications - not suitable for building cladding/facades
- Aluminium skins are twice washed during production and have two coats of specially formulated, long-life polyester PE Paint applied to ensure the best possible printing surface & ink adhesion
- Easily cut, bent or folded
- 3000 alloy aluminium core: 0.3mm thick profile expanded to 3mm in a dimple pattern. Meets clause 3.4 of AS 1530.1-1994
- Easy to remove protective liner on both sides

Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
196146	Skyrise Print White Gloss / Matt	White Gloss/White Matt	1220	2440	0.50	4.0

## dtec Acrylic

### Acrylic



- Cell cast acrylic sheet
- Applications include: signage, POS advertising, shop and interior fittings, trade show and display construction
- Clear, protective PET liner on both sides
- Direct UV-curable inkjet printable



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pallet
169338	dtec Acrylic Clear - 3.0mm	Clear	1220	2440	3.0	105
169339	dtec Acrylic Clear - 4.5mm	Clear	1220	2440	4.5	60
169340	dtec Acrylic Clear - 6.0mm	Clear	1220	2440	6.0	50
169341	dtec Acrylic Clear - 10.0mm	Clear	1220	2440	10.0	30
169343	dtec Acrylic Opal - 3.0mm	Opal	1220	2440	3.0	105
169344	dtec Acrylic Opal - 4.5mm	Opal	1220	2440	4.5	60
169345	dtec Acrylic Opal - 6.0mm	Opal	1220	2440	6.0	50
169346	dtec Acrylic Opal - 10.0mm	Opal	1220	2440	10.0	30
169347	dtec Acrylic Opal - 20.0mm	Opal	1220	2440	20.0	15
169357	dtec Acrylic Opal - 25.0mm	Opal	1220	2440	25.0	12
169348	dtec Acrylic Gloss Black - 3.0mm	Black	1220	2440	3.0	105
169349	dtec Acrylic Gloss Black - 4.5mm	Black	1220	2440	4.5	60
169350	dtec Acrylic Gloss Black - 6.0mm	Black	1220	2440	6.0	50
169351	dtec Acrylic Gloss Black - 10.0mm	Black	1220	2440	10.0	30
169352	dtec Acrylic White - 3.0mm	White	1220	2440	3.0	105
169353	dtec Acrylic White - 4.5mm	White	1220	2440	4.5	60
169354	dtec Acrylic White - 6.0mm	White	1220	2440	6.0	50
169355	dtec Acrylic White - 10.0mm	White	1220	2440	10.0	30


# Rigid Substrates

## Ace Screenboard

### Display Board

#### ACE SCREENBOARD

- Premium, high white, twin-sided display board
- A very rigid & dimensional stable board with a white centre
- Suitable for various types of signs, sample cards, mobiles & POS constructions
- Super smooth surface enhances print results (especially for digital printing)
- FSC® Mix Certified
- Print Compatibility: Screen & UV Curable inks




Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Grain Direction	Sheets per Pack
158085	Ace Screenboard - 1.0mm	White	760	1020	620	1.0	L	25
183276	Ace Screenboard - 1.0mm	White	1040	1560	620	1.0	L	25
159207	Ace Screenboard - 1.0mm	White	1320	1830	620	1.0	L	0
183275	Ace Screenboard - 1.0mm	White	1220	2440	620	1.0	L	0
183277	Ace Screenboard - 1.5mm	White	1040	1560	880	1.5	L	20
182195	Ace Screenboard - 1.5mm	White	1220	2440	880	1.5	L	0
193212	Ace Screenboard - 2.0mm	White	650	910	1100	2.0	L	20
158084	Ace Screenboard - 2.0mm	White	760	1020	1100	2.0	L	20
183278	Ace Screenboard - 2.0mm	White	1040	1560	1100	2.0	L	20
180284	Ace Screenboard - 2.0mm	White	1220	2440	1100	2.0	L	0
159212	Ace Screenboard - 2.0mm	White	1320	1830	1100	2.0	L	0
159213	Ace Screenboard - 2.0mm	White	1550	2100	1100	2.0	L	20
161251	Ace Screenboard - 2.5mm	White	760	1020	1400	2.5	L	20
167430	Ace Screenboard - 2.9mm	White	1040	1560	1540	2.9	L	20
194614	Ace Screenboard - 2.9mm	White	1220	2440	1540	2.9	L	0

## Ace Outdoor

### Display Board

#### ACE OUTDOOR

- 100% fibre based display board designed for short-term outdoor applications or applications in moisture sensitive environments
- FSC® mixed source certified, recyclable and biodegradable
- Sustainable and easy disposable alternative to PVC, polystyrene and polypropylene boards
- Water resistant - suitable for up to 12 weeks depending on application & environmental conditions
- 100% recyclable & biodegradable - no plastic or PE coating
- Applications include real estate boards, election signs, event signage, A-Frames, plant tags, freezer & chiller signs, aisle signage and mass transit
- Print Compatibility: UV Curable inks & offset printing (in thinner gauges)



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Grain Direction
170577	Ace Outdoor - 0.83mm	White	2440	1220	555	0.83	L
170578	Ace Outdoor - 1.50mm	White	2440	1220	960	1.50	L
170579	Ace Outdoor - 2.20mm	White	2440	1220	1460	2.20	L

# Rigid Substrates

## ARMABOARD

### Display Board

#### ARMABOARD

- New generation thermoformed polypropylene, bubble structured board
- Sand finish for superior printability
- Bubble structure creates exceptional strength to weight properties
- Corona treated for direct screen and UV Curable inkjet printing
- Suitable for indoor & outdoor applications
- Water resistant, high opacity & 100% recyclable
- Sustainable replacement to foamed PVC & Foamed Polystyrene
- Not recommended as a mounting board for self-adhesive products



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
181394	Armaboard - 3.3mm	White	2050	1280	900	3.30	10
181395	Armaboard - 5.4mm	White	2050	1280	1600	5.40	5

## Foamstar XPS

### Display Board

#### FOAMSTAR foamboard

- Light weight, high quality extruded polystyrene (XPS) core foam board
- Can be router and knife cut
- Ideal for indoor hanging displays, exhibition panels, unsupported signs, mounting, framing & POP displays
- Print Compatibility: Screen & UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
167498	Foamstar White XPS - 5.0mm Box	White	2440	1220	280	5.0	25
167843	Foamstar White XPS - 10.0mm Box	White	2440	1220	780	10.0	15
167844	Foamstar White XPS - 20.0mm Box	White	2440	1220	1260	20.0	8

## Foamstar EPS

### Display Board

#### FOAMSTAR foamboard

- Light weight, Australian manufactured expanded polystyrene (EPS) core foam board
- White face and core
- When cutting be sure to cut with a sharp blade at a 15 degree angle
- Ideal for indoor hanging displays, exhibition panels, unsupported signs, mounting, framing & POP displays
- Can be routed, saw and knife cut
- Print Compatibility: Screen & UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
171172	Foamstar White EPS - 5.0mm Box	White	1210	2440	280	5.0	30
171173	Foamstar White EPS - 10.0mm Box	White	1210	2440	560	10.0	16
171174	Foamstar White EPS - 20.0mm Box	White	1210	2440	985	20.0	8
171175	Foamstar White EPS - 20.0mm Box	White	1525	3050	1120	20.0	8

# Rigid Substrates

## Palight

### Display Board

- PALIGHT is a lightweight, flexible and durable foamed PVC sheet
- Protective liner (unprinted) on 1 or 2 sides
- Palight has low water absorption (closed cell structure), is self extinguishing, good insulation and low heat transmission and high chemical resistance
- PALIGHT exhibits the whitest color available, with a consistently smooth and bright surface that gives the best color interpretation in digital printing
- PALIGHT is easy to handle, cut and fabricate using conventional tools and equipment, and can be also painted or laminated
- Lightweight and durable signs, displays, screen and digitally printed items, exhibition stands
- Its low water absorption makes it suitable for short term outdoor applications
- Print Compatibility: Screen & UV inkjet printing (on both sides) and mounting



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)
170891	Palight PVC L1S - 1.0mm	White	2440	1220	994	1.0
170892	Palight PVC L2S - 2.0mm	White	2440	1220	1140	2.0
170895	Palight PVC L2S - 3.0mm	White	3050	1560	2100	3.0
170899	Palight PVC L2S - 5.0mm	White	3050	1560	2500	5.0
170898	Palight PVC L2S - 5.0mm	White	2440	1220	2500	5.0
170897	Palight PVC L1S - 5.0mm	White	2440	1220	2500	5.0
170900	Palight PVC L2S - 10.0mm	White	2440	1220	4900	10.0
170896	Palight Black PVC L1S - 3.0mm	Black	2440	1220	1560	3.0

## Palight LW

### Display Board

- Smooth white, flat foamed PVC sheet
- Protective liner 1 side
- Ideal for interior and exterior signage and Point-of-Sale applications
- Lightweight and durable signs, displays, screen and digitally printed items, exhibition stands
- Print Compatibility: Screen & UV inkjet printing (on both sides) and mounting



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)
170990	Palight LW PVC L1S - 2.0mm	White	1220	2440	900	2.0
170996	Palight LW PVC L1S - 3.0mm	White	1560	3050	1350	3.0
170991	Palight LW PVC L1S - 3.0mm	White	1220	2440	1350	3.0
170993	Palight LW PVC L1S - 5.0mm	White	1220	2440	2250	5.0

# Rigid Substrates

## Palboard

### Display Board

- Rigid yet lightweight, making it easy to fabricate (die cutting, sawing, drilling, milling and routing)
- High structural strength with a relatively low weight with excellent chemical and fire resistance & electrical and thermal insulation
- Smooth hard, bright white and uniform surface with a Recycled lightweight foamed black PVC core
- Palboard can be used for Industrial and construction signs, point of purchase stands, fabricated and structural parts
- Print Compatibility: Screen & UV inkjet printing (on both sides) and mounting



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)
170888	Palboard - 3.0mm	White	1220	2440	1860	3.0
170889	Palboard - 5.0mm	White	1220	2440	3000	5.0
170890	Palboard - 10.0mm	White	1220	2440	5800	10.0

## Re-board® White

### Display Board

- Re-board® is the original rigid paperboard with a unique engineered fluted core
- The white surface and strong core is produced using a water based glue, and the board is fully recyclable as paper
- Cuts and folds well with v-cuts, bullnoses, 90\* corners
- The pioneer for eco-friendly: manufactured in Sweden in an FSC-certified mill using the best possible combination of recycled and new fibre from sustainably managed forests
- Can be laminated
- Perfect for short-to-medium term structural applications, POS displays, shop fit-out, exhibition booth construction, set construction, complex shapes and structures
- Print Compatibility: UV & Latex inks




Material	Material Description	Colourw	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Packaging type
170871	Re-board Print - 10.0mm	White	1220	2440	1498	10.0	Bulk
170870	Re-board Print - 16.0mm	White	1220	2440	1935	16.0	Bulk
170869	Re-board Print - 10.0mm Box	White	1220	2440	1498	10.0	12/Box
170868	Re-board Print - 16.0mm Box	White	1220	2440	1935	16.0	8/Box



The original paperboard with a unique engineered fluted core.

Re-board® is incredibly lightweight yet exceptionally strong. Re-board® has excellent planar flatness and provides thermal insulation and protection from different environmental conditions. An embedded moisture barrier protects the core and the physical properties remain unchanged in humid conditions.

It is durable, contains no harmful components and is form stable. Due to the use of water-based adhesives, Re-board® can be recycled as paper in normal waste paper streams.



For more information and samples, please contact your local Spicers representative.



1300 132 644 [spicers.com.au](http://spicers.com.au)

Re-board® Technology AB 2018, all rights reserved.  
The Re-board® furniture 'Edges' is a design by ATC-Groupe of Lyon, France.



# ACE OUTDOOR

Ace Outdoor is a 100% fibre based display board designed for short-term applications in outdoor or moisture sensitive environments.



- FSC® Mixed Certified
- Recyclable & biodegradable
- Sustainable and disposable alternative to PVC and polystyrene boards
- Suitable for up to 12 weeks depending on environmental conditions

For a sample or more information, please contact your local Spicers representative.

1300 132 644 [spicers.com.au](http://spicers.com.au)


# Rigid Substrates

## Re-board® Kraft Bulk

### Display Board



- Re-board® is the original rigid paperboard with a unique engineered fluted core
- The white surface and strong core is produced using a water based glue, and the board is fully recyclable as paper
- Cuts and folds well with v-cuts, bullnoses, 90° corners
- The pioneer for eco-friendly: manufactured in Sweden in an FSC-certified mill using the best possible combination of recycled and new fibre from sustainably managed forests
- Can be laminated
- Perfect for short-to-medium term structural applications, POS displays, shop fit-out, exhibition booth construction, set construction, complex shapes and structures
- Print Compatibility: UV & Latex inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Packaging type
195831	Re-board Kraft - 10.0mm	Brown	2440	1220	1935	10.0	Bulk
170873	Re-board Kraft - 10.0mm	Brown	2400	1600	1935	10.0	Bulk
195897	Re-board Kraft - 10.0mm Box	Brown	2440	1220	1935	10.0	12/Box

## Tranquillity Board

### Display Board

- Unique, direct print acoustic panel that can be utilized for multiple applications
- Excellent sound absorption and thermal insulation properties
- Free from volatile organic compounds (VOCs), formaldehyde, acetaldehyde, benzene, toluene, ethylbenzene, xylene, styrene etc.
- White 9mm thick, light weight, smooth, 100% polyester fibre compressed sheet
- Perfect for interior decoration, wall coverings, office partitions & ceilings
- Achieved BCA Group Classification 3 according to AS/NZS 3837-1998
- For more detailed information please contact your local Spicers office
- Print Compatibility: UV inks (1 side)



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
170247	Tranquillity Board White 9mm	White	1220	2420	10.0	12

## E Flute Clay Coat 1/S

### Display Board

- Corrugated cardboard with an E Flute construction
- 2mm thick (approx.)
- 1 side white matt clay coat with a white lined reverse
- Perfect for standees, flat POS, dump bins and head cards
- Custom sizes for indent orders available upon request in Clay/White, Double Clay and Double White Lined
- Print Compatibility: Screen & UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Flute Direction
195413	Corrugated E Flute Clay 1/S White Lined	White	2460	1240F	575	1.5	S

# Rigid Substrates

## B Flute Clay Coat 1/S

### Display Board

- Corrugated cardboard with a B Flute construction
- 3mm thick (approx.)
- 1 side white matt clay coat with a white lined reverse
- Perfect for standees, flat POS, dump bins and head cards
- Custom sizes for indent orders available upon request in Clay/White, Double Clay and Double White Lined
- Print Compatibility: Screen & UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Flute Direction
195414	Corrugated B Flute Clay Coat 1/S	White	2460	1240F	575	3.0	S
170310	Corrugated B Flute Clay Coat 1/S	White	2440	1220F	575	3.0	S

## Apex 1/S Board

### Display Paper

- 1 side coated display paper with a clean white surface on reverse side
- Stunning colour reproduction
- PEFC™ Certified
- Outstanding brightness, smoothness & stiffness
- FDA approved
- Available in 1320 & 1600mm wide rolls for custom sheeting
- Print Compatibility: UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Grain Direction
188315	Apex 1/S Board (UV) - 295gsm	White	1320	2440	295	505	L
191157	Apex 1/S Board (UV) - 295gsm	White	1600	2220	295	505	L
188317	Apex 1/S Board (UV) - 295gsm	White	1600	2600	295	505	L
188322	Apex 1/S Board (UV) - 355gsm	White	1320	2440	355	600	L
188324	Apex 1/S Board (UV) - 355gsm	White	1600	2600	355	600	L

# Rigid Substrates

## Digistar 2/S Artboard 400gsm


- 400gsm Artboard with smooth matt printing surfaces on both sides
- 1320mm & 1600mm reels available for sheeting & rewinding to bobbin rolls on request
- Ideal for posters & point of sale applications
- Print Compatibility: UV Curable inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Grain Direction
195224	Digistar 2/S Artboard - 400gsm	White	1220	2440	400	460	L
194717	Digistar 2/S Artboard - 400gsm	White	1320	2440	400	460	L
195129	Digistar 2/S Artboard - 400gsm	White	1320	2750	400	460	L
195127	Digistar 2/S Artboard - 400gsm	White	1600	2150	400	460	L
195126	Digistar 2/S Artboard - 400gsm	White	1600	2600	400	460	L
195125	Digistar 2/S Artboard - 400gsm	White	1600	3140	400	460	L

## Echo Matt Recycled

- Quality matt coating provides excellent surface for fine colour reproduction
- High whiteness & opacity with excellent bulk
- 50% recycled fibre content
- Ideal for posters & point of sale applications
- 1320mm & 1600mm reels available for sheeting & rewinding to bobbin rolls on request
- FSC® Mix Certified
- Print Compatibility: UV Curable & Latex inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Grain Direction	Sheets per Pack
192867	Echo Matt Recycled Art Paper - 200gsm	White	1320	2440	200	165	L	100
192858	Echo Matt Recycled Art Paper - 200gsm	White	1320	2650	200	165	L	100
187039	Echo Matt Recycled Art Paper - 200gsm	White	1600	2220	200	165	L	100
192293	Echo Matt Recycled Art Paper - 200gsm	White	1600	2600	200	165	L	100
191427	Echo Matt Recycled Art Paper - 250gsm	White	1320	2440	250	215	L	100
193631	Echo Matt Recycled Art Paper - 250gsm	White	1320	2600	250	215	L	100
192324	Echo Matt Recycled Art Paper - 250gsm	White	1320	2750	250	215	L	100
191090	Echo Matt Recycled Art Paper - 250gsm	White	1600	2220	250	215	L	100
194621	Echo Matt Recycled Art Paper - 250gsm	White	1650	2600	250	215	L	100

## Display Paper

## Digistar Matt - Sheets

- Ideal for posters & point of sale applications
- 1320mm & 1600mm reels available for sheeting & rewinding to bobbin rolls on request
- FSC® Mix Certified
- Quality matt coating provides excellent surface for fine colour reproduction
- High whiteness & opacity with excellent bulk
- Print Compatibility: UV Curable & Latex inks



## Poster & Photo Paper



Material	Material Description	Colour	Grammage (GSM)	Width (mm)	Length (m)
170924	Digistar Matt Art Paper 1320x2650 200g B	White	200	1320	2650
170925	Digistar Matt Art Paper 1600x2220 200g B	White	200	1600	2220
196602	Digistar Matt Art Paper 1320X2440 250g B	White	250	1320	2440
170926	Digistar Matt Art Paper 1320X2600 250g B	White	250	1320	2600
196650	Digistar Matt Art Paper 1320X2660 250g B	White	250	1320	2660
170927	Digistar Matt Art Paper 1600X2220 250g B	White	250	1600	2220
170928	Digistar Matt Art Paper 1650x2600 250g B	White	250	1650	2600

## Eclipse Premium Blockout Artboard

- Premium European 2 sided, 100% opaque, blue centre artboard
- Specifically designed for point of purchase displays, posters, hanging window displays
- Perfect for jobs where no show through is required
- 1320 & 1600 wide reels available for sheeting & rewinding to bobbin rolls
- Print Compatibility: UV Curable inks



## Display Paper

Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Grain Direction
194065	Eclipse Prem Blockout Art Paper - 270gsm	White	1320	1900	270	270	L
195524	Eclipse Prem Blockout Art Paper - 270gsm	White	1320	2440	270	270	L
170096	Eclipse Prem Blockout Art Paper - 270gsm	White	1600	2220	270	270	L

## Promeg Polypropylene

- Promeg is an extruded polypropylene brilliant opaque white, with a smooth tactile surface feel, incorporating a high cosmetic finish
- Customised sheet sizes and thicknesses (up to 3mm) available on request
- Applications include signage and POS display, packaging, promotional, marketing, architecture and shop fit-outs
- Promeg has superior ink adhesion and lay-flat qualities to reduce printing costs and production time. It can be printed both sides, hinged, folded, creased, die-cut and curved
- Locally made, 100% recyclable, completely non toxic, small carbon footprint
- Print Compatibility: Screen & UV Curable inks



## Display Film

Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
171184	Promeg PP - 0.6mm Box	White	2440	1220	555	0.60	5
171185	Promeg PP - 0.8mm Box	White	2440	1220	740	1.90	5
171186	Promeg PP - 1.4mm Box	White	2440	1220	1290	0.80	10




# Rigid Substrates

## Yupo® FPU Synthetic Sheets



- Polypropylene film
- Adshel specified product
- Tear & weather resistant
- Market leading bulk, whiteness, opacity, ink adhesion & colour reproduction
- Applications: Large format posters, light box & street furniture
- Custom sheeting available on request
- Print Compatibility: Screen & UV Curable inks

### Display Film



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
189299	Yupo FPU200 Synthetic Paper - 158gsm	White	1320	1900	158	200	100
137444	Yupo FPU250 Synthetic Paper - 200gsm	White	1320	1900	200	250	100
190730	Yupo FPU250 Synthetic Paper - 200gsm	White	1320	2440	200	250	100
188263	Yupo FPU250 Synthetic Paper - 200gsm	White	1320	2650	200	250	100
104919	Yupo FPU250 Synthetic Paper - 200gsm	White	1600	2600	200	250	100

## dtec Blockout PP



- Matt white 205gsm blockout polypropylene film
- Fast drying and tear resistant
- 2 side printable with a blockout layer that offers 98% opacity
- Perfect for double sided posters
- Custom sheeting available on request
- Print Compatibility: UV Curable & Latex inks


### Display Film



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)
195678	dtec Blockout PP 205g (LUV)	White	1320	2180	205	220
170595	dtec Blockout PP 205g (LUV)	White	1320	2440	205	220
195679	dtec Blockout PP 205g (LUV)	White	1320	2660	205	220
170596	dtec Blockout PP 205g (LUV)	White	1600	2220	205	220
195613	dtec Blockout PP 205g (LUV)	White	1600	2600	205	220
170597	dtec Blockout PP 205g (LUV)	White	1600	3140	205	220

## Supercor

- High quality, hi-white, Australian made, graphical grade of twin-wall fluted polypropylene
- UV stabilised for up to 2 years outdoor use
- 100% recyclable - ask us about the Corflute recycling program
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Perfect for real estate, POS, signage and packaging applications
- Fast turn around for custom sizes
- Flutes run parallel to the width measurement
- Print Compatibility: Screen & Latex inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Sheets per Pack
170254	Supercor - 5.0mm	White	1830F	915	5.0	L	15
170081	Supercor - 5.0mm	White	1830F	1220	5.0	L	15
170080	Supercor - 5.0mm	White	2440F	1220	5.0	L	10
170271	Supercor - 8.0mm	White	2440F	1220	8.0	L	5

# Rigid Substrates

## Multicor

### Flute

- High quality, hi-white, Australian made, graphical grade of twin-wall fluted polypropylene
- UV stabilised for up to 2 years outdoor use
- 100% recyclable - ask us about the Corflute recycling program
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Perfect for real estate, POS, signage and packaging applications
- Fast turn around for custom sizes
- Flutes run parallel to the width measurement
- Print Compatibility: Screen & UV Curable inks




Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Sheets per Pack
110215	Multicor - 3.0mm	White	1830F	915	3.0	L	25
110207	Multicor - 3.0mm	White	1830F	1220	3.0	L	25
110219	Multicor - 3.0mm	White	2440F	1220	3.0	L	20
110216	Multicor - 3.3mm	White	1830F	915	3.3	L	25
110208	Multicor - 3.3mm	White	1830F	1220	3.3	L	25
110220	Multicor - 3.3mm	White	2440F	1220	3.3	L	25

## Dtec Flute

### Flute



- White, graphical grade of twin-wall fluted polypropylene
- 100% recyclable - ask us about the Corflute recycling program
- Offers a consistent print surface with 44 Dyne (min.) for superior ink adhesion
- Flutes run parallel to the width measurement
- UV stabilised for up to 2 years outdoor use
- Perfect for real estate, POS, signage and packaging applications
- Print Compatibility: Screen & Latex inks



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Flute Direction	Sheets per Pack
196254	dtec Flute 3.0mm	White	1830F	1220	3.0	L	15
169884	dtec Flute 3.3mm	White	1830F	1220	3.0	L	15
169886	dtec Flute 5.0mm	White	1830F	1220	5.0	L	15
169885	dtec Flute 3.0mm	White	2440F	1220	3.0	L	15
196258	dtec Flute 3.3mm	White	2440F	1220	3.3	L	15
169887	dtec Flute 5.0mm	White	2440F	1220	5.0	L	10
196339	dtec Flute 5.0mm	White	600F	900	5.0	S	20

# PALBOARD™


Palboard is an innovative multilayered sheet that offers the qualities of rigid and foamed PVC together.

Based on Palram's 50 year experience in extruding quality PVC sheets, it combines the surface quality and characteristics of rigid PVC with a reduced weight due to a recycled foamed PVC core.

Palboard is easy to fabricate, making it ideal for a wide variety of sign and display applications. It makes an excellent printing substrate which is suitable for digital or screen printing. Palboard can be used in harsh chemical environments due to its high chemical resistance.

For more information, please contact your local Spicers representative.

1300 132 644 [spicers.com.au](http://spicers.com.au)



**Skyrise Print is a high quality signage grade aluminium panel with an easy to remove protective liner on both sides. With Polyester (PE) painted aluminium coils laminated on both sides and an aluminium profiled core, Skyrise Print offers the best possible printing surface, increase ink adhesion and market leading durability.**

\*Please contact your local Spicers representative to request a copy of the Skyrise Print™ Warranty Statement for full conditions. Skyrise Print is a premium signage grade, direct print, aluminium composite panel, suited to a wide range of flat and 3D interior and exterior print, mount and fabrication signage & advertising applications. It is not suitable for construction/building cladding. All users should seek their own legal/expert advice when making decisions. Spicers takes no responsibility for any decisions a company may make. We do not have the expertise to confirm the suitability of our panel where specific building regulations need to be met.


## FEATURES AND BENEFITS

- AS NZ 1530.1 Certificate FN12078  
Skyrise Print is not deemed combustible
- 10 year warranty\*
- Premium direct print panel
- Superior ink adhesion
- Easy to remove protective liner
- Indoor and Outdoor signage
- Light weight

For more information or a sample please contact your local Spicers representative.

1300 132 644 [spicers.com.au](http://spicers.com.au)

# Supermarket



## Applications

1. Palight (pg56)  
Ace Screenboard (pg54)
2. Re-Board® (pg57)
3. Yupo® Octopus Clear (pg40)
4. Digitac Floortac Indoor (pg44)
5. Foamstar (pg55)
6. Yupo® FPU (pg64)
7. Digitac E-Stat (pg41)  
Digitac Popdot (pg41)  
Yupo® Octopus Clear (pg40)
8. Palboard® (pg57)  
Re-Board® (pg58)
9. Di-Noc™ Architectural Finishes

Our Finishing section offers essential laminating products to protect your print and extend its longevity. Our consistently excellent and diverse range includes satin, matt, gloss and specialty anti-graffiti and textured floor graphic products.

## Finishing

## 3M Envision 8548G, 8549L & 8550M

Premium Laminate



- New 3M Envision high performance non-PVC high gloss, matt & lustre wrap overlaminates with a polyester liner and clear permanent adhesive
- Less prone to scratching
- Up to 8 year unprinted vertical durability
- Exceptional conformability and lifting resistance
- Superior UV and acid dew protection
- For use with Envision Print Wrap Film 480mC, IJ180mC, IJ780mC & IJ680CR



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
400590	3M 8yr LAM 8548G	Clear Gloss	50	Clear Permanent	1370	45.7
400591	3M 8yr LAM 8548G	Clear Gloss	50	Clear Permanent	1524	45.7
451530	3M 8yr LAM 8550M	Clear Matt	50	Clear Permanent	1370	45.7
451531	3M 8yr LAM 8550M	Clear Matt	50	Clear Permanent	1524	45.7
451614	3M 8yr LAM 8549L	Clear Lustre	50	Clear Permanent	1220	45.7

## 3M 8518, 8519 & 8520

Premium Laminate



- High gloss, matt & lustre clear premium over laminate with clear permanent adhesive
- The matt and lustre finishes have a kraft liner
- Highly conformable
- Graphic protection for IJ180mC & IJ680CR printable films
- High gloss finish offers a wet paint look and has polyester liner
- Resists fuel vapours
- Up to 8 year unprinted vertical durability



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
451534	3M 8yr LAM 8518 High Gloss	Clear	50	Clear Permanent	1370	45.7
451535	3M 8yr LAM 8518 High Gloss	Clear	50	Clear Permanent	1524	45.7
451532	3M 8yr LAM 8520 Matte	Clear	50	Clear Permanent	1370	45.7
451533	3M 8yr LAM 8520 Matte	Clear	50	Clear Permanent	1524	45.7
400787	3M 8yr LAM 8519 Lustre	Clear	50	Clear Permanent	1524	45.7
400786	3M 8yr LAM 8519 Lustre	Clear	50	Clear Permanent	1370	45.7

## One Way Vision High Performance CurvaLam

Premium Laminate



- Optically clear 76 micron cast vinyl over laminating film
- Made for use on surfaces that are flat or have simple curves
- Protective over laminate specifically designed for use with Clear Focus® One Way Vision polymeric films
- Non printable




Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400514	Clear Focus CurvaLam	Clear	Permanent / Plastic	1370	30.5
400515	Clear Focus CurvaLam	Clear	Permanent / Plastic	1520	30.5

## 3M IJ40-114 & 124

Intermediate Laminate



- Gloss and matt clear intermediate vinyl with clear permanent adhesive and a double side PE coated kraft liner
- Up to 5 year unprinted vertical durability
- Graphic protection for IJ40 and IJ40C series
- Printable clear vinyl
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
168017	3M 5yr SAV/LAM IJ40-114	Clear Gloss	75	Clear Permanent	1370	50
168018	3M 5yr SAV/LAM IJ40-114	Clear Gloss	75	Clear Permanent	1524	50
168020	3M 5yr SAV/LAM IJ40-124	Clear Matt	75	Clear Permanent	1524	50
168019	3M 5yr SAV/LAM IJ40-124	Clear Matt	75	Clear Permanent	1370	50

## 3M 8508 Gloss

Intermediate Laminate



- Gloss clear intermediate over laminate with clear permanent adhesive and kraft liner
- Not for use on applications that must be stretched during application
- Graphic protection for IJ35C and IJ35 series
- Apply at room temperature
- Up to 5 year unprinted vertical durability



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
168023	3M 5yr LAM 8508 Gloss	Clear Gloss	60	Clear Permanent	1370	45.7
168054	3M 5yr LAM 8508 Gloss	Clear Gloss	60	Clear Permanent	1524	45.7

## 3M 8509 Lustre

Intermediate Laminate



- Lustre clear intermediate over laminate with clear permanent adhesive & kraft liner
- Not for use on applications that must be stretched during application
- Graphic protection for IJ35C and IJ35 series
- Apply at room temperature
- Up to 5 year unprinted vertical durability



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
191574	3M 5yr LAM 8509 Lustre	Clear Lustre	60	Clear Permanent	1370	45.7

# Finishing

## 3M 8510 Matte

### Intermediate Laminate



- Matte clear intermediate over laminate with clear permanent adhesive and kraft liner
- Not for use on applications that must be stretched during application
- Graphic protection for IJ35C and IJ35 series
- Apply at room temperature
- Up to 5 year unprinted vertical durability




Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
192447	3M 5yr LAM 8510 Matt	Clear Matt	60	Clear Permanent	1370	45.7
192526	3M 5yr LAM 8510 Matt	Clear Matt	60	Clear Permanent	1549	45.7

## LG LP3912

### Intermediate Laminate



- High gloss and matt clear polymeric vinyl, with a clear permanent adhesive and double side PE coated paper liner
- Up to 5 years unprinted outdoor vertical durability
- A solvent-based acrylic adhesive offers excellent weather resistance
- Suitable for both laminating and high-quality printing
- Perfect for flat and simple curved surfaces
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
170075	LG 5yr SAV/LAM LP3912G	Clear Gloss	90	Clear Permanent	1520	50
170076	LG 5yr SAV/LAM LP3912G	Clear Gloss	90	Clear Permanent	1370	50
170077	LG 5yr SAV/LAM LP3912M	Clear Matt	90	Clear Permanent	1520	50
170078	LG 5yr SAV/LAM LP3912M	Clear Matt	90	Clear Permanent	1370	50

## Digitac 1825 Laminate

### Intermediate Laminate



- Gloss clear, calendared soft polymeric vinyl, with clear permanent water based acrylic emulsion adhesive formulated with a high level of heat resistance, and a double side PE kraft liner
- Stable, lay flat film for superior printability & converting performance
- Use as a print film or as a laminate for Q-taq HyPol white opaque film
- The soft nature of the film is ideal for use on simple curved and textured (with the use of heat) internal and external surfaces
- Outdoor durability up to 5 years
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
170781	Digitac 1825 LAM	Clear	80	Clear Permanent	1370	50

# Finishing

## 3M IJ15-114

### Promotional Laminate



- Gloss clear, economical, promotional monomeric vinyl, with clear permanent adhesive and a polycoated paper liner
- Up to 1 year unprinted vertical durability
- Also can be used as a overlamine for IJ15/16 products
- Everyday vinyl, for flat surfaces only
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
169796	3M 1YR SAV/LAM IJ15-114	Clear Gloss	80	Clear Permanent	1370	50

## LG LP3812

### Promotional Laminate



- Matt clear monomeric vinyl, with a clear permanent adhesive and double side PE coated paper liner
- Up to 3 years unprinted outdoor vertical durability
- Suitable for both laminating and high-quality printing
- Solvent based adhesive
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
194483	LG 3yr SAV/LAM LP3812M	Clear Matt	90	Clear Permanent	1370	50

## LG LP2812

### Promotional Laminate



- High gloss and matt clear monomeric vinyl, with a clear permanent adhesive and double side PE coated paper liner
- Up to 2 years unprinted outdoor vertical durability
- Suitable for both laminating and high-quality printing
- Solvent based adhesive
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
170148	LG 2yr SAV/LAM LP2812G	Clear Gloss	70	Clear Permanent	1370	50
170162	LG 2yr SAV/LAM LP2812M	Clear Matt	70	Clear Permanent	1370	50
170163	LG 2yr SAV/LAM LP2812M	Clear Matt	70	Clear Permanent	1520	50

## ALC Budget Monomeric

### Promotional Laminate

- Gloss & matt clear, budget monomeric over-laminate with a one side PE coated paper liner
- Short-term promotional up to 6 months



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
193427	ALC LAM Budget	Clear	80	Clear Permanent	1370	50

## 3M 8993 Anti Graffiti

### Anti-Graffiti Laminate



- Clear, anti graffiti, high gloss 25um polyester overlamine with a clear permanent adhesive and kraft liner
- Recommended for use flat & simple surfaces only
- Graphic protection for IJ180c, IJ180mC, 680CR, IJ40C, IJ40,IJ35C, IJ35
- Superior resistance against harsh solvents
- Up to 5 year unprinted vertical durability
- It is recommended to give additional time for out gasing solvent ink when laminating with a polyester (PET) film



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
450535	3M 5yr LAM Anti-Graffiti 8993 High Gloss	Clear Gloss	25	Clear Permanent	1370	50

## ALC Anti Graffiti

### Anti-Graffiti Laminate

- Gloss Clear Polyester (PET) film specially designed to repel inks and stains
- Graffiti can be removed a number of times without leaving ghosting
- Recommended for flat surfaces only
- Residual inks can be removed with a mild cleaning agent
- UV treated for up to 5 years outdoor
- It is recommended to give additional time for out gasing solvent ink when laminating with a polyester (PET) film



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
400553	ALC LAM Anti Graf	Clear	38	Clear Permanent	1370	50

## ALC PET Laminate

### Anti-Graffiti Laminate

- Gloss clear polyester (PET) film with clear permanent acrylic adhesive
- Paint and marker pen will remove but can leave ghosting after repeated removal of graffiti
- Up to 2 years outdoor
- Polyester film has a natural resistance to graffiti markings due to its surface energy.
- Excellent solution for short-term applications
- It is recommended to give additional time for out gasing solvent in when laminating with a polyester (PET) film



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
400547	ALC LAM PET	Clear	36	Clear Permanent	1370	50

## ALC Floor Graphic

### Floor Graphic Laminate

- Monomeric, deep grain textured matt floor graphic over-laminate with a PE liner
- Perfect for floor graphic or vertical application
- Tested to AS/NZS 4586:2004 standard slip resistance classification of new pedestrian surfaces appendix A & B
- 200um film for longer non-slip usage & greater scratch resistance
- UV treated
- Up to 12 months indoor floor graphic application



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
400550	ALC LAM CM FloorGraph	Clear	200	Clear Permanent	1370	45

## Sacrificial Underlay Polypropylene

### Laminate Underlay

- 76mm core
- If liner creased it will not transfer to the surface of the image as it can with paper
- Polypropylene won't have static issues experienced with polyester

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
187323	Laminate Underlay Thin POLY 25um	Clear	1430	400	1
187324	Laminate Underlay Thin POLY 25um	Clear	1540	400	1
187781	Laminate Underlay Thin POLY 25um	Clear	1630	400	1

## RTape 4050RLA (Low to Medium)

### Application Tape



- 4050 Low to medium tack repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Offers clean pick up and transfer of medium and large size lettering and graphics & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunneling and edge curling
- Standard Paper (101 micron)
- Premask for fleet graphic installation



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169191	R Tape 4050RLA (Low-Med)	White	Low-Med	610	91
169190	R Tape 4050RLA (Low-Med)	White	Low-Med	1220	91
169189	R Tape 4050RLA (Low-Med)	White	Low-Med	1520	91

## RTape 4075 (Medium-High)

### Application Tape



- 4075 Medium-High tack repositionable latex adhesive
- Popular choice for every day sign shop applications & removes easily following application
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
165128	R Tape 4075 (Med-High)	White	Med-High	1220	91

## RTape 4075RLA (Medium-High)

### Application Tape



- 4075 Medium-High tack repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Popular choice for every day sign shop applications and & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunneling and edge curling
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169193	R Tape 4075RLA (Med-High)	White	Med-High	610	91

## RTape 4076 (Extra High)

### Application Tape



- 4076 Extra High, repositionable latex adhesive
- Offers clean pick up and transfer of very small hard-to lift lettering & graphics & removes easily following application
- Standard Paper (101 micron)



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
189389	R Tape 4076 (Xtra High)	White	Xtra High	610	91
189388	R Tape 4076 (Xtra High)	White	Xtra High	1220	91

## RTape 4076RLA (Extra High)

### Application Tape



- 4076 Extra High, repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Offers clean pick up and transfer of very small hard-to lift lettering & graphics & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunneling and edge curling
- Standard Paper (101 micron)



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
192253	R Tape 4076RLA (Xtra High)	White	Xtra High	610	91
192030	R Tape 4076RLA (Xtra High)	White	Xtra High	1220	91

## RTape 4761RLA (Super Hi-Tack)

### Application Tape



- 4761 thicker, premium grade application tape with super-high tack repositionable RLA latex adhesive
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunneling and edge curling
- Premium 127um paper - allows for easier handling
- Designed as a prespacing tape for air egress vinyls
- Graphics stay neater and cleaner, even when they are rolled



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169659	R Tape 4761RLA (Super High)	White	Super High	1220	91



# Finishing

## RTape 4775RLA (Medium to High)

### Application Tape



- 4775 thicker, premium grade application tape with Medium-High tack repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Perfect for transferring small and medium graphics onto irregular surfaces
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunneling and edge curling
- Premium 127um paper - allows for easier handling
- Protective premask for graphics printed with UV inks and clear coats



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169194	R Tape 4775RLA (Med-High)	White	Med-High	1220	91

## RTape AT60N (Low)

### Application Tape



- Ultra Clear 93um Matte PP Film with low tack repositionable, non-yellow acrylic adhesive system
- The excellent water resistance of the adhesive allows for wet application without leaving any adhesive residue on the vinyl
- Designed for clean pick up of all brands of cast or calendared vinyl
- Superior adhesive reduces the static charges - improved lamination process
- Exceptional clarity provides ultimate see-through when applying graphics
- Perfect for aligning multiple colour overlays



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
191648	R Tape AT60N (Low)	Clear	Low	1220	91



# Architecture & Interior Design

3M™ Window films are a new addition to our Architecture & Interior design space. Our range offers solutions to automotive windows, vehicle wraps, safety & security, commercial & residential, architectural & decorative.

Our broad range of products provide solutions to your applications.



Authorised Distributor

[spicers.com.au](http://spicers.com.au) 1800TINTED

Transform your windows with special effects or optically clear films. Available in a range of textures, finishes and colours suitable for indoor or outdoor applications.

## Window Graphic Substrates

# Window Graphic Substrates

## One Way Vision High Performance SuperVue®

Perforated Window Film Premium



- Composite white (printable side)/black (adhesive side) 228 micron polymeric vinyl
- Open area is approximately 50%
- Applications: building wraps, car windows & commercial vehicle windows
- Laminate with CurvaLam
- Perforation size is 2.0mm
- Suitable for long term (3+ years), exterior mount applications on flat & curved surfaces
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400518	Clear Focus SuperVue	White	Removable / Plastic	1370	30

## One Way Vision High Performance Sun Secure

Perforated Window Film Premium



- Composite white (adhesive side) /black perforated 228 micron polymeric vinyl
- Perforation size is 1.5mm
- Suitable for long term, interior mount applications on flat surfaces only
- Open area is approximately 35%
- Interior mount to commercial and residential windows requiring security privacy and for heat and light control and glare reduction applications
- Not printable



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400517	Clear Focus SunSecure (no print)	White	Removable / Plastic	1370	30.5

## One Way Vision High Performance PosterVue®

Perforated Window Film Premium



- Composite white (printable side)/black perforated 304 micron monomeric vinyl
- Perforation size is 1.5mm
- Suitable for short term (<12 months), interior mount applications on flat surfaces only, not suitable for full sun windows
- Non-adhesive
- Open area is approximately 35%
- Applications: shop, office windows, glass doors, & other transparent, flat surfaces - up to 1 sqm in size
- Comes with one roll of Tackem Tape 60mm x 25M - optically clear double sided tape
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400516	Clear Focus PosterVue	White	NIL / Plastic	1370	30.5

# Window Graphic Substrates

## One Way Vision High Performance Banner Vue

Perforated Window Film Premium



- Composite white (printable side)/Black (liner side) perforated 200 micron PET vinyl
- Perforation Size is 1.5mm
- Product with SL liner
- To mount to a window, use OptiTape (not included)
- Open area is approximately 30%
- Suitable for long term (< 3 years), interior mount applications on flat surfaces only
- Applications: shop, office windows, glass doors, outdoor banner, indoor banner, retractable/pull up banner
- Print Compatibility: Eco-solvent & Latex inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451619	Clear Focus BannerVue	White	NIL / Plastic	1370	30

## One Way Vision High Performance White/White

Perforated Window Film Premium



- Composite white (printable side)/White (liner side) perforated 200 micron PET vinyl
- Perforation Size is 1.5mm
- Product with SL liner
- To mount to a window, use OptiTape (not included)
- Open area is approximately 30%
- Suitable for long term (< 3 years), interior mount applications on flat surfaces only
- Applications: shop, office windows, glass doors, outdoor banner, indoor banner, retractable/pull up banner
- Print Compatibility: Eco-solvent & Latex inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451620	Clear Focus White/White	White	NIL / Plastic	1370	30

## One Way Vision High Performance Exit Vue

Perforated Window Film Premium



- Composite white (printable side)/Black (adhesive side) perforated 150 micron polymeric vinyl with grey Solvent/Latex liner
- Applications: Bus windows
- Perforation Size is 2mm
- Product with SL liner
- Open area is approximately 50%
- Certified for emergency exit windows in all Australian States and Territories
- Suitable for long term (< 3 years), exterior mount applications on flat and simple curved surfaces
- For emergency exit windows, film laminate is not permitted. Score around all edges, and 50mm from edges and 200mm grid across emergency window
- Print Compatibility: Eco-solvent & Latex inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451622	Clear Focus ExitVue	White	Permanent / Solid	1370	50

# Window Graphic Substrates

## One Way Vision High Performance Fast One Way

### Perforated Window Film Premium



- Composite white (printable side)/Black (adhesive side) perforated 100 micron PET vinyl
- Perforation Size is 1.5mm and open area is approximately 30%
- Suitable for solvent and UV-cure inks. Not suitable for latex printers
- Suitable for long term (< 3 years), exterior mount applications on flat surfaces only
- Applications: shop, office windows, glass doors
- Print Compatibility: Eco-solvent & UV Curable inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451623	Clear Focus Fast One Way	White	Removable / Universal	1370	50

## One Way Vision High Performance CurvaLam

### Perforated Window Film Premium



- Optically clear 76 micron cast vinyl over laminating film
- Made for use on surfaces that are flat or have simple curves
- Protective over laminate specifically designed for use with Clear Focus® One Way Vision polymeric films
- Non printable



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400514	Clear Focus CurvaLam	Clear	Permanent / Plastic	1370	30.5
400515	Clear Focus CurvaLam	Clear	Permanent / Plastic	1520	30.5

## One Way Vision EconoVue

### Perforated Window Film Value



- Composite white (printable side)/black (adhesive side) perforated 160 micron monomeric vinyl
- Exterior mount for short term applications onto flat windows or glass doors of shops, and office at ground level, coaches, buses. Not specified for APNO buses
- Perforation size is 1.5mm & the open area is approximately 40%
- Not compatible with any overlamine
- Print Compatibility: Screen, Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451394	Clear Focus EconoVue	White	Removable / Universal	1370	50

## One Way Vision High Performance ClassicVue

### Perforated Window Film Value



- Composite white (printable side)/black (adhesive side) perforated 228 micron polymeric vinyl and open area is approximately 50%
- Applications: Approved for APNO bus windows, building wraps, commercial shop/office windows, glass doors & other transparent surfaces
- Laminate with CurvaLam and Perforation size is 1.5mm
- Suitable for long term (3+ years), exterior mount applications on flat surfaces only
- Print Compatibility: Screen, Eco-solvent & Latex inks -NOT suitable for UV ink



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451625	Clear Focus ClassicVue	White	Removable / Solid	1370	61

# Window Graphic Substrates

## One Way Vision AutoVue

### Perforated Window Film Value



- Composite white (printable side)/Black (adhesive side) perforated 160 micron polymeric vinyl
- Open area is approximately 50%
- Applications: Car windows
- Product with SOLID liner is suitable for solvent & LATEX inks
- Perforation size is 2.0mm
- Suitable for long term (<3 years), exterior mount applications on flat & simple curved surfaces
- Product with UNIVERSAL liner is suitable for UV, solvent & LATEX inks
- Laminate with CurvaLam



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400521	Clear Focus AutoVue	White	Removable / Universal	1370	50
400522	Clear Focus AutoVue	White	Removable / Universal	1520	50
451351	Clear Focus AutoVue	White	Removable / Solid	1370	50.0
451352	Clear Focus AutoVue	White	Removable / Solid	1520	50

## One Way Vision PromoVue

### Perforated Window Film Value



- Composite white (printable side)/black (adhesive side) perforated 160 micron polymeric vinyl
- Suitable for long term (<3 years), exterior mount applications on flat & curved surfaces
- Laminate with CurvaLam
- Product with SOLID liner is suitable for solvent and LATEX inks
- Perforation size is 1.6mm & the open area is approximately 40%
- Applications: commercial vehicle windows, shop/office windows, glass doors & other transparent surfaces
- Product with UNIVERSAL liner is suitable for solvent, UV and LATEX inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400523	Clear Focus PromoVue	White	Removable / Universal	1370	50
451013	Clear Focus PromoVue	White	Removable / Solid	1370	50
451399	Clear Focus PromoVue	White	Removable / Universal	1520	50

## One Way Vision ClearVue Interior

### Perforated Window Film Value



- Clear 160 micron perforated monomeric vinyl with a clear removable acrylic adhesive
- Perforation size is 1.6mm
- Expected Lifetime Interior - up to 2 years. Adhesion may increase with time
- Open area is approximately 40%
- Interior mount to building windows and glass doors requiring protection from weathering, abrasion and vandalism, including POP, retail and commercial graphics. Not recommended for use on tinted window
- For use with solvent, eco-solvent & UV curable inks - white ink required



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451388	Clear Focus ClearVue	Clear 000	Removable / Plastic	1370	30.5

# Window Graphic Substrates

## 3M IJ8150



- Optically clear, gloss cast vinyl with clear removable adhesive and transparent synthetic liner
- Optimized for wet application, making it very easy to install
- Up to 7 years unprinted vertical durability
- Perfect for window graphics
- Suitable for flat surfaces, without rivets, simple curves and mild compound curves
- Suitable for Solvent, latex and UV-curable inks



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
450507	3M 7yr SAV IJ8150 Optic Clear	Clear	Clear Permanent	1370	45.7
450839	3M 7yr SAV IJ8150 Optic Clear	Clear	Clear Permanent	1524	45.7

## 3M 7725SE



- Special effects, matt premium cast vinyl with clear permanent solvent adhesive and transparent synthetic liner
- Perfect for indoor and outdoor window decoration
- Suitable for electronic cutting or for solvent/eco-solvent, latex and UV-curable inkjet printing
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes in a range of colours
- Up to 15 years durability for internal application and up to 3 years for external unprinted vertical durability



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
450574	3M 7725SE-314 Dusted Crystal	Dusted Crystal	Clear Permanent	610	45.7
400247	3M 7725SE-314 Dusted Crystal	Dusted Crystal	Clear Permanent	1220	45.7
400240	3M 7725SE-314 Dusted Crystal	Dusted Crystal	Clear Permanent	1524	45.7
450576	3M 7725SE-324VE Frosted Crystal	Frosted Crystal	Clear Permanent	610	45.7
450919	3M 7725SE-324VE Frosted Crystal	Frosted Crystal	Clear Permanent	1220	45.7
450949	3M 7725SE-324VE Frosted Crystal	Frosted Crystal	Clear Permanent	1524	45.7

# Window Graphic Substrates

## 3M 5525SE



- Special effects, matt intermediate polymeric vinyl with clear permanent solvent adhesive and kraft liner
- Perfect for indoor & outdoor window decoration medium term applications
- Suitable for electronic cutting or for solvent/eco-solvent, latex and UV-curable inkjet printing
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes
- Up to 5 years durability for internal application and up to 3 years for external unprinted vertical durability



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
450507	3M 7yr SAV IJ8150 Optic Clear	Clear	Clear Permanent	1370	45.7
450839	3M 7yr SAV IJ8150 Optic Clear	Clear	Clear Permanent	1524	45.7

## LG LC5510 & LC5560



- Matt silver & light silver polymeric vinyl, with a clear permanent adhesive and clay coated paper liner
- Up to 5 years outdoor vertical durability
- Perfect for medium term indoor & outdoor window decoration applications



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
170099	LG 5yr SAV LC5510	Silver Etch	90	Clear Permanent	1220	50
170100	LG 5yr SAV LC5510	Silver Etch	90	Clear Permanent	1520	50
170101	LG 5yr SAV LC5560	Lite Silver Etch	90	Clear Permanent	1220	50
170102	LG 5yr SAV LC5560	Lite Silver Etch	90	Clear Permanent	1520	50

Today's vehicle enthusiast no longer has to settle for the manufacturer's standard range of hues. With Spicers, your favourite machine can be pretty much any colour imaginable, or a mixture there-of.

## Vehicle Wrap

# Vehicle Wrap

## 3M ENVISION LX480MC

### Premium Self Adhesive Vinyl



- 3M Envision print Wrap film is a high performance, non-PVC, gloss white film with Comply Adhesive with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Up to 8 years unprinted vertical durability For use with Envision
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubblefree installations
- Specifically engineered for vehicle wraps
- Overlamine 8548G, 8549L & 8550M
- Print Compatibility: Latex printing



Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
194907	3M 8yr SAV ENVISION LX480MC	White Gloss	Grey Airflow Removable	50	1370	45.7
195168	3M 8yr SAV ENVISION LX480MC	White Gloss	Grey Airflow Removable	50	1524	45.7

## 3M ENVISION SV480MC

### Premium Self Adhesive Vinyl



- 3M Envision print Wrap film is a high performance, non-PVC, gloss white film with Comply Adhesive with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Up to 8 years unprinted vertical durability
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubblefree installations
- Specifically engineered for vehicle wraps
- For use with Envision Overlamine 8548G, 8549L & 8550M
- Print Compatibility: Eco-solvent & UV Curable inks



Material	Material Description	Colour	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
194906	3M 8yr SAV ENVISION SV480MC	White Gloss	Grey Airflow Removable	50	1370	45.7
195169	3M 8yr SAV ENVISION SV480MC	White Gloss	Grey Airflow Removable	50	1524	45.7

# Vehicle Wrap

## 3M IJ180mC-10

### Premium Self Adhesive Vinyl



- Printable white lustre wrap film with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Many finished graphic constructions can be stretched up to 130% (i.e., a 10 inch [25 cm] piece of film can stretch to 13 inches [33 cm]) without primer or relief cuts and maintain lift resistance.
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194650	3M SAV IJ180mC-10	White Gloss	Grey Airflow Removable	50	1370	45.7
194651	3M SAV IJ180mC-10	White Gloss	Grey Airflow Removable	50	1524	45.7

## 3M IJ180mC-10UR

### Premium Self Adhesive Vinyl



- Gloss white premium cast wrap film, with a grey ultra removable micro-technology non-visible air release adhesive and PE coated liner
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 8 years
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Removable without heat and/or chemicals
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451375	3M 7yr IJ180mC-10UR	White Gloss	Grey Air Ultra Removable	50	1370	45.7
451378	3M 7yr IJ180mC-10UR	White Gloss	Grey Air Ultra Removable	50	1524	45.7

## 3M IJ180mC-120

### Premium Self Adhesive Vinyl



- Lustre metallic silver premium cast wrap film, with a silver micro- technology non-visible air release removable adhesive & PE coated liner
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years For Solvent, UV, and Latex Inkjet Printing
- Printable metallic silver film for vehicle and fleet graphics
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- For use with over laminates 8518, 8519, 8520, 8548G & 8549L & 8550M
- Print Compatibility: Eco-solvent, Latex & UV Curable inks



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
400570	3M SAV IJ180mC-120	Silver Lustre	Silver Airflow Removable	50	1370	45.7
400571	3M SAV IJ180mC-120	Silver Lustre	Silver Airflow Removable	50	1524	45.7

# Vehicle Wrap

## 3M IJ180mC-114

### Premium Self Adhesive Vinyl



- Lustre clear premium cast wrap film, with a clear micro-technology non-visible air release adhesive and PE coated liner
- Flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Printable clear film for vehicle and fleet graphics
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Print Compatibility: Eco-solvent, Latex & Inkjet printing



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
400572	3M SAV IJ180mC-114	Clear Lustre	Clear Airflow Removable	50	1370	45.7

## 3M IJ180mC-10SLS

### Premium Self Adhesive Vinyl



- Gloss white premium cast wrap film, with a grey hi-tack micro-technology non-visible air release adhesive and PE coated liner
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 years
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Engineered to adhere to stainless steel surfaces
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Print Compatibility: Eco-solvent, Latex & Inkjet printing



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451374	3M 7yr IJ180mC-10SLS	White Gloss	Grey Airflow HiTack	50	1370	45.7
451377	3M 7yr IJ180mC-10SLS	White Gloss	Grey Airflow HiTack	50	1524	45.7

## 3M IJ180mC-10LSE

### Premium Self Adhesive Vinyl



- Gloss white premium cast wrap film, with a grey hi-tack comply air release adhesive and PE coated liner
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Designed to adhere to Low Surface Energy (LSE) plastics
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Expected Performance Life of 10 years For Solvent, UV, and Latex Inkjet Printing



Material	Material Description	Colour	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451373	3M 7yr IJ180C-10LSE	White Gloss	Grey Airflow HiTack	50	1370	45.7

# Vehicle Wrap

## 3M Envision 8548G, 8549L & 8550M

### Premium Laminate



- New 3M Envision high performance non-PVC high gloss, matt & lustre wrap overlaminates with a polyester liner and clear permanent adhesive
- Less prone to scratching
- Up to 8 year unprinted vertical durability
- Exceptional conformability and lifting resistance
- Superior UV and acid dew protection
- For use with Envision Print Wrap Film 480mC, IJ180mC, IJ780mC & IJ680CR



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
400590	3M 8yr LAM 8548G	Clear Gloss	50	Clear Permanent	1370	45.7
400591	3M 8yr LAM 8548G	Clear Gloss	50	Clear Permanent	1524	45.7
451530	3M 8yr LAM 8550M	Clear Matt	50	Clear Permanent	1370	45.7
451531	3M 8yr LAM 8550M	Clear Matt	50	Clear Permanent	1524	45.7
451614	3M 8yr LAM 8549L	Clear Lustre	50	Clear Permanent	1220	45.7

## 3M 8518, 8519 & 8520

### Premium Laminate



- High gloss, matt & lustre clear premium over laminate with clear permanent adhesive
- The matt and lustre finishes have a kraft liner
- Highly conformable
- Graphic protection for IJ180mC & IJ680CR printable films
- High gloss finish offers a wet paint look and has polyester liner
- Resists fuel vapours
- Up to 8 year unprinted vertical durability



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
451534	3M 8yr LAM 8518 High Gloss	Clear	50	Clear Permanent	1370	45.7
451535	3M 8yr LAM 8518 High Gloss	Clear	50	Clear Permanent	1524	45.7
451532	3M 8yr LAM 8520 Matte	Clear	50	Clear Permanent	1370	45.7
451533	3M 8yr LAM 8520 Matte	Clear	50	Clear Permanent	1524	45.7
400787	3M 8yr LAM 8519 Lustre	Clear	50	Clear Permanent	1524	45.7
400786	3M 8yr LAM 8519 Lustre	Clear	50	Clear Permanent	1370	45.7



# Vehicle Wrap

# Vehicle Wrap

## 3M 1080 Series

### Premium Wrap SAV



- Dual premium cast vinyl wrap film, with a grey, airflow permanent adhesive and polyethylene-coated paper liner
- Pressure-activated adhesive for easy sliding, tacking, snap up and repositioning - removable with heat and/or chemicals
- Use the film right out-of-the-box without graphic protection
- Six distinctive-looking finishes: matte, satin, gloss, carbon fiber, straight fiber and brushed metal
- Non-visible, air release channels for fast, easy, bubble-free installations
- 1524mm wide rolls allows for seamless wraps



Colour	Material Description	Adhesive	Material Width 1524 (mm)	Length 22.8 (m)
Brushed Aluminium	3M 5yr 1080-BR120 Brushed Aluminium	Grey Repositionable	400253	22.8
Brushed Black Metallic	3M 5yr 1080-BR212 Brushed Black Metallic	Grey Repositionable	400255	22.8
Brushed Steel	3M 5yr 1080-BR201 Brushed Steel	Grey Repositionable	400254	22.8
Brushed Steel Blue	3M 5yr 1080-BR207 Brushed Steel Blue	Grey Repositionable	400256	22.8
Brushed Titanium	3M 5yr 1080-BR230 Brushed Titanium	Grey Repositionable	400257	22.8
Carbon Fiber Anthracite	3M 5yr 1080-CF201 Carbon Fiber Anthracite	Grey Repositionable	400261	22.8
Carbon Fiber Black	3M 5yr 1080-CF12 Carbon Fiber Black	Grey Repositionable	400260	22.8
Carbon Fibre White	3M 5yr 1080-CF10 Carbon Fibre White	Grey Repositionable	400259	22.8
Dead Matte Black	3M 7yr 1080-DM12 Dead Matte Black	Grey Repositionable	451446	22.8
Gloss Anthracite	3M 7yr 1080-G201 Gloss Anthracite	Grey Repositionable	400269	22.8
Gloss Atomic Teal	3M 7yr 1080-G356 Gloss Atomic Teal	Grey Repositionable	400429	22.8
Gloss Black	3M 7yr 1080-G12 Gloss Black	Grey Repositionable	400264	22.8
Gloss Black Metallic	3M 7yr 1080-G212 Gloss Black Metallic	Grey Repositionable	400271	22.8
Gloss Black Rose	3M 7yr 1080-GP99 Gloss Black Rose	Grey Repositionable	400441	22.8
Gloss Blue Fire	3M 7yr 1080-G337 Gloss Blue Fire	Grey Repositionable	451447	22.8
Gloss Blue Metallic	3M 7yr 1080-G227 Gloss Blue Metallic	Grey Repositionable	400272	22.8
Gloss Blue Raspberry	3M 7yr 1080-G378 Gloss Blue Raspberry	Grey Repositionable	400437	22.8
Gloss Boat Blue	3M 7yr 1080-G127 Gloss Boat Blue	Grey Repositionable	450822	22.8
Gloss Bright Orange	3M 7yr 1080-G54 Gloss Bright Orange	Grey Repositionable	400214	22.8
Gloss Bright Yellow	3M 7yr 1080-G15 Gloss Bright Yellow	Grey Repositionable	400268	22.8
Gloss Burnt Orange	3M 7yr 1080-G14 Gloss Burnt Orange	Grey Repositionable	400267	22.8
Gloss Charcoal Metallic	3M 7yr 1080-G211 Gloss Charcoal Metal	Grey Repositionable	400440	22.8
Gloss Cinder Spark Red	3M 7yr 1080-GP253 Gloss Cinder Spark Red	Grey Repositionable	451039	22.8
Gloss Cosmic Blue	3M 7yr 1080-G377 Gloss Cosmic Blue	Grey Repositionable	400438	22.8
Gloss Dark Red	3M 7yr 1080-G83 Gloss Dark Red	Grey Repositionable	400217	22.8
Gloss Deep Blue Metallic	3M 7yr 1080-G217 Gloss Deep Blue	Grey Repositionable	400277	22.8
Gloss Dragon Fire Red	3M 7yr 1080-G363 Gloss DragonFire Red	Grey Repositionable	400434	22.8
Gloss Ember Black	3M 7yr 1080-GP282 Gloss Ember Black	Grey Repositionable	450824	22.8
Gloss Fierce Fuschia	3M 7yr 1080-G348 Gloss Fierce Fuschia	Grey Repositionable	400436	22.8

Colour	Material Description	Adhesive	Material Width 1524 (mm)	Length 22.8 (m)
Gloss Fiery Orange	3M 7yr 1080-G364 Gloss Fiery Orange	Grey Repositionable	400433	22.8
Gloss Flip Deep Space	3M 7yr 1080-GP278 Gloss Flip Deep Space	Grey Repositionable	451308	22.8
Gloss Flip Electric Wave	3M 7yr 1080-GP287 Gloss Flip Electric Wave	Grey Repositionable	451041	22.8
Gloss Flip Ghost Pearl	3M 7yr 1080-GP280 Gloss Flip Ghost Pearl	Grey Repositionable	451634	22.8
Gloss Flip Psychedelic	3M 7yr 1080-GP281 Gloss Flip Psychedelic	Grey Repositionable	451310	22.8
Gloss Galaxy Black	3M 7yr 1080-GP292 Gloss Galaxy Black	Grey Repositionable	451449	22.8
Gloss Glacier Grey	3M 7yr 1080-GP291 Gloss Glacier Grey	Grey Repositionable	451448	22.8
Gloss Gold Metal	3M 7yr 1080-G241 Gloss Gold Metal	Grey Repositionable	400273	22.8
Gloss Green Envy	3M 7yr 1080-G336 Gloss Green Envy	Grey Repositionable	400430	22.8
Gloss Hot Pink	3M 7yr 1080-G103 Gloss Hot Pink	Grey Repositionable	400263	22.8
Gloss Hotrod Red	3M 7yr 1080-G13 Gloss Hotrod Red	Grey Repositionable	400266	22.8
Gloss Ice Blue	3M 7yr 1080-G247 Gloss Ice Blue	Grey Repositionable	451040	22.8
Gloss Intense Blue	3M 7yr 1080-G47 Gloss Intense Blue	Grey Repositionable	400439	22.8
Gloss Kelly Green	3M 7yr 1080-G46 Gloss Kelly Green	Grey Repositionable	400276	22.8
Gloss Lemon Sting	3M 7yr 1080-G335 Gloss Lemon Sting	Grey Repositionable	400431	22.8
Gloss Liquid Copper	3M 7yr 1080-G344 Gloss Liquid Copper	Grey Repositionable	400432	22.8
Gloss Plum Explosion	3M 7yr 1080-GP258 Gloss Plum Explosion	Grey Repositionable	451316	22.8
Gloss Red Metallic	3M 7yr 1080-G203 Gloss Red Metallic	Grey Repositionable	400270	22.8
Gloss Silver Chrome	3M 7yr 1080-GC451 Gloss Silver Chrome	Grey Repositionable	451633	22.8
Gloss Sky Blue	3M 7yr 1080-G77 Gloss Sky Blue	Grey Repositionable	400215	22.8
Gloss Sterling Silver	3M 7yr 1080-G251 Gloss Sterling Silver	Grey Repositionable	400275	22.8
Gloss Storm Grey	3M 7yr 1080-G31 Gloss Storm Grey	Grey Repositionable	451042	22.8
Gloss Sunflower	3M 7yr 1080-G25 Gloss Sunflower	Grey Repositionable	400274	22.8
Gloss White	3M 7yr 1080-G10 Gloss White	Grey Repositionable	400262	22.8
Gloss White Aluminium	3M 7yr 1080-G120 Gloss White Aluminium	Grey Repositionable	400265	22.8
Gloss White Gold Sparkle	3M 7yr 1080-GP240 Gloss White Gold Sparkle	Grey Repositionable	451038	22.8
Gloss White Ivory	3M 7yr 1080-G79 Gloss White Ivory	Grey Repositionable	400216	22.8
Gloss Wicked	3M 7yr 1080-GP298 Gloss Wicked	Grey Repositionable	451312	22.8
Matrix Black	3M 7yr 1080-MX12 Matrix Black	Grey Repositionable	451451	22.8
Matt Apple Green	3M 7yr 1080-M196 Matt Apple Green	Grey Repositionable	400223	22.8
Matt Black	3M 7yr 1080-M12 Matt Black	Grey Repositionable	400220	22.8
Matt Blue Metal	3M 7yr 1080-M227 Matt Blue Metal	Grey Repositionable	400229	22.8
Matt Brown Metallic	3M 7yr 1080-M209 Matt Brown Metallic	Grey Repositionable	400226	22.8
Matt Charcoal Metallic	3M 7yr 1080-M211 Matt Charcoal Metallic	Grey Repositionable	400228	22.8
Matt Copper Metallic	3M 7yr 1080-M229 Matt Copper Metallic	Grey Repositionable	400230	22.8
Matt Dark Grey	3M 7yr 1080-M261 Matt Dark Grey	Grey Repositionable	400233	22.8
Matt Deep Black	3M 7yr 1080-M22 Matt Deep Black	Grey Repositionable	400424	22.8
Matt Military Green	3M 7yr 1080-M26 Matt Military Green	Grey Repositionable	400232	22.8

# Vehicle Wrap

Colour	Material Description	Adhesive	Material Width 1524 (mm)	Length 22.8 (m)
Matt Grey Aluminium	3M 7yr 1080-M230 Matt Grey Aluminium	Grey Repositionable	400231	22.8
Matt Indigo	3M 7yr 1080-M27 Matt Indigo	Grey Repositionable	400425	22.8
Matt Orange	3M 7yr 1080-M54 Matt Orange	Grey Repositionable	400249	22.8
Matt Pine Green Metallic	3M 7yr 1080-M206 Matt Pine Green Metallic	Grey Repositionable	400225	22.8
Matt Red	3M 7yr 1080-M13 Matt Red	Grey Repositionable	400221	22.8
Matt Red Metallic	3M 7yr 1080-M203 Matt Red Metallic	Grey Repositionable	400224	22.8
Matt Riviera Blue	3M 7yr 1080-M67 Matt Riviera Blue	Grey Repositionable	450821	22.8
Matt Silver	3M 7yr 1080-M21 Matt Silver	Grey Repositionable	400227	22.8
Matt White	3M 7yr 1080-M10 Matt White	Grey Repositionable	400218	22.8
Gloss Midnight Blue	3M 7yr 1080-GP272 Gloss Midnight Blue	Grey Repositionable	450823	22.8
Satin Apple Green	3M 7yr 1080-S196 Satin Apple Green	Grey Repositionable	450820	22.8
Satin Battleship Grey	3M 7yr 1080-S51 Satin Battleship Grey	Grey Repositionable	450817	22.8
Satin Bitter Yellow	3M 7yr 1080-S335 Satin Bitter Yellow	Grey Repositionable	400443	22.8
Satin Black	3M 7yr 1080-S12 Satin Black	Grey Repositionable	400251	22.8
Satin Canyon Copper	3M 7yr 1080-S344 Satin Canyon Copper	Grey Repositionable	400442	22.8
Satin Caramel Luster	3M 7yr 1080-SP59 Satin Caramel Luster	Grey Repositionable	451313	22.8
Satin Dark Grey	3M 7yr 1080-S261 Satin Dark Grey	Grey Repositionable	450819	22.8
Satin Flip Caribbean Shimmer	3M 7yr 1080-SP276 Satin Flip Caribbean Shimmer	Grey Repositionable	451046	22.8
Satin Flip Ghost Pearl	3M 7yr 1080-SP280 Satin Flip Ghost Pearl	Grey Repositionable	451453	22.8
Satin Flip Glacial Frost	3M 7yr 1080-SP277 Satin Flip Glacial Frost	Grey Repositionable	451045	22.8
Satin Flip Psychedelic	3M 7yr 1080-SP281 Satin Flip Psychedelic	Grey Repositionable	451635	22.8
Satin Flip Volcanic Flare	3M 7yr 1080-SP236 Satin Flip Volcanic Flare	Grey Repositionable	451309	22.8
Satin Frozen Vanilla	3M 7yr 1080-SP240 Satin Frozen Vanilla	Grey Repositionable	451043	22.8
Satin Gold Dust Black	3M 7yr 1080-SP242 Satin Gold Dust Black	Grey Repositionable	451044	22.8
Satin Key West	3M 7yr 1080-S57 Satin Key West	Grey Repositionable	451450	22.8
Satin Ocean Shimmer	3M 7yr 1080-S327 Satin Ocean Shimmer	Grey Repositionable	400445	22.8
Satin Pearl White	3M 7yr 1080-SP10 Satin Pearl White	Grey Repositionable	400252	22.8
Satin Perfect Blue	3M 7yr 1080-S347 Satin Perfect Blue	Grey Repositionable	400446	22.8
Satin Smouldering Red	3M 7yr 1080-S363 Satin Smouldering Red	Grey Repositionable	450818	22.8
Satin Thundercloud	3M 7yr 1080-S271 Satin Thundercloud	Grey Repositionable	451311	22.8
Satin Vampire Red	3M 7yr 1080-SP273 Satin Vampire Red	Grey Repositionable	451314	22.8
Satin White	3M 7yr 1080-S10 Satin White	Grey Repositionable	400250	22.8
Satin White Aluminium	3M 7yr 1080-S120 Satin White Aluminium	Grey Repositionable	400448	22.8
Shadow Black	3M 7yr 1080-SB12 Shadow Black	Grey Repositionable	451452	22.8
Shadow Military Green	3M 7yr 1080-SB26 Shadow Military Green	Grey Repositionable	451632	22.8
Straight Fiber Anthracite	3M 5yr 1080-SF201 Straight Fiber Anthracite	Grey Repositionable	400427	22.8
Straight Fiber Black	3M 5yr 1080-SF12 Straight Fiber Black	Grey Repositionable	400426	22.8

**3M** Science. Applied to Life.™



# It's a wrap.

A finish so beautiful it should be in pictures. At 3M, we're reinventing 3M™ Wrap Film with features worthy of a five-star rating. Like a Protective Film Layer on gloss colors to reduce surface impressions and scratches.

Lead the way and see our new colors in action at [3M.com/2080](https://www.3m.com/2080)

## 3M™ Wrap Film Series 2080

Satin Flip Psychedelic SP281




3M is a trademark of 3M. © 3M 2019. All rights reserved.


# Vehicle Wrap

## 3M 1080 Series


### Satin



### Color Flip



### Texture




### Gloss




## 3M Scotchgard Paint Protection Film Pro Series

Paint protection film is one of the best ways to preserve the showroom quality finish on your vehicle. The virtually invisible film will keep your vehicle looking newer longer- without changing the design features or colour- by protecting vulnerable areas such as front bumpers, hoods, side mirrors, door handle cavities, door edges, rocker panels, and rear fender panels. Preserving the finish of your vehicle with paint protection film (PPF) keeps your vehicle looking newer longer, and can enhance the resale value of your vehicle in the future.

- Unrivalled scratch and stain resistance
- Exceptional clarity
- Superior resistance to yellowing
- Self-healing technology makes most scratches disappear
- Tough, durable and maintenance free



### Chrome



### Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

### Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

# Vehicle Wrap

## 3M 8900 Series

### Premium Wrap SAV



- 3M Wrap Overlaminates Series 8900 lets you create combinations of colour and textures like never before
- Up to 8 year unprinted vertical durability
- A range of premium transparent specialty laminates available in 7 different colours and textures
- Suitable for laminated film applications - fleet/vehicle, vehicle wraps, watercraft, transit, smooth walls



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400574	3M LAM 8900-BR100 Brushed	Brushed Clear	Clear Permanent	1524	22.8
400575	3M LAM 8900-CF100 Carbon Fibre	Carbon Fibre Clear	Clear Permanent	1524	22.8
400580	3M LAM 8900-S701 Frosty Silver	Frosty Silver Clear	Clear Permanent	1524	22.8
400576	3M LAM 8900-G301 Mystic Silver	Mystic Silver Clear	Clear Permanent	1524	22.8
400577	3M LAM 8900-G303 Ruby Red	Ruby Red Clear	Clear Permanent	1524	22.8
400579	3M LAM 8900-G701 Starry Silver	Starry Silver Clear	Clear Permanent	1524	22.8
400578	3M LAM 8900-G304 Sunburst Gold	Sunburst Gold Clear	Clear Permanent	1524	22.8

## 3M Scotchgard PPF SGH6 Pro

### Paint Protection Film



- 0.2mm Polyurethane film with elastic high gloss clear coat and flexible adhesive for ease of application
- Self-healing technology makes most scratches disappear, helping the film look brand new for longer
- Helps to safeguard vulnerable painted surfaces like the leading edge of the hood, bumper, door edges and trunk ledge
- Industry leading scratch and stain resistance with exceptional clarity
- Helps protect paint from stones, sand, road debris, bug acids and other harsh conditions that mar that new car finish
- 7 year warranty - please see the product and application guides for more information



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400491	3M LAM PPF Gloss SGH06 Pro 0.2mm	Clear	Clear Permanent	610	30
400493	3M LAM PPF Gloss SGH06 Pro 0.2mm	Clear	Clear Permanent	1220	15
400494	3M LAM PPF Gloss SGH06 Pro 0.2mm	Clear	Clear Permanent	1520	15

# Vehicle Wrap

## 3M Scotchgard PPF SGH6

### Paint Protection Film



- 0.21mm Polyurethane film with high gloss clear coat to meet demanding AOEM specifications
- The high-performance, pressure-sensitive adhesive ensures excellent adhesion to OEM paints, yet is removable if needed
- Helps to safeguard vulnerable painted surfaces like the leading edge of the hood, bumper, door edges and trunk ledge
- Once applied correctly it requires no special maintenance, and can be treated like regular paint on the vehicle
- The clear coat with UV protectants counteracts harmful UV rays and resists yellowing
- Helps protect paint from stones, sand, road debris, bug acids and other harsh conditions that mar that new car finish
- 5 year warranty - please see the product and application guides for more information



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400498	3M LAM PPF Gloss SGH06 0.21	Clear	Clear Permanent	610	36.5
400499	3M LAM PPF Gloss SGH06 0.21	Clear	Clear Permanent	1220	36.5

## 3M Scotchgard PPF SGH12

### Paint Protection Film



- 0.36mm Polyurethane film with high gloss clear coat to meet demanding AOEM specifications
- The high-performance, pressure-sensitive adhesive ensures excellent adhesion to OEM paints, yet is removable if needed
- Helps to safeguard vulnerable painted surfaces like the leading edge of the hood, bumper, door edges and trunk ledge
- The clear coat with UV protectants counteracts harmful UV rays and resists yellowing
- Helps protect paint from stones, sand, road debris, bug acids and other harsh conditions that mar that new car finish
- 5 year warranty - please see the product and application guides for more information



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400502	3M LAM PPF Gloss SGH12 0.36mm	Clear	Clear Permanent	610	18.3

## 3M Ventureshield GC

### Paint Protection Film




- 0.21mm Polyurethane film with high gloss clear coat to meet demanding AOEM specifications
- The high-performance, pressure-sensitive adhesive ensures excellent adhesion to OEM paints, yet is removable if needed
- Helps to safeguard vulnerable painted surfaces like the leading edge of the hood, bumper, door edges and trunk ledge
- 5 year warranty - please see the product and application guides for more information
- The clear coat with UV protectants counteracts harmful UV rays and resists yellowing
- Helps protect paint from stones, sand, road debris, bug acids and other harsh conditions that mar that new car finish
- More conformable than the SGH6, so ideal for more complex shaped surfaces



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400505	3M LAM PPF Ventureshield GC 0.21	Clear	Clear Permanent	610	30
400508	3M LAM PPF Ventureshield GC 0.21	Clear	Clear Permanent	1220	30
400509	3M LAM PPF Ventureshield GC 0.21	Clear	Clear Permanent	1520	15

# Transit



## Applications

1. 3M™ Reflectives 4000 series (pg132)
2. 3M™ 1080 Vehicle Wrap Colours (pg96)  
3M™ IJ180mC Print Wrap Film (pg108) &  
3M™ 8518 Overlamine (pg95)
3. 3M™ 50C series (pg119)
4. 3M™ IJ780mC Reflectives (pg131)
5. 3M™ 997 & 983 Reflective Tapes (pg128)
6. Clear Focus One Way Vision (pg84)
7. 3M™ Paint Protection Film (pg102)

Our extensive range is one of the best in the business. With stock on hand and sold by the metre\*, we have grades to suit a huge variety of applications.

## Cut Colour Vinyl

# Cut Colour Vinyl

## 3M Controltac Plus with Comply 180mC Series

### Premium Cut SAV



- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Conforms to flat surfaces, with and without rivets, simple curves, compound curves and corrugations
- Indoor and outdoor graphics and signs, including point-of-purchase and displays
- Transparent film color 114 can be used for two-way emblems for windows, except on buses or other vehicles
- Features non-visible air release channels for fast and easy, bubble-free graphic installations
- Expected Performance Life of 10 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Commercial vehicles, straight trucks, buses, rails cars, semi-trucks and semi-trailers, emblems or striping
- Small format original equipment manufacturer's (OEM) decorative and identification graphics, cautionary and safety labeling

Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length 45.7 (m)
Antique White	3M 8yr 180mC-90 Antique White	Repositionable	451179	451098	45.7
Apple Green	3M 8yr 180mC-196 Apple Green	Repositionable	451201	451119	45.7
Apricot	3M 8yr 180mC-64 Apricot	Repositionable	451169	451087	45.7
Atomic Red	3M 8yr 180mC-293 Atomic Red	Repositionable	451215	451134	45.7
Beige	3M 8yr 180mC-49 Beige	Repositionable	451160	451077	45.7
Bermuda Blue	3M 8yr 180mC-357 Bermuda Blue	Repositionable	451217	451136	45.7
Black	3M 8yr 180mC-12 Black	Repositionable	451139	451056	45.7
Boat Blue	3M 8yr 180mC-127 Boat Blue	Repositionable	451194	451112	45.7
Bottle Green	3M 8yr 180mC-276 Bottle Green	Repositionable	451214	451133	45.7
Bright Blue Metallic	3M 8yr 180mC-227 Bright Blue Metallic	Repositionable	451206	451124	45.7
Bright Green	3M 8yr 180mC-186 Bright Green	Repositionable	451199	451117	45.7
Bright Orange	3M 8yr 180mC-14 Bright Orange	Repositionable	451141	451058	45.7
Bright Yellow	3M 8yr 180mC-15 Bright Yellow	Repositionable	451142	451059	45.7
Burgundy	3M 8yr 180mC-58 Burgandy	Repositionable	451165	451083	45.7
Cardinal Red	3M 8yr 180mC-53 Cardinal Red	Repositionable	451161	451078	45.7
Champagne Metallic	3M 8yr 180mC-249 Champagne Metallic	Repositionable	451211	451129	45.7
Charcoal Metallic	3M 8yr 180mC-211 Charcoal Metallic	Repositionable	451204	451122	45.7
Chocolate Brown Metallic	3M 8yr 180mC-239 Choc Brown Metallic	Repositionable	451207	451125	45.7
Copper Metallic	3M 8yr 180mC-229 Copper Metallic	Repositionable	450735	450736	45.7
Dark Aqua	3M 8yr 180mC-307 Dark Aqua	Repositionable	451216	451135	45.7
Dark Blue	3M 8yr 180mC-397 Dark Blue	Repositionable	451218	451137	45.7
Dark Blue Metallic	3M 8yr 180mC-217 Dark Blue Metallic	Repositionable	451205	451123	45.7
Dark Green	3M 8yr 180mC-56 Dark Green	Repositionable	451163	451080	45.7
Dark Grey	3M 8yr 180mC-41 Dark Gray	Repositionable	451156	451073	45.7
Dark Violet	3M 8yr 180mC-98 Dark Violet	Repositionable	451184	451103	45.7
Deep Mahogany Brown	3M 8yr 180mC-19 Deep Mahogany Brown	Repositionable	451145	451062	45.7
Deep Red	3M 8yr 180mC-23 Deep Red	Repositionable	451148	451065	45.7

# Cut Colour Vinyl

Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length 45.7 (m)
Dove Grey	3M 8yr 180mC-91 Dove Gray	Repositionable	451180	451099	45.7
Duranodic	3M 8yr 180mC-69 Duranodic	Repositionable	451172	451090	45.7
Fawn	3M 8yr 180mC-99 Fawn	Repositionable	451185	451104	45.7
Forest Green	3M 8yr 180mC-66 Forest Green	Repositionable	451171	451089	45.7
Geranium	3M 8yr 180mC-63 Geranium	Repositionable	451168	451086	45.7
Gold Metallic	3M 8yr 180mC-241 Gold Metallic	Repositionable	451208	451126	45.7
Harvest Gold	3M 8yr 180mC-105 Harvest Gold	Repositionable	451188	451107	45.7
Imperial Red	3M 8yr 180mC-93 Imperial Red	Repositionable	451181	451100	45.7
Indigo	3M 8yr 180mC-27 Indigo	Repositionable	451151	451068	45.7
Intense Blue	3M 8yr 180mC-47 Intense Blue	Repositionable	451158	451075	45.7
Kelly Green	3M 8yr 180mC-46 Kelly Green	Repositionable	451157	451074	45.7
Khaki Green	3M 8yr 180mC-16 Khaki Green	Repositionable	451143	451060	45.7
Light Blue	3M 8yr 180mC-107 Light Blue	Repositionable	451189	451108	45.7
Light Grey	3M 8yr 180mC-121 Light Gray	Repositionable	451193	451111	45.7
Light Lemon Yellow	3M 8yr 180mC-65 Light Lemon Yellow	Repositionable	451170	451088	45.7
Light Navy	3M 8yr 180mC-197 Light Navy	Repositionable	451202	451120	45.7
Light Orange	3M 8yr 180mC-54 Light Orange	Repositionable	451162	451079	45.7
Lime Green	3M 8yr 180mC-136 Lime Green	Repositionable	451196	451114	45.7
Magenta	3M 8yr 180mC-103 Magenta	Repositionable	451187	451106	45.7
Matt Black	3M 8yr 180mC-22 Matte Black	Repositionable	451147	451064	45.7
Matt White	3M 8yr 180mC-20 Matte White	Repositionable	451146	451063	45.7
Medium Grey	3M 8yr 180mC-31 Medium Grey	Repositionable	450636	450635	45.7
Mid Grey	3M 8yr 180mC-61 Mid Grey	Repositionable	451167	451085	45.7
Nimbus Grey	3M 8yr 180mC-101 Nimbus Gray	Repositionable	451186	451105	45.7
Olympic Blue	3M 8yr 180mC-57 Olympic Blue	Repositionable	451164	451081	45.7
Peacock Blue	3M 8yr 180mC-77 Peacock Blue	Repositionable	451174	451092	45.7
Pearl Grey	3M 8yr 180mC-11 Pearl Gray	Repositionable	451138	451055	45.7
Perfect Match Red	3M 8yr 180mC-263 Perfect Match Red	Repositionable	451212	451131	45.7
Persian Blue	3M 8yr 180mC-117 Persian Blue	Repositionable	451191	451109	45.7
Petroleum Blue Metallic	3M 8yr 180mC-247 Petroleum Blue Metallic	Repositionable	451210	451128	45.7
Plum	3M 8yr 180mC-78 Plum	Repositionable	451175	451093	45.7
Process Magenta	3M 8yr 180mC-273 Process Magenta	Repositionable	451213	451132	45.7
Purple	3M 8yr 180mC-48 Purple	Repositionable	451159	451076	45.7
Putty	3M 8yr 180mC-59 Putty	Repositionable	451166	451084	45.7
Red Orange	3M 8yr 180mC-74 Red Orange	Repositionable	451173	451091	45.7
Robin Egg Blue	3M 8yr 180mC-86 Robin Egg Blue	Repositionable	451177	451095	45.7
Royal Purple	3M 8yr 180mC-38 Royal Purple	Repositionable	451154	451071	45.7
Russet Brown	3M 8yr 180mC-29 Russet Brown	Repositionable	451152	451069	45.7
Sandstone	3M 8yr 180mC-89 Sandstone	Repositionable	451178	451097	45.7

Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length 45.7 (m)
Sapphire Blue	3M 8yr 180mC-37 Sapphire Blue	Repositionable	451153	451070	45.7
Satin Aluminium	3M 8yr 180mC-120 Satin Aluminum	Repositionable	451192	451110	45.7
Satin Gold	3M 8yr 180mC-131 Satin Gold	Repositionable	451195	451113	45.7
Shadow Blue	3M 8yr 180mC-177 Shadow Blue	Repositionable	451198	451116	45.7
Slate Metallic	3M 8yr 180mC-201 Slate Metallic	Repositionable	451203	451121	45.7
Soft blue	3M 8yr 180mC-97 Soft Blue	Repositionable	451183	451102	45.7
Steampunk Red Metallic	3M 8yr 180mC-243 Steampunk Red Metallic	Repositionable	451209	451127	45.7
Stone Grey	3M 8yr 180mC-81 Stone Grey	Repositionable	451176	451094	45.7
Sunflower	3M 8yr 180mC-25 Sunflower	Repositionable	451150	451067	45.7
Tan	3M 8yr 180mC-39 Tan	Repositionable	451155	451072	45.7
Teal	3M 8yr 180mC-96 Teal	Repositionable	451182	451101	45.7
Terra Cotta	3M 8yr 180mC-24 Terra Cotta	Repositionable	451149	451066	45.7
Tomato Red	3M 8yr 180mC-13 Tomato Red	Repositionable	451140	451057	45.7
Traffic Grey	3M 8yr 180mC-151 Traffic Gray	Repositionable	451197	451115	45.7
Transparent	3M 8yr 180mC-114 Transparent	Repositionable	451190	450963	45.7
Vivid Blue	3M 8yr 180mC-17 Vivid Blue	Repositionable	451144	451061	45.7
Wedgewood Blue	3M 8yr 180mC-187 Wedgewood Blue	Repositionable	451200	451118	45.7
White	3M 8yr 180mC-10 White	Repositionable	451054	451053	45.7

## 3M Controltac Plus with Comply 180mC series 3M 7725 ElectroCut Series



### Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

### Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

\* Metallic, Chrome and/or Pearl

Colors shown on monitor and when printed are approximate representation of actual colors available. © 3M 2018. All rights reserved. 3M is a trademark of 3M. Used under license in Canada. Printed in USA.

† Before using chrome wrap, please ensure compliance with all applicable laws and regulations. Restrictions on chrome wraps may vary by jurisdiction. You accept responsibility for legal and regulatory compliance and for any liability arising from your use of chrome wrap.



# Cut Colour Vinyl

## 3M 7725 ElectroCut Series

### Premium Cut SAV



- High gloss, premium cast vinyl with clear permanent adhesive and transparent synthetic liner
- Superior cutting as small as 0.25 inch (0.64 cm) and weeding
- For electronic cutting, thermal transfer printing and screen printing
- Deep Red-23 is not available in 45.7m reels. Please refer to the 9.1m short reel, which can be purchased in meterage at the 1220 wide colours pricing below.
- Lays flat for easier assembly of multi-color graphics
- For flat rigid or simple curved surfaces
- Up to 8 years unprinted vertical durability



Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length 45.7 (m)
Antique White	3M 8Yr 7725-90 Antique White	Clear Permanent	450364	450626	45.7
Apricot	3M 8Yr 7725-64 Apricot	Clear Permanent	450765	450766	45.7
Aqua	3M 8Yr 7725-176 Aqua	Clear Permanent	450779	450780	45.7
Beige	3M 8Yr 7725-49 Beige	Clear Permanent	450755	450756	45.7
Bermuda Blue	3M 8Yr 7725-357 Bermuda Blue	Clear Permanent	450775	450776	45.7
Black	3M 8Yr 7725-12 Black	Clear Permanent	400010	400050	45.7
Bottle Green	3M 8Yr 7725-276 Bottle Green	Clear Permanent	450771	450772	45.7
Bright Green	3M 8Yr 7725-186 Bright Green	Clear Permanent	400030	400031	45.7
Bright Orange	3M 8Yr 7725-14 Bright Orange	Clear Permanent	400016	400045	45.7
Bright Yellow	3M 8Yr 7725-15 Bright Yellow	Clear Permanent	450346	450345	45.7
Burgundy	3M 8Yr 7725-58 Burgundy	Clear Permanent	400027	400034	45.7
Cardinal Red	3M 8Yr 7725-53 Cardinal Red	Clear Permanent	400023	400038	45.7
Dark Aqua	3M 8Yr 7725-307 Dark Aqua	Clear Permanent	450777	450778	45.7
Dark Blue	3M 8Yr 7725-397 Dark Blue	Clear Permanent	451565	451564	45.7
Dark Green	3M 8Yr 7725-56 Dark Green	Clear Permanent	400025	400036	45.7
Dark Grey	3M 8Yr 7725-41 Dark Grey	Clear Permanent	400020	400041	45.7
Dark Violet	3M 8Yr 7725-98 Dark Violet	Clear Permanent	450791	450792	45.7
Deep Mahogany Brown	3M 8Yr 7725-19 Deep Mahogany	Clear Permanent	450741	450742	45.7
Deep Red	3M 8Yr 7725-23 Deep Red	Clear Permanent	450365	400309	45.7
Eggshell	3M 8Yr 7725-130 Eggshell	Clear Permanent	450739	450740	45.7
Fawn	3M 8Yr 7725-99 Fawn	Clear Permanent	450753	450754	45.7
Forest Green	3M 8Yr 7725-66 Forest Green	Clear Permanent	450773	450774	45.7
Geranium	3M 8Yr 7725-63 Geranium	Clear Permanent	400028	400033	45.7
Harvest Gold	3M 8Yr 7725-105 Harvest Gold	Clear Permanent	450767	450768	45.7
Intense Blue	3M 8Yr 7725-47 Intense Blue	Clear Permanent	400022	400039	45.7
Kelly Green	3M 8Yr 7725-46 Kelly Green	Clear Permanent	400021	400040	45.7
Light Navy	3M 8Yr 7725-197 Light Navy	Clear Permanent	450324	450308	45.7
Light Orange	3M 8Yr 7725-54 Light Orange	Clear Permanent	400024	400037	45.7
Lime Green	3M 8Yr 7725-136 Lime Green	Clear Permanent	451560	451559	45.7
Magenta	3M 8Yr 7725-103 Magenta	Clear Permanent	450759	450760	45.7

# Cut Colour Vinyl

Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length 45.7 (m)
Matt Black	3M 8Yr 7725-22 Matt Black	Clear Permanent	450350	450349	45.7
Matt White	3M 8Yr 7725-20 Matt White	Clear Permanent	400012	400049	45.7
Mauve	3M 8Yr 7725-193 Mauve	Clear Permanent	450757	450758	45.7
Medium Grey	3M 8Yr 7725-31 Medium Grey	Clear Permanent	400018	400043	45.7
Olympic Blue	3M 8Yr 7725-57 Olympic Blue	Clear Permanent	400026	400035	45.7
Peacock Blue	3M 8Yr 7725-77 Peacock Blue	Clear Permanent	450781	450782	45.7
Pearl Grey	3M 8Yr 7725-11 Pearl Grey	Clear Permanent	450344	450343	45.7
Perfect Match Red	3M 8Yr 7725-263 Perfect Match Red	Clear Permanent	450762	450651	45.7
Process Magenta	3M 8Yr 7725-273 Process Magenta	Clear Permanent	450761	450652	45.7
Purple	3M 8Yr 7725-48 Purple	Clear Permanent	450789	450790	45.7
Putty	3M 8Yr 7725-59 Putty	Clear Permanent	450749	450750	45.7
Red Orange	3M 8Yr 7725-74 Red Orange	Clear Permanent	-	451280	45.7
Robin Egg Blue	3M 8Yr 7725-86 Robin Egg Blue	Clear Permanent	450783	450784	45.7
Royal Purple	3M 8Yr 7725-38 Royal Purple	Clear Permanent	450629	450625	45.7
Russet Brown	3M 8Yr 7725-29 Russet Brown	Clear Permanent	450743	450744	45.7
Saddle Brown	3M 8Yr 7725-139 Saddle Brown	Clear Permanent	450747	450748	45.7
Sandstone	3M 8Yr 7725-89 Sandstone	Clear Permanent	450751	450752	45.7
Sapphire Blue	3M 8Yr 7725-37 Sapphire Blue	Clear Permanent	400019	400042	45.7
Satin Aluminium	3M 8Yr 7725-120 Satin Aluminium	Clear Permanent	400013	400048	45.7
Satin Apple Green	3M 8Yr 7725-196 Apple Green	Clear Permanent	400029	400032	45.7
Satin Gold	3M 8Yr 7725-131 Satin Gold	Clear Permanent	400015	400046	45.7
Shadow Blue	3M 8Yr 7725-177 Shadow Blue	Clear Permanent	450787	450788	45.7
Sunflower Yellow	3M 8Yr 7725-25 Sunflower	Clear Permanent	400017	400044	45.7
Tan	3M 8Yr 7725-39 Tan	Clear Permanent	450745	450746	45.7
Teal	3M 8Yr 7725-96 Teal	Clear Permanent	450326	450325	45.7
Terra Cotta	3M 8Yr 7725-24 Terra Cotta	Clear Permanent	450763	450764	45.7
Tomato Red	3M 8Yr 7725-13 Tomato Red	Clear Permanent	400014	400047	45.7
Transparent	3M 8Yr 7725-114 Transparent	Clear Permanent	450367	450366	45.7
Violet	3M 8Yr 7725-88 Violet	Clear Permanent	450793	450794	45.7
Vivid Blue	3M 8Yr 7725-17 Vivid Blue	Clear Permanent	450348	450347	45.7
Wedgewood Blue	3M 8Yr 7725-187 Wedgewood Blue	Clear Permanent	450785	450786	45.7
White	3M 8Yr 7725-10 White	Clear Permanent	400011	400003	45.7

# Cut Colour Vinyl

# Cut Colour Vinyl

## 3M 3630 Translucent

### Premium Cut SAV



- Translucent, matte premium cast vinyl, with a clear permanent adhesive and a translucent, synthetic lay-flat liner.
- Available in over 50 crisp, clear colors (many with simulated PANTONE colour references)
- Suitable for use with fluorescent bulbs
- Suitable for screen printing, cut graphics and thermoforming
- Matte surface finish eliminates glare and provides uniform colour in reflected and transmitted light
- Perfect for long life window and backlit applications on flat surfaces
- Up to 9 years unprinted vertical durability



Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length 45.7 (m)
Beige	3M 8yr 3630-0647 Beige	Clear Permanent	450369	450368	45.7
Black	3M 8yr 3630-22 Black	Clear Permanent	400139	400089	45.7
Bright Blue	3M 8yr 3630-167 Bright Blue	Clear Permanent	400184	400134	45.7
Brilliant Green	3M 8yr 3630-106 Brilliant Green	Clear Permanent	400164	400114	45.7
Bristol Blue	3M 8yr 3630-97 Bristol Blue	Clear Permanent	400163	400113	45.7
Burgundy	3M 8yr 3630-49 Burgundy	Clear Permanent	400148	400098	45.7
Cardinal Red	3M 8yr 3630-53 Cardinal Red	Clear Permanent	400150	400100	45.7
Dark Blue	3M 8yr 3630-36 Dark Blue	Clear Permanent	400145	400095	45.7
Dark Brown	3M 8yr 3630-59 Dark Brown	Clear Permanent	400152	400102	45.7
Dark Emerald Green	3M 8yr 3630-126 Dark Emerald Green	Clear Permanent	400169	400119	45.7
Dark Red	3M 8yr 3630-73 Dark Red	Clear Permanent	400156	400106	45.7
Duranodic	3M 8yr 3630-69 Duranodic	Clear Permanent	400154	400104	45.7
European Blue	3M 8yr 3630-137 European Blue	Clear Permanent	400176	400126	45.7
Gold	3M 8yr 3630-131 Gold	Clear Permanent	400173	400123	45.7
Gold Nugget	3M 8yr 3630-141 Gold Nugget	Clear Permanent	400177	400127	45.7
Golden Yellow	3M 8yr 3630-125 Golden Yellow	Clear Permanent	400168	400118	45.7
Green	3M 8yr 3630-26 Green	Clear Permanent	400143	400093	45.7
Holly Green	3M 8yr 3630-76 Holly Green	Clear Permanent	400158	400108	45.7
Intense Blue	3M 8yr 3630-127 Intense Blue	Clear Permanent	400170	400120	45.7
Intense Magenta	3M 8yr 3630-118 Intense Magenta	Clear Permanent	400166	400116	45.7
Ivory	3M 8yr 3630-005 Ivory	Clear Permanent	400140	400090	45.7
Kumquat Orange	3M 8yr 3630-74 Kumquat Orange	Clear Permanent	400157	400107	45.7
Light Beige	3M 8yr 3630-149 Light Beige	Clear Permanent	400181	400131	45.7
Light European Blue	3M 8yr 3630-147 Light European Blue	Clear Permanent	400180	400130	45.7
Light Kelly Green	3M 8yr 3630-146 Light Kelly Green	Clear Permanent	400179	400129	45.7
Light Lemon Yellow	3M 8yr 3630-115 Light Lemon Yellow	Clear Permanent	400165	400115	45.7
Lime Green	3M 8yr 3630-136 Lime Green	Clear Permanent	400175	400125	45.7





















Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length 45.7 (m)
Olympic Blue	3M 8yr 3630-57 Olympic Blue	Clear Permanent	400151	400101	45.7
Orange	3M 8yr 3630-44 Orange	Clear Permanent	400147	400097	45.7
Plum Purple	3M 8yr 3630-128 Plum Purple	Clear Permanent	400171	400121	45.7
Poppy Orange	3M 8yr 3630-144 Poppy Orange	Clear Permanent	-	451639	45.7
Poppy Red	3M 8yr 3630-143 Poppy Red	Clear Permanent	400178	400128	45.7
Process Blue	3M 8yr 3630-337 Process Blue	Clear Permanent	400187	400137	45.7
Raspberry	3M 8yr 3630-133 Raspberry	Clear Permanent	400174	400124	45.7
Red	3M 8yr 3630-33 Red	Clear Permanent	400144	400094	45.7
Regal Red	3M 8yr 3630-83 Regal Red	Clear Permanent	400160	400110	45.7
Royal Blue	3M 8yr 3630-87 Royal Blue	Clear Permanent	400162	400112	45.7
Shadow Grey	3M 8yr 3630-71 Shadow Grey	Clear Permanent	400155	400105	45.7
Silver	3M 8yr 3630-121 Silver	Clear Permanent	400167	400117	45.7
Silver Grey	3M 8yr 3630-51 Silver Grey	Clear Permanent	400149	400099	45.7
Slate	3M 8yr 3630-61 Slate Grey	Clear Permanent	400153	400103	45.7
Sultan Blue	3M 8yr 3630-157 Sultan Blue	Clear Permanent	400183	400133	45.7
Sunflower	3M 8yr 3630-25 Sunflower	Clear Permanent	400142	400092	45.7
Tangerine	3M 8yr 3630-84 Tangerine	Clear Permanent	400161	400111	45.7
Teal	3M 8yr 3630-246 Teal Green	Clear Permanent	400186	400136	45.7
Tomato Red	3M 8yr 3630-43 Light Tomato Red	Clear Permanent	400146	400096	45.7
Turquoise	3M 8yr 3630-236 Turquoise	Clear Permanent	400185	400135	45.7
Vivid Green	3M 8yr 3630-156 Vivid Green	Clear Permanent	400182	400132	45.7
Vivid Rose	3M 8yr 3630-78 Vivid Rose	Clear Permanent	400159	400109	45.7
White	3M 8yr 3630-20 White	Clear Permanent	400138	400088	45.7
Yellow	3M 8yr 3630-015 Yellow	Clear Permanent	400141	400091	45.7

# Cut Colour Vinyl

## 3M 3730 Translucent

 <b>Yellow</b> 3730-015L PANTONE 116 C	 <b>Raspberry</b> 3730-133L <small>NEW</small>	 <b>European Blue</b> 3730-137L
 <b>Golden Yellow</b> 3730-125L PANTONE 1235 C	 <b>Plum Purple</b> 3730-128L <small>NEW</small>	 <b>Teal Green</b> 3730-246L <small>NEW</small>
 <b>Orange</b> 3730-44L	 <b>Blue</b> 3730-36L	 <b>Holly Green</b> 3730-76L <small>NEW</small>
 <b>Light Tomato Red</b> 3730-43L PANTONE 1795 C	 <b>Sultan Blue</b> 3730-157L	 <b>Green</b> 3730-26L PANTONE 7727 C
 <b>Red</b> 3730-33L PANTONE 186 C	 <b>Olympic Blue</b> 3730-57L <small>NEW</small>	 <b>Vivid Green</b> 3730-156L PANTONE 348 C
 <b>Dark Red</b> 3730-73L PANTONE 7621 C	 <b>Process Blue</b> 3730-337L	 <b>Brilliant Green</b> 3730-106L
 <b>Cardinal Red</b> 3730-53L PANTONE 200 C	 <b>Intense Blue</b> 3730-127L	 <b>White</b> 3730-20L
 <b>Regal Red</b> 3730-83L <small>NEW</small>	 <b>Bright Blue</b> 3730-167L PANTONE 2935 C	
 <b>Burgundy</b> 3730-49L <small>NEW</small>	 <b>Bristol Blue</b> 3730-97L	

## 3M 3630 Translucent

 <b>Yellow</b> 3630-015 PANTONE 116 C	 <b>Light Tomato Red</b> 3630-43
 <b>Marigold</b> 3630-75 PANTONE 7549 C	 <b>Poppy Red</b> 3630-143 PANTONE 485 C
 <b>Sunflower</b> 3630-25 PANTONE 130 C	 <b>Scarlet</b> 3630-163 <small>NEW</small>
 <b>Golden Yellow</b> 3630-125 PANTONE 1235 C	 <b>Fire Engine Red</b> 3630-93 <small>NEW</small>
 <b>Autumn Yellow</b> 3630-235 <small>NEW</small>	 <b>Red</b> 3630-33 PANTONE 1797 C
 <b>Yellow Rose</b> 3630-135 <small>NEW</small>	 <b>Dark Red</b> 3630-73 PANTONE 7621 C
 <b>Poppy Orange</b> 3630-144 <small>NEW</small>	 <b>Cardinal Red</b> 3630-53 PANTONE 187 C
 <b>Kumquat Orange</b> 3630-74 PANTONE 151 C	 <b>Regal Red</b> 3630-83
 <b>Tangerine</b> 3630-84 PANTONE 1575 C	 <b>Burgundy</b> 3630-49
 <b>Orange</b> 3630-44	 <b>Berry Burgundy</b> 3630-328 <small>NEW</small>
 <b>Burnt Orange</b> 3630-124 <small>NEW</small>	 <b>Intense Magenta</b> 3630-118 PANTONE 241 C <small>NEW</small>

# Cut Colour Vinyl

 <b>Fuchsia</b> 3630-38 <small>NEW</small>	 <b>Sultan Blue</b> 3630-157 PANTONE 287 C	 <b>Infinity Blue</b> 3630-187 <small>NEW</small>	 <b>Kentucky Blue Grass</b> 3630-276 <small>NEW</small>	 <b>Dark Brown</b> 3630-59
 <b>Raspberry</b> 3630-133 PANTONE 220 C	 <b>Deep Sea Blue</b> 3630-217 <small>NEW</small>	 <b>European Blue</b> 3630-137 PANTONE 2757 C	 <b>Forest</b> 3630-196 <small>NEW</small>	 <b>Duranodic</b> 3630-69 PANTONE Black 7 C
 <b>Electric Pink</b> 3630-98 <small>NEW</small>	 <b>Azure</b> 3630-227 <small>NEW</small>	 <b>Glacial Green</b> 3630-56 <small>NEW</small>	 <b>Light Kelly Green</b> 3630-146 PANTONE 340 C	 <b>Silver</b> 3630-121 PANTONE 877 C
 <b>Vivid Rose</b> 3630-78 PANTONE 206 C	 <b>Light European Blue</b> 3630-147 PANTONE 7690 C	 <b>Blue Coral</b> 3630-216 <small>NEW</small>	 <b>Vivid Green</b> 3630-156	 <b>Gold Nugget</b> 3630-141
 <b>Plum Purple</b> 3630-128 PANTONE 525 C	 <b>Olympic Blue</b> 3630-57	 <b>Teal Green</b> 3630-246 PANTONE 321 C	 <b>Lime Green</b> 3630-136 PANTONE 360 C	 <b>Gold Metallic</b> 3630-131 PANTONE 872 C
 <b>Bright Violet</b> 3630-158 <small>NEW</small>	 <b>Process Blue</b> 3630-337	 <b>Turquoise</b> 3630-236 PANTONE 3282 C	 <b>Brilliant Green</b> 3630-106 PANTONE 368 C	 <b>Dover White</b> 3630-111 <small>NEW</small>
 <b>Indigo</b> 3630-77 <small>NEW</small>	 <b>Intense Blue</b> 3630-127 PANTONE 300 C	 <b>Blue Lagoon</b> 3630-86 <small>NEW</small>	 <b>Light Lemon Yellow</b> 3630-115	 <b>White</b> 3630-20
 <b>Royal Blue</b> 3630-87 PANTONE 2745 C	 <b>Bright Blue</b> 3630-167 PANTONE 2945 C	 <b>Jade Green</b> 3630-316 <small>NEW</small>	 <b>Ivory</b> 3630-005 PANTONE 7500 C	 <b>Shadow Gray</b> 3630-71 PANTONE Warm Gray 7 C
 <b>Electric Blue</b> 3630-27 <small>NEW</small>	 <b>Bristol Blue</b> 3630-97	 <b>Dark Emerald Green</b> 3630-126 PANTONE 3425 C	 <b>Light Beige</b> 3630-149	 <b>Silver Gray</b> 3630-51
 <b>Blue</b> 3630-36 PANTONE 281 C	 <b>Sapphire</b> 3630-37 <small>NEW</small>	 <b>Green</b> 3630-26 PANTONE 7727 C	 <b>Warm Beige</b> 3630-39 <small>NEW</small>	 <b>Slate Gray</b> 3630-61
 <b>Patriot Blue</b> 3630-47 <small>NEW</small>	 <b>Marine Blue</b> 3630-287 <small>NEW</small>	 <b>Holly Green</b> 3630-76 PANTONE 7734 C	 <b>Rust Brown</b> 3630-63 PANTONE 7610 C	 <b>Black</b> 3630-22 PANTONE Black C

### Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

### Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

# Cut Colour Vinyl

## 3M 3730 Translucent

Premium Cut SAV



- Translucent, matte premium cast vinyl, with a clear permanent adhesive and a translucent, synthetic lay-flat liner.
- Available in 20 crisp, clear colors (many with simulated PANTONE colour references)
- Suitable for use with LED bulbs
- Suitable for screen printing, cut graphics and thermoforming
- Matte surface finish eliminates glare and provides uniform colour in reflected and transmitted light
- Perfect for long life LED backlit applications on flat surfaces
- Up to 9 years external unprinted vertical durability

Colour	Material Description	Adhesive	Material Width 1220 (mm)	Length (m)
Red	3M 8yr 3730-33L Red	Clear Permanent	400525	45.7
Dark Red	3M 8yr 3730-73L Dark Red	Clear Permanent	400526	45.7
Cardinal Red	3M 8yr 3730-53L Cardinal Red	Clear Permanent	400527	45.7
Light Tomato Red	3M 8yr 3730-43L Light Tomato Red	Clear Permanent	400528	45.7
Orange	3M 8yr 3730-44L Orange	Clear Permanent	400529	45.7
Golden Yellow	3M 8yr 3730-125L Golden Yellow	Clear Permanent	400530	45.7
Yellow	3M 8yr 3730-015L Yellow	Clear Permanent	400531	45.7
Light Gold	3M 8yr 3730-35L Light Gold	Clear Permanent	400532	45.7
Black	3M 8yr 3730-22L Black	Clear Permanent	400533	45.7
White	3M 8yr 3730-20L White	Clear Permanent	400534	45.7
Blue	3M 8yr 3730-36L Blue	Clear Permanent	400535	45.7
Bristol Blue	3M 8yr 3730-97L Bristol Blue	Clear Permanent	400536	45.7
Intense Blue	3M 8yr 3730-127L Intense Blue	Clear Permanent	400537	45.7
European Blue	3M 8yr 3730-137L European Blue	Clear Permanent	400538	45.7
Sultan Blue	3M 8yr 3730-157L Sultan Blue	Clear Permanent	400539	45.7
Bright Blue	3M 8yr 3730-167L Bright Blue	Clear Permanent	400540	45.7
Process Blue	3M 8yr 3730-337L Process Blue	Clear Permanent	400541	45.7
Green	3M 8yr 3730-26L Green	Clear Permanent	400542	45.7
Vivid Green	3M 8yr 3730-156L Vivid Green	Clear Permanent	400543	45.7
Brilliant Green	3M 8yr 3730-106L Brilliant Green	Clear Permanent	400544	45.7

# Cut Colour Vinyl

## 3M Scotchcal 50 Series

Intermediate Cut SAV



- High gloss, intermediate polymeric vinyl with clear removable adhesive (up to 3 years) and a kraft liner
- Clean, crisp cutting and weeding down to 9.5mm
- Up to 5 years unprinted vertical durability
- For general signage, logos emblems and lettering for vehicles and windows
- For flat rigid or simple curved surfaces
- Suitable for electro-cut and Screen printing



Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length (m)
Aluminium	3M 5yr SC50-58 Aluminium	Clear Permanent	400197	400201	50
Anthracite	3M 5yr SC50-585 Anthracite	Clear Permanent	450354	450073	50
Apricot	3M 5yr SC50-28 Apricot	Clear Permanent	450087	450086	50
Aqua	3M 5yr SC50-792 Aqua	Clear Permanent	450417	450396	50
Azure Blue	3M 5yr SC50-84 Azure Blue	Clear Permanent	400198	400204	50
Beige	3M 5yr SC50-914 Beige	Clear Permanent	450419	450398	50
Black	3M 5yr SC50-12 Black	Clear Permanent	400194	400211	50
Bright Green	3M 5yr SC50-745 Bright Green	Clear Permanent	450403	450382	50
Bright Orange	3M 5yr SC50-34 Bright Orange	Clear Permanent	400195	400203	50
Bright Red	3M 5yr SC50-42 Bright Red	Clear Permanent	450404	450383	50
Bright Yellow	3M 5yr SC50-25 Bright Yellow	Clear Permanent	450302	450301	50
Brilliant Blue	3M 5yr SC50-87 Brilliant Blue	Clear Permanent	450416	450395	50
Brown	3M 5yr SC50-92 Brown	Clear Permanent	450412	450391	50
Burgundy	3M 5yr SC50-49 Burgundy	Clear Permanent	450381	450380	50
Cardinal Red	3M 5yr SC50-473 Cardinal Red	Clear Permanent	450097	450096	50
Dark Aqua	3M 5yr SC50-795 Dark Aqua	Clear Permanent	450421	450400	50
Dark Green	3M 5yr SC50-78 Dark Green	Clear Permanent	450379	450378	50
Dark Red	3M 5yr SC50-485 Dark Red	Clear Permanent	450377	450376	50
Dark Sahara	3M 5yr SC50-917 Dark Sahara	Clear Permanent	450420	450399	50
Deep Navy Blue	3M 5yr SC50-90 Deep Navy Blue	Clear Permanent	450310	450309	50
Deep Red	3M 5yr SC50-486 Deep Red	Clear Permanent	450406	450385	50
Fawn	3M 5yr SC50-912 Fawn	Clear Permanent	450418	450397	50
Gold	3M 5yr SC50-54 Gold	Clear Permanent	400196	400202	50
Grass Green	3M 5yr SC50-73 Grass Green	Clear Permanent	450266	450265	50
Green	3M 5yr SC50-74 Green	Clear Permanent	400191	400205	50
Grey	3M 5yr SC50-96 Grey	Clear Permanent	450278	450277	50
Grey White	3M 5yr SC50-93 Grey White	Clear Permanent	450352	450351	50
Insignia blue	3M 5yr SC50-905 Insignia Blue	Clear Permanent	450410	450389	50
Ivory	3M 5yr SC50-91 Ivory	Clear Permanent	450411	450390	50

# Cut Colour Vinyl

Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length (m)
Lavender	3M 5yr SC50-65 Lavender	Clear Permanent	450422	450401	50
Leaf Green	3M 5yr SC50-77 Leaf Green	Clear Permanent	450414	450393	50
Lemon Yellow ZG34	3M 5yr SC50-24 Lemon Yellow	Clear Permanent	450290	450289	50
Light Blue	3M 5yr SC50-82 Light Blue	Clear Permanent	450264	450263	50
Light Green	3M 5yr SC50-72 Light Green	Clear Permanent	450375	450374	50
Light Grey	3M 5yr SC50-94 Light Grey	Clear Permanent	450306	450305	50
Light Magenta	3M 5yr SC50-62 Light Magenta	Clear Permanent	450415	450394	50
Light Red	3M 5yr SC50-445 Light Red	Clear Permanent	450304	450303	50
Magenta	3M 5yr SC50-63 Magenta	Clear Permanent	400190	400208	50
Marine Blue	3M 5yr SC50-884 Marine Blue	Clear Permanent	450312	450311	50
Matt Black	3M 5yr SC50-120 Matt Black	Clear Permanent	450275	450274	50
Matt White	3M 5yr SC50-100 Matt White	Clear Permanent	400188	400212	50
Medium Brown	3M 5yr SC50-918 Medium Brown	Clear Permanent	450423	450402	50
Medium Green	3M 5yr SC50-76 Medium Green	Clear Permanent	400280	400281	50
Medium Red	3M 5yr SC50-475 Medium Red	Clear Permanent	400282	400283	50
Nimbus Grey	3M 5yr SC50-97 Nimbus Grey	Clear Permanent	400286	400287	50
Orange	3M 5yr SC50-32 Orange	Clear Permanent	400192	400207	50
Pastel Blue	3M 5yr SC50-83 Pastel Blue	Clear Permanent	450413	450392	50
Pink	3M 5yr SC50-64 Pink	Clear Permanent	450408	450387	50
Purple	3M 5yr SC50-66 Purple	Clear Permanent	450407	450386	50
Red	3M 5yr SC50-48 Red	Clear Permanent	450532	450372	50
Sapphire Blue	3M 5yr SC50-88 Sapphire Blue	Clear Permanent	400284	400285	50
Sky Blue	3M 5yr SC50-834 Sky Blue	Clear Permanent	450355	450079	50
Soft blue	3M 5yr SC50-81 Soft Blue	Clear Permanent	450409	450388	50
Sunflower Yellow	3M 5yr SC50-275 Sunflower Yellow	Clear Permanent	400193	400209	50
Teal	3M 5yr SC50-79 Teal	Clear Permanent	450405	450384	50
Tomato Red	3M 5yr SC50-465 Tomato Red	Clear Permanent	400199	400206	50
Transparent	3M 5yr SC50-11 Transparent	Clear Permanent	450371	450370	50
Vivid Blue	3M 5yr SC50-862 Vivid Blue	Clear Permanent	400189	400210	50
White	3M 5yr SC50-10 White	Clear Permanent	400200	400213	50
Yellow	3M 5yr SC50-265 Yellow	Clear Permanent	450356	450074	50

# Cut Colour Vinyl

## 3M Scotchcal 50 Series



**Can't find your colour?**  
 Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

**Other product series**  
 Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

# Cut Colour Vinyl

# Cut Colour Vinyl

## 3M 3635-20B/22B Blockout Film

### Light Management Films



- Cast, matte, 100% opaque, white and black blockout self adhesive films
- 3635-22B (400481) is a black blockout film with white backing and a clear permanent adhesive
- May be printed with 3M Screen Printing Ink Series 1900
- 3635-20B (400480) is a white blockout film with black backing and a clear permanent adhesive
- Used to control light flow in internally illuminated signs
- Up to 5 years unprinted vertical durability



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400481	3M 5yr SAV 3635-22B MBBP	Matt Black	Clear Permanent	1220	45.7
400480	3M 5yr SAV 3635-20B MWBP	Matt White	Clear Permanent	1220	45.7

## 3M 3635-91 Day/Night Film

### Light Management Films



- A matte, translucent, grey, cast film with a clear permanent adhesive
- Used in internally-illuminated signs to produce special effects
- Up to 4 years unprinted vertical durability
- Appears grey by day, and white by night when illuminated from behind
- Not suitable for printing



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400482	3M 4yr SAV 3635-91 Smoke Grey	Smoke Grey	Clear Permanent	1220	45.7

## 3M 3635-30/70 Diffuser Film

### Light Management Films



- A cast, matte, white translucent film with clear permanent adhesive
- Suitable for Internally-illuminated signs with fluorescent lights
- Create custom lighting effects for backlit applications
- Up to 5 years unprinted vertical durability
- 2 transmission levels - 3635-30 (400485) allows for 30% light transmission & 3635-70 (400483) allows for 60% light transmission
- Control brightness and light distribution within light boxes without hotspots
- Not suitable for printing



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400485	3M 5yr SAV 3635-30 Diffuser White	White	Clear Permanent	1220	45.7
400483	3M 5yr SAV 3635-70 Diffuser White	White	Clear Permanent	1220	45.7

## 3M 3635-210/222 Dual Colour Films

### Light Management Films



- Perforated cast film
- 3635-222 (400487) black matt perforated cast film with a clear permanent adhesive
- Dual-color perforation pattern lets background color/image display when backlit
- Suitable for Screen Printing and Solvent Inkjet Printing
- 3635-210 (400486) white matt perforated cast film with a white permanent adhesive
- Create the special effect of a color/image by day (non lighted) and a different color by night (backlit) - use with 3M Translucent films
- Perfect for backlit vertical displays, lettering and signage
- Up to 5 years unprinted vertical durability



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400487	3M 5yr SAV 3635-222 Dual Colour Black	Matt Black	Clear Permanent	1220	45.7
400486	3M 5yr SAV 3635-210 Dual Colour White	Matt White	Clear Permanent	1220	45.7

## 3M 3635-100 Light Enhancement Film

### Light Management Films



- 3635-100 is a unique, matte white, highly diffused reflective polymeric film with a white, permanent adhesive
- Specifically made to maximise light in internally illuminated signs
- Up to 5 years unprinted vertical durability
- 94% reflectivity increases light output for greater sign luminance and reduces hot spots
- Not suitable for printing



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400484	3M 5yr SAV 3635-100 Enhance MWP	Matt White	Clear Permanent	1220	45.7

## 3M 3635-110 Chrome Translucent Film

### Light Management Films



- 3-mil translucent film that reflects light to produce a glossy chrome appearance in a finished graphic
- Made as first or second surface on any flat plastic sheet or graphics thermoformed on a high temperature copolyester sheet
- 17% Light Transmission
- Indoor and outdoor single film layer signs mounted in an internally-illuminated sign box
- Up to 9 years of outdoor durability



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451609	3M 5yr SAV 3635-110 Chrome	Chrome	Clear Permanent	1220	45.7

# Cut Colour Vinyl

## Aslan CR62 Blackboard SAV

White and Blackboard Films

- Self adhesive blackboard film, ideal for offices, menu boards, or interiors
- Suitable for Chalk
- Printable with UV inks
- Scratch resistant surface for easy erasing without ghosting
- 2 year outdoor durability



Material	Material Description	Colour	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
400548	ASLAN SAV CR62 Blackboard	Matt Black	130	Clear Permanent	1370	25

## Dry Erase Laminate

White and Blackboard Films

- Laminates graphics, decals and unprinted substrates, to allow them to be used with dry erase pens




Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400549	Concept LAM 111-54 Dry Erase	Clear	Dry Erase Clear	1370	45.7

# Sign and display

Sign and display solutions for the following end uses:

- Internal POS, POP and retail solutions
- Vehicle graphics and traffic management
- Interior fit-out & architectural finishes
- Corporate signage
- Window Films
- External POS & POP displays



Contact your local Spicers representative for your Sign and display applications brochure.  
**1300 132 644 spicers.com.au**

Make the world a brighter place with our reflectives. Films suitable for traffic, commercial signage, stickers, labels and anywhere you need high visibility are covered by the range. There's loads of colours, lots of grades, and heaps of features.

# Reflectives



# Reflectives

## 3M 983 Series: Diamond Grade Vehicle Tapes

### 3M Conspicuity Tapes



- Diamond Grade vehicle marking tapes for use on rigid sided vehicles, objects, machinery and equipment
- Edge sealed
- Sold as full rolls only
- Segmented tapes can be used to curve around more complex shapes, as an alternative to the 997 series
- Compliant to AS/NZS 1906.2 Class 1A



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
193819	3M 983-72ES RED KissCut/100mm	Red	Clear Permanent	50	45.7
169260	3M 983-72S Tank Red	Red	Clear Permanent	52	45.7
193818	3M 983-10ES WHITE KissCut/100mm	White	Clear Permanent	50	45.7
169259	3M 983-10 ES Tank White	White	Clear Permanent	52	45.7
169257	3M 983-10 ES White	White	Clear Permanent	101	45.7
169261	3M 983-71S Tank Yellow	Yellow	Clear Permanent	52	45.7

## 3M 983-32 Series Red and White

### 3M Conspicuity Tapes



- Red and white alternating blocks, for use on rigid sided vehicles, objects, machinery and equipment
- Compliant to AS/NZS 1906.2 Class 1A
- Edge sealed
- Sold as full rolls only



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169262	3M 983-32 ES Red/White	Red/White	Clear Permanent	50	45.7
169263	3M 983-32 ES Red/White	Red/White	Clear Permanent	75	45.7
169264	3M 983-32 ES Red/White	Red/White	Clear Permanent	100	45.7

## 3M 997 Series Flexible Marking (Continuous)

### 3M Conspicuity Tapes



- Continuous flexible vehicle marking tape for use on flexible truck sides (including truck curtain and canvas sides) or curved surfaces
- Compliant to AS/NZS 1906.2 Class 1A
- UN/ECE104 Approved
- Edge sealed tape



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169272	3M 997-10 ECE White	White	Clear Permanent	51	50
169273	3M 997-71 ECE Yellow	Yellow	Clear Permanent	51	50
169274	3M 997-72 ECE Red	Red	Clear Permanent	51	50

# Reflectives

## 3M 997S Series Flexible Marking (Segmented)

### 3M Conspicuity Tapes



- Segmented flexible vehicle marking tape
- Edge sealed tape
- Segmented versions give added flexibility to cover awkward contours
- UN/ECE104 Approved. Compliant to AS/NZS 1906.2 Class 1A



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
192271	3M 997-10S ES ECE DG White	White	Clear Permanent	51	50
192272	3M 997-71S ES ECE DG Yellow	Yellow	Clear Permanent	51	50
169043	3M 997-72S ES ECE DG Red	Red	Clear Permanent	51	50

## 3M 983-23 - Diamond Grade

### 3M Conspicuity Tapes



- Diamond grade fluorescent yellow green vehicle marking tapes for use in mining environments, or in high risk pedestrian safety zones
- 9963 ES Compliant to AU/NZS compliant to AU/NZS 1906.1 Class 1.
- 83-23 compliant to AS/NZS 1906.2 Class 1A
- Edge sealed tape



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
169033	3M 983-23 ES Fluoro Yellow/Green	Fluoro Yellow/Green	Clear Permanent	50	45.7
192131	3M 983-23 ES Fluoro Yellow/Green	Fluoro Yellow/Green	Clear Permanent	76	45.7
169265	3M 983-23 ES Fluoro Yellow/Green	Fluoro Yellow/Green	Clear Permanent	101	45.7

## 3M Diamond Grade Retail Packs

### 3M Conspicuity Tapes



- Edge Sealed Retail Packs



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
193195	3M 983-23 ES Retail Fluoro Yellow/Green	Fluoro Yellow/Green	Clear Permanent	50	15.0
193813	3M 983-23 NL HC Retail Fluoro Yellow/Green	Fluoro Yellow/Green	Clear Permanent	76	15.0
192132	3M 983-72 ES Retail Red	Red	Clear Permanent	51	15.0
169256	3M 983-72 ES Retail Red	Red	Clear Permanent	101	15.0
195069	3M 983-10 ES Mini Retail White	White	Clear Permanent	50	3.0
192134	3M 983-10 ES Retail White	White	Clear Permanent	51	15.0
169255	3M 983-10 ES Retail White	White	Clear Permanent	101	15.0
169268	3M 983-71 ES Retail Yellow	Yellow	Clear Permanent	51	15.0
169270	3M 997-71 ES Retail Yellow	Yellow	Clear Permanent	51	15.0

# Reflectives

## 3M Diamond Grade Mini Retail Packs

### 3M Conspicuity Tapes



• Edge Sealed Retail Packs



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
195070	3M 983-23 ES Mini Retail Fluoro Yellow/Green	Fluoro Yellow/Green	Clear Permanent	50	3.0
195072	3M 983-72 ES Mini Retail Red	Red	Clear Permanent	50	3.0
169269	3M 997-10 ES Retail White	White	Clear Permanent	51	15.0
195071	3M 983-71 ES Mini Retail Yellow	Yellow	Clear Permanent	50	3.0

## 3M 680CR Reflective

### 3M Signage Reflective



- Printable, enclosed lens reflective vinyl with a clear, removable Comply adhesive and PE coated kraft liner
- For vertical, flat, curved or corrugated surfaces, with or without rivets
- Up to 8 years unprinted vertical durability
- Suitable for solvent, eco-solvent, UV-curable and latex
- Comply adhesive for easy and fast bubble-free installations
- Similar daytime and nighttime appearance that retains most of its reflectivity when wet
- For use with overlaminates 8518, 8519, 8993, 8520, 85489, 8549L & 8550M



Colour	Material Description	Adhesive	Material Width 610 (mm)	Material Width 1220 (mm)	Length 45.7 (m)
Blue	3M 8yr Reflective BLUE 680CR-75 610	Clear Repositionable	400411	400417	45.7
Green	3M 8yr Reflective GREEN 680CR-77 610	Clear Repositionable	400413	400419	45.7
Yellow	3M 8yr Reflective YELLOW 680CR-71 610	Clear Repositionable	400289	400288	45.7
White	3M 8yr Reflective WHITE IJ680CR-10 610	Clear Repositionable	400235	400234	45.7
Gold	3M 8yr Reflective GOLD 680CR-64 610	Clear Repositionable	400410	400416	45.7
Black	3M 8yr Reflective BLACK 680CR-85 610	Clear Repositionable	400237	400236	45.7
Light Blue	3M 8yr Reflective LT BLUE 680CR-76 610	Clear Repositionable	400412	400418	45.7
Orange	3M 8yr Reflective ORANGE 680CR-14 610	Clear Repositionable	400409	400415	45.7
Red	3M 8yr Reflective RED 680CR-72 610	Clear Repositionable	400239	400238	45.7
Lemon Yellow	3M 8yr Reflective LEMON YEL 680CR-81 610	Clear Repositionable	400414	400420	45.7

# Reflectives

## 3M 780mC Reflective

### 3M Signage Reflective



- 6.6-mil, flexible, enclosed lens, retroreflective available in white only
- Excellent retroreflectivity at wider viewing angles
- Pressure-activated adhesive for easy sliding and tacking, snap-up and repositioning
- Suitable for solvent, eco-solvent, UV-curable and latex
- Flexible, conforms to compound curves, corrugations, and rivets
- Includes Comply Adhesive for fast, easy bubble-free installations
- Expected Performance Life of 9 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- For use with 3M overlaminates 8548G, 8549L & 8550M



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451265	3M SAV 780MC-10R	White	Clear Repositionable	1220	45.7

## 3M 1170 Transparent

### 3M Signage Reflective



- Transparent, acrylic, coloured film with permanent acrylic adhesive and transparent film release liner
- developed to provide optimal cutting, weeding, lifting, and transfer features when used with electronic cutting machines
- Used for applications over 3M Reflective Sheeting to produce durable sign backgrounds, copy, and logos
- Available in a range of colours



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400077	3M Electrocut 1171 Yellow	Yellow	Clear Permanent	1220	45.7
400078	3M Electrocut 1172 Red	Red	Clear Permanent	1220	45.7
400079	3M Electrocut 1175 Blue	Blue	Clear Permanent	1220	45.7
400080	3M Electrocut 1176 Green	Green	Clear Permanent	1220	45.7
400081	3M Electrocut 1178 Black	Black	Clear Permanent	1220	45.7
450816	3M Electrocut 1179C Brown	Brown	Clear Permanent	1220	45.7
450513	3M Electrocut 1170 Clear	Clear	Clear Permanent	1220	45.7

## 3M 3800 Reflective

### 3M Signage Reflective



- 3M Class 1 high intensity prismatic reflective with a clear permanent adhesive
- Specifically designed for reflective road work zone traffic signs & delineators



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
451130	3M C1 Reflective 3824 Fluoro Orange	Fluoro Orange	Clear Permanent	1220	45.7
450945	3M C1 Reflective 3830 White	White	Clear Permanent	1220	45.7
450946	3M C1 Reflective 3831 Yellow	Yellow	Clear Permanent	1220	45.7
450513	3M Electrocut 1170 Clear	Clear	Clear Permanent	1220	45.7

# Reflectives

# Reflectives

## 3M 3930 Reflective

### 3M Signage Reflective



- High intensity prismatic Class 1W reflective with a permanent adhesive
- Provides long-term reflectivity and durability
- Non-metalized microprismatic lens reflective designed for production of reflective durable traffic control signs, work zone devices and delineators that are exposed vertically in service
- Available in a range of colours



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400008	3M C1 Reflective 3930 White	White	Clear Permanent	1220	45.7
400407	3M C1 Reflective 3930 White NES	White	Clear Permanent	610	45.7
400009	3M C1 Reflective 3931 Yellow	Yellow	Clear Permanent	1220	45.7
400408	3M C1 Reflective 3931 Yellow NES	Yellow	Clear Permanent	610	45.7
451281	3M C1 Reflective 3932 Red	Red	Clear Permanent	1220	45.7
451282	3M C1 Reflective 3935 Blue	Blue	Clear Permanent	1220	45.7

## 3M 4000 Reflective

### 3M Signage Reflective



- 3M Diamond Grade DG3, Class 1 reflective with a permanent adhesive
- DG3 sheeting is designed to have the highest retroreflective characteristics at medium and short road distances
- Available in a range of standard and fluoro colours
- Super-high efficiency, full cube retroreflective designed for the production of traffic control signs and delineators that are exposed vertically in service
- Can be used with the 1170 Transparent films



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400006	3M C1W Reflective 4081 Fluoro Yellow	Fluoro Yellow	Clear Permanent	1220	45.7
450272	3M C1W Reflective 4081 Fluoro Yellow NES	Fluoro Yellow	Clear Permanent	610	45.7
400401	3M C1W Reflective 4083 Fluoro Yellow/Green NES	Fluoro Yellow/Green	Clear Permanent	610	45.7
400005	3M C1W Reflective 4083 Fluoro Yellow/Green	Fluoro Yellow/Green	Clear Permanent	1220	45.7
400007	3M C1W Reflective 4084 Fluoro Orange	Fluoro Orange	Clear Permanent	1220	45.7
400004	3M C1W Reflective 4090 White	White	Clear Permanent	1220	45.7
400404	3M C1W Reflective 4090 White NES	White	Clear Permanent	610	45.7
400405	3M C1W Reflective 4091 Yellow	Yellow	Clear Permanent	1220	45.7
400406	3M C1W Reflective 4091 Yellow NES	Yellow	Clear Permanent	610	45.7
450965	3M C1W Reflective 4095 Blue	Blue	Clear Permanent	1220	45.7

## 3M 3200 Reflective

### 3M Signage Reflective




- Class 2 Engineer Grade Reflective with clear permanent adhesive
- Suitable for general signage and non-critical traffic signs



Material	Material Description	Colour	Adhesive	Width (mm)	Length (m)
400082	3M C2 Reflective 3271 Yellow	Yellow	Clear Permanent	1220	45.7
400400	3M C2 Reflective 3271 Yellow	Yellow	Clear Permanent	610	45.7
400083	3M C2 Reflective 3272 Red	Red	Clear Permanent	1220	45.7
450843	3M C2 Reflective 3272 Red	Red	Clear Permanent	610	45.7
400084	3M C2 Reflective 3275 Blue	Blue	Clear Permanent	1220	45.7
451363	3M C2 Reflective 3275 Blue	Blue	Clear Permanent	610	45.7
400085	3M C2 Reflective 3277 Green	Green	Clear Permanent	1220	45.7
400086	3M C2 Reflective 3290 White	White	Clear Permanent	1220	45.7
400399	3M C2 Reflective 3290 White	White	Clear Permanent	610	45.7

# Reflectives

## 3M™ Diamond Grade™ (DG3) Reflective Sheeting Series 4000 - Class 1 (C1W)




## 3M™ High Intensity Prismatic™ (HIP) Reflective Sheeting Series 3900 - Class 1 (C1)



## 3M™ High Intensity Prismatic™ (HIP) Reflective Sheeting Series 3800 - Class 1 (C1)




## 3M™ Engineer Grade™ (EG) Reflective Sheeting Series 3200 - Class 2 (C2)



# Reflectives

## 3M™ Conspicuity Markings Traffic Safety & Security Series 983 & 997 - Class 1A (C1A)




**Can't find your colour?**  
Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.


**Other product series**  
Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

## 3M™ Scotchlite™ Reflective Graphic Film Series 680

## 3M™ Scotchlite™ Removable Reflective Graphic Film with Comply™ Adhesive Series 680CR



## 3M™ Scotchlite™ ElectroCut™ Cuttable Film (ECF) Series 1170



OEM ink and toner for a vast range of digital wide and grand format printers are part of our offering. These include Mimaki®, and Roland.

# Ink

## Mimaki ES3 Ink

Solvent

- Eco-solvent ink for Mimaki CJV30, JV33 & JV5 printers
- Cross check vendor part number to confirm compatibility with your machine



Material	Material Description	Colour	Volume (ml)
188984	Mimaki ES3 Ink (Solvent)	Black	440
188983	Mimaki ES3 Ink (Solvent)	Cyan	440
188985	Mimaki ES3 Ink (Solvent)	Light Cyan	440
188987	Mimaki ES3 Ink (Solvent)	Light Magenta	440
188986	Mimaki ES3 Ink (Solvent)	Magenta	440
188988	Mimaki ES3 Ink (Solvent)	Yellow	440

## Mimaki SS21 Ink

Solvent

- Mimaki mild solvent ink for Mimaki JV33, CJV33 & JV300 printers
- Cross check vendor part number to confirm compatibility with your machine



Material	Material Description	Colour	Volume (ml)
194244	Mimaki SS21 Ink (Solvent)	Silver	220
167918	Mimaki SS21 Ink (Solvent)	White	220
167930	Mimaki SS21 Ink (Solvent)	Black	2000
167927	Mimaki SS21 Ink (Solvent)	Cyan	2000
167931	Mimaki SS21 Ink (Solvent)	Light Cyan	2000
167932	Mimaki SS21 Ink (Solvent)	Light Magenta	2000
167933	Mimaki SS21 Ink (Solvent)	Orange	2000
167929	Mimaki SS21 Ink (Solvent)	Yellow	2000
167928	Mimaki SS21 Ink (Solvent)	Magenta	2000
167934	Mimaki SS21 Ink (Solvent)	Light Black	2000
167922	Mimaki SS21 Ink (Solvent)	Black	440
167919	Mimaki SS21 Ink (Solvent)	Cyan	440
167923	Mimaki SS21 Ink (Solvent)	Light Cyan	440
167924	Mimaki SS21 Ink (Solvent)	Light Magenta	440
167925	Mimaki SS21 Ink (Solvent)	Orange	440
167921	Mimaki SS21 Ink (Solvent)	Yellow	440
167920	Mimaki SS21 Ink (Solvent)	Magenta	440
167926	Mimaki SS21 Ink (Solvent)	Light Black	440

## Mimaki BS3 Ink

Solvent

- Mimaki solvent ink for Mimaki JV33, CJV33 & JV300 printers
- Cross check vendor part number to confirm compatibility with your machine



Material	Material Description	Colour	Volume (ml)
167942	Mimaki BS3 Ink (Solvent)	Black	600
167939	Mimaki BS3 Ink (Solvent)	Cyan	600
167940	Mimaki BS3 Ink (Solvent)	Magenta	600
167941	Mimaki BS3 Ink (Solvent)	Yellow	600
167938	Mimaki BS3 Ink (Solvent)	Black	2000
167935	Mimaki BS3 Ink (Solvent)	Cyan	2000
167937	Mimaki BS3 Ink (Solvent)	Yellow	2000
167936	Mimaki BS3 Ink (Solvent)	Magenta	2000

## Mimaki LX100 Ink

Latex

- Mimaki latex ink for Mimaki JV400-160LX printers
- Cross check vendor part number to confirm compatibility with your machine



Material	Material Description	Colour	Volume (ml)
168506	Mimaki LX100 Ink (Latex)	White	220
168501	Mimaki LX101 Ink (Latex)	Black	600
168498	Mimaki LX101 Ink (Latex)	Cyan	600
168505	Mimaki LX101 Ink (Latex)	Green	600
168499	Mimaki LX101 Ink (Latex)	Magenta	600
168504	Mimaki LX101 Ink (Latex)	Orange	600
168500	Mimaki LX101 Ink (Latex)	Yellow	600

## Mimaki LUS-120 Ink

UV Curable



- Mimaki LED UV-Curable ink
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
193781	Mimaki LUS-120 Ink (UV)	Light Magenta	1000
193778	Mimaki LUS-120 Ink (UV)	Yellow	1000
193782	Mimaki LUS-120 Ink (UV)	White	1000
193777	Mimaki LUS-120 Ink (UV)	Magenta	1000
193780	Mimaki LUS-120 Ink (UV)	Light Cyan	1000
193776	Mimaki LUS-120 Ink (UV)	Cyan	1000
194964	Mimaki LUS-120 Ink (UV)	Clear	1000
193779	Mimaki LUS-120 Ink (UV)	Black	1000

## Mimaki LUS-150 Ink

UV Curable



- Mimaki LED UV-Curable ink
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
168514	Mimaki LUS-150 Ink (UV)	Black	1000
168511	Mimaki LUS-150 Ink (UV)	Cyan	1000
168512	Mimaki LUS-150 Ink (UV)	Magenta	1000
168515	Mimaki LUS-150 Ink (UV)	White	1000
168513	Mimaki LUS-150 Ink (UV)	Yellow	1000

## Mimaki LUS-170 Ink

UV Curable



- Mimaki LED UV-Curable ink
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
170754	Mimaki LUS-170 Ink (UV)	Black	1000
170755	Mimaki LUS-170 Ink (UV)	Cyan	1000
195478	Mimaki LUS-170 Ink (UV)	Light Cyan	1000
195477	Mimaki LUS-170 Ink (UV)	Light Magenta	1000
170757	Mimaki LUS-170 Ink (UV)	Magenta	1000
195476	Mimaki LUS-170 Ink (UV)	White	1000
170756	Mimaki LUS-170 Ink (UV)	Yellow	1000

## Mimaki LF-200 Ink

UV Curable



- Mimaki flexible LED ink for Mimaki UJF3042FX/HG & UJF6042 printers
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
167825	Mimaki LF-200 Ink (UV)	Black	600
167822	Mimaki LF-200 Ink (UV)	Cyan	600
167823	Mimaki LF-200 Ink (UV)	Magenta	600
167826	Mimaki LF-200 Ink (UV)	White	600
167824	Mimaki LF-200 Ink (UV)	Yellow	600

## Mimaki LH-100 Ink

UV Curable



- Mimaki hard LED ink for Mimaki UJF3042FX/HG & UJF6042 printers
- Cross check vendor part number to confirm compatibility with your machine

Material	Material Description	Colour	Volume (ml)
191313	Mimaki LH100 Ink Hard LED (UV)	Black	600
191315	Mimaki LH100 Ink Hard LED (UV)	Clear	600
191310	Mimaki LH100 Ink Hard LED (UV)	Cyan	600
191311	Mimaki LH100 Ink Hard LED (UV)	Magenta	600
191314	Mimaki LH100 Ink Hard LED (UV)	White	600
191312	Mimaki LH100 Ink Hard LED (UV)	Yellow	600
192978	Mimaki LH100 Ink Hard LED (UV)	Black	1000
192981	Mimaki LH100 Ink Hard LED (UV)	Clear	1000
192980	Mimaki LH100 Ink Hard LED (UV)	Cyan	1000
192979	Mimaki LH100 Ink Hard LED (UV)	Magenta	1000
192977	Mimaki LH100 Ink Hard LED (UV)	White	1000
192976	Mimaki LH100 Ink Hard LED (UV)	Yellow	1000

## Roland Eco Sol Max

Solvent

- Roland Eco Sol Max ink
- Eco Solvent ink



Material	Material Description	Colour	Volume (ml)
194992	Roland Eco Sol Max Ink	Black	220
194993	Roland Eco Sol Max Ink	Cyan	220
194994	Roland Eco Sol Max Ink	Magenta	220
194995	Roland Eco Sol Max Ink	Yellow	220
195337	Roland Eco Sol Max Ink	Metallic Silver 291	220
170481	Roland Eco Sol Max Ink	Black	440
170482	Roland Eco Sol Max Ink	Cyan	440
170483	Roland Eco Sol Max Ink	Light Cyan	440
170484	Roland Eco Sol Max Ink	Light Magenta	440
170485	Roland Eco Sol Max Ink	Magenta	440
170486	Roland Eco Sol Max Ink	Yellow	440

## Roland Eco Sol Max V2

Solvent

- Roland Eco Sol Max 2 ink
- Eco Solvent Ink



Material	Material Description	Colour	Volume (ml)
170494	Roland Eco Sol Max V2 Ink	Metallic	220
170495	Roland Eco Sol Max V2 Ink	White	220
170487	Roland Eco Sol Max V2 Ink	Black	440
170488	Roland Eco Sol Max V2 Ink	Cyan	440
170489	Roland Eco Sol Max V2 Ink	Light Cyan	440
170490	Roland Eco Sol Max V2 Ink	Light Magenta	440
170491	Roland Eco Sol Max V2 Ink	Magenta	440
170492	Roland Eco Sol Max V2 Ink	Yellow	440
170493	Roland Eco Sol Max V2 Ink	Light Black	440

## Roland VG Series Ink

Solvent

- Roland VG TruVIS Series Ink
- Eco Solvent Ink



Material	Material Description	Colour	Volume (ml)
170496	Roland VG TrueVIS Ink	Black	500
170497	Roland VG TrueVIS Ink	Cyan	500
170498	Roland VG TrueVIS Ink	Light Cyan	500
170499	Roland VG TrueVIS Ink	Light Black	500
170500	Roland VG TrueVIS Ink	Light Magenta	500
170501	Roland VG TrueVIS Ink	Magenta	500
170502	Roland VG TrueVIS Ink	Yellow	500
170503	Roland VG TrueVIS Ink	White	500

## Roland VG2 Series Ink

Solvent

- Roland VG2 TruVIS Series Ink



Material	Material Description	Colour	Volume (ml)
196666	Roland VG2 TrueVIS Ink Black 500ml	Black	500
196672	Roland VG2 TrueVIS Ink Cyan 500ml	Cyan	500
196673	Roland VG2 TrueVIS Ink Light Black 500ml	Light Black	500
196674	Roland VG2 TrueVIS Ink Light Cyan 500ml	Light Cyan	500
196675	Roland VG2 TrueVIS Ink Lt Magenta 500ml	Light Magenta	500
196671	Roland VG2 TrueVIS Ink Magenta 500ml	Magenta	500
196664	Roland VG2 TrueVIS Ink White 500ml	White	500
196665	Roland VG2 TrueVIS Ink Yellow 500ml	Yellow	500



# Ink

## Roland EJ-640 Ink

Solvent

• Roland EJ Series Ink



Material	Material Description	Colour	Volume (ml)
170521	Roland EJ-640 Ink	Yellow	1000
170515	Roland EJ-640 Ink	Black	1000
170520	Roland EJ-640 Ink	Magenta	1000
170516	Roland EJ-640 Ink	Cyan	1000
170518	Roland EJ-640 Ink	Light Black	1000
170517	Roland EJ-640 Ink	Light Cyan	1000
170519	Roland EJ-640 Ink	Light Magenta	1000



# THE POWER TO EXCITE

Introducing TrueVIS VG2 Printer Cutters



# TrueVIS

VG2-640 / VG2-540

With more than 40 exciting enhancements, TrueVIS VG2 printer cutters are engineered to exceed the quality and production needs of today's most demanding print professionals, with prints that can be finished in as little as 6 hours\*. In addition to the superior vibrancy of new TR2 ink with orange, the 54-inch TrueVIS VG2-540 and 64-inch TrueVIS VG2-640 feature new colour management presets for superior colour reproduction, improved machine efficiency, and increased print and cut accuracy. Plus, prints are certified for quality and reliability with 3M™ and Avery™ product warranty available.

Visit [www.rolanddg.com.au/vg2](http://www.rolanddg.com.au/vg2) or call **1800 500 119** to book a demo.



Roland DG Academy





SOLUTIONS GUIDE

# Wide Format

## wide format printing and finishing equipment



For enquiries contact your local Spicers representative  
1300 132 644 spicers.com.au

## hardware solutions for any application

- POS, POP and retail
- External displays
- Vehicle graphics and traffic management
- Corporate signage
- Interior fit-out

Spicers hold a vast portfolio of wide format printing and finishing equipment.



Mimaki



Roland



FOTOPA



ROLLSROLLER  
FLATBED APPLICATOR



neolt  
Factory



kala



ALC  
Australian Laminating Company

**FINANCE OPTIONS**  
AVAILABLE ON ALL MACHINES



## Tapes

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
188737	Tissue Tape 740 D/S Transparent	Transparent	12	33	72
189219	Tissue Tape 745 D/S White	White	15	50	56
451330	Transfer Tape B300	Clear	12	33	72
451283	3M Adhesive Transfer Tape 467MP	Clear	1220	55	1
450884	3M Adhesive Transfer Tape 467MP	Clear	300	55	1
450486	3M VHB Tape 4941	Grey	24	33	1
450560	3M VHB Tape RP45	Grey	12	32.9	1
450427	3M Value Masking Tape 101+	Cream	24	55	36
450429	3M Value Masking Tape 101+	Cream	48	55	24
450061	Packaging Tape Acrylic Clear	Clear	48	75	36
450061	Packaging Tape Acrylic Clear	Clear	48	75	36
450112	Packaging Tape Hotmelt Clear	Clear	48	75	36
450112	Packaging Tape Hotmelt Clear	Clear	48	75	36
450109	Packaging Tape Rubber Brown	Brown	48	75	36
450109	Packaging Tape Rubber Brown	Brown	48	75	36
450108	Packaging Tape Rubber Clear	Clear	48	75	36
450108	Packaging Tape Rubber Clear	Clear	48	75	36
135895	Filament Tape One Way	Clear	48	45	24
450604	Filament Tape Two Way	Clear	48	45	24
450604	Filament Tape Two Way	Clear	48	45	24
450119	Machine Tape PP104 Clear	Clear	48	1000	6
189077	Black/Orange Fragile Tape	Black/ Orange	48	66	36
191086	Black/Orange Top Load Tape	Black/ Orange	48	66	36
450125	Cloth Tape Black	Black	72	25	16
450126	Cloth Tape Black	Black	96	25	12
450127	Cloth Tape Red	Red	48	25	24
450128	Cloth Tape Red	Red	72	25	16
450129	Cloth Tape Red	Red	96	25	12
450130	Cloth Tape Blue	Blue	48	25	24
450131	Cloth Tape Blue	Blue	72	25	16
450132	Cloth Tape Blue	Blue	96	25	12
450133	Cloth Tape Green	Green	48	25	24
450134	Cloth Tape Green	Green	72	25	16
450135	Cloth Tape Green	Green	96	25	12
450137	Cloth Tape Yellow	Yellow	72	25	16

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
450142	Cloth Tape White	White	48	25	24
450143	Cloth Tape White	White	72	25	16
450149	Cloth Tape Black	Black	36	25	32
450151	Cloth Tape Red	Red	36	25	32
450152	Cloth Tape Blue	Blue	24	25	48
450153	Cloth Tape Blue	Blue	36	25	32
450155	Cloth Tape Green	Green	36	25	32
450164	Cloth Tape Black	Black	48	25	24
450911	Spicers Banner Tape	Clear	25	50	1
450912	Spicers Banner Tape	Clear	38	50	1
167908	Tape Dispenser Low Noise 50mm	No Colour			1

## Strapping & Finishing

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
450167	Bubble Wrap 20mm 202E	Clear	1500	100	1
450168	Bubble Wrap 10mm 102E	Clear	1500	100	1
450169	Bubble Wrap 10mm 102E Slit	White	500	100	3
450170	Bubble Wrap 10mm 103E	White	1500	100	1
450173	Bubble Wrap 10mm 102E Slit	White	750	100	2
450167	Bubble Wrap 20mm 202E	Clear	1500	100	1
450168	Bubble Wrap 10mm 102E	Clear	1500	100	1
450169	Bubble Wrap 10mm 102E Slit	White	500	100	3
450170	Bubble Wrap 10mm 103E	White	1500	100	1
450173	Bubble Wrap 10mm 102E Slit	White	750	100	2
167151	Foam wrap 1mm	White	1200	100	1
167152	Foam wrap 2mm	White	1200	100	1
190824	Foam wrap 4mm	White	1200	100	1
167151	Foam wrap 1mm	White	1200	100	1
167152	Foam wrap 2mm	White	1200	100	1
190824	Foam wrap 4mm	White	1200	100	1
192080	Corrugated Board 70GSM	Brown	1525	60	1
450101	Hand Stretch Clear 20um	Clear	500	450	4
450102	Hand Stretch Clear 23um	Clear	500	400	4
450103	Hand Stretch Clear 25um	Clear	500	400	4
167894	Hand Stretch Black 25um	Black	500	375	4

## Strapping & Finishing

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
167910	Strapping Poly Blue	Blue PP	12	1000	1
191449	Strapping Poly Blue	Blue PP	15	1000	1
191192	Strapping Poly Blue	Blue PP	12	3000	1
195796	Strapping PET 0.9 Green	Green Embossed	16	1200	1
450251	Rubber Band #34 3mmx100mm	Natural			40
450036	Pallet corners 60x60 4mm	White	60	1.165	25
450035	Pallet corners 60x60 4mm	White	60	1	25
451523	Pallet corners 60x60 4mm	White	60	1.8	25
451524	Pallet corners 60x60 4mm	White	60	2.1	25
450572	Invoice Enclosed Env	Red	165	0.115	1000
191440	Machine Stretch Clear 25ums	Clear	500	1305	1
191355	Machine Stretch Clear 20ums	Clear	500	1630	1
167898	Machine Stretch Black 25ums	Black	500	1300	1
167897	Machine Stretch Clear 23ums	Clear	500	1420	1
451546	Metal Seals Serrated 16mm	No Colour	16		1000
167476	Pallet Pad 1160x1160 4mm	Brown	1160	1.160	25
191969	Polystrap Plastic Buckles 12mm	White	12		1000
191450	Polystrap Plastic Buckles 15mm	White	15		1000

## Packaging Cartons, Tubes & Paper

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
135661	A3 Carton White 320x440x150	White			25
451294	A4 Carton Brown 220x320x230	Brown			25
190923	A4 Carton White 220x320x150	White			25
135660	A4 Carton White 220x320x235	White			25
135946	A4 Carton White 220x320x280	White			25
451257	Relay RSC 3C Carton Brown 305x430x247	Brown			25
451293	Relay RSC 3C Carton White 305x430x247	White			25
451259	Relay RSC A3 Carton Brown 320x440x150	Brown			25
451258	Relay RSC A4 Carton Brown 220x320x150	Brown			25
451295	Relay RSC A4 Carton Brown 220x320x280	Brown			25
190928	Relay RSC SRA3 Carton Brown 345x460x230	Brown			25

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
190673	End Caps White 154mm	White	154		200
190673	End Caps White 154mm	White	154		200
193388	End Caps White 60mm	White	60		1000
193388	End Caps White 60mm	White	60		1000
167210	End Caps White 90mm	White	90		500
167210	End Caps White 90mm	White	90		500
190671	Postal Tube 2.5mm	White	154	1.250	100
190671	Postal Tube 2.5mm	White	154	1.250	100
190558	Postal Tube 2mm	White	90	1.050	22
190558	Postal Tube 2mm	White	90	1.050	22
190415	Postal Tube 2mm	White	90	0.730	22
190415	Postal Tube 2mm	White	90	0.730	22
191501	Postal Tube A1 2mm	White	60	0.660	50
191501	Postal Tube A1 2mm	White	60	0.660	50
191370	Postal Tube A0 2mm	White	90	0.870	22
167176	Kraft Paper 70g R	Brown	600	320	1
167177	Kraft Paper 70g R	Brown	750	320	1
167178	Kraft Paper 70g R	Brown	900	320	1
167900	Pallet top Black 250/roll	Black	1680	1680	250
192214	Pallet top Clear 250/roll	Clear	1680	1680	250

## Pull Up Stands & A-Frames

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
193841	A-Frame Open (black frame)	Black	600	900	1
193838	A-Board Solid (black frame)	Black	600	900	1
193839	A-Board Solid (black frame)	Black	900	1200	1
193840	A-Board Solid (white frame)	White	600	900	1
194554	dtec RBS Premium Clip Silver 850x2M	Silver	850	2000	1
194555	dtec RBS Premium Clip Black 850x2M	Black	850	2000	1
194559	dtec RBS Economy Black 850x2M	Black	850	2000	1
194558	dtec RBS Economy Silver 850x2M	Silver	850	2000	1

# Accessories

## Signage Accessories

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
450048	3M Aerosol Cleaner 700 350g	Clear			1
450049	3M Aerosol IPA Cleaner 300 300gms	Clear			1
450329	3M Citrus Base Aerosol Cleaner 525g	No Colour			1
168984	3M Design Line Knifeless Tape		3.5	50	1
168986	3M Finish Line Knifeless Tape		3.5	50	1
450041	3M Primer 94 TAPE PRIMER 236.5ml	Clear			1
168985	3M Tri Line Knifeless Tape	Green	9	50	1
450897	Black CableTies 4.6 x 200mm (Pk/100)	Black			100
450025	Cotton gloves (600pairs/carton)	No Colour			600
169751	Viponds Dissol 5L	Clear			1
169771	3M Edge Seal Tape 8914	Clear	12	45.7	1
169770	3M Edge Seal Tape 8518	Clear	12	45.7	1
451263	3M Dual Lock SJ3560 12.7mm	Clear	12.7	45.7	1
451264	3M Dual Lock SJ3560 24mm	Clear	24	45.7	1
450330	3M Edge Sealer 4150S 237ml	Clear			1
168821	3M Edge Sealer 3950 237ml	Transparent			1
169183	3M Gold Applicator (squeegee) PA-1G	Gold			1
169184	3M Blue Applicator (squeegee) PA-1B	Blue			1
187323	Laminate Underlay Thin POLY 25um	Clear	1430	400	1
187324	Laminate Underlay Thin POLY 25um	Clear	1540	400	1
187781	Laminate Underlay Thin POLY 25um	Clear	1630	400	1

## Knives & Blades Accessories

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
450033	Blade Snap Off LGE 18mm		18mm		1
450032	Blade Snap Off SML 9mm		9mm		50
450030	Knife Snap Cutter SML 9mm		9mm		1
450031	Knife Snap Plastic Cutter 18mm		18mm		50
450226	Olfa Blades Large 18mm LB50B		18mm		1
450225	Olfa Blades Small 9mm ABB50		9mm		1
450223	Olfa Knife 300 Small Snap Cutter 9mm		9mm		12
450224	Olfa Knife Large Snap Cutter 18mm		18mm		12

# Pack and mix

INDUSTRIAL SUPPLIES AND PACKAGING

Adhesive Tapes  
Cartons & Boxes  
Protective Packaging  
Pallet Wrapping  
Strapping & Tying  
Despatch & Mailing  
Tools & Machinery  
Safety & Machinery

Spicers' industrial packaging supplies offer the adaptability and flexibility to meet your needs.

At Spicers we deliver more than you think – a key part of our role is to make things easier for you. Our comprehensive range of packaging consumables, provide effective, competitively priced solutions to meet a wide range of requirements.

What's more, they're easily added on when you place your regular order, making it one less thing for you to worry about.

Customer Service  
1300 132 644



# Index

## 3M

3M 1yr SAV IJ15 Series	34,75
3M 1yr SAV IJ16 Series	34
3M 1yr SAV IJ20 Series	33
3M 1yr SAV/LAM IJ15 Series	35,75
3M 1yr SAV/LAM IJ20 Series	33
3M 4yr SAV 3635 Series	122
3M 5yr SC50 Colour Series	119
3M 5yr 1080 Colour Series	96
3M 5yr 5525 Window Film Series	89
3M 5yr IJ39-20 High Tack	41
3M 5yr LAM 8508 Gloss	73
3M 5yr LAM 8509 Lustre	73
3M 5yr LAM 8510 Matt	74
3M 5yr LAM Anti-Graffiti 8993 High Gloss	76
3M 5yr SAV 40C Series	29
3M 5yr SAV IJ35 Series	30
3M 5yr SAV IJ35C Series	30
3M 5yr SAV IJ40 Series	29
3M 5yr SAV/LAM IJ40 Series	73
3M 7725SE Window Film Series	88
3M 7yr IJ180C LSE	29,94
3M 7yr IJ180mC SLS	28,94
3M 7yr IJ180mC UR	27,93
3M 7yr SAV IJ3630	43
3M 7yr SAV IJ8150 Optic Clear	88
3M 8yr 180mC Colour Series	108
3M 8yr 3630 Translucent Colour Series	114
3M 8yr 3730 Translucent Colour Series	118
3M 8yr 7725 Colour Series	112
3M 8yr LAM 8518 High Gloss	72,95
3M 8yr LAM 8519 Lustre	72,95
3M 8yr LAM 8520 Matte	72,95
3M 8yr LAM 8548G	72,95
3M 8yr LAM 8549L	72,95
3M 8yr LAM 8550M	72,95
3M 8yr Reflective 680CR Series	130
3M 8yr SAV ENVISION LX480MC	26,92
3M 8yr SAV ENVISION SV480MC	27,92
3M 983 Reflective Tapes	128,130
3M 997 Reflective Tapes	128
3M C1 Reflective 3800 Series	131
3M C1 Reflective 3900 Series	132
3M C1W Reflective 4000 Series	132
3M C2 Reflective 3200 Series	133
3M Electrocut 1100 Series	131
3M LAM 8900 Series	102
3M LAM PPF Gloss SGH06	103
3M LAM PPF Gloss SGH06 Pro	102
3M LAM PPF Gloss SGH12	103
3M LAM PPF Ventureshield	103
3M SAV 780MC	131
3M SAV IJ180mC	28,93
3M SAV IJ180mC-114	28,94
3M SAV IJ180mC-120	28,93
3M 680CR Reflective	130
3M 1170 Transparent	131
3M IJ40-114 & 124	29,73
3M Diamond Grade Retail Packs	129
3M Diamond Grade Mini Retail Packs	130
3M 3635-20B/22B Blockout Film	122
3M 3635-91 Day/Night Film	122
3M 3635-30/70 Diffuser Film	122
3M 3635-210/222 Dual Colour Film	123
3M 3635-100 Light Enhancement Film	123
3M 3635-110 Chrome Translucent Film	123

## A

Ace Outdoor	54
Ace Screenboard	54
Accessories - Tapes	148
Accessories - Strapping & Finishing	148
Accessories - Packaging Cartons, Tubes & Paper	150
Accessories - Pull up stands & A-Frames	151
Accessories - Signage	152
Accessories - Knives & Blades	152
ALC Lam Anti Graf	76
ALC LAM Budget	76
ALC Lam CM FloorGraph	77
ALC Lam PET	77
AMGT M-tex Linen S/A	45
ASLAN SAV CR62 Blackboard	124
Apex 1/Sided Bleachboard	61
ARMABoard	55

## B

B Flute	61
---------	----

## C

Clear Focus AutoVue	87
Clear Focus BannerVue	85
Clear Focus ClassicVue	86
Clear Focus ClearVue	72
Clear Focus CurvaLam	86
Clear Focus EconoVue	86
Clear Focus ExitVue	85
Clear Focus Fast One Way	86
Clear Focus ClearVue Interior	87
Clear Focus PosterVue	84
Clear Focus PromoVue	87
Clear Focus SunSecure (no print)	84
Clear Focus SuperVue	84
Clear Focus White/White	85
Concept LAM 111-54 Dry Erase	124
Corflute	64,65

## D

Digistar 2/Sided Artboard	62
Digistar Matt Paper Art Paper	25,63
Digitac 1095 SAV	39
Digitac 1402 Eco Natura Canvas	26
Digitac 1444 Eco Canvas	26
Digitac 1825 High Performance SAV	33
Digitac 1825 High Performance SAV/LAM	33,74
Digitac 365 SAV	39
Digitac E-Stat	41
Digitac Floortac Carpet	44
Digitac Floortac Indoor	44
Digitac Floortac Outdoor 1yr SAV	44
Digitac POPDOT	41
dtec Backlit PET Matt 210	18
dtec Banner Mesh no Liner	18
dtec Banner Mesh with Liner	18
dtec Blockout Banner 610	17
dtec Blockout Banner i440	17
Dtec Blockout Synthetic PP	64
Dtec Acrylic	53
Dtec Flute	65
dtec Frontlit Banner 440	16

dtec Frontlit Banner 440 - Black Backed	16
dtec Frontlit Banner 510 Smooth	16
dtec Gloss Poster Paper 140	25
dtec Gloss Poster Paper 225	24
dtec Lustre Photopaper 250g	24
dtec Matt Paper 170g	23
dtec NoScrimBANA 510	17
dtec PP 2S Blockout Film	20
dtec PP 2S Blockout Film 205gsm	20
dtec PP Blockout Film 170	20
dtec Pullup PET 290 Matt Grey Back	19
dtec Pullup PET 290 Velvet Grey Back	19
dtec Pullup PVC 420 Lustre Grey Back Textured	19
dtec Satin Photopaper 190g	24
dtec Satin Poster Paper 140	25
dtec Satin Poster Paper 225	24
Dry Erase Laminat	124

## E

Echo Matt 99% Recycled UV 200	25,62
Echo Matt 99% Recycled UV 250	25,62
Echo Matt Recycled Art Paper	25
Eclipse Premium Blockout Artboard	63
E Flute	60

## F

Ferro Film 0.18	21
Foamstar	55

## J

JM Mediatex Easybox FR	26
------------------------	----

## K

Knives & Blades Accessories	152
-----------------------------	-----

## L

LG 1yr SAV LD3880G	42
LG 1yr SAV LDSPB014G	40
LG 2yr SAV LD2700G	38
LG 2yr SAV LD2710G	37
LG 2yr SAV LD2740G	37
LG 2yr SAV LD2750G	37
LG 2yr SAV LD2800G	36
LG 2yr SAV LD2800M	36
LG 2yr SAV LD2840G	36
LG 2yr SAV LD2850G	36
LG 2yr SAV LD285TG	35
LG 2yr SAV LD285TM	35
LG 2yr SAV LW3850M	44
LG 2yr SAV/LAM LP2812G	75
LG 2yr SAV/LAM LP2812M	75
LG 3yr SAV LD381TG	35
LG 3yr SAV/LAM LP3812M	75
LG 5yr SAV LC5510	89
LG 5yr SAV LC5560	89
LG 5yr SAV LD3911G	32
LG 5yr SAV LD391TG	31
LG 5yr SAV LD3921G	32
LG 5yr SAV LD3921M	32
LG 5yr SAV LD393TG	31
LG 5yr SAV LD395TG	31
LG 5yr SAV LD39A0G	42
LG 5yr SAV LD39A0M	42

# Index

LG 5yr SAV LD4910M.....	43
LG 5yr SAV/LAM LP3912G.....	74
LG 5yr SAV/LAM LP3912M.....	74

## M

Magnet Printable Gloss White 0.6.....	22
Magnet Printable Gloss White 0.9.....	22
Magnet Self-Adhesive.....	21
Mediatex Fabric.....	26
Mimaki BS3 Ink (Solvent).....	139
Mimaki ES3 Ink (Solvent).....	138
Mimaki LF-200 Ink (UV).....	141
Mimaki LH100 Ink Hard LED (UV).....	141
Mimaki LUS-120 Ink (UV).....	140
Mimaki LUS-150 Ink (UV).....	140
Mimaki LUS-170 Ink (UV).....	140
Mimaki LX100 Ink (Latex).....	139
Mimaki SS21 Ink (Solvent).....	138
Multicor.....	65

## P

Packaging Cartons, Tubes & Paper.....	150
Palboard.....	57
Palight PVC.....	56
Photo-TEX OPA Fabric SAR.....	45
Photo-TEX OPAS Fabric SAR.....	45
Promeg Digital PP.....	62
Pull Up Stands & A-Frames.....	151

## R

Re-Board.....	57,60
R Tape 4050RLA (Low-Med).....	78
R Tape 4075 (Med-High).....	78
R Tape 4075RLA (Med-High).....	78
R Tape 4076 (Xtra High).....	79
R Tape 4076RLA (Xtra High).....	79
R Tape 4761RLA (Super High).....	79
R Tape 4775RLA (Med-High).....	80
R Tape AT60N (Low).....	80
Roland Eco Sol Max Ink (Solvent).....	142
Roland Eco Sol Max V2 Ink (Solvent).....	142
Roland EJ-640 Ink (Solvent).....	144
Roland VG TrueVIS Ink (Solvent).....	143
Roland VG2 TrueVIS Ink (Solvent).....	143

## S

Sacrificial Underlay Polypropylene.....	77
Signage - Accessories.....	152
Skybond Print.....	52
Skyrise Print.....	53
Strapping & Finishing - Accessories.....	150
Supercor.....	64

## T

Tapes - Accessories.....	148
Techplot Plotter Rolls - Unglued.....	22
Techplot Plan Copier Rolls - Glued.....	23
Techplot Plan Copier Rolls - Unglued.....	23
Tranquility Board.....	60

## W

Wall Magnet Self Adhesive 0.6.....	22
Wall Magnet Self Adhesive 0.9.....	22

## Y

Yupo FPU250 UV Core 3".....	21
Yupo FPU Synthetic Paper PP.....	64
Yupo Octopus Clear (UV).....	40,43
Yupo Octopus XAD1069 (UV).....	39
Yupo Octopus XAD1082 (Eco-Sol).....	40

**3M** Science.  
Applied to Life.™

# Discover the DI-NOC™ difference.

3M™ DI-NOC™ Architectural Finishes

## Introducing over 220 new finishes!

Why replace expensive fixtures and surfaces when you can resurface them in decorative metal, sophisticated stone and luxurious wood designs at a fraction of the cost?

3M™ DI-NOC™ Architectural Finishes let you transform your spaces with less downtime, less labour and less waste. These durable and dynamic laminates are easy to install, conforming to a variety of flat or curved surfaces, including walls, doors, lifts, panels and ceilings. With more than 1000 patterns to choose from, it's not a question of how you can refresh your surfaces, but when.

**Request a free sample today!**

**3M.com.au/DINOC**

3M and DI-NOC are trademarks of 3M.  
© 3M 2019. All rights reserved.



With our team of sign and display and hardware specialists, Spicers can provide you with information and expert advice. We are your local supplier with stock on the floor and a distribution network ready to deliver to you.

SPICERS CONSUMABLES



SPICERS HARDWARE



# An Evolution in Grip

## Introducing Spicers Digitac

A range of versatile adhesive and film-based sign and display products – perfectly adapted for every surface

- Digitac POPDOT
- Digitac E-Stat White and Clear
- Digitac Floortac Outdoor
- Digitac Floortac Indoor
- Digitac Floortac Carpet



Contact your local Spicers representative for your copy.

1300 132 644 spicers.com.au

Multi Point Hold



DURABLE



No Slip



Smooth Stick



Soft Grip





For any product queries please contact your Spicers representative directly, or your local branch from the list below.

**VIC**

155 Logis Boulevard  
Dandenong South VIC 3175  
T (03) 9768 8400  
F (03) 9768 8401  
info.vic@spicers.com.au

**NSW**

21 Worth Street  
Chullora NSW 2190  
T (02) 9735 2666  
F (02) 9735 2600  
salesnsw@spicers.com.au

**QLD Brisbane**

Building 5, 441 Nudgee Road  
Hendra QLD 4011  
T (07) 3084 5200  
F (07) 3084 5297  
info.qld@spicers.com.au

**SA**

113 Ledger Road  
Beverley SA 5009  
T (08) 8243 9393  
F (08) 8243 9397  
info.sa@spicers.com.au

**WA**

19 Milly Court  
Malaga WA 6090  
T (08) 6310 4300  
F (08) 9248 6515  
info.wa@spicers.com.au

**NT**

57 Winnellie Road  
Winnellie NT 0820  
T (08) 8947 0188  
F (08) 8947 1366  
info.nt@spicers.com.au

**QLD Townsville**

28A Casey Street  
Aitkenvale QLD 4818  
T (07) 3084 5200  
F (07) 3084 5297  
info.qld@spicers.com.au

**TAS**

4-8 Sunmont Street  
Derwent Park TAS 7009  
T (03) 6272 5333  
F (03) 6272 8103  
info.tas@spicers.com.au