

# Label & packaging materials



# Adhere to this...

## About us

Spicers offer the full suite of solutions to the printing and graphic arts industry, incorporating sign and display, commercial print, digital media and label and packaging materials.

## Sales and distribution

We boast a dedicated sales team with years of experience to offer you guidance on the suitability of your substrates. With national distribution centres, we have stock on our floor ready to deliver in Melbourne, Hobart, Sydney, Canberra, Brisbane, Townsville, Adelaide, Darwin, and Perth.

## Prime papers

Notably the most common label segment across the entire market place, with coated papers manufactured for a wide variety of applications, from budget food and beverage labelling, to the demanding performance of a premium boutique wine and spirit. Prime Papers allow the user to promote their product with a coated paper designed for improved ink, colour and graphic reproduction. With such a variety of Prime Label options within our range, the ideal solution will be determined by your demands.

## VIP laser papers

Just as the name suggests, Variable Information Printing (VIP) is such a critical label segment in today's business environment. Applications range from high speed laser printing, freight/transport, medical and health care labels. Our need for fluid label solutions has never been more paramount. No matter if you are printing with a ribbon or thermally printing direct onto the surface, we offer a range to suit your requirements.

## Synthetics

Synthetic label substrates offer you the durability to ensure your message withstands the rigours of use and functionality not typically expected with regular prime paper labels while providing brilliant ink and colour reproduction.

## Digital papers

With print demands now in constant flux, one thing we can be sure is the need for colour label reproduction tailored to the short – medium run lengths. Print systems such as HP Indigo, Water Based Inkjet, Colour Laser and High Speed Inkjet now offer solutions for this demand.

## Specialties

Looking to stand out from the crowd? Take a look through the Spicers Specialty Label Selector for products demanding particular attention for their individual performance and quality characteristics. Here you will find no two products are the same and with that, you create a point of difference.

## Paper and boards (non adhesive)

Create a label or tag without the adhesive, here we offer a range of paper and boards supplied in rolls to enable the manufacture of cellulose tickets, tags and labels with no adhesive.

## Synthetics (non adhesive)

Just as we offer a range of label solutions designed for durable end applications, here we compliment our adhesive offering with a range of Polypropylene and Polyethylene materials produced without adhesive. Designed for the production of tickets, tags and labels where added durability and performance is required from a non adhesive film.

## Packaging

We can offer a range of high quality coated and uncoated packaging grades. Packaging is often required to be the protector of the product within, whilst also being required to be a strong brand vehicle for many labelled products. With our range of packaging products consider your economic, storage, weight, environmental and production requirements.

## Coated products

Our coated cartonboard range includes whiteback, kraftback and a 100% recycled greyback. These are all suited for a wide range of packaging applications such as food packaging, point of sale, pharmaceutical packaging, posters and many more.

## Uncoated products

From book binding to luxury packaging, our uncoated board range provides a smooth, high quality finish for both standard and premium requirements. Included in this offering is coreboard and boxboard with or without a white liner.

Also available is our unlimited specialty range including cupstock, PE grades and coaster boards.

# Label materials

In a crowded retail world, being noticed has never been so important. Spicers' range of quality label and packaging products enable our customers and clients to create a premium on-shelf presence for their brands.

Segment	Product	Description/finish	Face stock gsm/thickness	Adhesive type	Backing type	Backing thickness
Prime Papers	OLT Cast Gloss C51	Cast gloss	87gsm/90um	C51	Blue glassine	53um
	Kantac Mirrokote C58	Cast gloss, mirror	87gsm/89um	C58	White glassine	53um
	OLT Cast Gloss C58	Cast gloss	84gsm/86um	C58	White glassine	53um
	OLT Cast Gloss R80 (Removable)	Cast gloss	84gsm/86um	R80	White glassine	53um
	Stickler Laser Gloss	High gloss	84gsm/86um	LT1	Kraft	81um
	Stickler Coated 80 AP999	Semi gloss	80gsm/67um	AP999	White glassine	54um
	Stickler Coated 80 RP1003	Semi gloss	80gsm/65um	RP1003	White glassine	53um
	Verdure Lustre	Cast gloss	80gsm/73um	AP903	White glassine	55um
	Verdure Lustre Premium	Cast gloss	87gsm/89um	C58	White glassine	53um
	Verdure Lustre PET	Cast gloss	87gsm/89um	AP903	Clear PET	30um
VIP/laser papers	OLT Yupo P22	Ultra smooth matt	67gsm/86um	P22	White glassine	53um
	OLT Yupo S13	Ultra smooth matt	67gsm/86um	S13	White glassine	53um
	OLT Yupo R80 (Removable)	Ultra smooth matt	67gsm/80um	R80	Blue glassine	53um
	Stickler Board 150 S13	1/side artboard	150gsm/125um	S13	White glassine	53um
	Stickler Board 150 C58	1/side artboard	150gsm/125um	C58	White glassine	53um
	Stickler Foto Copy 70 Rem R80	Ultra smooth uncoated	70gsm/100um	R80	Kraft	87um
	Stickler Laser Copy 70 RP1001 80	Ultra smooth uncoated	70gsm	RP1001	Kraft	80um
	Stickler Laser-Jet 70 RP1001 60	Ultra smooth uncoated	70gsm/78um	RP1001	Kraft	60um
	Stickler Thermal ECO RP1003	Smooth uncoated	72gsm/80um	RP1003	White glassine	55um
	Stickler Thermal TC RP1003	Smooth Top coated	74gsm/76um	RP1003	White glassine	55um
	Stickler Thermal TC R80 (Removable)	Smooth Top coated	76gsm/80um	R80	White glassine	53um
	Stickler TT Matt R80 (Removable)	Ultra smooth matt	82gsm	R80	White glassine	53um
	Stickler TT Matt RP1011	Ultra smooth matt	73gsm/71um	RP1011	White glassine	60um
	Stickler TT Matt S13	Ultra smooth matt	82gsm/72um	S13	White glassine	53um
	Stickler Vellum AP904	Smooth uncoated	68gsm/77um	AP904	White glassine	55um
	Stickler Vellum Wash Off	Smooth uncoated	70gsm/69um	WR40	Yellow glassine	51um
Synthetics	OLT Yupo P22	Ultra smooth matt	67gsm/86um	P22	White glassine	53um
	OLT Yupo S13	Ultra smooth matt	67gsm/86um	S13	White glassine	53um
	OLT Yupo R80 (Removable)	Ultra smooth matt	67gsm/80um	R80	White glassine	53um
	OLT PPTC R80 White (Removable)	Cavitated PP white	47gsm/58um	R80	White glassine	53um
	Stickler Crystal Clear	Clear 'no label' look	49gsm/50um	AP2000	Clear PET	23um
	Stickler PE Clear TC AP901	Clear cast PE coated	83gsm/85um	AP901	White glassine	55um
	Stickler PE White TC AP901	White cast PE coated	83gsm/85um	AP901	White glassine	55um
	Stickler PP 80 White TC AP901	White PP coated	55gsm/75um	AP901	White glassine	55um
	Stickler PP Clear TC AP901	Clear PP coated	54gsm/50um	AP901	White glassine	55um
	Stickler PP Clear TC RP1101	Clear PP coated	46gsm/50um	RP1101	White glassine	54um
	Stickler PP68 CAV AP901 GW	Cavitated PP white	45gsm/60um	AP901	White glassine	55um
	Stickler PP68 CAV AP901 PET	Cavitated PP white	45gsm/60um	AP901	Clear PET	30um
	Stickler PP Silver TC AP901	Silver high gloss coated	47gsm/50um	AP901	White glassine	55um
	Stickler PP White TC AP901	Solid white PP coated	56gsm/57um	AP901	White glassine	55um
	Stickler PP White TC RP1101	Cavitated PP white	45gsm/60um	RP1101	White glassine	54um
	Stickler Promatac Clear WG62	Monomeric clear gloss PVC	104gsm/80um	AP940	White glassine	55um
	Stickler Promatac Clear WK135	Monomeric clear gloss PVC	104gsm/80um	AP940	Kraft	135um
	Stickler Promatac White WG62	Monomeric white gloss PVC	110gsm/80um	AP940	White glassine	55um
	Stickler Promatac White WK135	Monomeric white gloss PVC	110gsm/80um	AP940	Kraft	135um
	Verdure Riverstone	Recycled Polyethylene	144gsm/120um	C58	White glassine	53um
	Verdure Riverstone PET	Recycled Polyethylene	144gsm/120um	C58	Clear PET	30um

Segment	Product	Description/finish	Face stock gsm/thickness	Adhesive type	Backing type	Backing thickness	FSC®
Digital Papers	Manter OPP Clear Gloss PF-1 IDP	Clear gloss PP	46gsm/50um	PF1	White glassine	54um	
	Manter OPP Silver PF-1 IDP	Silver gloss PP	45gsm/50um	PF1	White glassine	54um	
	Manter OPP White Gloss PF-1 IDP	White PP	45gsm/60um	PF1	White glassine	54um	
	Manter Tintoretto Gesso Ultra IDP	Off white, felt embossed	115gsm/140um	SH6020+	White glassine	67um	●
	Rapid Jet Gloss AP904	Gloss white coated woodfree paper	85gsm/85um	AP904	White glassine	55um	
Specialties	Kantac Poem C58	High white, moisture resistant	106gsm/107um	C58	White glassine	56um	
	Manter Acquerello Bianco Ultra	Uniquely textured	110gsm/145um	SH6020+	White glassine	68um	●
	Manter Bereber Sands	Uncoated natural kraft	110gsm/140um	SH6020+	White glassine	67um	
	Manter Cotone Bianco Ultra	Recycled, 100% cotton fibre	130gsm/175um	SH6020+	White glassine	68um	
	Manter Cotone Bianco Ultra PET	Recycled, 100% cotton fibre	130gsm/175um	SH6020+	Clear PET	30um	
	Manter Cottage White Ultra	5% cotton fibre, rigid, bulky	110gsm/145um	SH6020+	White glassine	68um	●
	Manter Crystal Salt Ultra	High white, felt embossed	115gsm/150um	SH6020+	White glassine	68um	●
	Manter Crystal Salt ULTRA PET	High white felt embossed	115gsm/150um	SH6020+	Clear PET	30um	●
	Manter Embossed Coated Linen	Gloss linen embossed	80gsm/85um	SH6020+	Yellow glassine	55um	
	Manter Eureka Ultra	Pitted embossed	100gsm/130um	SH6020+	White glassine	67um	●
	Manter Ipanema	Pure white embossed	112gsm/148um	SH6020+	White glassine	67um	
	Manter Jade Intreccio Ultra	Embossed pearlescent	110gsm/120um	SH6020+	White glassine	67um	●
	Manter Jade Raster Ultra	Pearlescent texture	110gsm/120um	SH6020+	White glassine	68um	●
	Manter Saville Row Tweed Ultra	White textile embossed	120gsm/135um	SH6020+	White glassine	67um	●
	Manter Sirio Pearl Coal Mine	Metallised pearlescent	110gsm/120um	SH6020+	White glassine	67um	●
	Manter Sirio Pearl Ice White Ultra	Pearlised white	110gsm/130um	SH6020+	White glassine	68um	●
	Manter Tintoretto Gesso Ultra	Off white, felt embossed	115gsm/150um	SH6020+	White glassine	68um	●
	Manter Tintoretto Gesso Ultra PET	Off white felt embossed	115gsm/150um	SH6020+	Clear PET	30um	
	Manter Tintoretto Black Pepper Ultra	Black felt embossed	115gsm/150um	SH6020+	White glassine	68um	●
	Manter Waterproof Ivory GW	Ivory waterproof	110gsm/128um	SH6020+	White glassine	67um	
	Stickler Board 150	Stiff, bulky 1/side artboard	150gsm/125um	S13	White glassine	53um	
	Stickler Coverall RP1001	Gloss white, black backprint	90gsm/74um	RP1001	Yellow glassine	55um	
	Stickler Crystal Clear	Clear 'no label' look	45gsm/50um	AP2000	Clear PET	23um	
	Stickler Fluoro RP1001	5 x fluorescent colours	68gsm/65um	RP1001	White glassine	55um	
	Stickler Transfer Laser	Laser Document Label	60gsm/63um	AT231	Kraft	55um	
Segment	Triplex Fotocopy	Vellum piggy back	72gsm	AP904	White glassine	55um	
	Verdure Harvest Ultra GW	100% recycled (bagasse)	110gsm/130gsm	SH6020+	White glassine	67um	
	Verdure Harvest Ultra PET	100% recycled (bagasse)	110gsm/130gsm	SH6020+	Clear PET	30um	
	Verdure Hi Bulk 105	Cast gloss	107gsm/105um	SH6020+	White glassine	67um	
	Verdure Riverstone	Recycled, synthetic, paper feel	120gsm	C58	White glassine	53um	
	Verdure Riverstone PET	Recycled, synthetic, paper feel	120gsm	C58	Clear PET	30um	
Segment	Product	Description/finish	Weight (gsm)	Thickness (um)	PEFC™	FSC®	
Paper and boards (non adhesive)	Carta Solida Reels*	1/side Semi gloss	195-350	305-600		●	
	My Size Gloss	Coated Woodfree gloss	170	125-165			●
	My Size Hi Bulk	2/side Semi gloss	230	180-250		●	
Synthetics (non adhesive)	Cyclone XTV	PP	103, 185, 206	100,180, 200			
	My Size Fruit Tag	Paper laminated with PP	170				●
	Tyvek	Polyethylene	54-105				

# SPICERS WINE AND GOURMET LABELS



A SELECTION OF COATED, UNCOATED, SYNTHETIC AND METALLIC SELF ADHESIVE STOCKS.  
CONTACT YOUR LOCAL SPICERS REPRESENTATIVE FOR YOUR COPY.

# Know what really sticks!

## Adhesive specifications

Adhesion depends on the surface type, temperature of substrate, ambient temperature, applicator etc. It is strongly recommended to pre-test the material under actual application conditions prior to use to assess suitability.

■ UV Acrylic ■ Acrylic adhesive ■ Hot melt adhesive

AP2000	Permanent UV acrylic adhesive designed to remain cloud free in moist, steam and condensated applications.
AP901	Permanent acrylic for general purpose applications, designed for synthetic films.
AP903	Permanent acrylic with good application in a wide temperature range on cold and damp surfaces.
AP904	Permanent acrylic with good adhesion on a wide variety of substrates.
AP940	Permanent acrylic adhesive for outdoor labelling.
AP999	Permanent acrylic with good adhesion on a wide variety of substrates.
AR801	Removable acrylic adhesive.
AR827B	Seal & reseal adhesive.
C51	Repositionable acrylic adhesive.
C58	Permanent acrylic formulated with excellent cold temperature adhesion to damp surfaces.
FR-20	Removable acrylic adhesive for laser/office applications.
HT2	Extra permanent adhesive for extra durability.
LT1	Permanent acrylic for laser applications.
P22	General permanent acrylic adhesive.
PF1	Permanent acrylic adhesive.
R80	Removable acrylic adhesive that removes without residue for general applications.
S13	Extra permanent acrylic adhesive that is suitable for a wide variety of substrates.
SH6020+	Permanent acrylic with strong initial adhesion, high tack and good cohesion. Designed for applications on damp surfaces at low temperatures. Developed for glass bottles with good ice bucket performance.
AT231	Permanent Hot Melt suitable for Laser Printing.
RP1001	Permanent rubber based adhesive with high tack and adhesion.
RP1003	Rubber based hot melt adhesive. High tack and adhesion particularly on moist surfaces.
RP1011	Extra permanent, rubber based adhesive with high tack and adhesion.
RP1101	Extra permanent rubber based adhesive with high tack and adhesion for synthetic films.

## Face Stock specifications

With a wide variety of print processes available, the suitability of the print process in conjunction with the label stock should be considered carefully. Label face stocks have different properties. Due to this, applicator settings should be tailored to suit the choice of substrate.

CAV	Cavitated
GW	Gloss white
IDP	Indigo digital printing (pre coated)
OPP	Oriented polypropylene
PE	Polyethylene
PP	Polypropylene
PVC	Polyvinyl chloride
TC	Top coated
TT	Thermal transfer

## Backing specifications

Also referred to as release liner, carrier or glassine, the backing material of a label needs to be considered within the production and application processes. With multiple thicknesses available, our label product offering presents products to suit both roll to roll and roll to sheet applications.

Clear PET	Clear PET – Thin, light weight and extremely strong, perfect for high speed label applications.
WG/YG/BG	White, Yellow, Blue Glassine – Strong, smooth paper liner designed for reel to reel applications.
Kraft	Kraft liner – Bulkier paper liners with lay flat properties, designed for roll to sheet applications.

# Packaging materials

Segment	Product	FSC®	PEFC™	Finish
<b>Coated Packaging</b>	Echo Matt Recycled (sheets and reels)	●		100% recycled matt coated board
	Ace Screenboard	●		Premium, high white 2/S display board
	Carta Solida (sheets and reels)*		●	Fully coated bleached carton board
	CORE Bleached Board	●		Premium, solid bleached carton board
	Eclipse Greyback	●		96.5% recycled duplex carton board
	Pacesetter Hi Bulk Artboard		●	2 sided semi-gloss coated ivory artboard
<b>Uncoated Packaging</b>	Attica Graphic Board			Uncoated white lined 1/S, grey reverse
	Bleached Drink Coaster Board		●	Coloured double lined board
	Crocodile Lined Board			
	Coreboard		●	100% recycled solid grey multi-ply board
	CORE Boxboard		●	100% recycled uncoated grey board
	Eska Board			

\* Contact your local Spicers representative for availability.



## Forest Stewardship Council (FSC®)

A non-government and non-profit organisation initiative that creates a globally recognised certification overseeing all fibre sourcing standards. This provides guarantees for the consumer that products are made of wood chips from well managed forests, other controlled sources and reclaimed material with strict environmental, economical and social standards. For more information visit [info.fsc.org](http://info.fsc.org)



## Programme for the Endorsement of Forest Certification (PEFC)

A non-governmental and non-profit organisation that promotes sustainably managed forests through independent third party certification and chain of custody. It is a framework for the mutual recognition of national or regional forest certification schemes. National governing bodies apply for the PEFC and the council accredit standards and ensure international principles and guidelines are adhered to. For more information visit [www.pefc.org](http://www.pefc.org).

**For downloadable packaging icons, visit our website: [spicers.com.au](http://spicers.com.au)**



**FDA (Food and Drug Administration)** ensures the trading and safety standards in the food and drug industries are monitored and compliant.



**ISO** The standard published by the International Standards Organisation specifying the requirements of an environmental management system.



**Reels for sheeting** Reels are available for sheeting.

For further information on sheet/reel sizes, grammages/thickness, price and availability, contact your Spicers representative or visit [spicers.com.au](http://spicers.com.au).



[spicers.com.au](http://spicers.com.au)

For any product enquiries please contact your Spicers representative directly, or your local branch from the list below.

<b>VIC</b>	<b>NSW</b>	<b>QLD Brisbane</b>	<b>SA</b>	<b>WA</b>
155 Logis Boulevard Dandenong South VIC 3175	21 Worth Street Chullora NSW 2190	Building 5, 441 Nudgee Road Hendra QLD 4011	113 Ledger Road Beverley SA 5009	19 Milly Court Malaga WA 6090
T (03) 9768 8400	T (02) 9735 2666	T (07) 3084 5200	T (08) 8243 9393	T (08) 6310 4300
F (03) 9768 8401	F (02) 9735 2600	F (07) 3084 5297	F (08) 8243 9397	F (08) 9248 6515
info.vic@spicers.com.au	salesnsw@spicers.com.au	Info.qld@spicers.com.au	info.sa@spicers.com.au	info.wa@spicers.com.au

<b>NT</b>	<b>QLD Townsville</b>	<b>TAS</b>
57 Winnellie Road Winnellie NT 0820	28A Casey Street Aitkenvale QLD 4818	4-8 Sunmont Street Derwent Park TAS 7009
T (08) 8947 0188	T (07) 3084 5200	T (03) 6272 5333
F (08) 8947 1366	F (07) 3084 5297	F (03) 6272 8103
info.nt@spicers.com.au	info.qld@spicers.com.au	info.tas@spicers.com.au