

# ARDEX P 82, Component



A

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 8/22/2016 Revision date: 3/20/2017

Supersedes: 8/22/2016

Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : ARDEX P 82, Component A  
Product code : 18469; 18470

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Primer

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Ardex UK Limited  
Homefield Road  
CB9 8QP Haverhill Suffolk  
T 01440 714939 - F 01440 716667  
[safetydatasheets@ardex.co.uk](mailto:safetydatasheets@ardex.co.uk)

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 870 190 6777  
24 Hours

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation,  
Category 2 H319  
Sensitisation — Skin, Category 1 H317  
Hazardous to the aquatic environment H412  
— Chronic Hazard, Category 3

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazardous ingredients :

reaction product: bisphenol-F-(epichlorhydrin), epoxy resin (number average molecular weight  $\leq 700$ ); reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight  $\leq 700$ ); oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Hazard statements (CLP) :

H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) :

P102 - Keep out of reach of children  
P280 - Wear eye protection, protective gloves  
P337+P313 - If eye irritation persists: Get medical advice/attention

# ARDEX P 82, Component A

## Safety Data Sheet

according to Regulation (EU) 2015/830

EUH-statements	: EUH205 - Contains epoxy constituents. May produce an allergic reaction EUH208 - Contains reaction product: bisphenol-F-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700), reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700), oxirane, mono[(C12-14-alkyloxy)methyl] derivs, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1), . May produce an allergic reaction
Extra phrases	: Dispose of contents/container in accordance with regional/national/international/local regulations

### 2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700)	(CAS No) 25068-38-6 (EC no) 500-033-5 (EC index no) 603-074-00-8 (REACH-no) 01-2119456619-26	5 - 15	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
reaction product: bisphenol-F-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700)	(CAS No) 9003-36-5 (REACH-no) 01-2119454392-40	1 - 5	Skin Sens. 1, H317
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	(CAS No) 68609-97-2 (EC no) 271-846-8 (EC index no) 603-103-00-4 (REACH-no) 01-2119485289-22	< 2,5	Skin Irrit. 2, H315 Skin Sens. 1, H317
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1),	(CAS No) 55965-84-9 (EC index no) 613-167-00-5	< 0.0015	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700)	(CAS No) 25068-38-6 (EC no) 500-033-5 (EC index no) 603-074-00-8 (REACH-no) 01-2119456619-26	(C $\geq$ 5) Eye Irrit. 2, H319 (C $\geq$ 5) Skin Irrit. 2, H315
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1),	(CAS No) 55965-84-9 (EC index no) 613-167-00-5	(C $\geq$ 0.0015) Skin Sens. 1, H317 (0.06 $\leq$ C < 0.6) Skin Irrit. 2, H315 (0.06 $\leq$ C < 0.6) Eye Irrit. 2, H319 (C $\geq$ 0.6) Skin Corr. 1B, H314

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Remove dirty clothes.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: If symptoms persist call a doctor.
-------------------	--------------------------------------

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

# ARDEX P 82, Component A

## Safety Data Sheet

according to Regulation (EU) 2015/830

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not dangerous.
Explosion hazard	: None.
Reactivity in case of fire	: Product is not explosive.
Hazardous decomposition products in case of fire	: None.

### 5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Contain the extinguishing fluids by bunding.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spillage to prevent material damage.

#### 6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.  
Emergency procedures : Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

### 6.4. Reference to other sections

For further information refer to section 13. See Heading 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : See Heading 8.  
Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Protect from sunlight.  
Storage area : Keep out of frost.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Contains no substances with occupational exposure limits

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protective equipment:

In case of splash hazard: safety glasses.

#### Hand protection:

Protective gloves

# ARDEX P 82, Component A

## Safety Data Sheet

according to Regulation (EU) 2015/830

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Natural rubber, Latex, Butyl rubber, Nitrile rubber (NBR)	3 (> 60 minutes)	0,1		
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	1,0		EN 374

### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

No specific measures are necessary



### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Various.
Odour	: No data available
Odour threshold	: No data available
pH	: 5 - 8.5
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 2.3 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1 - 1.1 g/cm <sup>3</sup>
Solubility	: Forms emulsion in presence of water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 100 - 3000 mPa.s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

VOC content : < 3 % VOC - Swiss ordinance

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# ARDEX P 82, Component A

## Safety Data Sheet

according to Regulation (EU) 2015/830

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

None.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### reaction product: bisphenol-F-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700) (9003-36-5)

LD50 oral rat > 2000 mg/kg (Rat)

LD50 dermal rat > 400 mg/kg (Rat)

#### oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)

LD50 oral rat 26800 mg/kg bodyweight (Rat; Other; Expert judgement)

Skin corrosion/irritation : Causes skin irritation.

pH: 5 - 8.5

Serious eye damage/irritation : Causes serious eye irritation.

pH: 5 - 8.5

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : No data available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

#### oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)

LC50 fish 1 > 5000 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Static system; Fresh water; Experimental value)

EC50 Daphnia 2 7.2 mg/l (EL50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)

Threshold limit algae 1 843.75 mg/l (IC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Selenastrum capricornutum; Fresh water)

### 12.2. Persistence and degradability

#### ARDEX P 82, Component A

Persistence and degradability Not applicable.

#### reaction product: bisphenol-F-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700) (9003-36-5)

Persistence and degradability Biodegradability in water: no data available.

#### oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)

Persistence and degradability Readily biodegradable in water. Low potential for mobility in soil.

### 12.3. Bioaccumulative potential

#### ARDEX P 82, Component A

Bioaccumulative potential No bioaccumulation.

#### reaction product: bisphenol-F-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700) (9003-36-5)

Bioaccumulative potential No bioaccumulation data available.

#### oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)

BCF other aquatic organisms 1 160-263,BCF; BCFWIN

Log Pow 3.77 (Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 20 °C)

# ARDEX P 82, Component A

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)</b>	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

### 12.4. Mobility in soil

<b>ARDEX P 82, Component A</b>	
Ecology - soil	No information available.

<b>oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)</b>	
Log Koc	log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC); >5.63; Experimental value; GLP

### 12.5. Results of PBT and vPvB assessment

<b>ARDEX P 82, Component A</b>	
PBT: not relevant – no registration required	
vPvB: not relevant – no registration required	

### 12.6. Other adverse effects

Additional information : Avoid release to the environment

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Sewage disposal recommendations : Do not put down the drain. Must undergo physico-chemical treatment prior to disposal.  
European List of Waste (LoW) code : 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

#### - Inland waterway transport

Not applicable

#### - Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

# ARDEX P 82, Component A

## Safety Data Sheet

according to Regulation (EU) 2015/830

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

VOC content : < 3 % VOC - Swiss ordinance

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH205	Contains epoxy constituents. May produce an allergic reaction
EUH208	Contains . May produce an allergic reaction

ARDEX SDS EU

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*