

QUICK SPECIFICATIONS - CUSTOMER SUMMARY

Agency Name	GLENDALE FIRE DEPARTMENT	Date	7/28/2026
Contact Name	N/A	Salesperson	JOSH JULIEN FTS
Contact Phone	N/A	Equipment Rep	JORDAN KOFFLER
Contact Email	N/A	Project Manager	STEVE LYNN / JJ FTS
		GSO Number	26114

CHASSIS

FORD F550 : DEPT

CUSTOMER SUPPLIED FORD F550. CHASSIS PER BUILDER GUIDELINES AND APPROVAL: 179"WB / 60"CA, 19500 GVW, DIESEL, 4X4, CURRENT MODEL YEAR. (FACTORY YELLOW SPECIAL ORDER W/ FIN CODE)

DRIVETRAIN / SUSPENSION

BUCKSTOP SRW CONV : STAGE III CONVENTIONAL / FORD

BUCKSTOP SINGLE REAR WHEEL CONVERSION KIT INSTALLED TO CHASSIS. CONVERSION KIT INCLUDES: 5 TIRES & WHEELS, HIGH ARCH FENDER FLARES AND BODY MODIFICATIONS, OUTBACK BUMPER (WIDE), 3.5" SUSP. LIFT, SPEEDO, ABS, TRACTION CONTROL CALIBRATION MODULE / CORRECTION, RADFLO REMOTE RESERVOIR TUNED PERFORMANCE 2.5" SHAFT SHOCKS

REAR DECK CONFIGURATION

STANDARD

STANDARD REAR DECK SELECTION - NO L3 COMPARTMENT, PUMP TO DS RADIATOR OUT, ALLOWS TS ACCESS AND EXPANDED SELECTIONS

HOSE REEL MODEL

TOPSIDE DUAL

DUAL HANNAY MODEL: EF4038-17-18 (LT & RT) 12V ELECTRIC REWIND HOSE REELS MOUNTED TO TOP OF BODY ON LH & RH SIDES PER CONFIGURATION. PAINTED BLACK, 1" NH OUTLET THREADS, W/ STANDARD SPOOL STYLE ROLLER ASSEMBLIES

CAPACITY: 125' 1" / 200' 3/4

L3 POSITION

L3 HEX PUNCH - STANDARD

HEX PUNCH FASTBACK ENCLOSURE GUARD INSTALLED TO L3 BODY POSITION. POWDERCOATED JOB COLOR

R3 POSITION

R3 COMPARTMENT - STANDARD

R3 COMPARTMENT 32" X 31.5" X 18" W/ CTECH DRAWER AT BASE, 2 ADJ SHELVES, TOP LIFT

TOPSIDE PRECONNECT(S)

SINGLE REAR - ELECTRIC CONTROL

SINGLE REAR PRECONNECT TRAY INSTALLED TO TOPSIDE OF TANK ON OFFICER SIDE, EXTENDING OVER TOP OF TANK AND TO REAR THRESHOLD OF PLUMBING STEP. VERTICAL PLUMBING TO BE ENCLOSED IN SHROUD SUPPORTING TRAY EXTENDING FROM TOP OF STEP. PRECONNECT VALVE TO BE CONTROLLED W/ AKRON MINI NAVIGATOR AT REAR OF APPARATUS IN PUMP CONTROL AREA OR ON STEP / SHROUD SURFACE. PRECONNECT TRAY TO BE POWDERCOATED BK62 W/ COVER AND FLAP.

TOPSIDE - FRONT CROSSFRAME DUNNAGE

COFFIN BOX - STANDARD

TOPSIDE FRONT COFFIN BOX INSTALLED OVER L1/R1 TRANSVERSE (48"W X 18"D X 12"H). T LATCH HANDLE ON LID SURFACE, HINGED CAB SIDE, GAS SHOCK ASSIST, POWDERCOAT BK62

TOPSIDE - LH DUNNAGE

LH: 40.5" COFFIN (REEL FWD, NO L3)

TOPSIDE COFFIN BOX, T LATCH HANDLE ON TS OF LID, 40.5" X 18" X 12", W/ GAS SHOCK ASSIST, HINGED TO OUTSIDE
PC BK62

TOPSIDE - RH DUNNAGE

RH: 72.25" COFFIN (REEL FWD, W/ R3)
TOPSIDE COFFIN BOX, T LATCH HANDLE ON TS OF LID, 72.25" X 18" X 12", W/ GAS SHOCK ASSIST, HINGED TO OUTSIDE
PC BK62

PUMP CONTROL SYSTEM

DUAL CONTROLS: DARLEY EGOV DIGITROL 24K
DIGITROL+ DUAL PANELS: AUX PANEL INSTALLED TO HAVIS CONSOLE
DUAL DIGITAL READOUT INTERFACES W/ HOUR MEETER, OIL PSI, ENG COOLANT TEMP, VOLT METER, AND DIGITAL PRESSURE
ELECTRONIC THROTTLE, PUSH BUTTON PRIMER,
INTEGRATED PRESSURE GOV, INTEGRATED AUTO SHUTDOWN: LOW OIL PRESSURE & LOSS OF WATER

FOAM SYSTEM

TRIDENT ATP
TRIDENT FOAMATE 1.0 CLASS A ATP FOAM SYSTEM
BRASS HOUSING, PROPORTIONER STYLE - MOUNTED TO PLUMBING STEP FACE OR TO PUMP CONTROL AREA
INLINE 1/4 TURN VALVES FOR FOAM TANK DRAIN AND FOAM SUPPLY CONTROL
INSTALLED WITH FLEXIBLE PUSH TUBING, COLOR CODED FOR APPLICATION

PUMP

STANDARD CONFIG: DARLEY 1-1/2AGE24K 3.17 RATIO EGOV
DARLEY 1-1/2AGE 24K PUMP (3.17 RATIO) EGOV 2026+
HIGH PRESSURE, LOW VOLUME, GEAR DRIVEN, KUBOTA D902 DIESEL 24HP, LIQUID COOLED
STAINLESS STEEL WELDED PLUMBING, VICTAULIC GROOVES & COUPLINGS WHERE NECESSARY - AKRON 2.5" TANK-PUMP AND SUCTION VALVES, FABRICATED VALVE STANDS, FUNCTION LABELS, ETC
TANK-PUMP LINKAGE CONTROLLED THROUGH VALVE STAND

L1/R1 TRANSVERSE

OPTION 1: 400G / 18"
TRANSVERSE OVERSLUNG CROSS FRAME L1 / R1 COMPARTMENT, NOTCHED CENTER AT 18"D TO ACCOMMODATE 400 GAL POLYTANK. SWING DOOR - HINGED CAB SIDE W/ GAS SHOCK, FIXED SHELF AT THRU SECTION MIDPOINT, D RING HANDLES (BLACK)
51.5" (31.5" TOPSIDE) H X 26" (18" THRU SECTION) W X 18" / SIDE (+60" THRU SECTION) D

STRIPING / GRAPHICS

CUSTOM GRAPHICS
STRIPING PER DEPT SPECS AS FOLLOWS:

GLENDALD ARCHED OVER FIRE DEPT. FRONT CAB DOORS
GLENDALD MALTESE EMBLEM REAR CAB DOORS
BRUSH UNIT ID # ON TRANSVERSE COMPARTMENT BENEATH STRIPE
"GLENDALD FIRE DEPARTMENT" OVER STRIPE ON L2 AND R2 COMPARTMENTS, CENETERED
REFLECTIVE BLUE / YELLOW REAR CHEVRON ON BODY APRON
BLUE BODY STRIPE CHECK UP TO BODY MIDLINE, BLUE TRACERS

CHASSIS FINISH

FACTORY
CHASSIS FINISH TO BE FACTORY OEM PAINT COLOR (YELLOW)

RADIO INSTALLATION

PREWIRE ONLY
PREINSTALL COAX ANTENNA BASE KITS W/ CONNECTOR END. MOUNT ANTENNA BASE TO CAB ROOF, INSTALL WATERPROOF CAP, ROUTE COAX TO CONSOLE, LEAVE TERMINATED POWER AND GROUND FOR FUTURE RADIO CONNECTION

TIRES

BUCKSTOP SRW: PETLAS

335/80R20 PETLAS RM910 TIRES (5) - INCLUDED WITH BUCKSTOP SRW CONVERSION KIT AS STANDARD

WHEELS

BUCKSTOP SRW CONV ALUM WHEELS

11"X20" BUCKSTOP REVERSIBLE DOT ALUM WHEELS (5)

POWDERCOATED BLACK W/ MACHINED ACCENTS

BUMPER

BUCKSTOP SRW: FORD F550 KIT BUMPER

BUCKSTOP CONVERSION KIT HEAVY DUTY BUMPER WITH BRUSH GUARD [OUTBACK]. FULL TIRE COVERAGE, WINCH MOUNTING PLATE ASSY, 6" ROUND LIGHT CUTOUTS, DITCH LIGHT CUTOUTS. POWDERCOATED HAMMER BLACK - BK62

WINCH

WARN 16.5 TI, W/ SYNTHETIC CABLE (16,500 LB)

WARN 16.5 TI 16,500 WINCH W/ SYNTHETIC CABLE INSTALLED IN BUCKSTOP FRONT BUMPER

CENTER CONSOLE

30" FORD 13.3" CONSOLE ASSY DUAL RAD W/ PUMP CONT

HAVIS 30" FORD VSW CONSOLE: RELOCATE OEM POWER POINTS TO FACE, DUAL CUPHOLDERS, DUAL ARMRESTS, STORAGE POCKETS, ACCESSORY PLATES, & FILLER PLATES TO ACCOMMODATE SELECTIONS

DUAL RADIO, WITH IN CAB PUMP CONTROLS (DEPT SPECIFY RADIO)

HPI MODEL 1 BODY BASE

HPI MODEL 1 BODY BASE

HPI MODEL 1 BODY BASE ASSY: ALUM REVERSED C CHANNEL FLATBED DECK, SMOOTH FRAME, SQUARE CORNER, NOTCHED FORWARD DECK CORNERS. STRAIGHT CORNER TAILBOARD W/ FULL WIDTH APRON STEP. FENDER SKIRTS, FENDER FLARES, BODY FRONT OVERLAY [ROCK GUARD], MUDFLAP KIT, DEF & DIESEL FILL KITS, DOT LIGHTING KIT, APRON HOSE BOX, L2 & R2 TOPSIDE COMPARTMENTS INCLUDED IN STANDARDIZED BODY ASSY (56"W X 31.5"H X 18"D): VERTICAL LIFT DOOR WITH DUAL GAS SHOCK, ADJUSTABLE SHELF, D RING HANDLE, COMPARTMENT CIRCLE VENT AND LOUVER ASSY.

AFT OF AXLE UNDERBODY

GUSSET ASSEMBLY (STANDARD)

3/16 ALUMINUM GUSSETED REAR FLATBED UNDERBODY AFT OF AXLE ENCLOSURE KIT. DOUBLE ANGLE INWARD TO TIE FLATBED DECK TO APRON & DEFLECT FROM APRON.

TOPSIDE OVERLAY

MODEL 1 STANDARD TANK GRIP OVERLAY (400G / 500G)

TEXTURED TOPSIDE DIAMOND TREAD PLATE OVERLAY INSTALLED TO TOP OF TANK AND TRANSVERSE COMPARTMENT TO FRONT OF BODY. OVERLAY TO BE NOTCHED FOR FILL TOWERS AND TOPSIDE PLUMBING DISTRIBUTION OUTLETS. OVERLAY MOUNTS TO TANK THREADED INSERTS. INTEGRATED D RINGS SPACED FOR SPARE TIRE RETENTION.

WALKWAY TO BE POWDERCOATED PRISMATIC SUPERGRIP BLACK PTB-6419

TOPSIDE ACCESS

MODEL 1 STANDARD MODULAR STEP ASSY

ENCLOSED TOPSIDE ACCESS STEP INSTALLED OVER OFFICER SIDE DISCHARGE DISTRIBUTION AGAINST TANK & R3 COMPARTMENT. STEP NOTCHED FOR PLUMBING, VALVE CONTROLS / LINKAGES, FUNCTION CONTROLS THROUGH FACE (A/N), CUT AND FORMED .188 3003 DIAMOND PLATE TOP STEP (PRISMATIC PTB-6419), .190 5052 SIDE WALL SUPPORT (JOB COLOR)

ACCESS DOOR ON FRONT OF STEP HINGED W/ SOUTHCO C2 LATCHES TO ALLOW FOR SERVICE / STORAGE / ACCESSORY COMPONENTS

TOPSIDE TIRE MOUNT

TRIPLE LOOPS & Y STRAP TO CATWALK

STANDARD TOPSIDE SPARE TIRE RATCHETING Y STRAP, FASTEN SPARE TO TOPSIDE TANK WALKWAY D RINGS

L1/R1 TRANSVERSE ACCESSORIES

LOWER ADJUSTABLE SHELF / L1 & R1

ADJUSTABLE SHELF ADDED TO OUTER WING PORTIONS OF L1/R1 TRANSVERSE COMPARTMENT (1/ SIDE). SHELF POWDERCOATED HAMMER BLACK - BK62.

L2 OR R2 COMPARTMENT ACCESSORIES

SWEV FULL WIDTH WORK DRAWER W FOLDING LID (L2 OR R2 SIDE)

CTECH FULL WIDTH (50"W) 6" DEEP DRAWER MOUNTED TO L2 OR R2 COMPARTMENT BASE [DEPT SPECIFY]). DRAWER TO HAVE FULL HINGED "WORK SURFACE" LID TO ENCLOSE TOP OF DRAWER WHEN EXTENDED, HINGED INSIDE EDGE W/ PIANO HINGE. FULL PERIMETER LIP AND CENTER SUPPORT

REEL ENCLOSURE

NONE

NO REAR DECK HOSE REEL ENCLOSURES TO REA OF APPARATUS

BODY FINISH

POWDERCOATING - STANDARD

ENTIRE MODEL 1 BODY TO BE POWDERCOATED AS FOLLOWS:

JOB COLOR: FLATBED DECK, APRON, RAILS, COMPARTMENTS INSIDE & OUTSIDE, HEX PUNCH GUARDS, ETC

BLACK BK62: SHELVES, ACCESSORY COMPONENT, STEPS, FENDER FLARES, TOPSIDE COFFIN BOXES, TOPSIDE BASKETS, DOOR HANDLES, CROSSFRAME ROCK GUARD, ETC

BACK UP CAM

INSTALL FACTORY CAM TO BODY / WIRE TO DISPLAY

FACTORY SUPPLIED BACK UP CAMERA TO BE PLACED AT REAR OF BODY AND INTEGRATED TO HEAD UNIT WITH OEM PROVIDED COMPONENTS AND WIRING HARNESS.

CAB STEPS

FACTORY

FACTORY CAB STEPS TO BE UTILIZED.

BODY SIDE STEPS

BODY - SIDE ZICO (EA SIDE)

(2) ZICO PS-8 MANUAL PULL OUT STEPS INSTALLED UNDER L1 & R1 AT REAR BOTTOM EDGE, TO ACCESS TOPSIDE DISCHARGES OR CARGO

BATT CHARGER

KUSSMAUL CHIEF 4012

KUSSMAUL CHIEF SERIES BATTERY CHARGER W/ BUILT IN TOUCH DIISPLAY AND COMMUNICATIONS. IP32 RATED, PLC LOAD COMPENSATION BUILT IN. CHARGER MOUNTED TO INSIDE WALL OF TRANSVERSE COMPARTMENT, L1 SIDE. INPUT FROM AUTO EJECT AND OUTPUT TO BATTERY WIRING TO BE COVERED WITH Z FLANGE ALUMINUM WIRING COVER.

AUTO EJECT

KUSSMAUL CHIEF OLED, 20A, RED (4012)

KUSSMAUL 20A SUPER AUTO EJECT W/ CHIEF SERIES OLED RED COVER INSTALLED TO DRIVERS SIDE FENDER SKIRT FORWARD OF REAR AXLE. DIGITAL CHARGE INDICATOR AND STATUS CENTER INTEGRATED TO COVER. PIGTAIL WHIP TO BE PROVIDED

120V OUTLET(S) BODY - SHORELINE

NONE

NO SHORELINE POWER OUTLETS TO BE INSTALLED TO BODY

INVERTER POWER 2KW

NONE

NO FACTORY INVERTER SYSTEM

MASTER BATTERY

RED ETCHED ROCKER

STANDARD MASTER POWER SWITCH TO SUPPLY POWER TO ALL NON OEM ACCESSORIES (LESS LOADS WIRED TO CONSTANT BATTERY PER DEPT SPECIFICATIONS). ROCKER SWITCH INSTALLED TO CONSOLE WITH RED ETCHED COVER "MASTER POWER" AND STAINLESS STEEL SWITCH SHROUD GUARD.

CORE ELECTRICAL DISTRIBUTION

STANDARD

STANDARD CORE ELECTRONICS DISTRIBUTION AND POWER MANAGEMENT. CENTRALIZED AND LABELED FUSE BLOCKS, RELAYS, ELECTRICAL COMPONENT MOUNTING, SOLENOIDS, HEAVY GAUGE WIRE DISTRIBUTION AND JUNCTIONS / TERMINALS / CONNECTORS AS NEEDED TO COMPLETE.

DOOR AJAR SYSTEM

CAB & BODY DOORS, AUDIBLE + VISUAL

STANDARD DOOR AJAR: RED LIGHT AND BUZZER INSTALLED TO CENTER CONSOLE. SYSTEM TO ALERT DOOR AJAR FOR ALL BODY DOORS THROUGH COMPARTMENT LIGHTING PRESSURE SWITCH CIRCUIT AND CAB DOORS THROUGH OBDII INTEGRATION.

SCENE LIGHT SWITCHING

CAB & PUMP PANEL

SCENE LIGHT SWITCHING - ALL SCENE AND WORK LIGHTS TO BE CONTROLLED FROM PUSH BUTTONS ON CCT7 W/ CLEARLY LABELED & BACKLIT CONTROLS. TOPSIDE WORK LIGHTS, REAR SCENE LIGHTS, DRIVER BODY SCENE LIGHTS, AND OFFICER BODY SCENE LIGHTS TO BE SWITCHED FROM BOTH CAB AND AT PUMP PANEL [ON OR OFF EITHER POSITION]. PUMP PANEL SWITCHES TO HAVE ETCHED COVERS FOR FUNCTION AND BACKLIT - BOTTOM LEFT IN ROW ON PUMP PANEL.

FRONT FOG LIGHTING

BAJA DESIGNS AMBER

BAJA DESIGNS LP6 PRO AMBER RND FOG/DRIVING LIGHTS INSTALLED IN BUMPER ROUND CUTOUTS

FRONT BUMPER SCENE LIGHTING

NONE

NO FRONT SCENE LIGHTING INSTALLED TO BUMPER

BODY FRONT SCENE LIGHTING

NONE

NO BODY FRONT SCENE LIGHTING INSTALLED

DRIVER SCENE LIGHTING

LIGHTBAR - BAJA

BAJA DESIGNS S8 20" LED LIGHT BAR MOUNTED TO LH TOPSIDE STORAGE

OFFICER SCENE LIGHTING

LIGHTBAR - BAJA

BAJA DESIGNS S8 20" LED LIGHT BAR MOUNTED TO RH TOPSIDE STORAGE

REAR WORK LIGHTING

WHELEN NP6BB UPPER REAR (DUAL)

(2) WHELEN NP6BB NANO PIONEER LED POD LIGHTS MOUNTED TO REAR UPPER BODY ON ANGLED PEDASTAL BASE. LIGHTS INBOARD OF REAR UPPER WARNING LIGHTS

TOPSIDE WORK LIGHTING

STANDARD: 5 X 9" SUNSTRIP W/SHROUD

TOPSIDE WORK / ACCESS LIGHTING - 9" FRC SUNSTRIP (5) DISTRIBUTED TO ILLUMINATE TOPSIDE OF APPARATUS AND ACCESS / WALKWAY & STEP. EXPOSED LIGHTS TO HAVE PROTECTIVE SHROUD COVER POWDERCOATED BK62.

ROCK LIGHTS

NONE

NO ROCK LIGHTS TO BE INSTALLED.

GROUND LIGHTING

CAB DOOR POSITIONS & 2 UNDER APRON

ROM 6" GROUND LIGHT

COMPARTMENT LIGHTING

MODEL 1 STANDARD / FRC SUNSTRIP

FRC SUNSTRIP STANDARD COMPARTMENT LIGHTING AT DOOR THRESHOLD AS FOLLOWS

TOPSIDE LIFT DOOR COMPARTMENTS: 27" [1 / SIDE]

L1/R1 TRANSVERSE: 45" ON LH AND RH DOOR, LATCH SIDE

ADDED CENTER: 45" AT TOP OF TRANSVERSE FORWARD UPPER EDGE. 45" UNDER SHELF

ARGES SYSTEM / REMOTE LIGHT

NONE

NO WHELEN ARGES REMOTE SPOTLIGHT SYSTEM INSTALLED

SYSTEM / CONTROLLER

CENCOM CORE WCX C399 & CCTL7 21& SLIDE CONTROLLER, 3X CEM16 EXPANSION MODULES

WHELEN CENCOM CORE WECAN X CONTROL SYSTEM, CCTL7 CONTROL HEAD, AND (3) CEM16 EXPANSION MODULES - 1 UNDER HOOD FOR FRONT ELECTRONICS, 2 IN PUMP PANEL FOR REAR ELECTRONICS. DVI, V2V, VSG, WHELEN CLOUD, WECANX CAPABLE.

INTEGRATED SYSTEM TO CONTROL ALL EMERGENCY WARNING, SCENE, AND LOAD OUTPUT FUNCTIONS THROUGHOUT APPARATUS.

PROGRAMMING

STD HARNESSSES

PROGRAMMING AND INTEGRATION TO STANDARD UNLESS OTHERWISE DISCUSSED W AGENCY

PUSH BUTTON SCENE AND WORK, TOP ROW SIREN FUNCTIONS, PROGRAM H/F MODE AND TIE TO FACTORY HORN, OBDII INTEGRATE FOR PARK KILL FUNCTIONS VIA WHELEN SCANPORT, STD SLIDE SWITCH FLASH PATTERNS, ETC)UTILIZING J5 & J6 OUTPUTS FROM CEM16 (X3) AND DIRECT C399 CONNECTIONS. ALL REMOTE MODULES TO CONNECT TO CENCOM VIA J7 DATA HARNESSSES

LIGHT BEZEL FINISH

BLACK

ALL WARNING LIGHT SHROUDS TO BE BLACK

LIGHTBAR

WHELEN LIBERTY II WCX (FORD CHASSIS)

WHELEN LIBERTY II 54" LIGHTBAR W/ FORD F550 MOUNTING STRAP KIT. MOUNTED FRONT CAB, DUO RED / WHITE MODULES FRONT, DUO RED / AMBER MODULES REAR, RED / WHITE DUO CORNER MODULES, LEFT & RIGHT ALLEY LIGHTS, FRONT TAKEDOWNS

WHITE FUNCTIONS SWITCHED AS SCENE LIGHTS: FRONT SCENE, TAKE DOWN, L ALLEY, R ALLEY

SIREN SPEAKER

F550 GRILL MNT, SA315P

WHELEN SA315P SIREN SPEAKER INSTALLED BEHIND GRILL W/ SUPER DUTY VEHICLE SPECIFIC SPEAKER MOUNT

FRONT LOWER WARNINGS

M4 R/W DUO, CLR LENS

FRONT LOWER WARNING INSTALLED TO FRONT BUMPER, TOWARDS OUTSIDE - FORWARD FACING

WHELEN M4 SERIES RED / WHITE DUO W/ CLEAR LENS

FRONT LOWER WARNING BEZELS

M4 BLACK

BLACK FLANGE BEZEL FOR M4

FRONT GRILL WARNINGS

T SERIES RED, CLR LENS

FRONT GRILL WARNING INSTALLED TO BUMPER UPRIGHTS - FORWARD FACING

WHELEN T SERIES RED W/ CLEAR LENS

INTERSECTION WARNINGS

M2 RED, CLR LENS

INTERSECTION WARNING LIGHTS INSTALLED TO FRONT FENDER NEAR TOP OF WHEEL ARCH, FORWARD - FACING TO LEFT & RIGHT OF APPARATUS

WHELEN M2 SERIES RED W/ CLEAR LENS

INTERSECTION WARNING BEZELS

M2 BLACK

BLACK FLANGE BEZEL FOR M2

MIDSHIP WARNINGS

M2 RED, CLR LENS

MIDSHIP WARNING LIGHTS INSTALLED TO BEDRAIL CENTERED OVER WHEEL, FENDER FLARE - FACING TO LEFT & RIGHT OF APPARATUS

WHELEN M2 SERIES RED W/ CLEAR LENS

MIDSHIP WARNING BEZELS

M2 BLACK

BLACK FLANGE BEZEL FOR M2

DRIVER REAR LOWER WARNING

DS: M2 RED/BLUE

WHELEN M2 SERIES LIGHTHEAD ML2DJ (CLR) RED/BLUE DUO, DS REAR LOWER WARNING MOUNTED TO BEDRAIL NEAR DOT LIGHT

OFFICER REAR LOWER WARNING

OS: M2 RED/BLUE

WHELEN M2 SERIES LIGHTHEAD ML2DJ (CLR) RED/BLUE DUO, OS REAR LOWER WARNING MOUNTED TO BEDRAIL NEAR DOT LIGHT

REAR LOWER WARNING LIGHT BEZELS

M2 BLACK

BLACK FLANGE BEZEL FOR M2

DRIVER REAR UPPER WARNING:

DS: M6V2 RED

M6 V SERIES COMBINATION WARNING / PERIMETER LIGHT M6V2RC (CLR) RED, UPPER WARNING LIGHT, MOUNTED TO UPPER OUTSIDE BODY CORNER

OFFICER REAR UPPER WARNING:

OS: M6V2 RED

M6 V SERIES COMBINATION WARNING / PERIMETER LIGHT M6V2RC (CLR) RED, UPPER WARNING LIGHT, MOUNTED TO UPPER OUTSIDE BODY CORNER

REAR UPPER WARNING LIGHT BEZELS

M6 BLACK

BLACK FLANGE BEZEL FOR M6

SYNC MODULE

NONE

NO WHELEN VEHICLE TO VEHICLE SYNC SYSTEM

OPTICOM**LED/IR 795H**

795H GTT IR OPTICOM INCLUDED AND PREINSTALLED TO LIGHTBAR CENTER. OPTICOM PROGRAMMED TO 3RD SLIDE POSITION, EMITTER PREWIRED TO TAKEDOWNS

HOWLER SYSTEM**HOWLER SYSTEM DUAL SPKR & AMP / UNIV BKTS**

WHELEN HOWLER LOW FREQUENCY SIREN SPEAKER SYSTEM INSTALLED. DUAL SPEAKERS, MOUNT KITS, AND CORE AMPLIFIER

REAR TRAFFIC ADVISOR**NONE**

NO REAR TRAFFIC ADVISOR INSTALLED

TRACERS - CAB**NONE**

NO WHELEN TRACER CAB SIDE WARNING LIGHTS INSTALLED

POLY TANK**UPF 400 GAL - MOD 1 STD**

MODEL 1 440 GALLON RECTANGULAR POLY TANK: 10 GAL INTEGRATED FOAM CELL, MOUNTING BACK, NUT INSERTS FRONT BOT, TOPSIDE MOUNTING TAPS FOR WALKWAY
FOAM AND WATER FILL TOWERS ON DS EDGE, INLINE, WATER FILL ON TANK MIDLINE FORWARD OF FOAM CELL
UPPER RIGHT CORNER NOTCHED FOR TOPSIDE DISCHARGE OUTLETS, TANK SLEEVED FOR TOPSIDE DISTRIBUTION
59"W X 64"+2"L X 31.5" H

PRIMER**DARLEY 12V FLUIDLESS (PULL TO PRIME)**

DARLEY FLUIDLESS VANE 12V PRIMER, INSTALLED UNDER BODY. PRIMER FUSED W/ 400A MEGA BOLT STYLE FUSE UNDER HOOD. PRIMER CONTROL W/ PULL STYLE HANDLE MOUNTED TO REAR BEDRAIL

PUMP PANEL BOX OPTIONS**SWEV STANDARD BOX**

INTERNAL PUMP PANEL CONTROL BOX, W/ LED PANEL LIGHT, POWDERCOAT BK62

PUMP PANEL FACE OPTIONS**FACE 1: DARLEY EGOV**

REMOVEABLE PANEL FACE FOR DARLEY EGOV CONTROLS, BLACK FINISH WITH ETCHED FUNCTION LABELS

SUB PANEL BOX OPTIONS**NO EXPANSION BOX**

NO PUMP CONTROL SUB PANEL BOX NECESSARY

RECIRC COOLER SYSTEM & CONTROL / FOAM CONTROL**SWEV 4 WAY PUMP COOLER AND FOAM SUPPLY SYSTEM**

4 POSITION VALVE COMBINATION PUMP COOLER, FOAM SUPPLY, AND FOAM FLUSH CONTROLS. VALVE MOUNTED TO PUMP CONTROL PANEL FACE WITH POSITION ETCHED LABELING. SUPPLY RECIRCULATING PUMP COOLER MODE, MODE OFF TO FOAM SUPPLY, MODE OFF TO FOAM FLUSH, REPEAT - ELLIMINATE TANK FOAM OUT FROM ATP FOAM SYSTEM.

FRONT DISCHARGE**NONE**

NO FRONT BUMPER DISCHARGES INCLUDED AS CONFIGURED

GROUND SWEEPS

DUAL FRONT - ELECTRIC ACTUATED - SW IND IN CAB "LEFT SWEEP, RIGHT SWEEP"

DUAL FRONT GROUND SWEEPS INSTALLED TO FRONT BUMPER. SWEEPS VALVED INDEPENDENTLY W/ ELECTRIC VALVES, SWEEP VALVE CONTROL AT HAVIS CONSOLE "LEFT SWEEP" & "RIGHT SWEEP" ETCHED ROCKER SWITCHES. IN LINE CHECK VALVES AND AUTO DRAINS TO BE INSTALLED.

PUMP FUEL SOURCE

CHASSIS DIESEL (24K)

CHASSIS DIESEL FUEL TANK FOR FUEL SUPPLY TO PUMP: UTILIZE UPFITTER FUEL PICK UP & RETURN

PUMP REMOTE OIL

KUBOTA 24 DSL REMOTE OIL

REMOTE OIL FILTER AND DRAIN KIT FOR 24K DIESEL PUMP

WATER LEVEL GAUGE

FRC TANKVISION PRO 400 WATER

STANDARD: FRC TANKVISION PRO WATER LEVEL GAUGE (PRIMARY), TRANSDUCER, INSTALLED TO PUMP PANEL

IN CAB SLAVE WATER GAUGE

FRC TANKVISION WATER MINI

FRC TANKVISION MINI REMOTE WATER LEVEL GAUGE, INSTALLED TO HAVIS CONSOLE

AUXILLARY WATER LEVEL GAUGE

FRC MAXIVISION - BODY SIDES (DUAL)

FRC MAXIVISION, LARGE REMOTE WATER LEVEL GAUGE, INSTALLED TO SIDES OF BODY UPPER FORWARD DOOR FRAME (EA SIDE) L1 / R1

FOAM LEVEL GAUGE

TANK SIGHT TUBE

TANK SIGHT WINDOW ONLY - NO ADDED FOAM LEVEL GAUGE

DISCHARGE DISTRIBUTION TO TOPSIDE

SINGLE SLEEVE TO TOPSIDE OUTLETS

DISCHARGE PLUMBING SLEEVED THROUGH TANK TO FRONT CORNER OUTLET FOR CONNECTION TO TOPSIDE OUTLETS (X1)

HOSE REEL REWIND(S)

TOPSIDE DUAL: BEDRAIL/ INLINE

DUAL PUSH BUTTON MOMENTARY REWIND SWITCHES MOUNTED TO BEDRAIL ON EACH SIDE OF APPARATUS, INLINE WITH HOSE REELS. ETCHED BEZELS "REWIND" INSTALLED TO BOTH SWITCHES.

HOSE REEL DISCHARGE PLUMBING

TOPSIDE DUAL - FORWARD

STAINLESS STEEL HOSE REEL DISCHARGE PLUMBING FOR DUAL TOPSIDE HOSE REELS IN "REELS FORWARD" CONFIGURATION. FROM TOPSIDE OUTLET, 1" AKRON VALVE IN REEL INLET AREA W/ ETCHED VALVE LABEL "BOOSTER REEL" ON EACH HOSE REEL.

DRIVER DECK DISCHARGE ASSY

1.5" DISCHARGE - LH REAR BEDRAIL OF PLATFORM

STANDARD 1.5" DISCHARGE ON DRIVER SIDE REAR DECK CORNER. STAINLESS STEEL PLUMBING FROM PUMP INITIAL OUTLET ASSY. 1.5" AKRON VALVE W/ ETCHED VALVE LABEL "1.5" DISCHARGE"

OFFICER DECK DISCHARGE ASSY

1.5" DISCHARGE - RH REAR BEDRAIL OF PLATFORM

AKRON 1.5" VALVE OFFICER SIDE DISCHARGE, BEZEL AND VALVE DECK STAND

OFFICER SIDE DISCHARGE DISTRIBUTION ASSY

STANDARD CORNER DISTRIBUTION

STANDARD OS CORNER DISTRIBUTION PLUMBING

DISCHARGE SUB ASSY - TANK FILL**STANDARD TANK FILL**

STANDARD TANK FILL PLUMBING ASSEMBLY EXTENDING FROM OFFICER SIDE DISCHARGE DISTRIBUTION, THRU TOP OF PLUMBING STEP ALONG TANK WALL AND INTO TANK. 1.5" AKRON VALVE W/ MANUAL CONTROL. ETCHED / BENT BEZEL "TANK FILL"

MASTER DRAIN**MASTER DRAIN (STD)**

STANDARD MASTER DRAIN VALVE: INSTALLED TO BOTTOM CORNER OF REAR APRON
DRAIN ALL PLUMBING, PUMP, AND LOW POINTS

SPECIALTY / CUSTOM DISCHARGE(S)**NONE**

CUSTOM SPECIALTY DISCHARGING AS REQUIRED PER CUSTOMER SPECIFICATION

REAR CAB ORGANIZER**NONE**

NO REAR CAB ORGANIZER TO BE INSTALLED.

TOPSIDE ACCESSORIES**NONE**

NO ADDED TOPSIDE ACCESSORIES OR DIVIDERS INCLUDED

WINCH ACCESSORIES**FACTOR 55 ULTRAHOOK**

INCLUDE FACTOR 55 ULTRAHOOK AND INSTALL IN PLACE OF FACTORY WARN WINCH HOOK

BOOSTER HOSE**1" STANDARD BOOSTER (NH)**

1" BOOSTER HOSE COUPLED TO FIT HOSE REEL LENGTH - NH / RED RUBBER

BOOSTER NOZZLE(S)**DUAL / NH: HEN**

HEN BLADE 20-T 1" NH NOZZLE AND HYDRO 100 SHUTOFF (QTY 2) INCLUDED

REAR HOSE HOOK**SWEV ALUM HOSE HOOK ASSY**

REMOVEABLE HOSE HOOK KIT, DUAL REC MOUNTS AND SINGLE ALUM 1"SQ TUBE HOOK

DRIP TORCH MOUNTS**SWEV DUAL DRIP TORCH CADDY AND REAR BODY IN-USE MOUNT**

CUSTOM FAB DRIP TORCH REMOVEABLE TRAY CADDY MOUNT AND RAIL INSTALLED TO BACK OF L3 OR R3 POSITION, STORES IN BODY WHEN NOT IN USE

DRIP TORCHES**DUAL DRIP TORCHES**

QTY 2 1.25 GALLON C&S DRIP TORCHES INCLUDED

FLASHLIGHTS - MOUNT & WIRE**NONE**

NO HANDHELD FLASHLIGHTS INCLUDED OR INSTALLED

PAC MOUNT - BOOSTER NOZZLE(S)**DUAL / PAC FLEXTMOUNT**

PAC TOOL FLEXTMOUNT INSTALLED TO EACH REEL BASE

PORTABLE RADIO CHARGERS - MOUNT & WIRE**DEPT SUPPLIED CHARGER(S) MOUNT & WIRE**

DEPARTMENT PROVIDED PORTABLE RADIO CHARGER(S) INSTALLED IN CAB AND WIRED TO CONSOLE 12V CONSTANT POWER

SPANNER / HYD WRENCH SET (MOUNTED)**NONE**

NO SPANNER AND HYDRANT WRENCH SET INCLUDED

TOW HOOK / SHACKLE (ADDED)**2" HITCH MNT SHACKLE (FRONT BUMPER)**

INCLUDE ADDED 2" REC MOUNT SHACKLE AND INSTALL TO FRONT BUMPER

WHEEL CHOCKS AND MOUNTS**AC-32W W HORIZONTAIL MOUNT - PAIR**

ZICO AC-32W WILDLAND COMPLIANT WHEEL CHOCK PAIR AND DUAL MOUNTS INCLUDED (SHIP LOOSE)

BULLETPPOINT MOUNT OPTIONS**NONE**

NO AMPS 20MM BALL MOUNTS

BULLETPPOINT ACCESSORIES**NONE**

NO BULLETPPOINT ACCESSORIES INCLUDED

CAB DOME LIGHTING**WHELEN R/W COMBO (2) FRONT/REAR**

QTY 2 WHELEN SPLIT RED / WHITE SURFACE MOUNT LED INTERIOR LIGHTS TO BE INSTALLED, ADDED TO HEADLINER. 1 EA TO BE CENETERED OVER FRONT AND BACK ROW.

ON BOARD AIR**NONE**

NO ON BOARD AIR COMPRESSOR SYSTEM INSTALLED

SPITZ LIFT HOIST**NONE**

NO SPITZ LIFT HOIST INCLUDED

CUSTOM: ADDED LOOSE EQUIP**NONE**

NO CUSTOM ADDED LOOSE EQUIPMENT

HARD SUCTION**2.5" X BODY LENGTH - NH (2)**

2 SECTIONS OF 2.5" HARD SUCTION COUPLED TO BODY LENGTH AND INCLUDED, NH, PREINSTALLED TO APRON HOSE BOX, INCLUDES 2.5 BARREL STRAINER

REAR GRAB HANDLES**STANDARD (2@18")**

2 STANDARD GRAB HANDLES PROVIDED AND INSTALLED TO BACK OF APPARATUS IN TOPSIDE ACCESS WALKWAY / STEP AREA AS NEEDED

HITCH STEP**SWEV FOLDING HITCH STEP SHACKLE**

FABRICATED HITCH INSERT DROP STEP AND REC MOUNT SHACKLE COMBO

FLIP STEP ON DROP, 2.5" HITCH MOUNT, ACCEPTS / ADAPTS TO 2" & PRE INSTALLED W/ INCLUDED 2" HITCH SHACKLE, DOUBLE PINS, W/ INTEGRATED LIGHT WIRED TO GROUND LIGHTS ON PLUG

INTERNAL ENGINEERING**SWEV DESIGN ENGINEERING**

INTERNAL DESIGN TIME AND ENGINEERING, CONCEPT DRAWINGS AND APPROVAL PRINTS, JOB SPECIFIC LAYOUT
ENGINEERING PER CONFIGURATION

PURCHASE MECHANISM

N/A

N/A

SALES REP

NONE

N/A

FINAL INSPECTION

FINAL INSPECTION: ON SITE @ SWEV

FINAL INSPECTION, IN SERVICE TRAINING, AND CUSTOMER ACCEPTANCE AT PRODUCTION FACILITY: YAKIMA, WA,
CUSTOMER INSPECTION COSTS NOT INCLUDED IN PURCHASE

DELIVERY

DELIVERY: AGENCY DRIVEAWAY

CUSTOMER TO DRIVEAWAY UNIT AFTER FINAL INSPECTION AND ACCEPTANCE
