



# SKYHALL FENCE

## QUALITY INSPECTION REPORT

SKH-26-720-69

| COMPANY             |      | HEBEI SKYHALL GLOBAL CO.,LTD |                 | FACTORY |   | HEBEI SKYHALL GLOBAL CO.,LTD |        |  |
|---------------------|------|------------------------------|-----------------|---------|---|------------------------------|--------|--|
| INSPECTION LOCATION |      | ANPING, HEBEI                |                 | PRODUCT |   | TEMPORARY FENCE              |        |  |
| NO.S                | ITEM | STANDARD                     | INSPECTION DATA |         |   |                              | RESULT |  |
|                     |      |                              | 1               | 2       | 3 | 4                            |        |  |

|                         |      |                   |                              |       |       |       |       |   |
|-------------------------|------|-------------------|------------------------------|-------|-------|-------|-------|---|
| 1-TEMPORARY FENCE PANEL | 1-1. | HEIGHT            | 2200±5 mm                    | 2200  | 2200  | 2201  | 2200  | ✓ |
|                         | 1-2. | WIDTH             | 2400±5 mm                    | 2398  | 2399  | 2397  | 2399  | ✓ |
|                         | 1-3. | WIRE DIAMETER     | ≥3.45mm                      | 3.55  | 3.58  | 3.66  | 3.66  | ✓ |
|                         | 1-4. | MESH SIZE         | 50*100±3.0 mm                | ✓     |       |       |       | ✓ |
|                         | 1-5. | FRAME OD          | ≥31.7 mm                     | 32.16 | 32.58 | 32.46 | 32.33 | ✓ |
|                         | 1-6. | FRAME THICKNESS   | 1.5±0.15 mm                  | 1.6   | 1.58  | 1.62  | 1.57  | ✓ |
|                         | 1-7. | SURFACE TREATMENT | HOT DIPPED GALVANIZED        | ✓     |       |       |       | ✓ |
|                         | 1-8. | ZINC COATING MASS | ≥390g/m <sup>2</sup> (≥55μm) | ✓     |       |       |       | ✓ |

|         |      |                          |                              |       |       |      |       |   |
|---------|------|--------------------------|------------------------------|-------|-------|------|-------|---|
| 2-STRUT | 2-1. | HEIGHT                   | 1800±5 mm                    | 1805  | 1805  | 1804 | 1805  | ✓ |
|         | 2-2. | STRUT PIPE OD            | ≥31.7 mm                     | 32.69 | 32.58 | 32.6 | 32.51 | ✓ |
|         | 2-3. | STRUT PIPE THICKNESS     | 1.5±0.15 mm                  | 1.62  | 1.58  | 1.55 | 1.63  | ✓ |
|         | 2-4. | CONNECTING PIPE LENGTH   | 300±5 mm                     | 300   | 301   | 300  | 300   | ✓ |
|         | 2-5. | LOAD-BEARING PIPE LENGTH | 450±5 mm                     | 450   | 450   | 449  | 450   | ✓ |
|         | 2-6. | BASE PLATE SIZE          | 450*57±5 mm                  | ✓     |       |      |       | ✓ |
|         | 2-7. | BASE PLATE THICKNESS     | 5.0±0.5 mm                   | 5     | 4.98  | 5.05 | 5.01  | ✓ |
|         | 2-8. | SURFACE TREATMENT        | HOT DIPPED GALVANIZED        | ✓     |       |      |       | ✓ |
|         | 2-9. | ZINC COATING MASS        | ≥390g/m <sup>2</sup> (≥55μm) | ✓     |       |      |       | ✓ |

**SKYHALL FENCE**

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517



**We Make Fence Ideal**



# SKYHALL FENCE

|                     |      |                                  |                              |      |      |      |      |   |
|---------------------|------|----------------------------------|------------------------------|------|------|------|------|---|
| 3-DOUBLE-LEAF GATE  | 3-1. | TOTAL WIDTH                      | 5160±10 mm                   | 5158 | 5157 | 5160 | 5156 | ✓ |
|                     | 3-2. | GATE POST LENGTH                 | 3000±5 mm                    | 3005 | 3005 | 3005 | 3005 | ✓ |
|                     | 3-3. | GATE POST SQUARE PIPE SIZE       | 80*80±0.8 mm                 | ✓    |      |      |      | ✓ |
|                     | 3-4. | GATE POST SQUARE PIPE THICKNESS  | 3.0±0.3 mm                   | 3.17 | 3.11 | 3.15 | 3.21 | ✓ |
|                     | 3-5. | GATE FRAME SQUARE PIPE SIZE      | 60*60±0.6 mm                 | ✓    |      |      |      | ✓ |
|                     | 3-6. | GATE FRAME SQUARE PIPE THICKNESS | 2.5±0.25 mm                  | ✓    |      |      |      | ✓ |
|                     | 3-7. | SURFACE TREATMENT                | HOT DIPPED GALVANIZED        | ✓    |      |      |      | ✓ |
|                     | 3-8. | ZINC COATING MASS                | ≥390g/m <sup>2</sup> (≥55μm) | ✓    |      |      |      | ✓ |
| 4-PLASTIC BASE      | 4-1. | BASE FOOT TYPE                   | PLASTIC CLOSED TYPE          | ✓    |      |      |      | ✓ |
|                     | 4-2. | LENGTH                           | 600±10 mm                    | 600  | 600  | 601  | 599  | ✓ |
|                     | 4-3. | WIDTH                            | 230±10 mm                    | 229  | 229  | 228  | 230  | ✓ |
|                     | 4-4. | HEIGHT                           | 150±10 mm                    | 149  | 150  | 148  | 148  | ✓ |
|                     | 4-5. | COLOUR                           | ORANGE                       | ✓    |      |      |      | ✓ |
| 5-CLAMP & BOLT SETS | 5-1. | CLAMP CENTRE DISTANCE            | 100±5 mm                     | ✓    |      |      |      | ✓ |
|                     | 5-2. | CLAMP SURFACE TREATMENT          | HOT DIPPED GALVANIZED        | ✓    |      |      |      | ✓ |
|                     | 5-3. | BOLT SETS SIZE                   | M10*50                       | ✓    |      |      |      | ✓ |
|                     | 5-4. | BOLT SURFACE TREATMENT           | HOT DIPPED GALVANIZED        | ✓    |      |      |      | ✓ |
| QUANTITY            | 1    | TEMPORARY FENCE PANE             | 125 pcs                      | ✓    |      |      |      |   |
|                     | 2    | STRUT                            | 43 pcs                       | ✓    |      |      |      |   |
|                     | 3    | DOUBLE-LEAF GATE                 | 4 sets                       | ✓    |      |      |      |   |
|                     | 4    | PLASTIC BASE                     | 212 pcs                      | ✓    |      |      |      |   |
|                     | 5    | CLAMP & BOLT SETS                | 210 sets                     | ✓    |      |      |      |   |

**SKYHALL FENCE**

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517



**We Make Fence Ideal**



# SKYHALL FENCE

|         |                 |                      |                                                                |                 |
|---------|-----------------|----------------------|----------------------------------------------------------------|-----------------|
| PACKING | 1               | TEMPORARY FENCE PANE | Pallet packaging                                               |                 |
|         | 2               | STRUT                | Pallet packaging                                               |                 |
|         | 3               | DOUBLE-LEAF GATE     | Pallet packaging                                               |                 |
|         | 4               | PLASTIC BASE         | Pallet packaging                                               |                 |
|         | 5               | CLAMP & BOLT SETS    | Wooden crate packaging                                         |                 |
| RESULT  | RESULT          |                      | RANDOM INSPECTIO FOUR PER ITEM. 100% PASSED IN GOOD CONDITION. |                 |
|         | QC: YONGJIN BAI |                      | APPROVED BY: CARL DONG                                         | DATE:2026-02-02 |



## SKYHALL FENCE

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517




**We Make Fence Ideal**



# SKYHALL FENCE


## INSPECTION PHOTOS



1-1.



1-2.



1-3.



1-4.



1-4.



1-5.

**SKYHALL FENCE**

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517



**We Make Fence Ideal**




# SKYHALL FENCE

## INSPECTION PHOTOS



1-6.



1-8.



1



2



2-1.



2-2.

**SKYHALL FENCE**

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517



**We Make Fence Ideal**



# SKYHALL FENCE

## INSPECTION PHOTOS



2-3.




2-4.



2-5.



2-6.



2-6.



2-6.

**SKYHALL FENCE**

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517



**We Make Fence Ideal**



# SKYHALL FENCE

## INSPECTION PHOTOS



2-7.




2-9.




2-9.



2-9.



3



3-1.

### SKYHALL FENCE

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517



**We Make Fence Ideal**



# SKYHALL FENCE

## INSPECTION PHOTOS



3-2.



3-3.



3-3.



3-4.



3-5.



3-5.

**SKYHALL FENCE**

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517



**We Make Fence Ideal**




# SKYHALL FENCE

## INSPECTION PHOTOS



3-6.



3-8.



3-8.



4-2.



4-3.



4-4.

**SKYHALL FENCE**

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517



**We Make Fence Ideal**



# SKYHALL FENCE

## INSPECTION PHOTOS




5-1.




5-2.



5-3.



5-3.



5-4.

**SKYHALL FENCE**

ANPING SKYHALL TRAFFIC DEVICE CO.,LTD  
22#A4, #2 Yuanboyuan Street, Hi-Tech Free Zone,  
Zhengding, Hebei, China.  
Post Code: 050800

HEBEI SKYHALL GLOBAL CO.,LTD  
Website: [www.skyhallfence.com](http://www.skyhallfence.com)  
E-mail: [info@skyhallfence.com](mailto:info@skyhallfence.com)  
Tel: (0086)132-3111-6517



**We Make Fence Ideal**