

AT A GLANCE



KISTAN
OFFICE FURNITURE



SEATING AT A GLANCE

Table of Contents

4	Task Seating
4	CXO
6	IC2
8	NLC
10	EXO
12	Bless
14	Executive Seating
14	CXO
16	IC2
18	NLC
20	EXO
22	Conference Seating
22	NLC
24	MXO
26	Amalfi
28	Guest Seating
28	OXO
31	Lounge Seating
31	Johnny
33	Emily
35	Stratford
37	Specialty Seating
37	CXOhd
40	CXOti
43	NLC Stool
45	NLC 24HR



6200 CXO Task Chair

The CXO™ is the most comfortable chair in the world. Enersorb™ foam seat and headrest, supportive mesh back, 4D adjustable lumbar support, and multi-adjustable arms are some of the features that make this our best-selling chair.



6200 CXO Task Chair

FEATURES



A. MESH BACK

Mesh back with ABLEX™ patterned weave provides generous lumbar support while allowing dynamic movement. Air flows freely through this breathable mesh for added comfort. Mesh encapsulated by frame back.

B. LUMBAR SUPPORT

The contoured lumbar support pad with Enersorb™ foam can be easily adjusted up/down and in/out for personalized support and comfort. Static lumbar support located at 5.5" to 12.5" above compressed seat height. Independent adjustable lumbar support with 4" vertical range and 2" depth.

C. 4D ARMRESTS

Arms feature pivoting arm pads with a 30° range of motion inward and outward, height (4.5"), width (3.5") and depth adjustment (4").

D. ENERSORB™

Enersorb™ memory foam seat, lumbar and headrest disperses applied pressure evenly to reduce pressure points.

E. MECHANISM

Slow release synchronous knee tilt mechanism, complete with intuitive side tension control, infinite position tilt lock, height adjustment pneumatic lift and an intuitive integrated seat slider for depth adjustment.

DIMENSIONS

Model 6200

Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	37.5" - 42.5"
Seat Width	21"
Back Width	22"

Back Height (From compressed seat)	23"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11"
Seat Height	16" - 21"
Seat Depth	19" - 22"

7300 IC2 Task Chair

Perfectly balanced with smooth adjustments. IC2™ sets ergonomic and comfort standards that are second to none. Its curved, sleek design has been lauded by art specialists and users alike. It is lightweight, elegant, and functional.



7300 IC2 Task Chair

FEATURES



A. NEBULA™ MESH BACKING

Provides dynamic support and allows airflow, providing a comfortable sit in any environment.

B. 4D ARMRESTS

Arms feature pivoting arm pads with a 30° total range of motion inward and outward, height (4"), width (3") and depth adjustment (3½"). Polyurethane arm pad for comfort and durability.

C. GALILEO MECHANISM

Slow-release pneumatic height adjustment with infinite tilt lock, and back tension control.

D. INTEGRATED SEAT SLIDER

Dual lever. Slides back and forward for those requiring more or less leg support.

E. LUMBAR SUPPORT

Static Lumbar Support Located at 5½" to 18" above compressed seat height. Independent adjustable lumbar support with 5" vertical range and 1" depth.

F. BASE & CASTERS

5-prong, heavy-duty polished aluminum base with standard 3" carpet casters.

DIMENSIONS

Model 7300

Overall Width (Outer armrest to outer armrest)	25.5" - 28"
Overall Depth (Front seat to back of back rest)	21" - 23"
Overall Height (Floor to top of back rest)	38" - 43"
Seat Width	19"
Back Width	18"

Back Height (From compressed seat)	25"
Arm Width (Inner arm pad to inner arm pad)	18" - 20"
Arm Height (Compressed seat to top of armrest)	6" - 10"
Seat Height	16" - 21"
Seat Depth	19" - 21"

2020 NLC Task Chair

The Next Level Chair takes comfort and ease of adjustment to a new level. With a family of seating choices, the NLC can outfit every area of today's active office. Great for those who are always on the go, the NLC will take your work day to the next level.



2020 NLC Task Chair

FEATURES



A. LUMBAR SUPPORT

Compound curved back with built-in, height adjustable lumbar support for ergonomic comfort.

B. 4D ARMS

Optional 4D adjustable polished aluminum arms with lockable, vertical arm and horizontal, lateral and pivoting arm pad movement, arm pad made with polyurethane surface for comfort and support.

C. MECHANISM

Patent-pending, thin profile Newton Wafer™ mechanism that combines durability and stability, with continuous, even weighted balance through all positions with integrated, multi-position tilt lock, integrated seat slider, tension control and seat height adjustment.

D. BASE AND CASTERS

5-prong, heavy-duty polished aluminium base. 2.5" translucent carpet casters.

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 2020-A

Overall Width (Outer armrest to outer armrest)	25" - 28"
Overall Depth (Front seat to back of back rest)	20" - 22.5"
Overall Height (Floor to top of back rest)	38" - 42.5"
Seat Width	20"
Back Width	19"

Back Height (From compressed seat)	23.5"
Arm Width (Inner arm pad to inner arm pad)	17" - 20"
Arm Height (Compressed seat to top of armrest)	7" - 11"
Seat Height	16.5" - 21"
Seat Depth	18" - 20.5" (Sacral) 16.9" - 19.5" (Lumbar)

5880 EXO Task Chair

EXO™ is an advanced working chair. Its minimalistic, clean profile and adjustability make it a seating solution for the modern workspace. Ergonomic features provide maximum support for a comfortable seating experience.



5880 EXO Task Chair

FEATURES



A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 18" above compressed seat height with an independent adjustable lumbar support with a 4" vertical range.

B. MECHANISM

Weight Sensing Mechanism- Intelligent synchronous TORGLIDER™ balanced recline mechanism. Side mounted tension control adjustment. Multi-position tilt lock adjustment and pneumatic height adjustment. Most balanced mechanism in the industry.

C. NEBULA MESH

Opaque Nebula Mesh back.

D. ARMS

Arms feature pivoting polyurethane arm pads with a 30° range of motion inward and outward, height adjustment (4"), manual width adjustment of 1" per side.

E. BASE AND CASTERS

5 Star Heavy Duty Nylon Base with dual 3" wheel carpet casters.

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 5880

Overall Width (Outer armrest to outer armrest)	25"
Overall Depth (Front seat to back of back rest)	22"
Overall Height (Floor to top of back rest)	39" - 44"
Seat Width	20"
Back Width	20"

Back Height (From compressed seat)	23"
Arm Width (Inner arm pad to inner arm pad)	18" - 20"
Arm Height (Compressed seat to top of armrest)	6" - 10"
Seat Height	16" - 21"
Seat Depth	20"

2100 BLESS Task Chair

The Bless is an ergonomic task chair that is high performing but reasonably priced. With its breezy back and easy adjustments, the Bless is a perfect choice for modern workstations.



2100 BLESS Task Chair

FEATURES



A. LUMBAR SUPPORT

Located at 5.5" to 13" above compressed seat height. Independent adjustable lumbar support with 4" vertical range.

B. 4D ARMS

Arms feature pivoting arm pads with a 30° range of motion inward and outward, height (3"), width (2.5") and depth adjustment (3").

C. MECHANISM

Self-weighted mechanism for the perfect tension with tilt lock. Pneumatic height adjustment and built-in seat slider. All controls clearly labeled and adjustable from a seated position.

D. BASE AND CASTERS

Glass reinforced nylon base with standard dual-wheel carpet casters.

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 2100

Overall Width (Outer armrest to outer armrest)	23.5" - 26"
Overall Depth (Front seat to back of back rest)	20" - 22"
Overall Height (Floor to top of back rest)	37" - 42.5"
Seat Width	19.5"
Back Width	22"

Back Height (From compressed seat)	22.5"
Arm Width (Inner arm pad to inner arm pad)	17.5" - 20"
Arm Height (Compressed seat to top of armrest)	7" - 10"
Seat Height	16" - 21"
Seat Depth	16.9" - 18.9"

6200 CXO Executive Chair

The CXO™ is the most comfortable chair in the world. Enersorb™ foam seat and headrest, supportive mesh back, 4D adjustable lumbar support, and multi-adjustable arms are some of the features that make this our best-selling chair.



6200 CXO Executive Chair

FEATURES



DIMENSIONS

Model 6200D

Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	46" - 52"
Seat Width	21"
Back Width	22"

Back Height (From compressed seat)	23"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11"
Seat Height	16" - 21"
Seat Depth	19" - 22"

A. ADJUSTABLE HEADREST

Optional headrest with Enersorb™ foam adjusts up/down and pivots backwards with an innovative coat hook built into it's design. Headrest is field installable. (Model 6200D)

B. MESH BACK

Mesh back with ABLEX™ patterned weave provides generous lumbar support while allowing dynamic movement. Air flows freely through this breathable mesh for added comfort. Mesh encapsulated by frame back.

C. LUMBAR SUPPORT

The contoured lumbar support pad with Enersorb™ foam can be easily adjusted up/down and in/out for personalized support and comfort. Static lumbar support located at 5.5" to 12.5" above compressed seat height. Independent adjustable lumbar support with 4" vertical range and 2" depth.

D. 4D ARMRESTS

Arms feature pivoting arm pads with a 30° range of motion inward and outward, height (4.5"), width (3.5") and depth adjustment (4").

E. ENERSORB™

Enersorb™ memory foam seat, lumbar and headrest disperses applied pressure evenly to reduce pressure points.

F. MECHANISM

Slow release synchronous knee tilt mechanism, complete with intuitive side tension control, infinite position tilt lock, height adjustment pneumatic lift and an intuitive integrated seat slider for depth adjustment.

7300 IC2 Executive Chair

Perfectly balanced with smooth adjustments. IC2™ sets ergonomic and comfort standards that are second to none. Its curved, sleek design has been lauded by art specialists and users alike. It is lightweight, elegant, and functional.



7300 IC2 Executive Chair

FEATURES



A. OPTIONAL ADJUSTABLE HEADREST

Headrest can be adjusted up, down, or angled to suit the user's preference. Can be field installed. (Model 7300D)

B. INTEGRATED HEADREST

Fixed integrated headrest provides extended back, neck, and head support. (Available on model 7380 only)

C. NEBULA™ MESH BACKING

Provides dynamic support and allows airflow, providing a comfortable sit in any environment.

D. 4D ARMRESTS

Arms feature pivoting arm pads with a 30° total range of motion inward and outward, height (4"), width (3") and depth adjustment (3½"). Polyurethane arm pad for comfort and durability.

E. GALILEO MECHANISM

Slow-release pneumatic height adjustment with infinite tilt lock, and back tension control.

F. INTEGRATED SEAT SLIDER

Dual lever. Slides back and forward for those requiring more or less leg support.

G. LUMBAR SUPPORT

Static Lumbar Support Located at 5½" to 18" above compressed seat height. Independent adjustable lumbar support with 5" vertical range and 1" depth.

H. BASE & CASTERS

5-prong, heavy-duty polished aluminum base with standard 3" carpet casters.

DIMENSIONS

Model 7300D

Overall Width (Outer armrest to outer armrest)	25.5" - 28"
Overall Depth (Front seat to back of back rest)	21" - 23"
Overall Height (Floor to top of back rest)	43" - 51"
Seat Width	19"
Back Width	18"

Back Height (From compressed seat)	31.5" - 34"
Arm Width (Inner arm pad to inner arm pad)	18" - 20"
Arm Height (Compressed seat to top of armrest)	6" - 10"
Seat Height	16" - 21"
Seat Depth	19" - 21"

2020 NLC Executive Chair

The Next Level Chair takes comfort and ease of adjustment to a new level. With a family of seating choices, the NLC can outfit every area of today's active office. Great for those who are always on the go, the NLC will take your work day to the next level.



2020 NLC Executive Chair

FEATURES



A. ADJUSTABLE HEADREST

Height 2" adjustable, ergonomically shaped headrest incorporated into the frame of chair for maximum comfort and convenience. (Model 2020D)

B. LUMBAR SUPPORT

Compound curved back with built-in, height adjustable lumbar support for ergonomic comfort.

C. LOOP ARMS

Closed loop, polished aluminium arms with polyurethane arm pad for comfort and support.

D. MECHANISM

Patent-pending, thin profile Newton Wafer™ mechanism that combines durability and stability, with continuous, even weighted balance through all positions with integrated, multi-position tilt lock, integrated seat slider, tension control and seat height adjustment.

E. BASE AND CASTERS

5-prong, heavy-duty polished aluminium base. 2.5" translucent carpet casters.

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 2020D

Overall Width (Outer armrest to outer armrest)	26"
Overall Depth (Front seat to back of back rest)	20" - 22.5"
Overall Height (Floor to top of back rest)	46.25" - 50.5" *
Seat Width	20"
Back Width	16" - 19.5"

Back Height (From compressed seat)	31" - 33"
Arm Width (Inner arm pad to inner arm pad)	21"
Arm Height (Compressed seat to top of armrest)	8.5"
Seat Height	16.5" - 21"
Seat Depth	18" - 20.5" (Sacral) 16.9" - 19.5" (Lumbar)

5880 EXO Executive Chair

EXO™ is an advanced working chair. Its minimalistic, clean profile and adjustability make it a seating solution for the modern workspace. Ergonomic features provide maximum support for a comfortable seating experience.



5880 EXO Executive Chair

FEATURES



A. ADJUSTABLE HEADREST

Intuitive headrest can be easily adjusted up, down or angled for your comfort.

B. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 18" above compressed seat height with an independent adjustable lumbar support with a 4" vertical range.

C. MECHANISM

Weight Sensing Mechanism- Intelligent synchronous TORGLIDER™ balanced recline mechanism. Side mounted tension control adjustment. Multi-position tilt lock adjustment and pneumatic height adjustment. Most balanced mechanism in the industry.

D. ARMS

Arms feature pivoting polyurethane arm pads with a 30° range of motion inward and outward, height adjustment (4"), manual width adjustment of 1" per side.

E. BASE AND CASTERS

5 Star Heavy Duty Nylon Base with dual 3" wheel carpet casters.

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 5880D-HR

Overall Width (Outer armrest to outer armrest)	26" - 28"
Overall Depth (Front seat to back of back rest)	26"
Overall Height (Floor to top of back rest)	42.5" - 47.25"
Seat Width	20"
Back Width	20"

Back Height (From compressed seat)	26.75"
Arm Width (Inner arm pad to inner arm pad)	18" - 20"
Arm Height (Compressed seat to top of armrest)	6" - 10"
Seat Height	16" - 21"
Seat Depth	20"

2020 NLC Conference Chair

The Next Level Chair takes comfort and ease of adjustment to a new level. With a family of seating choices, the NLC can outfit every area of today's active office. Great for those who are always on the go, the NLC will take your work day to the next level.



2020 NLC Conference Chair

FEATURES



A. LUMBAR SUPPORT

Compound curved back with built-in, height adjustable lumbar support for ergonomic comfort.

B. LOOP ARMS

Closed loop, polished aluminium arms with polyurethane arm pad for comfort and support.

C. MECHANISM

Patent-pending, thin profile Newton Wafer™ mechanism that combines durability and stability, with continuous, even weighted balance through all positions with integrated, multi-position tilt lock, integrated seat slider, tension control and seat height adjustment.

D. BASE AND CASTERS

5-prong, heavy-duty polished aluminium base. 2.5" translucent carpet casters.

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 2020

Overall Width (Outer armrest to outer armrest)	26"
Overall Depth (Front seat to back of back rest)	20" - 22.5"
Overall Height (Floor to top of back rest)	38" - 42.5"
Seat Width	20"
Back Width	19.5"

Back Height (From compressed seat)	23.5"
Arm Width (Inner arm pad to inner arm pad)	21"
Arm Height (Compressed seat to top of armrest)	8.5"
Seat Height	16.5" - 21"
Seat Depth	18" - 20.5" (Sacral) 16.9" - 19.5" (Lumbar)

5900 MXO Conference Chair

The MXO™ is an innovative solution for meeting rooms, conference rooms, and training. Its pneumatic gas lift automatically returns the chair to centered position and uniform height when the user stands up.



5900 MXO Conference Chair

FEATURES



A. LUMBAR SUPPORT

Static Lumbar Support Located at 5.5" to 16" above compressed seat height. Back Features Ablex Mesh with built integral flex lumbar.

B. MECHANISM

Swivel tilt mechanism with auto-return and gas lift height adjustment.

C. ABLEX MESH

Allows air to pass freely and moves with you, providing dynamic comfort in all environments.

D. ARMS

Contoured fixed height polyurethane arm rests designed to fit under standard table height.

E. BASE AND CASTERS

5 prong heavy duty nylon base. 2" mag wheel carpet casters .

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 5900

Overall Width (Outer armrest to outer armrest)	25"
Overall Depth (Front seat to back of back rest)	21"
Overall Height (Floor to top of back rest)	33" - 38"
Seat Width	20"
Back Width	19"

Back Height (From compressed seat)	21"
Arm Width (Inner arm pad to inner arm pad)	19"
Arm Height (Compressed seat to top of armrest)	8"
Seat Height	16" - 21"
Seat Depth	18.5"

1900 AMALFI Conference Chair

Inspired by the striking cliffs of the Amalfi coast in Italy, The Amalfi is a sleek chair that brings a touch of the seaside to your office space. The Amalfi is a fresh take on the classic executive task seat.



1900 AMALFI Conference Chair

FEATURES



A. BACK SUPPORT

Contoured, molded plywood shell for strength and support.

B. MECHANISM

Swivel tilt mechanism with pneumatic height adjustment.

C. BASE AND CASTERS

5 prong chrome base.
2" chrome plated, dual carpet casters.

Note: multiple aesthetic and functional options available.

DIMENSIONS

Model 1900

Overall Width (Outer armrest to outer armrest)	24.5"
Overall Depth (Front seat to back of back rest)	26"
Overall Height (Floor to top of back rest)	35" - 37.25"
Seat Width	20"
Back Width	20"

Back Height (From compressed seat)	20"
Arm Width (Inner arm pad to inner arm pad)	21"
Arm Height (Compressed seat to top of armrest)	7"
Seat Height	17" - 19.5"
Seat Depth	17.5"

6501 OXO Guest Chair

The OXO™ side chair offers minimalist beauty, performance, and unprecedented comfort. Add a modern spark to any office or home with OXO™, which automatically adjusts to the user's movements to support good posture.



6501



6502-WH



6501 OXO Guest Chair

FEATURES



A. LUMBAR SUPPORT

Located at 5½" to 16" above compressed seat height.

B. FIXED ARM

Comfortable fixed polyurethane arm pads.

C. SEAT AND BACK

Translucent ABLEX™ mesh back and seat for cool comfort. Optional upholstered memory foam seat available. Dynamic articulating back provides exceptional ergonomic back and lumbar support.

D. BASE

4 Leg base standard with non-marring floor glides.

Note: multiple aesthetic and functional options available.

MODEL 6501

DIMENSIONS

Model 6501

Overall Width (Outer armrest to outer armrest)	25.5"
Overall Depth (Front seat to back of back rest)	26"
Overall Height (Floor to top of back rest)	35.5"
Seat Width	20.25"
Back Width	19.50"
Back Height (From compressed seat)	18.75"
Arm Width (Inner arm pad to inner arm pad)	19"
Seat Height	18.5"
Seat Depth	18"



Model 6502

Overall Width (Outer armrest to outer armrest)	25.75"
Overall Depth (Front seat to back of back rest)	26"
Overall Height (Floor to top of back rest)	35.5"
Seat Width	20.25"
Back Width	19.50"
Back Height (From compressed seat)	18.75"
Arm Width (Inner arm pad to inner arm pad)	19"
Seat Height	18.5"
Seat Depth	18"



1509 JOHNNY Lounge Chair

With its thoughtfully modelled contours and simplicity of form, the Johnny elevates its environment. Comfortable and functional, it's a premium take on the conventional guest chair.



1509 JOHNNY Lounge Chair

FEATURES



A. BACK AND SEAT

High-density, high-resiliency seat and back foam for added comfort and support.

B. SLEEK CHROME BASE

4-prong aluminium chrome base with plastic glides to protect your floor.

DIMENSIONS

Model 1509

Overall Width (Outer armrest to outer armrest)	24.5"
Overall Depth (Front seat to back of back rest)	21"
Overall Height (Floor to top of back rest)	30.5"
Seat Width	17.5"
Back Width	18"

Back Height (From compressed seat)	16"
Arm Width (Inner arm pad to inner arm pad)	19"
Arm Height (Compressed seat to top of armrest)	8.5"
Seat Height	17.5"
Seat Depth	17.5"

611 EMILY Lounge Chair

The Emily is a dual-model collection consisting of a lounge chair and a cylindrical table-stool. Playful and multifunctional, the Emily is a winning combination of comfort and creativity.



611 EMILY Lounge Chair

FEATURES



A. MECHANISM

Pneumatic adjustment mechanism with auto-return feature and single-position lock.

B. BASE

Molded nylon black base.

DIMENSIONS

Model 611

Overall Width (Outer armrest to outer armrest)	28.5"
Overall Depth (Front seat to back of back rest)	31.5"
Overall Height (Floor to top of back rest)	36.5"
Seat Width	16"
Back Width	15"

Back Height (From compressed seat)	22"
Arm Width (Inner arm pad to inner arm pad)	22"
Arm Height (Compressed seat to top of armrest)	7.5"
Seat Height	17"
Seat Depth	19"

2000 STRATFORD Lounge Chair

The Stratford is a fully upholstered comfortable lounge chair. Its integrated headrest provides optimal support for your whole body. Made for reading files or just taking a break, the Stratford brings living-room comfort into your office space.



2000 STRATFORD Lounge Chair

FEATURES



A. INTEGRATED HEADREST

Full upholstered head rest for optimal neck support. Added side panels are perfect for privacy and for power-napping.

B. SEAT AND BACK

High-density, high-resiliency seat and back foam for added comfort and support.

C. SLEEK CHROME BASE

4-prong aluminium chrome base with plastic glides to protect your floor.

DIMENSIONS

Model 2001

Overall Width (Outer armrest to outer armrest)	29"
Overall Depth (Front seat to back of back rest)	28"
Overall Height (Floor to top of back rest)	43.5"
Seat Width	19.5"
Back Width	17"

Back Height (From compressed seat)	28"
Arm Width (Inner arm pad to inner arm pad)	21"
Arm Height (Compressed seat to top of armrest)	7.5"
Seat Height	17"
Seat Depth	19.5"

6200HD CXO HD Speciality Chair

Still the most comfortable chair in the world, but engineered with greater strength and durability for weight demand up to 450 lbs.



6200hd



6200Dhd



6200HD CXO HD Speciality Chair

FEATURES



A. ADJUSTABLE HEADREST

Optional headrest with Enersorb™ foam adjusts up/down and pivots backwards with an innovative coat hook built into it's design. Headrest is field installable. (Model 6200D HD)

B. MESH BACK

Mesh back with ABLEX™ patterned weave provides generous lumbar support while allowing dynamic movement. Air flows freely through this breathable mesh for added comfort in any environment.

C. LUMBAR SUPPORT

The contoured lumbar support pad with Enersorb™ foam can be easily adjusted up and down and in and out for personalized support and comfort. (4" vertical range and 2" depth range to increase/decrease support)

D. HEIGHT/ WIDTH ADJUSTABLE ARMS

Easy to use adjustable arms with lockable vertical and horizontal movements for individual comfort.

E. ENERSORB™

Enersorb™ seat, lumbar and headrest foam disperses applied pressure evenly to reduce pressure points.

F. MECHANISM

Slow release synchronous knee tilt mechanism, complete with intuitive side tension control, infinite position tilt lock, height adjustment pneumatic lift and an intuitive integrated seat slider for depth adjustment

MODEL 6200hd

DIMENSIONS

Model 6200HD

Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	37.5" - 42.5"
Seat Width	21"
Back Width	22"
Back Height (From compressed seat)	23"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11.5"
Seat Height	17" - 22"
Seat Depth	19.22"



Model 6200DHD

Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	46" - 52"
Seat Width	21"
Back Width	22"
Back Height (From compressed seat)	30" - 32"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11.5"
Seat Height	17" - 22"
Seat Depth	19.22"



6200TI CXO

The most comfortable chair with reinforced supports, engineered for intensive use and 24hrs applications, for weights up to 350lbs.



6200ti

6200Dti



6200TI CXO

FEATURES



A. ADJUSTABLE HEADREST

Optional headrest with Enersorb™ foam adjusts up/down and pivots backwards with an innovative coat hook built into it's design. Headrest is field installable. (Model 6200Dti)

B. MESH BACK

Mesh back with ABLEX™ patterned weave provides generous lumbar support while allowing dynamic movement. Air flows freely through this breathable mesh for added comfort in any environment.

C. LUMBAR SUPPORT

The contoured lumbar support pad with Enersorb™ foam can be easily adjusted up and down and in and out for personalized support and comfort. (4" vertical range and 2" depth range to increase/decrease support)

D. HEIGHT/ WIDTH ADJUSTABLE ARMS

Easy to use adjustable arms with lockable vertical and horizontal movements for individual comfort.

E. ENERSORB™

Enersorb™ seat, lumbar and headrest foam disperses applied pressure evenly to reduce pressure points.

F. MECHANISM

Slow release synchronous knee tilt mechanism, complete with intuitive side tension control, infinite position tilt lock, height adjustment pneumatic lift and an intuitive integrated seat slider for depth adjustment

MODEL 6200Dti

Note: original style headrest option available.

DIMENSIONS

Model 6200ti

Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	37.5" - 42.5"
Seat Width	21"
Back Width	22"
Back Height (From compressed seat)	23"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11.5"
Seat Height	17" - 22"
Seat Depth	17" - 20"



Model 6200Dti

Overall Width (Outer armrest to outer armrest)	26" - 29"
Overall Depth (Front seat to back of back rest)	22" - 24"
Overall Height (Floor to top of back rest)	46" - 52"
Seat Width	21"
Back Width	22"
Back Height (From compressed seat)	30" - 32"
Arm Width (Inner arm pad to inner arm pad)	17" - 20.5"
Arm Height (Compressed seat to top of armrest)	7" - 11.5"
Seat Height	17" - 22"
Seat Depth	17" - 20"



2020 NLC Speciality Chair

The Next Level Chair takes comfort and ease of adjustment to a new level. With a family of seating choices, the NLC can outfit every area of today's active office. Great for those who are always on the go, the NLC will take your work day to the next level.



2020 NLC Speciality Chair

FEATURES



A. FOOT SUPPORT

Heavy duty, aluminum polished foot support.

B. FLIP-UP ARMS

Polished aluminium arm with polyurethane arm pads. Arm pivots up and out of the way for easy access.

C. SWIVEL MECHANISM

Swivel mechanism provides seamless durability and stability. Note: mechanism can only be adjusted for height and depth.

D. PNEUMATIC GAS LIFT

Pneumatic height adjustment for user support and comfort.

DIMENSIONS

Model 2020-DS

Overall Width (Outer armrest to outer armrest)	26"
Overall Depth (Front seat to back of back rest)	20" - 22.5"
Overall Height (Floor to top of back rest)	45" - 52"
Seat Width	20"
Back Width	19.5"

Back Height (From compressed seat)	23.5"
Arm Width (Inner arm pad to inner arm pad)	21"
Arm Height (Compressed seat to top of armrest)	8.5"
Seat Height	23" - 30"
Seat Depth	18" - 20.5" (Sacral) 16.9" - 19.5" (Lumbar)

2020 24HR NLC Speciality Chair

The Next Level Chair takes comfort and ease of adjustment to a new level. With a family of seating choices, the NLC can outfit every area of today's active office. Great for those who are always on the go, the NLC will take your work day to the next level.



2020-FL



2020D-FL



2020 24HR NLC Speciality Chair

FEATURES



A. LUMBAR SUPPORT

Compound curved back with built-in, height adjustable lumbar support for ergonomic comfort.

B. FLIP-UP ARMS

Optional flip-up, polished aluminium arm with polyurethane arm pads for easy access, or to allow for utility belts. Arm easily clicks into vertical or horizontal position.

C. MECHANISM

Patent-pending, thin profile Newton Wafer™ mechanism that combines durability and stability, with continuous, even weighted balance through all positions with integrated, multi-position tilt lock, integrated seat slider, tension control and seat height adjustment.

D. BASE AND CASTERS

5-prong, heavy-duty polished aluminium base. 2.5" translucent carpet casters.

Note: multiple aesthetic and functional options available.

MODEL 2020-FL

DIMENSIONS

Model 2020-FL

Overall Width (Outer armrest to outer armrest)	26"
Overall Depth (Front seat to back of back rest)	20" - 22.5"
Overall Height (Floor to top of back rest)	38" - 42.5"
Seat Width	20"
Back Width	19.5"
Back Height (From compressed seat)	23.5"
Arm Width (Inner arm pad to inner arm pad)	21"
Arm Height (Compressed seat to top of armrest)	8.5"
Seat Height	16.5" - 21"
Seat Depth	18" - 20.5" (Sacral) 16.9" - 19.5" (Lumbar)



Model 2020D-FL

Overall Width (Outer armrest to outer armrest)	26"
Overall Depth (Front seat to back of back rest)	20" - 22.5"
Overall Height (Floor to top of back rest)	46.25" - 50.5"
Seat Width	20"
Back Width	16" - 19.5"
Back Height (From compressed seat)	31" - 33"
Arm Width (Inner arm pad to inner arm pad)	21"
Arm Height (Compressed seat to top of armrest)	8.5"
Seat Height	16.5" - 21"
Seat Depth	18" - 20.5" (Sacral) 16.9" - 19.5" (Lumbar)



DIMENSIONS DISCLAIMER

Dimensions are subject to change without notice.
Dimensions may have a variance of up to 0.5".

TEXTILE DISCLAIMER

KISTAN only upholsters with top quality materials.

KISTAN has made every effort to represent the colors and textures of these textiles, vinyls and leathers as accurately as possible. However, we cannot guarantee 100% accuracy, due to variations that occur in the printing process.



**To place an order or receive a quote
please contact customer care at:**

t: 011 792 65 98

e: sales@kistanoffice.co.za

kistanoffice.co.za