



Floo Adh Wei Cata



Gro We We We Roll



Car Car



Cor Trov Blac Ger

Proc



ring Products Overview	2
esive Products Overview	4
or Dry System overview	6
alogue Overview	7

Vinyl Overview	15
Groovers	
Welding Trimmers	17
Welders	
Welding Accessories	
Rollers & Trimmers	20-21

rpeting Overview	22
rpet Tools	23-26

nsuambles & Sundry Tools	27
wels & Blades	28
des and Knives	29
neral	30

duct Directory	32
----------------	----

Flooring Products Overview		Self-levelling compounds	5	Self-levelling	g compounds	Patching Compound	Primer	Moisture Barrier	Keying Agent
Building Tomorrow Today	EVEL F100 Weiters Weit		EVER CO ENTR	LUVEL CO F500 With the state With th		ARTCH (1) - American Manadality - American			ELURRY En and and an En and and and An and An and An and An and An and An and An an An an An An an An An An An An An An An An An An An An
Product Name	LEVELiTe[®] F10 Self Levelling Compound	LEVELiTe[®] F30 Self Levelling Compound	LEVELiTe[®] FX Rapid-curing self levelling compund	LEVELiTe [®] F50 Self Levelling Compound	LEVELiTe[®] F100 Smoothing Com- pound	PATCHiTe® Patching Compound	BONDiTe® Primer	VAPORiTe® +PLUS Moisture Barrier	iTe SLURRY® Keying Promoter
EN13813 Class	P2	P2/P3/P3R	P2/P3/P3R	P3R/P4	P3R/P4	N/A	N/A	N/A	N/A
Application	Residential	Residential/Commercial	Residential/Commercial	Industrial	Smoothing Skim Coat for ramping and smoothing out of small irregularities in the floor	Patching of holes in concrete floors prior to application of self-leveler	Surface primer for floors prior to application of vapour barrier and self levelers	2k water based epoxy system for application in high moisture situations	Ready Mixed slurry to promote bonding between LEVELiTe® and very smooth substrates
Application examples	Housing - low foot traffic	Hospitals, Offices, Shopping centres etc High foot and roller traffic	Hospitals, Offices, Shopping centres etc High foot and roller traffic	Factories, distribution centres etc High point load roller traffic areas	Can be used in all areas in conjunction with LEVELiTe® F10, F30 and F50	Can be used in all areas	Moisture levels below 3% in sub floor	Moisture levels between 2.5% and 5.9% in sub floor. (above 5.9 test areas need to be performed)	LEVELiTe® over VAPORiTe® or Epoxy floors
Open Time/Working Time	+/- 20 minutes	+/- 20 minutes	+/- 20 minutes	+/- 20 minutes	+/- 20 minutes	15 minutes	-	30 minutes	-
Usage Rate	1.7Kg/m²/mm	1.5Kg/m²/mm	1.5Kg/m²/mm	1.6Kg/m²/mm	1.5Kg/m²/mm	2kg/m²/mm	0.25L/m ²	0.25kg/m ²	+/- 180g/m²
Pack Size	20kg	20kg	21.5kg	20kg	17kg	25kg	5 & 25 Litre	4,5kg	15 & 30kg
Water per Bag	5 Litres	5 Litres	5 Litres	5 Litres	5 Litres	4.2 Litres	N/A	N/A	N/A
WaterTemperature	4 to 28°C	4 to 28°C	4 to 28°C	4 to 28°C	4 to 28°C	4 to 28°C	N/A	N/A	N/A
MixingTime	4 minutes	4 minutes	4 minutes	4 minutes	4 minutes	4 minutes	N/A	5 minutes	1 minute
Self Healing (dependant on temp and air draft)	20 minutes	20 minutes	20 minutes	20 minutes	20 Minutes	N/A	N/A	N/A	N/A
Initial Set	+/- 30 mins	+/- 30 mins	+/- 30 mins	+/- 30 mins	+/- 30 mins	+/- 20 mins	-	-	-
Overcoat	6 hours	6 hours	3 hours	6 hours	6 hours	-	15 minutes	2 hours per coat	30 minutes
Walkability	3 hours	2 hours	1.5 hours	2 hours	2 hours	2 hours	-	-	Yes, when dry
Fitting of floor covering	Next Morning	Next Morning	3-4 hours	Next Morning	As soon as it is hard and dry	N/A	N/A	N/A	N/A
Moisture Resistant	Good	Good	Good	Good	Good	Good	Good	Excellent	Good
1 day Mpa strength % of final strengh according to EN Prism Test	50%	75%	75%	75%	80%	65%	N/A	N/A	N/A
28 day MPa strength according to EN Prism test	18	25	25	35	40	25	N/A	N/A	N/A
VOC's	Zero	Zero	Zero	Zero	Zero	Zero	Zero	Zero	Zero





Adhesive Products	GRIP DO TARANA MARKANA	CRIPE CONTRACTOR OF CONTRACTON	
PRODUCT NAME	GRIPiTe[®]V10 Pressure-Sensitive Adhesive	GRIPiTe[®]V20 Carpet Adhesive	GRIPiTe[®]V30 Vinyl Flooring Adhesive
Flooring Type	Backed Carpet Tiles	Unbacked Broadloom or Tiles	Homogenous or Heterogenous Vinyl
Cementitous Substrate	Yes	Yes	Yes
Other Substrate	Yes (on steel)	Talk to us	Talk to us
Pack Size	20 Litre	20 Litre	20 Litre
Usage	8m²/1 litre	3m²/1 litre	4m²/1 litre
Trowel size	Flat trowel/Mohair roller	B1	A2
Flash Off Time (Atmosphere-dependent)	1 to 2 hours	10 - 20 minutes	10 - 15 minutes
Open time	2 hours +	30 - 45 minutes	30 minutes
Curing Time	Indefinite, Permanently Tacky	72 Hours	72 Hours
Temperature Range	10 - 30°C	10 - 30°C	10 - 30°C
VOCs	Zero	Zero	Zero

Contraction of the second seco	CONTRACTOR OF CO	THE REPORT OF THE PARTY OF THE	CECONS CE	GRIP DO THE MERICAN HERO HERO HERO HERO HERO HERO HERO HERO
GRIPiTe® V30SD Static Dissipative Flooring Adhesive	GRIPiTe[®]V50 High-Performance LVT adhesive	GRIPiTe[®]C60 Contact Adhesive	GRIPiTe®C60SD Static Conductive Contact Adhesive	GRIPiTe[®]H80 Hybrid Adhesive
Static Dissipative Flooring	LVTs	All flooring types	Static Dissipative	Outdoor Synthetic Grass, Rubber Sports and Engineered Wood
Yes	Yes	Yes	Yes	Yes
Talk to us	Talk to us	Talk to us	Talk to us	Yes on Waterproofing
20 Litre	5 & 20 Litre	5 & 20 Litre	20 Litre	15kg
4m²/1 litre	4m²/1 litre	4m²/1 litre (2 sides)	4m²/1 litre	0.4-1kg/m ²
A2	A2	Mohair roller	Mohair roller	Application dependent
10 - 15 minutes	10 - 15 minutes	15 - 30 minutes when clear	15 - 30 minutes when clear	Wet Stick
30 minutes	40 minutes	2 hours	2 hours	30 Minutes/moisture- dependent
72 Hours	12 - 24 Hours	72 Hours	72 Hours	12 Hours
10 - 30°C	10 - 30°C	10 - 30°C	10 - 30°C	10 - 30°C
Zero	Zero	Zero	Zero	Zero

Skim-coating Products

Building Tomorrow Today	DISAL DSO Manager Mana
PRODUCT NAME	DURALiTe [®] D50 Cement-based finishing skim coat
Application	Residential/Commercial
Application examples	Durable external and internal finishing compound for walls.
Open Time/Working Time	30 minutes at 20°C
Usage Rate	1.4 kg/3 mm/m²
Pack Size	35kg
Water per Bag	14 Litres
Thickness	3-10mm
MixingTime	3 minutes
Moisture Resistance	Good
VOCs	Zero









WET SYSTEM

> 3% Screed Moisture Content

NB: Application of each layer of each component must be started only when the previously applied layer is completely dry.

The secret is to apply thin coats. Avoid ponding or small pockets where small holes have accumulated excess material. Brush out the excess with a brush to obtain a thin film in the divot.

Moisture level >6%, do test area. If successful after 48 hours proceed as below. If not, wait for substrate to dry sufficiently.

If screed moisture below 6% (and above 3%) proceed as below:

- Apply first coat of VAPORiTe +PLUS[®] with a flat trowel, followed by rolling with a mohair roller which will speed up the drying process. Allow to dry.
- 2. When dry, apply the second coat as the first and allow to dry.
- When dry, apply a thin film of iTe SLURRY[®] with a lamb's wool roller. Allow to dry.
- When dry, apply the required thickness of LEVELITe[®] as per the specifications set out in our data sheets.

DRY SYSTEM

<3% Screed Moisture Content

NB: Application of each layer of each component must be started only when the previously applied layer is completely dry.

The secret is to apply thin coats. Avoid ponding or small pockets where small holes have accumulated excess material. Brush out the excess with a brush to obtain a thin film in the divot.

Proceed as below:

- Apply a thin coat of **BONDiTe**[®] primer with a mohair roller. Allow to dry.
- When dry, apply the required thickness of LEVELITe® as per our specifications as set out in our data sheets.





CATALOGUE OVERVIEW

It's said that a workman is as good as his tools, and this is just as true in the case of flooring preparation and installation.

iTe PRODUCTS recognises the need for applicators and installers to have the right tools to perform their specialised work. To this end, we have partnered with ROMUS in compiling this tool catalogue for both the basic installer as well as the craftsman who specialises in most aspects of flooring installation.

This catalogue includes tools, machines and equipment needed for everything from screed preparation to joint welding gear for vinyl flooring installation. It includes every day tools as well as tools used for special work that is carried out only periodically.

Motorized machines need to be backed up by a reliable repair and maintenance infrastructure, with specialised training in their use, supported by a national distribution network. This highly specialised business is best handled using tools and equipment manufactured by experts in the field.



6



Our role at **iTe PRODUCTS** is to identify and make these products available to the industry, to help the contracting industry source these products.

Naturally, many of these products are sourced from international manufacturers, and **iTe PRODUCTS** carries this stock. We do our best to ensure that all such items are readily available, but should demand exceed our expectations, please note that lead times are typically six to eight weeks.

In addition, in order to keep these tools readily available and affordable, **iTe PRODUCTS** operates with low markups, so the list prices do not allow for discounts.

If there are tools that have not been included in this catalogue, please contact us and give us your suggestion. We aspire to be fully comprehensive when it comes to our offerings.



PREPARATION

Our range of preparation products begins with scrapers and strippers to remove old floor coverings prior to the installation of a new covering. It includes tools and equipment used for the testing of moisture in screeds, machines, mixers and application tools for the application of self-levelling compounds.

Our strategy is to offer contractors equipment on two levels. Firstly, we provide economically priced tools to satisfy installers who need the most affordable tools.

The second level consists of superior alternatives that may be more expensive, but offer improved performance and durability.

When providing moisture testing equipment, it must be as accurate as possible, as easy to use as possible and affordable so that ultimately all estimators and installers can have them readily at hand.

It is important to be assured that flooring manufacturers are satisfied that their chosen equipment is reliable from a perspective of providing consistent results.

Using the best mixers combined with the most effective stirrers is also of importance. Air entrapment in a selflevelling compound mixture is not desirable, while mixing at too high speeds can cause separation in the mix.

Experience has enabled us to offer the best solution for all of the above applications.

With labour costs escalating, we urge contractors to source equipment which improves productivity and is user friendly.

This is all part of our quest.

MOISTURE TESTERS

ROM-93270

Romus Screed Moisture Tester V1-D4

Screed moisture tester of concrete screeds. Measures to 40mm deep. - 4 Settings Can read through ceramic tiles.



ROM-93252

Protimeter Probes Probes to test in 5.5mm 50mm deep holes.





TOOLS CATALOGUE

8





ROM-93250

Protimeter Mini Moisture Tester

Electronic Reader to 20mm depth. Readings in WME%. Can be used with probes to reach 70mm depth.



ROM-93274

TH-100 IR Thermo-Hygrometer

With its IR (infrared) sensors, it measures: 1. air temperature, 2. surface temperature, 3. relative humidity, 4. and automatically calculates dew point. In option kit for measuring ground moisture using a hygrometric probe Ref. 93269. Supplied with two 1.5V AA batteries and a protective cover. Backlit monochrome display.



SCRAPERS



0 0

ROM-94340 Hit Scraper For removing old flooring and adhesive. - Length 30cm - Blade width 10cm

Product Code Range ROM-92545 Spare Blades for 94340 x1

Product Code	Range
BLA/BS/10B	OLFA SCRAPER Blades x10
BLA/BSF/6B	OLFA SCRAPER Blades EXTRA HEAVY Duty x6
ROM-92520	Universal Scraper Blades x10
ROM-92560	Universal Blades HD x10





Product Code Range ROM-92520 Spare Blades for ROM-94317 normal x10 Spare Blades for ROM-94317 HD x10 ROM-92560

ROM-94330

Rectangular grinding stone 2 different sanding grits (36 and 60). Dimensions : h.35 x w. 90 x L. 180mm.



PREPARATION

MIXERS & EQUIPMENT



ROM-94258

Spike Shoes 31mm (Set of 2) For walking on fresh screed surfaces. Thermoformed, elastomeric material. 31 mm spikes.

ROM-94256

Spike Shoes 25mm (Set of 2) For strapping on under shoes. Minimise



PBG-RMB75L

75 Litre Rubber Mixing Bucket

Mixing bucket for selflevelling compound.







TOOLS CATALOGUE 10 **iTe**Products



ROM-94412

Stirrer "C" M14

Stirrers for "C" type paints



ROM-94418

Polygonal Stirrer The optimum designed spindle for self-levelling

compounds

marking in self-levelling compound.





ROM-94424

Stirrer "B" for LEVELiTe

The optimum designed spindle for self-levelling compounds.

FLOOR SPREADERS & RAKES

PREPARATION 01.

PSF-TGSB

Tri-Glide Spreader 600mm (Body only) The triangular spacers at the ends of the spreader set the thickness of application.

Replacement Glider

Set of 2 Available in the desired thickness



Product Code	Range
PSF-RGTG3MM	Replacement Gliders 3mm for PSF-TGSB
PSF-RGTG4MM	Replacement Gliders 4mm for PSF-TGSB
PSF-RGTG5MM	Replacement Gliders 5mm for PSF-TGSB
PSF-RGTG6MM	Replacement Gliders 6mm for PSF-TGSB
PSF-RGTG8MM	Replacement Gliders 8mm for PSF-TGSB
PSF-RGTG10MM	Replacement Gliders 10mm for PSF-TGSB

ROM-94280

Floor Spreader Including Anchors Adjustable spreader. Enables better control of application thickness.



ROM94285

Replacement Anchor Shaped Pins

Replacement Adjusters for the Floor Spreader.



Epoxy Rake 600mm Wide

This rake will draw the mixture of material to the desired thickness. Check the "pull" thickness.



Product Code	Range
PRF-ER624	600mm Epoxy Rake Pulls 2400 microns
PRF-ER628	600mm Epoxy Rake Pulls 2800 microns
PRF-ER632	600mm Epoxy Rake Pulls 3200 microns
PRF-ER636	600mm Epoxy Rake Pulls 3600 microns
PRF-ER640	600mm Epoxy Rake Pulls 4000 microns



TOOLS CATALOGUE 12





Spiked Roller

Special for circular movements without damaging the levelling compound. Supplied with protector and metal frame.



Product Code	Range
ROM-94246	Spiked Roller 250mm Wide - 31mm Spikes
ROM-94248	Spiked Roller 500mm Wide - 31mm Spikes

AFC-CB

Blower 900W To Accelerate drying of BondiTe and iTe Slurry.







Vaccum Cleaner 60 Litre Wet and Dry





SANDING & BUFFING

ROM-94476

"Sandy 2" Sanding, **Buffing Scrubbing** Disc sanding machines for sanding and grinding concrete, maintaining PVC floor coverings, carpets, tiled floors, marble, stone floors, etc. Machine only.

Servicing, parts and spares available





Vacuum Skirt for "Sandy 2"

ROM-94452


PVC drive disc for sand paper PVC drive pad for attaching sand paper.





ROM-97870

Drive Pad for Diamond Segments ROM-194772 Segments sold separate.



Product Code	Range
ROM-94454	Sanding Disc double-sided 24G (420mm Radius)
ROM-94455	Sanding Disc double-sided 40G (420mm Radius)
ROM-94456	Sanding Disc double-sided 60G (420mm Radius)
ROM-94457	Sanding Disc double-sided 80G (420mm Radius)
ROM-94458	Sanding Disc double-sided 100G (420mm Radius)



ROM-94471

Disc for pads ROM-94476 Disc with rigid PVC spikes for fastening maintenance pads. Fits on Sandy and Sandy 2 sanding machines.



ROM-194772 5 Diamond Segments 20Gr Medium

Multipurpose segment for medium hard to hard support. To be equipped on metal driving disc 97870. Pack of 5 segments. Order per pack



ROM-94467 Wire brush Disc

for "Sandy 2" To remove all kinds of soft materials

and other residual, such as foam, fibres (carpet & vinyl) ... Ø 384mm.





VINYL

The various flooring manufacturers have their preferred equipment that they recommend, which can complicate choices. Of key importance is the availability of high quality tools that will improve an artisan's performance, when used in conjunction with proper training in the use of the tool in question.

We endeavour to put together a selection of these tools that satisfy the needs of both the artisan and the manufacturers.

We often encounter resistance from the installer because the cost of the tool may be seen as excessive. Where proper training is given, however, the installer will see the benefits derived from an increase in output as well as a visible improvement in the quality of output. Less snags save hard earned money.



TOOLS CATALOGUE 14





Trowels for the application of adhesives have been a burning issue for years, and the South African flooring industry is now at a point where standardisation has become necessary. Use of the correct notch trowel is important in respect of the type of floor covering to be installed, combined with the substrate onto which it is being installed, and the specifics of the application itself.

For the contractor, glue line starvation will result in a failure, while too much adhesive will result in messy work.

For the flooring contractor, it is important to control costs as well as how much product to send to site. The right tools in the right hands are the source of profits and respect. Poor tools result in shoddy

work, weak profits and a lack of repeat business.

GROOVERS



ROM-95140





ROM-95130

Mozart Trimming Knife

Arguably the best welding rod trimmer.

Product Code	Range
ROM-95128	0.5mm Mozart Trimming Knife Guide x 1 for ROM-95
ROM-95129	Mozart Spare Blade pack of 5 for ROM-95130

ROM-95160 Trimming Go For trimming weldin in corners and coves	uge g rod	
Product Code	Range	
ROM-95161	2 Round Gouge Blade for 95160	

2 Flat Gouge Blade for 95160



ROM-95163





Range

ROM-95179 Spare Blades for ROM-95178



P-Type /Rounded Groover


ROM-95175

ROM-95101

Product Code Range

Spare Blades for ROM-95185

ROM 95186



ROM-95188

Turbo-Cove Groover Special shape to groove covered flooring.



Product Code Range ROM-95189 Spare Blades for turbo groover

iTeProducts

Pico Groover For optimum join grooving.



ROM-95120

Product Code Range

ROM-95176 Spare Blades for ROM-95120



ROM-95200

Master Turbo Groover

For optimum join grooving.

NINYL

TOOLS CATALOGUE 16



ROM-95150

Trimming Guide To ensure consistency of trim height.







WELDERS

RS S

ROM-95078

NIN

Leister Triac Welding Gun with Push Fit nozzle only



ROM-97077

Spare Element For ROM-95078



ROM-95024

Rapid Nozzle

For homogeneous PVC and

4-5mm

ROM-95027

Anti Glaze Rapid Nozzle 4-5mm Speed nozzle for PUR coated vinyls.



ROM-95028

Coving Anti-Glaze Rapid Nozzle 4-5mm Nozzle for coving.



ROM-95039

Angle Finishing Nozzle

Speed nozzle for Melting welding into and around corners. "Hot Knifing made easy"




ROM-197980

Push Fit Nozzle Holder

Fits on «Leister Triac» hot air welding guns and equivalent.



WELDING ACCESSORIES



iTe)Products

NINYL



TOOLS CATALOGUE 18



ROM-95001

PUR 3 Pressure Roller

For heat welding polyurethane (PU) coated PVC floors.



ROM-94522

Weldy Heat Gun Economical hot air gun.



ROM-95630

Applicator Bottle for Cold Weld

1 Litre liquid for cold welds. Used with applicator bottle.



ROM-95680

Cold Weld Tube

Tube with cold weld liquid for heterogenous flooring joints 60m¹.



ROLLERS & TRIMMERS



ROM-93170

Steel Roller

Hand roller for rolling joins. For butt joints of floor coverings. Does not damage the material, even fragile. Especially adapted to be used alongside skirtings. Width : 50 mm. Weight : 1kg.

ROM-93159

Press Click Roller

For rolling joins in PVC and linoleum floors. Used in particular on LVT click floors such as Creation Clic (R-Evolution), etc. Substitute for dead blow mallet (fitting 30% quicker and without noise) for greater comfort for fitters and when working on occupied job sites. Length 180 mm. Weight 1.6kg.



ROM-193164

Heavy Floor Roller 75Kg Tri-section floor roller.



- F

-

ROM-19161

Light Roller 30 Kg Roller for cushion vinyl.


ROM-93155

Light Weight Rubber Roller

To roll all kinds of wall cladding. Allows to smooth with the body weight (pressure from 8 to 80 kg). Length : 1.30 m. Total width : 45 cm. Weight : 5kg.

ROM-193167

Transport wheels for heavy roller Rustproof rollers and wheelset.





TOOLS CATALOGUE 20

ROM-95510

NINYL

Provinol Edge Trimmer

For PVC and linoleum.Supplied with an adjustable Ø 40 mm round blade. Seamless cut wall to wall from 2 to 27 mm. Suitable for cutting : 2 overlapping strips, protective edges on linoleum rolls.



 Product Code
 Range

 ROM-95512
 Spare Blades x 2 for ROM-95510

ROM-95520

Lino-Cut Joint Trimmer

For cutting PVC and linoleum. Adjustable cutting depth. Can be used in both directions.



 Product Code
 Range

 ROM-95521
 Spare Blades x 10 for ROM-95520



ROM-95505

Edge Trimmer

To make regular linoleum edges by cutting damaged edges. Cutting width 1.5cm.



Product Code	Range
ROM-95503	Spare Blades x 5 for ROM-95505



CARPETING

Our range of carpeting tools is focused primarily on stretch or tufted carpeting. Items such as cutting knives, adhesive application trowels and blades are included under our vinyl flooring section. These tools have been selected under guidance from the leading experts in the field, and have been chosen to provide the best available selection.

Consumable products such as heatbond tape and grippers are an integral part of the installation process, and although it may not be apparent on the surface, cheaper, poor quality products can lead to poor results and great frustration. For example, cheaper tapes do not work well in conjunction with under-carpet heating, or in situations where heat results from direct sunlight. Grippers that break or pull loose under strain make the installer's life difficult and unproductive. What seems to be a saving can result in significant loss of productivity and may cost more than the initial saving.

Equipment such as the heatbond iron can be a frustrating source of productivity loss, when inconsistent temperature can result in pile flattening, or even having to drive back to the office or showroom when it fails.

High quality products such as stretchers will last for many fruitful years when cared for, while poor quality products have much shorter lifespans.

CARPET TOOLS

ROM-93841

CARPETING

Bolster/Stair Tool 9cm

Used to fix carpet behind the gripper after trimming. Polished chromium plated steel.

ROM-93860

Clawbar/Tack Lifter Used to lift gripper and nails.



Napping Shears To cut off excess fibres. Length : 150mm.





TOOLS CATALOGUE 22







Curved Stair Tool For pushing carpet into gripper nails.

ROM-91340

Bent Handle Shears 28cm

For cutting carpets and floor coverings. Lacquered steel handles, polished blades. Right handed. Length : 280mm.

Ó

ROM-91380

Stainless Steel Shears 26cm

Stainless steel blades. Plastic rings. Length : 260mm.



CARPET TOOLS



02. CARPETING

CARPET TOOLS

CPC-SCPS

CHC-HBI

heatbond tape.

Heatbond Iron

High quality iron for heating

Product Code Range

CRA-ELE

Single Case Power Stretcher

Case containing power stretcher and extension tubes.



CPC-DCPS

Double Case Power Stretcher

Case containing power stretcher and extension tubes.



ROM-93930

Romus Heatbond Iron

Temperature control. Voltage : 220 V. Power : 750 W. Thermostat with 4 temperature selections. Supplied in a metal case with iron rest.





Spare Element for CHC-HBI







TOOLS CATALOGUE 24

CRA-AKK

Crain Adjustable Knee Kicker

For stretching carpet during installation.



CRA-CLC

back carpeting.

Crain Cushion Lock Cutter For seam cutting cushion



CRA-LPC

Crain Loop Pile Cutter Cutter for good carpet joins.





ROM-93800

Romus Extendable Knee Kicker

For stretching carpet during installation. From 44 to 52 cm. Head with 2 types of teeth : fixed teeth and 16 height adjustable pins (by turning the knob). Supplied assembled with protective cap.



CRA-SB308C

Crain 308C Slotblade for Cushion lock cutter

for CRA-CLC for CRA-LPC



TOOLS CATALOGUE

25

CARPET TOOLS

CRA-BFR

CKF-PCK

Pro Carpet Knife

Big Foot Roller For rolling carpet seams on loop pile carpets



ROM-93916

Romus Seam Roller 110mm

15 Roller Teeth For rolling carpet seams on cut-pile carpets



CKF-CK Carpet Knife Orange



ROM-93940 Heatbond Tape 20m

High quality carpet joining tape -20m¹ per roll.

CGC-CG

Carpet Gripper High quality carpet gripper 122m¹ per box





The various flooring manufacturers have their preferred equipment that they recommend, which can complicate choices. Of key importance is the availability of high quality tools that will improve an artisan's performance, when used in conjunction with proper training in the use of the tool in question.

We endeavour to put together a selection of these tools that satisfy the needs of both the artisan and the manufacturers.

We often encounter resistance from the installer because the cost of the tool may be seen as excessive. Where proper training is given, however, the installer will see the benefits derived from an increase in output as well as a visible improvement in the quality of output. Less snags save hard earned money.





Trowels for the application of adhesives have been a burning issue for years, and the South African flooring industry is now at a point where standardisation has become necessary. Use of the correct notch trowel is important in respect of the type of floor covering to be installed, combined with the substrate onto which it is being installed, and the specifics of the application itself.

For the contractor, glue line starvation will result in a failure, while too much adhesive will produce an untidy result.

For the flooring contractor, it is important to control costs as well as how much product to send to site. The right tools in the right hands are the source of profits and respect. Poor tools result in shoddy work, weak profits and a lack of repeat business.

27

TROWELS AND BLADES

ROM-ATBH

Adhesive Trowel Blade Holder

Wooden handle trowel with slot for replacement blades, VTP-ATB



Product Code	ткв	Notch Size		Actual Size Illu	stration		Width
94898		A1					280mm
94900		A2					280mm
94902		A3					280mm
94904		A4					280mm
94892		S1					280mm
94906		B1					280mm
94908		B2					280mm
94909		B3					280mm
94909 94917		B9					280mm
94918		B11					280mm
94919		B15					280mm
TKB Notch Size bi	A idge width	B notch width	C notch depth	Adhesive gsm/m ²	Adhesive m²/Litre		Covering Type
A1	0.50mm	1.50mm	1.10mm	200 - 300	4.0 - 5.0	Wall Clade	ding
A2	1.30mm	1.70mm	1.40mm	250 - 300	3.0 - 4.0	Vinyl	
A3	0.4mm	1.6mm	1.5mm	200 - 250	4.0 - 5.0	Vinyl	
A4	0.4mm	1.1mm	0.75mm	150 - 200	5.0 - 6.0	PVC on P	/C
S1	0.1mm	1.8mm	2.55mm	150 - 200	5.0 - 6.0	SD	
	2.60mm	2.40mm	2.00mm	300 - 350	3.0 - 3.5		Inch, Linoleum
	2.00mm	3.00mm	2.55mm	350 - 450	2.2 - 3.5	Interlockir	-
B3	3.3mm	3.7mm	3.25mm	500 - 600	2.0 - 1.8	Wood Mo	
B9 B11	9.9mm 7.9mm	6.1mm 6.1mm	5.0mm 5.0mm	850	1.2 0.9	Engineere Multi-laye	ed Wood, Turf, Rubber
B15	6.9mm	5.6mm	6.3mm	1500	0.6	Solid Woo	



BLADES AND KNIVES



03. CONSUMABLES

ROM-92250 Super Hooked Blades Titanium x10



ROM-91150 Delphin Knife

High quality cutting knife. Quick blade changing. Shaped for comfortable handling. Supplied with Holster.



ROM-91102 Polished Knife Finely polished, shiny finish.







ROM-92226 Hooked Blades x100



ROM-92300 Concave Blades x10





Red paint finish. Made of injected zamak under pressure. High precision blade holding device with safety studs.





GENERAL



ROM-194808

Anti-cut Handling Gloves Level 4

Seamless, knitted glove with elastane in 100% high density polyethylene filament and 100% gret texturised polyamide thread, grey PU coating on the palm and fingertips, elasticated wrist



ROM-91539 Stainless Steel Convex Ruler Set

Set of 1 x 600mm, 1 x 2100mm, 1 x box, height 80mm, Diam 200mm



ROM-91665

Hardcap Knee Pads

To protect against knee damage. Anti-slip rubber outer surface. Inner side lined with very comfortable 18 mm thick rubber foam. New elastic straps with holes for adjustment.



ROM-91571

T Square Convex Ruler

For 90° scribing and cutting. Supplied in plastic ring. Spring loaded stainless steel convex ruler of 4.05 m (width 8 cm) + T-square of 60 cm (width 40 x 6 mm).



iTeProducts

ROM-91660

Knee Pads To protect against knee damage. Anti-slip rubber outer surface. Inner side lined with very comfortable 18 mm thick rubber foam. New elastic straps with holes for adjustment.



ROM-93293

10M Magnetic Measuring Tape

Unbreakable bi-material case (ABS with rubber protection), with triple locking system, belt clip and automatic return with brake. Yellow plated steel tape with two



ROM-94964

Anti Bounce Mallet For assembling LVT click-together planks. Shocks absorbed. Does not leave marks. Weight : 750 g.



ROM-93253

RLM-30 mini laser meter

Small and light to carry, handy and easy to use. Quick measurement of areas, volumes, Pythagoras and continuous measurement. Switches off automatically if not used for 3 minutes. Backlit display. Supplied with batteries.



GENERAL

PRM-RSS

CONSUMABLES

03.

Rubber Sealing Strip 10mm x 10mm x 5metre To prevent overflow of self leveller.

















PRODUCT DIRECTORY

CODE	TOOL NAME	PAGE
VTK-ATBH	ADHESIVE TROWEL BLADE HOLDER	28
ROM-95039	ANGLE FINISHING NOZZLE	18
ROM-95027	ANTI GLAZE RAPID NOZZLE 4 - 5MM	18
ROM-194810	ANTI-CUT GLOVES LEVEL 4 SIZE 10	30
ROM-194808	ANTI-CUT GLOVES LEVEL 4 SIZE 8	30
ROM-95630	APPLICATOR BOTTLE FOR COLD WELD	19
ROM-91340	BENT HANDLE SHEARS 28CM	23
CRA-BFR	BIG FOOT ROLLER - CRAIN	26
ROM-93841	BOLSTER / STAIR TOOL 9CM	23
CGC-CG	CARPET GRIPPER	26
CKF-CKO	CARPET KNIFE ORANGE	26
ROM-93860	CLAWBAR / TACK LIFTER	23
ROM-95680	COLD WELD TUBE	19
ROM-93355	COMBI SCRIBER COMPLETE	29
ROM-92300	CONCAVE BLADES - 10	29
ROM-95028	COVING ANTI GLAZE RAPID NOZZLE 4 - 5MM	18
CRA-ELE	CRAIN 1920-AVELEMENT	24
CRA-SB308C	CRAIN 308C SLOTBLADE (10 per pack)	25
CRA-AKK	CRAIN ADJ KNEE KICK	25
CRA-SC516	CRAIN SPRINGCLIP 516	24
CRA-CST	CURVED STAIR TOOL	23
CRA-CLC	CUSHION LOCK CUTTER - CRAIN	25
ROM-81150	DELPHIN KNIFE	29
ROM-194772	DIAMOND SEGMENTS FOR SANDY 2 20GR MEDIUM	14
CRA-DCPS	DOUBLE CASE POWER STRETCHER	24
ROM-95505	EDGE TRIMMER	21
PRF-ER624	EPOXY RAKES - VARIOUS	12
ROM-93800	EXTENDABLE KNEE KICKER - ROMUS	25
ROM-95163	FLAT BLADES FOR TRIMMING GOUGE - 2	17
ROM-94280	FLOOR SPREADER 600MM WITH ANCHORS	12
ROM-94285	FLOOR SPREADER ANCHORS	12
ROM-91665	HARD CAP KNEE PADS	30
CRA-HBI	HEATBOND IRON - CRAIN	24
ROM-93930	HEATBOND IRON - ROMUS	24
ROM-94345	HEAVY BALL SCRAPER	10
ROM-193164	HEAVY ROLLER 75KG	20
ROM-94340	HIT SCRAPER	10
ROM-92545	HIT SCRAPER SPARE BLADES FOR 94340 - 1	10
ROM-92226	HOOKED BLADES - 100	29
ROM-93135	INTERNAL ANGLE ROLLER	19
		30

CODE	TOOL NAME	PAGE
ROM-95078	LEISTER TRIAC WELDING GUN	19
ROM-193161	LIGHT ROLLER 30KG	20
ROM-93155	LIGHT WEIGHT RUBBER ROLLER	20
ROM-95101	LINEA GROOVER	16
ROM-95520	LINO-CUT JOINT CUTTER	21
ROM-94300	LONG HANDLED SCRAPER	10
ROM-94301	LONG HANDLED SCHAPER SPARE BLADE	10
CRA-LPC	LOOP PILE CUTTER - CRAIN	25
ROM-91655	LOOP PILE CUTTER - ROMUS	25
ROM-93293	MAGNETIC MEASURING TAPE 10M	30
ROM-95200	MASTER TURBO GROOVER	16
ROM-97870	METAL DRIVE DISC FOR SANDY 2	14
	MIXING BUCKET 75LT RUBBER	
PBG-RMB75L ROM-95130	MOZART 2 IN 1 TRIMMING KNIFE	11
ROM-93870	NAPPING SHEARS	23
ROM-95182 ROM-95195		17
	NOZZLE BRUSH OLFA SCRAPER BLADES EXTRA HEAVY DUTY X6	
BLA/BSF/6B BLA/BS/10B	OLFA SCRAPER BLADES EXTRA REAVE DOFF X0	10
		10
ROM-95175 ROM-95120	P TYPE / ROUNDED GROOVER PICO GROOVER + 10 SPARE BLADES	16
	POLISHED KNIFE	16 29
ROM-91102	POLISHED KNIFE POLYGONAL STIRRER - BIRDCAGE FOR LEVELITE	11
ROM-94418		
ROM-93159	PRESS CLICK ROLLER 1.6KG	20
CKF-PCK	PRO CARPET KNIFE	26
ROM-94317 ROM-93250	PRO SCRAPER PROTIMETER MINI MOSITURE TESTER	10 9
ROM-93252	PROTIMETER PROBES 25CM	9
ROM-95510	PROVINOL EDGE TRIMMER	21
ROM-95001	PUR3 ROLLER	19
ROM-197980	PUSH FIT NOZZLE HOLDER NOZZLE	19
ROM-94452	PVC DRIVE DISC 420MM FOR SANDY 2	13
ROM-94492	QUARTER MOON KNIFE	17
ROM-95024 ROM-91101	RAPID NOZZLE 4-5MM RED PAINTED KNIFE	29
ROM-91101 ROM-194019	RED PAINTED INTE	29 11
	ROUND BLADES FOR TRIMMING GOUGE - 2	
ROM-95161		17
ROM-94330		10
ROM-94454	SANDING DISC DOUBLE SIDED VARIOUS GRITS	14
ROM-94476	SANDY 2 SANDING/BUFF/SCRUBBING MACHINE	14
ROM-93270	SCREED MOISTURE TESTER V1-D4 - ROMUS	9

PRODUCT DIRECTORY

CODE	TOOL NAME	PAGE	CODE	TOOL NAME	PA
ROM-95620	SEAL WELDING BULK 1 LITRE	19	ROM-91571	T SQUARE CONVEX RULER	30
PRM-RSS	SEALING STRIP - RUBBER	31	РТВ-ТМН	TELESCOPIC METAL HANDLE	31
ROM-93916	SEAM ROLLER 110MM (STRETCH CARPET)	26	ROM-93274	THERMO-HYGROMETER	9
CRA-SCPS	SINGLE CASE POWER STRETCHER	24	ROM-193167	TRANSPORT WHEELS FOR 75KG HEAVY ROLLER	20
ROM-95179	SPARE BLADE FOR TRIANGULAR CARBIDE GROOVER	16	PSF-TGSB	TRI-GLIDE SPREADER	12
ROM-93356	SPARE BLADES FOR COMBI SCRIBER - 6	29	PSF-RGTG	TRI-GLIDE SPREADER REPLACEMENT GLIDERS -10mm	12
ROM-95009	SPARE BLADE FOR CORDLESS GROOVING MACHINE	16	ROM-95178	TRIANGULAR CARBIDE GROOVER	16
ROM-95503	SPARE BLADES FOR EDGE TRIMMER - 5	21	ROM-95185	TRIANGULAR GROOVER	16
ROM-95183	SPARE BLADE FOR NARROW TRIMMER	17	ROM-95160	TRIMMING GOUGE WITH ROUND BLADE	17
ROM-95521	SPARE BLADES FOR LINO CUT JOINT CUTTER - 10	21	ROM-95128	TRIMMING GUIDE 0.5MM FOR TRIMMING KNIFE - 1	17
ROM-95129	SPARE BLADES FOR MOZART TRIMMING KNIFE - 5	17	ROM-95150	TRIMMING GUIDE FOR QUARTER MOON KNIFE	17
ROM-95512	SPARE BLADES FOR PROVINOL EDGE TRIMMER - 2	21	PBG-TBCB	TROLLEY FOR BUCKET AND CARRYING BAGS	11
ROM-95186	SPARE BLADES FOR TRIANGULAR GROOVER	16	ROM-95188	TURBO COVE GROOVER	16
ROM-95189	SPARE BLADES FOR TURBO COVE GROOVER - 10	16	ROM-95050	TURBO ROLLER WELDER SUPPORT	19
ROM-95012	SPARE ELEMENT FOR TRIAC WELDING GUN	18	ROM-92520	UNIVERSAL SCRAPER BLADES - 10	10
ROM-94898	SPARE INSERT BLADES - A1	28	ROM-92560	UNIVERSAL SCRAPER BLADES HD - 10	10
ROM-94900	SPARE INSERT BLADES - A2	28	AFC-VC60WD	VACCUM CLEANER 60 LITRE WET AND DRY	13
ROM-94902	SPARE INSERT BLADES - A3	28	ROM-94774	VACCUM SKIRT FOR SANDY 2	14
ROM-94904	SPARE INSERT BLADES - A4	28	ROM-94522	WELDY HEAT GUN / PAINT REMOVER	19
ROM-94906	SPARE INSERT BLADES - B1	28	ROM-94467	WIRE BRUSH DISC FOR SANDY 2	14
ROM-94918	SPARE INSERT BLADES - B11	28		·	
ROM-94919	SPARE INSERT BLADES - B15	28			
ROM-94908	SPARE INSERT BLADES - B2	28			
ROM-94909	SPARE INSERT BLADES - B3	28			
ROM-94917	SPARE INSERT BLADES - B9	28			
ROM-94892	SPARE INSERT BLADES - S1	28			
ROM-93357	SPARE PINS FOR COMBI SCRIBER - 25	29			
ROM-95176	SPARE U BLADES GROOVERS	16			
ROM-94246	SPIKED ROLLER 250MM FRAME	13			
ROM-94248	SPIKED ROLLER 500MM FRAME	13			
ROM-94256	SPIKED SHOES 25MM ROMUS	11			
ROM-94258	SPIKED SHOES SLIP ON	11			
ROM-91539	STAINLESS STEEL CONVEX RULER	30			
ROM-91380	STAINLESS STEEL SHEARS 26CM	23			
ROM-93940	STANDARD HEATBOND TAPE 20M	26			
ROM-93170	STEEL ROLLER 50MM	20			
ROM-94424	STIRRER 'B' FOR LEVELITE (TWISTER)	11			
ROM-94412	"STIRRER ""C" M14"	11			
ROM-92126	STRAIGHT BLADES - 100	29			
ROM-92250	SUPER HOOK BLADES TITANIUM - 10	29			







PHYSICAL 7 Clarke Street South, Alrode, Alberton, 1457, South Africa **POSTAL** P.O. Box 17224, Randhart, 1457, South Africa **TEL** +27 (0)11 864 4918 **FAX** +27 (0)11 864 2123

info@iteproducts.co.za www.iteproducts.co.za Tool supplier