





FEATURES:

- Easy to use-hands free hygiene prevents cross contamination.
- High accuracy with stable detection and quick response to turn on-off water
- Minimalistic design for commercial bathroom spaces
- Power consumption (standby): DC < 0.2mW & Power consumption (Flushing) : DC < 3W
- Battery Life 200,000 activations with 4 X AA 1.5V (Under standard operating conditions)
- Sensor activation Time < 1 second
- Detection Range: 150-180mm (default)
- Protection against intrusion (Control Box) IP65
- Protection against intrusion (Sensor Eye) IP67
- DC operated IR sensor

Wall Mounted



SNR-CHR-51443 Blush Wall Mounted Sensor faucet with Control Box (Battery Operated)



SNR-CHR-51443PK

Blush Wall Mounted Sensor faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated)

Deck Mounted



SNR-CHR-51449 Blush High Neck Deck Mounted Sensor faucet with Control Box (Battery Operated)



SNR-CHR-51449PK

Blush High Neck Deck Mounted Sensor faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated)



SNR-CHR-51445 Blush Deck Mounted Sensor faucet with Control Box (Battery Operated)



SNR-CHR-51445PK

Blush Deck Mounted Sensor faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated)

