

Traviata

Flooring Systems

1st Edition 2023



ABOUT US



In an environment where many 'inferior' imports are flooding onto the market, we are often asked the question: "Why should I specify Traviata?"

At Traviata Flooring we are passionate about Customer service and satisfaction. Because of this "no nonsense" approach, we have grown into one of South Africa's largest importers and wholesalers of laminate and vinyl flooring products and systems.

Traviata Flooring is a privately owned company with over 19 years experience in the flooring industry. During that time we have built up strong partnerships with a number of the world's leading flooring product manufacturers. Those close links and our bulk purchasing power mean we can offer great value for money to our customers. We also take care to ensure that all our products are as environmentally friendly as possible.

Traviata Flooring products are sold and installed by trained and experienced national dealer networks. Our headquarters and main warehouse is located in Meadowdale – close to OR Tambo International Airport.

Visit our main showroom at Meadowdale {Monday to Friday}. For details of other showrooms nationally please use our "Contact Us" facility on this website (www.traviata.co.za).

Physical Address:

Unit 5, Route 24
Herman Street Meadowdale
Johannesburg

Telephone: (011) 453 0296

Facsimile: (086) 614-7907

Email: sales@traviata.co.za

Gary Bothma

Sales Director
+27 84 277 9330

Hugh Krog

Commercial Manager
+27 82 595 2061

Paul Bracher

Logistics Manager
+27 82 479 9602

Mark Bracher

Technical / Distributor Sales
+27 82 779 9353


Heather Abrahams

Distributor Sales Specialist
+27 83 568 5055

Tracy Muller

KZN Regional Manager
+27 83 234 4487

FLOORING COLLECTION



Traviata
XL - DRYBACK
Urban Collection

2mm - 0.3mm wear-layer

Traviata
XL - DRYBACK
Grandeur Collection

2.5mm - 0.5mm wear-layer



Firmfit
5mm Click Vinyl

Traviloc
XL - RCB

RCB XL
5.7mm Click Vinyl

Traviloc
ISOCORE CLASSIC

IsoCore Classic
7mm Droplock Vinyl

 **Çamsan**
entegre

Camsan
8mm Click Laminate

cadenza.
by BerryAlloc

Cadenza
8mm DuoLoc Laminate

Tru-Wood XL
ATROGUARD™
The Most Revolutionary of Wood Laminate Flooring

TruWood with AtroGuard Technology
12mm Tight Lock Laminate

Traviata

XL - DRYBACK
Urban Collection



GLUEDOWN VINYL SPECIFICATIONS

Panel Size: 230x1520x2mm

Wear Layer: 0.3mm

Box Size: 7m² per box

Box weight: 26 Kgs

Guarantee: 10 Years Domestic /

5 Years Commercial

Edges: Micro Bevel

Traviata DRYBACK Urban Collection is not just a contemporary fashion statement. Its Floorscore certification, hygiene characteristics, ease of maintenance and excellent wet and dry slip resistance make it an ideal option for any home environment. The Urban collection is also ideal for retail, office and any other Light Commercial application.

- Floorscore certified for indoor air quality
- Excellent Stain, Chemical and Fire resistance
- 6 x Highly Fashionable Décor's
- XL board configuration
- No unsightly expansion trims necessary
- Lightly embossed woodgrain surface creates a warm, realistic wood finish.
- 100% Waterproof
- High slip resistance
- Warm and quiet under foot
- Meets VOC emission requirements for use in Home, Office, Commercial spaces
- Is completely formaldehyde free


Traviata
XL - DRYBACK
Urban Collection

COLOUR OPTIONS


Please note: Colour swatches are a close resemblance to the colour of the flooring, colours may vary slightly.



Prague



London



Amsterdam

Sydney



Berlin

Paris



Traviata
XL - DRYBACK
Grandeur Collection



GLUEDOWN VINYL SPECIFICATIONS

Panel Size: 230x1520x2.5mm

Wear Layer: 0.55mm

Box Size: 5.6m² per box

Box weight: 26 Kgs

Guarantee: 15 years Domestic /

8 years Commercial

Edges: Micro Bevel

Traviata DRYBACK Grandeur Collection represents a culmination of consultations and is a distillation of what Architects, Designers and Home Owners demand from flooring today. A larger plank format that complements open Residential and Commercial environments. Traviata DRYBACK designs come in a carefully curated selection of colours, offering everything from rich wood tones to striking neutral greys. Whether hospitality, retail, office space or a home, these new wood finishes have the flair to bring any interior together.

- Floorscore certified for indoor air quality
- Excellent Stain, Chemical and Fire resistance
- 6 x Highly Fashionable Décor's
- XL board configuration
- No unsightly expansion trims necessary
- Lightly embossed woodgrain surface creates a warm, realistic wood finish.
- 100% Waterproof
- High slip resistance
- Warm and quiet under foot
- Meets VOC emission requirements for use in Home, Office, Commercial spaces
- Is completely formaldehyde free




Traviata
XL - DRYBACK
Grandeur Collection

COLOUR OPTIONS

Please note: Colour swatches are a close resemblance to the colour of the flooring, colours may vary slightly.



Mont Blanc



Matterhorn




Kilimanjaro



Olympus

Machu Picchu



Everest



FIRMFIT
Fit for when life happens



CLICK VINYL SPECIFICATION

Panel Size: 1215x223x5mm

Wear Layer: Quartz Enhanced - Urethane Coating

Box Size: 2.434m²

Box weight: 18kg

Guarantee: 25 Year Residential / 5 Year Light Commercial

Edges: V-groove painted bevel


Core: Extra rigid Limestone-based core

- 100% Waterproof - 100% Plasticizer-free core - 100% recyclable green product.
- Extra resistant to impacts and indentation, as well as temperature and sunlight.
- Installs in wet rooms (kitchens and bathrooms).
- Pet Friendly - easy to clean when accidents happen.
- Warm and quiet underfoot.
- Use of moisture barrier required
- Installs directly on existing surfaces, no need for underlay.
- Rigid: Installs with minimal subfloor prep - no heavy machinery needed.
- No acclimatisation required.
- Installs up to 20m x 20m without expansion profiles.
- Available in 0.55 Wearlayer as a special order, minimum order quantity 600m².




COLOUR OPTIONS


Please note: Colour swatches are a close resemblance to the colour of the flooring, colours may vary slightly.



Crete



Bora Bora



Capri




Cozumel



Reunion



Cebu



Phuket



Bali





Traviloc XL - RCB

CLICK VINYL SPECIFICATION

Panel Size: 1510x220x5.7mm

Wear Layer: 0.55mm Ceramic Bead overlay treated with Ultra-Fresh

Box Size: 1.99m²/6 Panels

Box weight: 18kg

Guarantee: Lifetime Residential / 5 Year General / 10 Year Light Commercial

Edges: Micro Bevelled

Lock: Droplock 100


- 100% Waterproof.
- Extra Long , wide planks with high definition visuals and rich surface textures deliver a natural appearance.
- No telegraphing from minor subfloor imperfections.
- Strong, rigid and dimensionally stable, installs up to 20m x 20m without expansion profiles.
- Premium attached foam Underlayment improves sound absorption for a quieter environment.
- Recommended for Retail, Hospitality, Multi-Family, Corporate, Educational, and Residential environments.
- Superior stain, fade and wear resistance.
- Ultra-Fresh inhibits the growth of surface mould and mildew, while discouraging growth of hidden mould beneath the floor.
- Installs over most existing hard surfaces, including ceramic tile.
- No acclimatisation required in residential applications.
- Enhanced protection against scuffs and abrasions with a tough, transparent wear layer with Enhanced Ceramic bead finish.
- Combines the beauty of hardwood, the durability of LVT and the ease of click installation.
- Use of moisture barrier required

Traviloc
XL - RCB


COLOUR OPTIONS




Please note: Colour swatches are a close resemblance to the colour of the flooring, colours may vary slightly.




Oak Maltini




**Riven Oak
White**




**Natural Oak
Medium**




**Swiss Oak
Bern**



**Swiss Oak
Lucern**



**Torino Oak
Candido**



**Torino Oak
Lino**



Traviloc

ISOCORE CLASSIC



DROPLock VINYL SPECIFICATION

Panel Size: 1210x190x7mm

Wear Layer: 0.55mm Ceramic Bead

Box Size: 1.84m²/8 Panels

Box weight: 18kg

Guarantee: Lifetime Residential / 5 Year General /
10 Year Light Commercial

Edges: Micro Bevelled



Lock: Droplock 100

Available as a 'Project Special Order' only

- Minimum order quantity 400m²
- Lead time 10 to 12 weeks
- Other options available on request

- 100% Waterproof.
- Classic size planks with high definition visuals and rich surface textures deliver a natural appearance.
- No telegraphing from minor subfloor imperfections.
- Strong, rigid and dimensionally stable, installs up to 30m x 30m without expansion profiles.
- Premium attached foam Underlayment improves sound absorption for a quieter environment.
- Recommended for Retail, Hospitality, Multi-Family, Corporate, Educational, and Residential environments.
- Superior stain, fade and wear resistance.
- Ultra-Fresh inhibits the growth of surface mould and mildew, while discouraging growth of hidden mould beneath the floor.
- Installs over most existing hard surfaces, including ceramic tile.
- No acclimatisation required in residential applications.
- Enhanced protection against scuffs and abrasions with a tough, transparent wear layer with Enhanced Ceramic Bead finish.
- Combines the beauty of hardwood, the durability of LVT and the ease of click installation.


Please note: Colour swatches are a close resemblance to the colour of the flooring, colours may vary slightly.



**Tundra Oak
Weathered**



**Markham Oak
Light**



**Fissure Oak
White**




Rustic Hickory



**Smoked Oak
Almond**



**Mighty Oak
Frost**



**Smoked Oak
Silver**



**Tundra Oak
White**





VALINGIE 2G LOCK LAMINATE SPECIFICATION

Panel Size: 192.5x1200x8mm

Wear Layer: Silver | AC3
Klasik | AC4

Box Size: 1.85m²/8 Panels

Box weight: 13kg

Guarantee: Silver | 10 Year Residential
Klasik | 15 Year Residential

Lock: Valingie 2G

Edges: Square Edge

Core: Ultra High Density HDF


- Camsan Parkelam has 10 beautiful Decors. 4 in the Silver AC3 collection and 6 in the Klasik AC4 collection and are available with colour coordinated Skirts, Profiles and Scotia's.
- The use of Ultra High Density HDF Core offers lower swell rates than regular laminates.
- Both the Silver and Klasik Collections are produced to the highest international standards.
- Valingie 2G locking System innovation offers superior short end lock strength, with an extra tight fit. Not only does this aid with protecting your floor from moisture damage, but will also ensure that your floor will hold its structural integrity for the duration of your Warranty period.
- The use of Travi-Lay Black (sound reducing underlay is recommended).




Silver Collection AC3 Square Edge



**Aras Oak
5001**



**Sakaraya Oak
5002**



**Liva Oak
5003**




**Acar Oak
5004**


Klasik Collection AC4 Square Edge



**Modern Oak
640**



**Pera Oak
714**




**Abant Oak
704**



**Ilgaz Oak
715**



**Gediz Oak
716**



**Milas Oak
1500**



cadenza.
by BerryAlloc

TIGHT LOCK LAMINATE SPECIFICATION

Panel Size: 1383x214x8mm

Wear Layer: AC4

Box Size: 2.66m²/9 Panels

Box weight: 19.4kg

Guarantee: 20 Year Residential

Lock: DuoLoc

Edges: 4 Sided Bevel

Core: Moisture Resistant High Density Fibre HDF

- A sophisticated, highly fashionable range with 4 Sided Bevels to create an authentic wooden plank effect.
- The low gloss matt surface ensures a modern, chic appearance.
- DuoLoc locking System innovation, allows two individual techniques to install your floor boards. Greater installation flexibility.
- Cadenza is produced to the highest standards of the European Producers of Laminate Flooring and approved by SAWLFA.
- The use of a Moisture Resistant Core ensures a lower swell rate than regular laminates.
- 8x Decors are available with colour co-ordinated skirtings, scotia's and profiles.

cadenza.
by BerryAlloc

COLOUR OPTIONS


Please note: Colour swatches are a close resemblance to the colour of the flooring, colours may vary slightly.




Allegro Brown
K1511



Allegro Light
K1003



Allegro Light Grey
K1804




Allegro Natural
K1207




Legato Dark Brown
K1713



Legato Light Natural
K1305



Legato Light
K1103



Marcato Brown Natural
K1412





Tru-Wood XL

ATROGUARD®
The Next Generation of Water-Resistant Flooring

TIGHT LOCK LAMINATE SPECIFICATION

Panel Size: 1830x238x12mm

Wear Layer: AC5/33

Box Size: 1.74m²/4 Panels

Box weight: 18kg

Guarantee: Lifetime Residential / 15 Year Commercial

Lock: Tight Lock

Edges: V-groove with Double PowerSeal

Core: HDF with SureCore

Truwood XL with AtroGuard technology is the next generation of water resistant flooring. It was specifically developed to combine the natural wood element and rigidity of Laminate flooring and the beauty of real hardwood floors. The result is a truly multi-functional wood fibre floor, perfect for any domestic and / or commercial environment including kitchens and bathrooms.

- Installed up to 20m x 20m without expansion profiles.
- Can be wet mopped.
- No telegraphing from minor subfloor imperfections.
- Extra wear and scratch resistance.
- Extra stable with SureCore.
- Double PowerSeal edges for extra water resistance.
- Extra tight lock.
- 6 x Beautiful Hardwood décors are available.
- TruWood XL is produced to the highest international standards.



Tru-Wood XL
ATROGUARD®

COLOUR OPTIONS


Please note: Colour swatches are a close resemblance to the colour of the flooring, colours may vary slightly.



Canadian Oak



French Oak



Hungarian Oak



Moroccan Oak



Nordic Oak



Peruvian Oak



CARE & MAINTENANCE



REGULAR MAINTENANCE

Always sweep or vacuum before cleaning so that all loose dirt and particles are removed. Regular day to day dirt can be cleaned using Traviata Multipurpose cleaner and Traviata Bucket and Mop cleaning system (Micro-fibre Mop). Some rubbing may be required to remove tough spots or spills.

Spills including food should be cleaned up as rapidly as possible with a Non Abrasive Traviata Multipurpose cleaner. We do not recommend powdered cleaners, oil soaps, dishwashing detergents or other dusting products. Traviata Multipurpose cleaner is a non-rinsing, biodegradable cleaner that leaves no residue or haze and requires no rinsing after application.

Do NOT wax your floor. The surface of your floor is very dense and non-porous and prevents wax from penetrating. The wax will build up a bed for yellowing and trapping dirt. The same non-porous surface provides all the protection against wear and staining that is needed.

PREVENTATIVE MAINTENANCE

Use Non-Rubber protective mats at any doors leading in from the outside. This helps prevent sand and grit from getting onto your floors.

Install proper floor protectors (preferably felt) on all furniture legs. Protectors will allow furniture to move easily over the floor without scratching. Clean protectors on a regular basis to remove any embedded grit from the furniture legs. For any swivelled office chairs or rolling furniture use 50mm soft compound (not hard Nylon) castors. (Approved castors are available from Traviata).

To keep floors looking their best, dust, mop or vacuum at least twice a week - more often for heavy traffic. Avoid exposure to direct sunlight for extended periods. During peak sunlight hours use drapes or blinds to minimize the amount of direct sunlight on the floor. In addition excessive temperatures are not good for floors. Some natural ventilation or intermittent air conditioning should be considered for vacant buildings (to minimize the greenhouse effect). Long term continuous temperatures of over 35 degrees Celcius combined with strong direct sunlight will damage your floor.

PERIODIC MAINTENANCE FOR RIGID CORE VINYL FLOORS ONLY

When necessary, scrub the floor using an auto scrubber or rotary machine (300rpm or less) with a neutral cleaner, using the proper dilution ratio. Fit the buffer with a 3M equivalent red or white scrubbing pad and work the solution over the floor. Thoroughly rinse the entire floor with fresh clean water. Remove the dirty residue with a wet-vacuum or clean mop and allow the floor to dry completely.

Notes: Never use a brush or pad more aggressive than a 3M red equivalent. Blue, green, brown and black pads will damage the surface of the floor. Do not use vinegar to clean your vinyl flooring.



Telephone: (011) 453 0296
Email: sales@traviata.co.za
Web: www.traviata.co.za



Unit 5, Route 24
Herman Street Meadowdale
Johannesburg