



CAPE
CULTURE

WINSTERS

KAYO

WOODEN WINDOWS



A PROUD MEMBER OF THE SWARTLAND FAMILY



CONTENTS

SWARTLAND WINDOWS	4
CAPE CULTURE WINDOWS	6
WINSTERS WINDOWS	22
KAYO WINDOWS	38
WINDOW INSTALLATION	40

**SANS613
CERTIFIED**

Windows are SANS 613 certified (Mechanical Performance Criteria).

CUSTOM-MADE

When ordering a non-standard product, please take lead time, cost implications and purpose-made guidelines into account. For details visit www.swartland.co.za

SUSTAINABILITY IS DEEPLY INGRAINED

We pride ourselves on our integrity and insist that our natural resources be utilised in a sustainable way. After all, we're thinking long-term.

IN THE FOREST

Managed responsibly, wood is a renewable resource. We give preference to responsible loggers and use plantation-grown timber where possible. Our staff carefully monitor the harvesting process on-site.

IN THE FACTORY

We're committed to reducing waste. Our recycling programme uses excess wood chips to fuel the boilers that kiln-dry our wood, while our air-management system dramatically reduces harmful emissions.

IN THE HOME

Composite gaskets in all windows and selected doors improve your home's thermal performance.

Est.  1951

SWARTLAND

EXPERIENCE QUALITY

Swartland offers three ranges of wooden windows to suit your application and budget.

All windows are made our world-class manufacturing standards, and all ranges are leaders in their class.

Selected windows are SANS 613 certified and approved.

SANS613
CERTIFIED

CAPE CULTURE

WHEN ONLY THE BEST WILL DO



Our **CAPE CULTURE** range features our flagship products. All these products represent the very best of Swartland in terms of quality and guarantees.

STYLES: Sliding Sash, Mock Sash, Top Hung, Horizontal Gliding, Full Pane, Small Pane.

WINSTERS

QUALITY YOU CAN AFFORD



Our **WINSTERS** range is our most popular range, providing features that allow the customer to experience Swartland quality at a competitive price.

STYLES: Full Pane, Small Pane, Mock Sash, Top Hung.

KAYO

VALUE FOR MONEY



Our **KAYO** range offers customers with a limited budget access to Swartland's world-class standards at an affordable price.

STYLES: Full Pane, Small Pane, Top Hung.



SUPREME RANGE

ONLY AVAILABLE IN

THE MOST
energy
efficient
TESTED
WINDOW IN SA

INCREASED ENERGY
EFFICIENCY
COMPOSITE
GASKETS

Espagnolette Lock
Multiple locking mechanism
enhances security and ensures
a snug, draft-free fit.



Thumb-release Handle
Stainless steel, available
in a chrome finish.



Double Glazing
20mm double-glazing pack consists of a 4mm
clear glass on both sides and 12mm spacer.
(Only available in the Supreme range)



Composite Gaskets
Form an air-lock
between frame
and casement,
which improves
insulation.

Thicker Wood Sections
Improve the thermal
and security properties
of the window.



5-bar Friction Hinge
Specifically
designed to
handle the
extra glass and
thicker frame.

INCREASED THERMAL
PERFORMANCE

For detailed product specifications please
visit www.swartland.co.za

WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

SLIDING SASH

Now
SANS 613
Approved

OUTER FRAME SECTION
147mm
x
68mm



SASH FRAME SECTION
54mm x 43mm
Mortise and tenon solid wood section

SLIDING SASH HARDWARE



Nylon pulley mechanism and synthetic rope for a smooth sliding action



Solid brass sash fastener

Axle pulley and composite brass face plate



Solid brass sash lift

HORIZONTAL GLIDING

new
and improved
DESIGN

OUTER FRAME SECTION
89mm
x
40mm



SLIDER FRAME SECTION
105mm
x
40mm

As viewed from the outside.

GLIDING WINDOW HARDWARE



Single-wheel roller



T-rail bottom track



Cylinder hook locking mechanism



Bronze Coated Aluminium Flush Pull Handle

MOCK SASH

BOX MOCK

Sinkless butt hinge


OUTER FRAME SECTION
107mm
x
68mm



CAPE MOCK

Mortise and tenon joint adds stability

OPENER FRAME SECTION
54mm
x
43mm



OUTER FRAME SECTION
92mm
x
40mm

FULL PANE

SMALL PANE

Water drip



OUTER FRAME SECTION
68mm
x
44mm

OPENER FRAME SECTION
54mm
x
43mm



TOP HUNG

Water drip

OUTER FRAME SECTION
68mm
x
44mm

OPENER FRAME SECTION
54mm
x
43mm



Excellent in rainy areas - you can leave them open for ventilation without allowing the rain in.

CAPE CULTURE WINDOW HARDWARE




Sinkless butt hinge in **solid brass**



Solid brass casement handle and fastener



4-bar stainless-steel hinge



Composite gaskets standard all round



Fanlight **solid brass** peg stay on sash

For detailed product specifications please visit www.swartland.co.za

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

CAPE DUTCH

 803 1202 SS1CD (0,497)	 1105 1550 SS3CD (1,072)	 1606 902 SS2.5CD (0,670)	 803 902 SS1.5CD (0,335)	 902 1300 SS2CD (0,652)
 1105 1750 SS4CD (1,231)	 1253 1750 SS5CD (1,461)	 1253 2000 SS6CD (1,663)	 607 1754 SS7CD (0,51)	 607 1202 SS8CD (0,320)

VICTORIAN

 803 1202 SS1VIC (0,512)	 1105 1550 SS3VIC (1,099)	 1606 902 SS2.5VIC (0,696)	 803 902 SS1.5VIC (0,348)	 902 1300 SS2VIC (0,673)
 1105 1750 SS4VIC (1,264)	 1253 1750 SS5VIC (1,487)	 1253 2000 SS6VIC (1,722)	 607 1754 SS7VIC (0,52)	 607 1202 SS8VIC (0,320)

FULL GLASS

 803 1202 SS1FG (0,512)	 1105 1550 SS3FG (1,099)	 1606 902 SS2.5FG (0,696)	 803 902 SS1.5FG (0,348)	 902 1300 SS2FG (0,673)
 1105 1750 SS4FG (1,487)	 1253 1750 SS5FG (1,487)	 1253 2000 SS6FG (1,722)	 607 1754 SS7FG (0,53)	 607 1202 SS8FG (0,325)

READY - 2 - FIT
PRE-SEALED, PRE-GLAZED

Cape Culture is available in our Ready-2-Fit range.

Ready-2-Fit windows and doors are sealed with water-based Maxicare, to guarantee ongoing low maintenance.



Ready-to-Fit is available in these stunning wood tints as well as in white.


- IVORY PARCHMENT
- BALI DEEP
- SOMBRERO
- LIGHT OAK
- TEAK
- IMBUIA
- WHITE
- DUSTED MOSS

PLEASE NOTE:
Windows in this catalogue are shown in an unfinished, raw-wood stage - ready to be finished in the Maxicare colour of your choice.

Figures in brackets indicate estimated glass area. As viewed from the outside.
Louvre shutters are available for these windows.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED
Louvre shutters are available for these windows.



	1182	1482	1782	2082
892	 SGW1290L/R (0,542)	 SGW1590L/R (0,735)	 SGW1890L/R (0,929)	 SGW2190L/R (1,122)
1192	 SGW1212L/R (0,794)	 SGW1512L/R (1,077)	 SGW1812L/R (1,361)	 SGW2112L/R (1,644)
1492	 SGW1215L/R (1,046)	 SGW1515L/R (1,419)	 SGW1815L/R (1,793)	 SGW2115L/R (2,166)

Figures in brackets indicate estimated glass area. As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening.

For detailed product specifications please visit www.swartland.co.za

CAPE DUTCH



SMS1CD
(0,497)



SMS3CD
(1,072)




SMS2.5CD
(0,670)




SMS1.5CD
(0,335)




SMS2CD
(0,652)



SMS4CD
(1,231)




SMS5CD
(1,461)



SMS6CD
(1,663)




SMS7CD
(0,54)



SMS8CD
(0,320)


VICTORIAN



SMS1VIC
(0,512)




SMS3VIC
(1,099)




SMS2.5VIC
(0,696)




SMS1.5VIC
(0,348)




SMS2VIC
(0,673)




SMS4VIC
(1,264)



SMS5VIC
(1,487)



SMS6VIC
(1,722)




SMS7VIC
(0,54)




SMS8VIC
(0,320)


FULL GLASS




SMS1FG
(0,512)



SMS3FG
(1,099)




SMS2.5FG
(0,696)




SMS1.5FG
(0,348)




SMS2FG
(0,673)




SMS4FG
(1,264)




SMS5FG
(1,487)



SMS6FG
(1,722)



SMS7FG
(0,55)


























SMS8FG
(0,325)

Figures in brackets indicate estimated glass area.
As viewed from the outside.

WINDOWS IN THIS RANGE ARE



CAPE DUTCH



READY - 2 - FIT
PRE-SEALED, PRE-GLAZED

Here are a few reasons to choose Ready-2-Fit:

Coating = extra durability

Quick, trouble-free installation

Improves build quality with no extra costs

Validates the guarantee

Eco-friendly and energy-efficient

Constant testing ensures compliance with new building regulations and the CPA

VICTORIAN

GABLE LOUVRES

Available on request.



GL1
350mm (W)
600mm (H)



GL2
500mm (W)
800mm (H)

FULL GLASS

Figures in brackets indicate estimated glass area. As viewed from the outside.









































WINDOWS IN THIS RANGE ARE SANS613 CERTIFIED

	544	1044	1044	1544	2044
900	 SC1L/R (0,303)	 SC2L/R (0,704)	 SC22 (0,606)	 SC3 (1,003)	 SC4 (1,423)
900	 SC1F (0,335)	 SC2FL (0,638)	 SC2FR (0,638)	 SC3F (0,941)	 SC4F (1,315)
1200	 SB1L/R (0,424)	 SB2L/R (0,969)	 SB22 (0,849)	 SB3 (1,393)	 SB4 (1,955)
1200	 SB1F (0,481)	 SB2FL (0,906)	 SB2FR (0,906)	 SB3F (1,330)	 SB4F (1,848)
1500	 SA1L/R (0,544)	 SA2L/R (1,239)	 SA22 (1,088)	 SA3 (1,769)	 SA4 (2,494)
1500	 SA1F (0,620)	 SA2FL (1,163)	 SA2FR (1,163)	 SA3F (1,707)	 SA4F (2,381)
1800	 SA61L/R (0,678)	 SA62L/R (1,501)	 SA622 (1,356)	 SA63 (2,180)	 SA64 (1,037)

Cape Culture Full Pane designs are also available in the SUPREME range.
Refer to page 4.













Figures in brackets indicate estimated glass area. As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening.
















WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED





	544	1044	1044	1544	2044
600	 SD1SP (0,174)	 SD25SPL/R (0,348)	 SD22SP (0,348)	 SD3SP (0,521)	 SD4SP (0,695)
900	 SC1SPL/R (0,400)	 SC25SPL/R (0,599)	 SC22SP (0,574)	 SC3SP (0,886)	 SC4SP (1,197)
900	 SC1FSP (0,268)	 SC2FSPL (0,556)	 SC2FSPR (0,556)	 SC3FSP (0,842)	 SC4FSP (1,110)
1200	 SB1SPL/R (0,402)	 SB2SPL/R (0,801)	 SB22SP (0,801)	 SB3SP (1,232)	 SB4SP (1,663)
1200	 SB1FSP (0,388)	 SB2FSPL (0,788)	 SB2FSPR (0,788)	 SB3FSP (1,188)	 SB4FSP (1,576)
1500	 SA1SPL/R (0,514)	 SA2SPL/R (1,065)	 SA22SP (1,027)	 SA3SP (1,578)	 SA4SP (2,130)
1500	 SA1FSP (0,507)	 SA2FSPL (1,011)	 SA2FSPR (1,011)	 SA3FSP (1,535)	 SA4FSP (2,042)
1800	 SA61SPL/R (0,603)	 SA62SPL/R (1,243)	 SA622SP (1,205)	 SA63SP (1,845)	 SA64SP (2,485)

Figures in brackets indicate estimated glass area. As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

600	900	1755
		
SD1V (0,344)	SD2VL/R (0,7910)	
900		
		
SE1V (0,578)	SE2VL/R (1,275)	
1155		
		
SF1VV (1,689)	SF1VVL/R (1,599)	
1155		
		
SF1V (0,791)	SF2VL/R (1,701)	
1710		
		
SG1VV (1,135)	SG2VVL/R (2,505)	
2100		
		
SH1VV (1,444)	SH2VVL/R (3,127)	

600	1044	1544	2044
			
SD2L/R (0,440) for two top openers SD22W (0,366)	SD3 (0,623)	SD4 (0,890)	
900			
			
SE2L/R (0,718)	SE3L/R (1,136)	SE4 (1,453)	
1155			
			
SF2L/R (0,889)	SF3L/R (1,434)	SF4 (1,800)	
1500			
			
SG2L/R (1,211)	SG3L/R (1,928)	SG4 (2,450)	
2100			
			
SH2L/R (1,584)	SH3L/R (2,775)	SH4 (3,575)	

600	544	544
		
SD1 (0,183)	SF1 (0,366)	
900		
		
SE1 (0,317)	SG1 (0,522)	

PLEASE NOTE:
Windows in this catalogue are shown in an unfinished, raw wood stage - ready to be finished in the Maxicare colour of your choice.


		
IVORY PARCHMENT	BALI DEEP	SOMBRERO
		
LIGHT OAK	TEAK	IMBUIA
		
WHITE	DUSTED MOSS	

Figures in brackets indicate estimated glass area. As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

FULL PANE

Water drip



45° sash
finger joint
for added
strength

**OUTER
FRAME
SECTION**
56mm
x
40mm

**OPENER
FRAME
SECTION**
40mm
x
32mm

SMALL PANE

Water drip



**OUTER
FRAME
SECTION**
56mm
x
40mm

**OPENER
FRAME
SECTION**
40mm
x
32mm

MOCK SASH

SASH
Mortise
and tenon
solid wood
frame



DPC groove

**OUTER
FRAME
SECTION**
68mm
x
40mm

**OPENER
FRAME
SECTION**
40mm
x
32mm

TOP HUNG

Water drip



**OUTER
FRAME
SECTION**
56mm
x
40mm


**OPENER
FRAME
SECTION**
40mm
x
32mm

WINSTERS WINDOW HARDWARE

Solid brass
casement handle
and fastener.



Composite gaskets
standard all round



WINSTERS WINDOW HARDWARE

Solid brass
fanlight stay



4-bar passivated
mild steel hinge





VICTORIAN

CAPE DUTCH

<p>691</p> <p>1105</p> <p>WMS1V (0,499)</p>	<p>691</p> <p>805</p> <p>WMS1.5V (0,335)</p>	<p>791</p> <p>1205</p> <p>WMS2V (0,653)</p>	<p>691</p> <p>1105</p> <p>WMS1C (0,481)</p>	<p>691</p> <p>805</p> <p>WMS1.5C (0,336)</p>	<p>791</p> <p>1205</p> <p>WMS2C (0,630)</p>
<p>1342</p> <p>805</p> <p>WMS2.5V (0,670)</p>	<p>991</p> <p>1455</p> <p>WMS3V (1,067)</p>	<p>991</p> <p>1655</p> <p>WMS4V (1,220)</p>	<p>1342</p> <p>805</p> <p>WMS2.5C (0,641)</p>	<p>991</p> <p>1455</p> <p>WMS3C (1,040)</p>	<p>991</p> <p>1655</p> <p>WMS4C (1,218)</p>
<p>1141</p> <p>1655</p> <p>WMS5V (1,455)</p>	<p>1141</p> <p>1905</p> <p>WMS6V (1,676)</p>	<p>1141</p> <p>1655</p> <p>WMS5C (1,437)</p>	<p>1141</p> <p>1905</p> <p>WMS6C (1,646)</p>		

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED


READY - 2 - FIT
PRE-SEALED, PRE-GLAZED

Winsters is available in our new Ready-2-Fit range.

Ready-2-Fit windows and doors are sealed with water-based Maxicare, to guarantee ongoing low maintenance.



Ready-to-Fit is available in these stunning wood tints as well as in white.



























PLEASE NOTE: Windows in this catalogue are shown in an unfinished, raw-wood stage - ready to be finished in the Maxicare colour of your choice.

	584	1128	1128	1672
342	 WE1/345 (0,099)	 WE2/345L (0,248)	 WE2/345R (0,248)	 WE3/345 (0,347)
584	 WD1 (0,215)	 WD2L (0,496)	 WD2R (0,496)	 WD3 (0,711)
886	 WC1F (0,383)	 WC2FL (0,740)	 WC2FR (0,740)	 WC3F (1,096)
1187	 WB1F (0,542)	 WB2FL (1,038)	 WB2FR (1,038)	 WB3F (1,534)
1487	 WA1F (0,701)	 WA2FL (1,336)	 WA2FR (1,336)	 WA3F (1,971)
		2216	1128	2216
342		 WB4F (1,993)	 WE22/345 (0,199)	 WE4/345 (0,501)
584			 WD22 (0,431)	 WD4 (1,008)
1487		 WA4F (2,713)		 WC4F (1,471)



































Figures in brackets indicate estimated glass area. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

	584	1128	1128	1128	1672
886	 WC1L/R (0,357)	 WC2L (0,799)	 WC2R (0,799)	 WC22 (0,714)	 WC3 (1,156)
1187	 WB1L/R (0,496)	 WB2L (1,098)	 WB2R (1,098)	 WB22 (0,992)	 WB3 (1,594)
1487	 WA1L/R (0,635)	 WA2L (1,369)	 WA2R (1,396)	 WA22 (1,270)	 WA3 (2,031)
1832	 WA1/1.8L/R (0,784)	 WA2/1.8L (1,693)	 WA2/1.8R (1,693)	 WA22/1.8 (1,567)	 WA3/1.8 (2,328)
		2216		2216	
886		 WC4 (1,615)		 WB4 (2,218)	
1487		 WA4 (2,820)		 WA4/1.8 (3,265)	

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

	584	1128	1128	1672	2216
342	 WE1SP/345 (0,098)	 WE2SP/345L (0,207)	 WE2SP/345R (0,207)	 WE3SP/345 (0,294)	 WE4SP/345 (0,392)
584	 WD1SP (0,212)	 WD2SPL (0,423)	 WD2SPR (0,423)	 WD3SP (0,635)	 WD4SP (0,846)
886	 WC1FSP (0,310)	 WC2FSPL (0,655)	 WC2FSPR (0,655)	 WC3FSP (1,001)	 WC4FSP (1,213)
1187	 WB1FSP (0,444)	 WB2FSPL (0,924)	 WB2FSPR (0,924)	 WB3FSP (1,404)	 WB4FSP (1,848)
1487	 WA1FSP (0,578)	 WA2FSPL (1,192)	 WA2FSPR (1,192)	 WA3FSP (1,806)	 WA4FSP (2,286)
886	 WC1SPL/R (0,364)	 WC2SPL (0,692)	 WC2SPR (0,692)	 WC3SP (1,037)	 WC4SP (1,383)
1187	 WB1SPL/R (0,480)	 WB2SPL (0,960)	 WB2SPR (0,960)	 WB3SP (1,440)	 WB4SP (1,920)

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED


1128

1128

584

1672

342




WE22SP/345
(0,196)

584




WD22SP
(0,423)

1487




WA1SPL/R
(0,614)

1487




WA3SP
(1,843)

886




WC22SP
(0,692)

1187




WB22SP
(0,960)

1832




WA1SP/1.8L/R
(0,712)

1832




WA3SP/1.8
(2,137)

1487



WA22SP
(1,228)


1487



WA2SPL
(8,478)


2216

1487




WA2SPR
(8,478)

1832




WA22SP/1.8
(1,424)

1487




WA4SP
(2,457)

1832




WA2SP/1.8L
(1,424)

1832



WA2SP/1.8R
(1,424)

1832



WA4SP/1.8
(2,849)


Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

READY - 2 - FIT
PRE-SEALED, PRE-GLAZED

Here are a few reasons to choose Ready-2-Fit:

- Coating = extra durability
- Quick, trouble-free installation
- Improves build quality with no extra costs
- Validates the guarantee
- Eco-friendly and energy-efficient
- Constant testing ensures compliance with new building regulations and the CPA

Ready-to-Fit is available in these stunning wood tints as well as in white.

































PLEASE NOTE: Windows in this catalogue are shown in an unfinished, raw-wood stage - ready to be finished in the Maxicare colour of your choice.

584 887 MC1 (0,358)	584 887 MC1VB (0,358)	584 886 WR1 (0,365)
1128 886 WS1 (0,431)	584 1487 MA6 (0,679)	584 1487 MA6VB (0,679)
1487 886 WT1 (0,607)	584 1697 WU1 (0,716)	584 1787 MJ6 (0,828)
1787 886 MJ6VB (0,828)	584 2087 WK1D (0,913)	937 2087 WK1 (1,561)
584 886 WE1 (0,380)	937 887 MC9 (0,630)	937 887 MC9VB (0,630)
937 886 WF1 (0,714)	937 1128 WG1 (0,846)	937 1128 WH1 (0,760)
937 1487 W1 (1,054)	937 1487 MA9VB (1,250)	937 1487 MA9 (1,250)

1128 886 WR2L (0,806)	1672 886 WR3L (1,265)	1672 886 WR3R (1,265)
1128 886 WR2R (0,806)	1500 1128 WH1.5L (1,327)	1500 1128 WH1.5L/R (1,327)
1128 1128 WS2L (1,003)	1500 1487 W1.5L (1,810)	1500 1487 W1.5R (1,810)
1128 1128 WS2R (1,003)	1672 1128 WS3L (1,597)	1672 1128 WS3R (1,597)
1128 1487 WT2L (1,367)	1672 1487 WT3L (2,156)	1672 1487 WT3R (2,156)
1128 1487 WT2R (1,367)	1672 1487 WT2/WT1 (1,965)	1672 886 WR33 (1,176)
1834 1128 WS22 (1,755)	1834 1487 WT22 (2,183)	
2216 1487 WT33 (2,736)	937 1697 WJ1 (1,235)	

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

<p>1834</p>  <p>WE2L (0,846)</p>	<p>1834</p>  <p>WE2R (0,846)</p>	<p>2216</p>  <p>WE3L (1,058)</p>	<p>2216</p>  <p>WE3R (1,058)</p>
<p>886</p>  <p>WF2L (1,783)</p>	<p>887</p>  <p>WF2R (1,783)</p>	<p>887</p>  <p>WF3L (1,783)</p>	<p>887</p>  <p>WF3R (1,783)</p>
<p>1128</p>  <p>WG2L (0,797)</p>	<p>1128</p>  <p>WG2R (0,797)</p>	<p>1128</p>  <p>WG3L (2,229)</p>	<p>1128</p>  <p>WG3R (2,229)</p>
<p>1128</p>  <p>WH2L (1,710)</p>	<p>1128</p>  <p>WH2R (1,710)</p>	<p>1128</p>  <p>WH3L (2,142)</p>	<p>1128</p>  <p>WH3R (2,142)</p>
<p>1487</p>  <p>WI2L (2,299)</p>	<p>1487</p>  <p>WI2R (2,299)</p>	<p>1487</p>  <p>WI3L (2,843)</p>	<p>1487</p>  <p>WI3R (2,843)</p>
<p>1697</p>  <p>WJ2L (2,682)</p>	<p>1697</p>  <p>WJ2R (2,682)</p>	<p>1697</p>  <p>WJ3L (3,011)</p>	<p>1697</p>  <p>WJ3R (3,011)</p>
<p>2087</p>  <p>WK2L (3,342)</p>	<p>2087</p>  <p>WK2R (3,342)</p>	<p>2087</p>  <p>WK3L (3,961)</p>	<p>2087</p>  <p>WK3R (3,961)</p>
	<p>886</p>  <p>WR4 (1,304)</p>	<p>1687</p>  <p>WJ2/WJ1 (3,888)</p>	

Figures in brackets indicate estimated glass area.
As viewed from the outside.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

	568	1112	1656
568	 KD1	 KD2L/R	 KD3
870	 KC1L/R	 KC2L/R	 KC3
870	 KC1F	 KC2FL/R	 KC3F
870		 KC22	
1171	 KB1L/R	 KB2L/R	 KB3
1171		 KB22	 KB3F
1171		 KB2FL/R	



	568	1112	1656
568	 KD1SP	 KD2SPL/R	 KD3SP
870	 KC1SPL/R	 KC2SPL/R	 KC3SP
870	 KC1FSP	 KC2FSPL/R	 KC3FSP
870		 KC22SP	
1171	 KB1SPL/R	 KB2SPL/R	 KB3SP
1171		 KB22SP	 KB3FSP
1171		 KB2FSPL/R	

As viewed from the outside.

When ordering, please indicate left-hand or right-hand opening

WINDOWS IN THIS RANGE ARE

SANS613
CERTIFIED





WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening

WINDOW INSTALLATION


It's important to install wooden windows correctly to ensure the validity of your guarantee. Prepare by securing the window frame level and square in position, using wedges if needed.



After plasterwork, finish joints with water-resistant sealant.

FINISH UNDER FRAME

We go to great lengths to seal our products thoroughly. Even though MAXICARE contains anti-fungal agents, to limit dry rot please ensure you adhere to the installation guidelines. More information at www.swartland.co.za





SWARTLAND

The Swartland story began back in 1951 in the small town of Moorreesburg – a few wheat fields north of Cape Town.

In the late 1980s, the philosophy of ‘continuous improvement’ was instilled in the business.

Today this desire to keep improving is an integral part of the Swartland culture, where traditional values such as hard work and pride live in harmony with new technology and ongoing innovation.

The results speak for themselves: our products are crafted to perfection, manufactured to last and backed by expert national sales and service teams.

National Call Centre: 0861 10 24 25

SANS613
CERTIFIED



SABS
ISO 9001

WWW.SWARTLAND.CO.ZA

HEAD OFFICE: 0861 10 24 25
Cape Town: 0861 10 24 25
Johannesburg: 0861 10 24 25
Durban: 0861 10 24 25
Port Elizabeth: 041 487 1342
East London: 043 745 0410
Namibia: 00 264 612 49558



THE SWARTLAND FAMILY OF BRANDS



Sep 2022

The information contained in this catalogue was accurate at the time of going to print. All Pictures shown are for illustration purpose only. Actual product may vary due to product enhancement. Swartland Investments (Pty) Ltd reserves the right to change product designs and specifications in line with our continuous development programme.

TERMS AND CONDITIONS APPLY. SEE GUARANTEE CERTIFICATE FOR DETAILS.