



# THE K. LIGHT CHOICE

2024  
Catalogue






## Index

Crystal Chandeliers & Fittings	1
Modern Day Chandeliers & Pendants	51
LED Fittings	109
Metal/Wire Pendants	179
Glass Pendants	229
Rattan, Raffia & Bamboo Pendants	283
Ceiling Fittings	293
LED Ceiling Fittings	311
Wall Lights	333
Reading Wall Lights	376
Picture Lights	383
Bathroom Fittings	389
Floor & Table Lamps	393
Rechargeable Table Lamps	424
Spotlights	435
GU10 Track Spotlights	443
LED Track Spotlights	449
Commercial Track Spotlights	451
Recessed Downlights	457
Surface Mounted Downlights	469
LED Strip Lights	475
Aluminium Profiles & Accessories	483
Steplights	493
Garden & Outdoor Wall Lights	501
Garden & Outdoor Coastal Wall Lights	523
Garden & Outdoor Bulkheads	531
Garden & Outdoor Bollards	539
Solar	544
Industrial	546
Decorative Bulbs	549
Duralamp Collection	561
Alphabetical Index	569





**K. LIGHT®**

K. Light fittings must be installed and connected by a licensed electrical contractor, registered with the South African Department of Labour.

There are screws, plugs / bolts and nuts included for the installation of the light fitting. However, depending on the composition of the surface onto which the light fitting is being installed, these screws and plugs / bolts and nuts may not be appropriate. In such case, it is your responsibility to ensure that the correct screws, plugs / bolts and nuts are used for installation.

All our fittings exclude bulbs, unless otherwise stated.

K. Light reserves the right to discontinue, replace or modify products without prior notice. Due to the nature of the printing process colours are an indication only and may vary from the actual product.

Although the information in this catalogue has been compiled with great care, the publisher and the author do not accept responsibility for any loss or damage that may arise out of the reliance of any person upon the information this catalogue contains.

All rights reserved. No part of this catalogue may be reproduced in any form without the prior written permission by K. Light Import.

DESIGN | SERVICE | QUALITY

**CAPE TOWN** Milnerton 021 552 4370

**JOHANNESBURG** Midrand 011 312 1247

Viewing Showrooms Only, K. Light Import supplies only to Retailers and not to the public directly.

**www.klight.co.za**




info@klight.co.za



k\_light\_import



klight.co.za



**K. LIGHT®**

## OVER 25 YEARS OF SERVICE & QUALITY

Looking back over more than 25 years we are proud to say that through hard work, dedication and staying focused, we have managed to achieve our target, to be market leaders of quality and service in the South African lighting industry.

Without you, our loyal customers, we would not have achieved such great heights. We would like to thank you for your continued support.

K. Light Import first opened its doors in Cape Town in 1995 with the passion for lighting and the goal of introducing the latest European models of beautiful, exclusive, and quality light fittings to the South African decorating industry.

K. Light's strength is in the decorative and splendour of our products. We are leaders in the industry and follow the latest international trends, bringing new designs, fashion and technology into South Africa. We continue to update our collections of imported light fittings which represent the most unique and stylish products available globally. In addition, K. Light offers a wide range of lighting products, from entry level to high end fixtures to a wide spectrum of lighting enthusiasts.

The K. Light brand is well known for its quality, service and design. With opulent showrooms in Johannesburg and Cape Town and several representatives throughout South Africa we are continually growing and are accessible throughout the major centres in South Africa and Africa.

To stay informed of our new and exciting ranges, keep an eye out for the K. Light brand by subscribing to our weekly informative digital newsletters, or other digital channels like Facebook and Instagram, or view us in many leading décor publications.

Looking forward to countless years of continued excellent service to you.

DESIGN | SERVICE | QUALITY

**CAPETOWN** Milnerton 021 552 4370

**JOHANNESBURG** Midrand 011 312 1247

Viewing Showrooms Only, K. Light Import supplies only to Retailers and not to the public directly.

**www.klight.co.za**



info@klight.co.za



k\_light\_import



klight.co.za





# CRYSTAL CHANDELIERS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

**KLCH-6003/26**

230v 40W E14 Medium Diamond Crystal Chandelier  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 140 + 100 Chain Ø: 80  
 Weight in kg 64  
 Lamps 26 x E14  
 Wattage 230v 1040W  
 IP Rating IP20

**KLCH-6004/26**

230v 40W E14 Mermaid Crystal Chandelier  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 140 + 100 Chain Ø: 85  
 Weight in kg 52  
 Lamps 26 x E14  
 Wattage 230v 1040W  
 IP Rating IP20







**KLCH-6003/51**

230v 40W E14 Large Diamond Crystal Chandelier  
Colour Chrome  
Specifications Clear K9 Crystals  
Measurement in cm H: 170 + 100 Chain Ø: 120  
Weight in kg 146  
Lamps 51 x E14  
Wattage 230v 2040W  
IP Rating IP20

**KLCH-6002/9**

230v 40W E14 Supreme Medium Crystal Chandelier  
Colour Gold  
Specifications Clear K9 Crystals  
Measurement in cm H: 32 + 100 Chain Ø: 60  
Weight in kg 18  
Lamps 9 x E14  
Wattage 230v 360W  
IP Rating IP20







**KLCH-6002/27**  
230v 40W E14 Supreme Large Crystal Chandelier  
Colour Gold  
Specifications Clear K9 Crystals  
Measurement in cm H: 100 + 100 Chain Ø: 90  
Weight in kg 70  
Lamps 27 x E14  
Wattage 230v 1080W  
IP Rating IP20

**KLCH-6515/34-BL**

230v 40W E14 Grandiose Crystal Chandelier

Colour Charcoal Grey

Specifications Smoke K9 Crystals

Measurement in cm H: 200 + 100 Chain Ø: 120

Weight in kg 100

Lamps 34 x E14

Wattage 230v 1360W

IP Rating IP20







**KLCH-6515/34-SG**

230v 40W E14 Grandiose Crystal Chandelier  
Colour Satin Gold  
Specifications Clear K9 Crystals  
Measurement in cm H: 200 + 100 Chain Ø: 120  
Weight in kg 100  
Lamps 34 x E14  
Wattage 230v 1360W  
IP Rating IP20

**KLCH-6515/6-BL**

230v 40W E14 Large Crystal 5 Tier Chandelier  
 Colour Charcoal Grey  
 Specifications Smoke K9 Crystals  
 Measurement in cm H: 68 + 100 Chain Ø: 55  
 Weight in kg 16  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20

**KLCH-6515/4-BL**

230v 40W E14 Small Crystal 3 Tier Chandelier  
 Colour Charcoal Grey  
 Specifications Smoke K9 Crystals  
 Measurement in cm H: 50 + 100 Chain Ø: 40  
 Weight in kg 8  
 Lamps 4 x E14  
 Wattage 230v 160W  
 IP Rating IP20








**KLCH-6515/13-BL**  
230v 40W E14 Extra Large Crystal 7 Tier Chandelier  
Colour Charcoal Grey  
Specifications Smoke K9 Crystals  
Measurement in cm H: 84 + 100 Chain Ø: 80  
Weight in kg 25  
Lamps 13 x E14  
Wattage 230v 520W  
IP Rating IP20

**KLCH-6515/6-SG**

230v 40W E14 Large Crystal 5 Tier Chandelier  
 Colour Satin Gold  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 68 + 100 Chain Ø: 55  
 Weight in kg 16  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20

**KLCH-6515/4-SG**

230v 40W E14 Small Crystal 3 Tier Chandelier  
 Colour Satin Gold  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 50 + 100 Chain Ø: 40  
 Weight in kg 8  
 Lamps 4 x E14  
 Wattage 230v 160W  
 IP Rating IP20







**KLCH-6515/13-SG**  
230v 40W E14 Extra Large Crystal 7 Tier Chandelier  
Colour Satin Gold  
Specifications Clear K9 Crystals  
Measurement in cm H: 84 + 100 Chain Ø: 80  
Weight in kg 25  
Lamps 13 x E14  
Wattage 230v 520W  
IP Rating IP20

**KLCH-5515/SG**

230v 40W E14 Crystal Rectangular Chandelier

Colour Satin Gold

Specifications Clear K9 Crystals

Measurement in cm H: 33 + 100 Chain + 18 Rod L: 88 W: 40

Weight in kg 20

Lamps 11 x E14

Wattage 230v 440W

IP Rating IP20







**KLCH-5515/BL**  
230v 40W E14 Smoke Crystal Rectangular Chandelier  
Colour Charcoal Grey  
Specifications Smoke K9 Crystals  
Measurement in cm H: 33 + 100 Chain + 27 Rod L: 88 W: 40  
Weight in kg 20  
Lamps 11 x E14  
Wattage 230v 440W  
IP Rating IP20



**KLCH-7515/GD**

230v 40W E14 Clear Crystal Round Chandelier

Colour Electroplated Gold

Specifications Clear K9 Crystals

Measurement in cm H: 150 + 100 Chain + 16 Rod Ø: 60

Shade H: 20 Ø: 60

Lamps 9 x E14

Wattage 230v 360W

IP Rating IP20







**KLCH-89400**

230v 40W E14 Waterfall Crystal Ceiling Fitting

Colour Chrome Metal Frame

Specifications Clear Crystals

Measurement in cm H: 370 Ø: 60

Lamps 78 x E14

Wattage 230v 3120W

IP Rating IP20





**KLCH 7895/25**

230v 40W E27 Triangular Crystal Chandelier  
Colour Chrome  
Specifications Clear K9 Crystals  
Measurement in cm H: 200 + 100 Chain Ø: 46  
Weight in kg 36  
Lamps 25 x E27  
Wattage 230v 1000W  
IP Rating IP20



**S-KLCH-8740/27**

230v 40W E14 Spiral Crystal Chandelier  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 204 + 80 Chain Ø: 80  
 Weight in kg 32  
 Lamps 27 x E14  
 Wattage 230v 1080W  
 IP Rating IP20







**S-KLCH-8738/32**

230v 40W E14 Double Basket Crystal Chandelier  
Colour Chrome  
Specifications Clear K9 Crystals  
Measurement in cm H: 200 + 80 Chain Ø: 95  
Weight in kg 85  
Lamps 32 x E14  
Wattage 230v 1280W  
IP Rating IP20





**S-KLCH-8738/14**  
230v 40W E14 Medium Crystal Chandelier  
Colour Chrome  
Specifications Clear K9 Crystals  
Measurement in cm H: 70 + 80 Chain Ø: 61  
Weight in kg 27  
Lamps 14 x E14  
Wattage 230v 560W  
IP Rating IP20





**S-KLCH-1900/17**  
 230v 40W E14 Large Basket Crystal Chandelier  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 130 + 80 Chain Ø: 80  
 Weight in kg 21  
 Lamps 17 x E14  
 Wattage 230v 680W  
 IP Rating IP20

**KLCH-6007/12**

230v 40W E14 Medium Cascading Crystal Chandelier

Colour	Chrome
Specifications	Clear K9 Crystals
Measurement in cm	H: 124 + 100 Chain Ø: 50
Weight in kg	13
Lamps	12 x E14
Wattage	230v 480W
IP Rating	IP20







**KLCH-6007/20**  
230v 40W E14 Large Cascading Crystal Chandelier  
Colour Chrome  
Specifications Clear K9 Crystals  
Measurement in cm H: 140 + 100 Chain Ø: 66  
Weight in kg 20  
Lamps 20 x E14  
Wattage 230v 800W  
IP Rating IP20

**L-KLCH-82148/CR**

230v 40W E14 Sophia Crystal Chandelier  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 56 + 60 Chain Ø: 45  
 Weight in kg 12  
 Lamps 8 x E14  
 Wattage 230v 320W  
 IP Rating IP20







**L-KLCH-82148L/CR**  
230v 40W E14 Sophia Large Crystal Chandelier  
Colour Chrome  
Specifications Clear K9 Crystals  
Measurement in cm H: 88 + 60 Chain Ø: 60  
Weight in kg 22  
Lamps 12 x E14  
Wattage 230v 480W  
IP Rating IP20



**L-KLCH-62039L/SG**

230v 40W E14 Grace Large Crystal Chandelier  
 Colour Satin Gold  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 85 + 60 Chain Ø: 26.5  
 Weight in kg 19  
 Lamps 12 x E14  
 Wattage 230v 480W  
 IP Rating IP20

**L-KLCH-62039S/SG**

230v 40W E14 Grace Small Crystal Chandelier  
 Colour Satin Gold  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 56 + 60 Chain Ø: 19.5  
 Weight in kg 9  
 Lamps 4 x E14  
 Wattage 230v 160W  
 IP Rating IP20







**L-KLCH-62038/CR**

230v 40W E14 Elizabeth Crystal Chandelier  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 50 + 60 Chain Ø: 44  
 Weight in kg 12  
 Lamps 12 x E14  
 Wattage 230v 480W  
 IP Rating IP20

**KLCH-7837/3**

230v 40W G9 Small Crystal Chandelier  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm Full Height: 22 + 140 Cord Ø: 15.5  
 Shade: H: 22 Ø: 15.5  
 Lamps 3 x G9  
 Wattage 230v 120W  
 IP Rating IP20





**L-KLCH-62041/SG**

230v 40W E14 Diana Amber Crystal Chandelier  
 Colour Satin Gold  
 Specifications Amber K9 Crystals  
 Measurement in cm H: 48 + 60 Chain Ø: 24  
 Weight in kg 30  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20



**L-KLCH-62041/CR**

230v 40W E14 Diana Clear Crystal Chandelier  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 48 + 60 Chain Ø: 24  
 Weight in kg 30  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20



**KLCH-8061/19**  
 230v 40W E14 Large 19 White Arm  
 Crystal Chandelier  
 Colour White Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 85 + 80 Chain Ø: 97  
 Weight in kg 36  
 Lamps 19 x E14  
 Wattage 230v 760W  
 IP Rating IP20

**KLCH-8061/8**  
 230v 40W E14 Medium 8 White Arm  
 Crystal Chandelier  
 Colour White Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 62 + 80 Chain Ø: 73  
 Weight in kg 20  
 Lamps 8 x E14  
 Wattage 230v 320W  
 IP Rating IP20



**KLW-8061/1**  
 230v 40W E14 1 Arm White Glass and Crystal  
 Wall Light  
 Colour White Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 33 W: 13 D: 21  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**KLW-8061/2**  
 230v 40W E14 2 Arm White Glass and Crystal  
 Wall Light  
 Colour White Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 39 W: 35 D: 18  
 Lamps 2 x E14  
 Wattage 230v 80W  
 IP Rating IP20





**KLCH-8061/25**  
 230v 40W E14 Extra Large 25 White Arm  
 Crystal Chandelier  
 Colour White Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 90 + 80 Chain Ø: 115  
 Weight in kg 41  
 Lamps 25 x E14  
 Wattage 230v 1000W  
 IP Rating IP20



**V-KLCH-8004/4**

230v 40W E14 4 Arm Crystal Chandelier  
 Colour Clear Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 48 + 80 Chain Ø: 47  
 Weight in kg 5  
 Lamps 4 x E14  
 Wattage 230v 160W  
 IP Rating IP20

**V-KLCH-8004/6**

230v 40W E14 6 Arm Crystal Chandelier  
 Colour Clear Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 63 + 80 Chain Ø: 62  
 Weight in kg 8  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20

**V-KLW-8004/1**

230v 40W E14 1 Arm Glass and Crystal Wall Light  
 Colour Clear Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 33 W: 12 D: 23  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**V-KLW-8004/2**

230v 40W E14 2 Arm Glass and Crystal Wall Light  
 Colour Clear Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 34 W: 26 D: 23  
 Lamps 2 x E14  
 Wattage 230v 80W  
 IP Rating IP20



**V-KLCH-8004/12+6**

230v 40W E14 12+6 Arm Crystal Chandelier  
 Colour Clear Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 76 + 80 Chain Ø: 100  
 Weight in kg 21  
 Lamps 18 x E14  
 Wattage 230v 720W  
 IP Rating IP20



**V-KLW-8816/1**  
 230v 40W E14 1 Arm Elegant Metal and Crystal Wall Light  
 Colour Chrome with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 30 W: 13 D: 23  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**V-KLW-8816/2**  
 230v 40W E14 2 Arm Elegant Metal and Crystal Wall Light  
 Colour Chrome with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 30 W: 34 D: 20  
 Lamps 2 x E14  
 Wattage 230v 80W  
 IP Rating IP20







**V-KLCH-8816/8**  
230v 40W E14 8 Arm Elegant Crystal Chandelier  
Colour Chrome with Crystal  
Specifications Clear K9 Crystals  
Measurement in cm H: 60 + 50 Chain. 0: 75  
Lamps 8 x E14  
Wattage 230v 320W  
IP Rating IP20

**V-KLCH-8816/5**

230v 40W E14 5 Arm Elegant  
Crystal Chandelier

Colour Chrome with Crystal  
Specifications Clear K9 Crystals  
Measurement in cm H: 55 + 50 Chain Ø: 60  
Lamps 5 x E14  
Wattage 230v 200W  
IP Rating IP20

**V-KLCH-8816/8+4**

230v 40W E14 8+4 Arm Elegant  
Crystal Chandelier

Colour Chrome with Crystal  
Specifications Clear K9 Crystals  
Measurement in cm H: 70 + 50 Chain Ø: 75  
Lamps 12 x E14  
Wattage 230v 480W  
IP Rating IP20



**V-KLCH-8816/3**

230v 40W E14 3 Arm Elegant  
Crystal Chandelier

Colour Chrome with Crystal  
Specifications Clear K9 Crystals  
Measurement in cm H: 50 + 50 Chain Ø: 48  
Lamps 3 x E14  
Wattage 230v 120W  
IP Rating IP20

**V-KLCH-8816/10+5**

230v 40W E14 10+5 Arm Elegant  
Crystal Chandelier

Colour Chrome with Crystal  
Specifications Clear K9 Crystals  
Measurement in cm H: 77 + 50 Chain Ø: 95  
Lamps 15 x E14  
Wattage 230v 600W  
IP Rating IP20

**KLCH-8843/6**

230v 40W E14 with 6 LED Arm Crystal Chandelier

Colour Clear Glass

Specifications Clear K9 Crystals

Measurement in cm H: 55 + 70 Chain Ø: 61

Weight in kg 11

Lamps 6 x E14

Wattage 230v 240W

IP Rating IP20

**KLCH-1558-3**

230v 40W E27 Curved

Rectangular Crystal and Glass Pendant

Colour Crystal / Frosted

Specifications Clear K9 Crystals

Measurement in cm Full Height: 100 L: 58 W: 20

Glass: H: 26 L: 58 W: 20

Lamps 3 x E27

Wattage 230v 120W

IP Rating IP20



**KLCH-450/40-WH**

230v 40W G9 Magma Crystal Pendant  
 Colour Chrome  
 Specifications Clear Italian Crystals  
 Measurement in cm H: 150 W: 41 L: 41  
 Weight 14  
 Lamps 4 x G9  
 Wattage 230v 160W  
 IP Rating IP20

**KLCH-450/60-WH**

230v 40W G9 Magma Crystal Pendant  
 Colour Chrome  
 Specifications Clear Italian Crystals  
 Measurement in cm H: 150 W: 63 L: 63  
 Weight 17  
 Lamps 6 x G9  
 Wattage 230v 240W  
 IP Rating IP20

**KLCH-450/40-RED**

230v 40W G9 Magma Crystal Pendant  
 Colour Chrome  
 Specifications Red Italian Crystals  
 Measurement in cm H: 150 W: 41 L: 41  
 Weight 14  
 Lamps 4 x G9  
 Wattage 230v 160W  
 IP Rating IP20

**KLCH-450/60-RED**

230v 40W G9 Magma Crystal Pendant  
 Colour Chrome  
 Specifications Red Italian Crystals  
 Measurement in cm H: 150 W: 63 L: 63  
 Weight 17  
 Lamps 6 x G9  
 Wattage 230v 240W  
 IP Rating IP20

**Q-KLCH-81501/6**

230v 40W E27 Rectangle with Rectangular Crystal Slabs

Colour Chrome

Specifications Clear K9 Crystals Slabs

Measurement in cm H: 26.5 + 86 Chain L: 102 W: 41

Weight in kg 40

Lamps 6 x E27

Wattage 230v 240W

IP Rating IP20





**Q-KLCH-81502/7**

230v 40W E27 Rectangle with Angled Trapezium Crystal Slabs

Colour Chrome

Specifications Clear K9 Crystals Slabs

Measurement in cm H: 22 + 86 Chain L: 120 W: 25

Weight in kg 36

Lamps 7 x E27

Wattage 230v 280W

IP Rating IP20



**Q-KLCH-81501/4**

230v 40W E27 Round with Rectangular Crystal Slabs

Colour Chrome

Specifications Clear K9 Crystals Slabs

Measurement in cm H: 27 + 76 Chain Ø: 45

Weight in kg 21

Lamps 4 x E27

Wattage 230v 160W

IP Rating IP20

**Q-KLCH-81501/7**

230v 40W E27 Large Round with Rectangular Crystal Slabs

Colour Chrome

Specifications Clear K9 Crystals Slabs

Measurement in cm H: 27 + 76 Chain Ø: 75

Weight in kg 35

Lamps 7 x E27

Wattage 230v 280W

IP Rating IP20



**Q-KLCH-81502/8**

230v 40W E27 Large Round with Angled Trapezium Crystal Slabs

Colour	Chrome
Specifications	Clear K9 Crystals Slabs
Measurement in cm	H: 20 + 76 Chain Ø: 78
Weight in kg	33
Lamps	8 x E27
Wattage	230v 320W
IP Rating	IP20

**Q-KLCH-81502/5**

230v 40W E27 Round with Angled Trapezium Crystal Slabs

Colour	Chrome
Specifications	Clear K9 Crystals Slabs
Measurement in cm	H: 20 + 76 Chain Ø: 62
Weight in kg	28
Lamps	5 x E27
Wattage	230v 200W
IP Rating	IP20



**K-LED9967/60**

230v 60W LED Strip Round Crystal and Gold Chandelier

Colour Gold  
 Specifications Clear K9 Crystals  
 Non Dimmable

Kelvin / Lumen Warm White: 3000K / 4800lm

Measurement in cm H: 30 + 133 Cable Ø: 60

Weight in kg 13

LED Strip 60W

Wattage 230v 60W

IP Rating IP20

**K-LED9967/1**

230v 48W LED Strip Wave Crystal and Gold Chandelier

Colour Gold  
 Specifications Clear K9 Crystals  
 Non Dimmable

Kelvin / Lumen Warm White: 3000K / 3840lm

Measurement in cm H: 30 + 133 Cable L: 100 W: 7

Weight in kg 9

LED Strip 48W

Wattage 230v 48W

IP Rating IP20



**K-LED9967/2**

230v 88W LED Strip Oval Crystal and Gold Chandelier  
 Colour Gold  
 Specifications Clear K9 Crystals  
 Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 7040lm  
 Measurement in cm H: 30 + 133 Cable L: 100 W: 35  
 Weight in kg 18  
 LED Strip 88W  
 Wattage 230v 88W  
 IP Rating IP20

**K-LED-89095**

230v 25W LED Imperial Round Crystal and Gold Chandelier

Colour	Gold
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	H: 162 Shade H: 20 Ø: 60
LED SMD	25W
Wattage	230v 25W
IP Rating	IP20





**K-LED-89099**

230v 30W LED Imperial Oval Crystal and Gold Chandelier

Colour

Gold

Specifications

Clear K9 Crystals

Non Dimmable

Kelvin / Lumen

Warm White: 3000K

Measurement in cm

H: 162

Shade H: 20 L: 100 W: 35

LED SMD

30W

Wattage

230v 30W

IP Rating

IP20



**K-LED-89314/120**  
 230v 200W LED Ballerina Crystal Chandelier  
 Colour Chrome  
 Specifications Clear Crystals  
 Stainless Steel Plate  
 Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Estimated 22440lm  
 Measurement in cm Fitting Full H: 490  
 Frame H: 280 + 200 Cable  
 Fitting Ø: 120  
 Base Ø: 120 H: 10  
 Weight in kg Estimated Weight 70  
 LED SMD LED Strip 200W  
 Wattage 230v 200W  
 IP Rating IP20



**K-LED-89314/80**  
 230v 120W LED Ballerina Crystal Chandelier  
 Colour Chrome  
 Specifications Clear Crystals  
 Stainless Steel Plate  
 Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Estimated 14400lm  
 Measurement in cm Fitting Full H: 390  
 Frame H: 180 + 200 Cable  
 Fitting Ø: 80  
 Base Ø: 80 H: 10  
 Weight in kg Estimated Weight 32  
 LED SMD LED Strip 120W  
 Wattage 230v 120W  
 IP Rating IP20



**K-LED-89315**

230v 55W LED Symphony Crystal Chandelier

Colour	Chrome
Specifications	Clear Crystals Stainless Steel Plate Dimmable
Kelvin / Lumen	Warm White: 3000K Estimated 7000lm
Measurement in cm	H: 250 + 300 Cable Shade H: 45 L: 150 H: 120 Base Ø: 85 H: 5
Weight in kg	Estimated Weight 20
LED SMD	LED Strip 55W
Wattage	230v 55W
IP Rating	IP20



**K-LED-89316**

230v 80W LED Carousel Crystal Chandelier

Colour Chrome

Specifications Clear Crystals

Stainless Steel Plate

Dimmable

Kelvin / Lumen Warm White: 3000K

Estimated 16900lm

Measurement in cm H: 300 + 300 Cable Ø: 150

Base Plate Ø: 150

Weight in kg Estimated Weight 40

LED SMD LED Strip 80W

Wattage 230v 80W

IP Rating IP20





# MODERN DAY CHANDELIERS & PENDANTS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

**3E-KLCH-1044/8**

230v 3W G9 LED 8 Light Octopus Pendant

Colour Black

Measurement in cm H: 73 Ø: 70

Lamps 8 x 3W G9 LED

(Including Non Dimmable Lamps)

Wattage 230v 24W

IP Rating IP20







**3E-KLCH-1044/12**  
230V 3W G9 LED 12 Light Octopus Pendant  
Colour Black  
Measurement in cm H: 73 Ø: 100  
Lamps 12 x 3W G9 LED  
(Including Non Dimmable Lamps)  
Wattage 230V 36W  
IP Rating IP20

**T-KLCH-1478/BL**

230v 3W G9 LED 4 Light Linear Pendant

Colour Black with Opal White Glass

Measurement in cm H: 165 L: 85 W: 12

Glass: Ø: 12

Lamps 4 x 3W G9 LED  
(Including Non Dimmable Lamps)

Wattage 230v 12W

IP Rating IP20

**T-KLCH-1479/GD**

230v 3W G9 LED 5 Light Linear Pendant

Colour Gold with Opal White Glass

Measurement in cm H: 165 L: 108 W: 12

Glass: Ø: 12

Lamps 5 x 3W G9 LED  
(Including Non Dimmable Lamps)

Wattage 230v 15W

IP Rating IP20

**T-KLCH-1479/BL**

230v 3W G9 LED 5 Light Linear Pendant

Colour Black with Opal White Glass

Measurement in cm H: 165 L: 108 W: 12

Glass: Ø: 12

Lamps 5 x 3W G9 LED  
(Including Non Dimmable Lamps)

Wattage 230v 15W

IP Rating IP20





**T-KLCH-1478/GD**

230v 3W G9 LED 4 Light Linear Pendant

Colour Gold with Opal White Glass

Measurement in cm H: 165 L: 85 W: 12

Glass: Ø: 12

4 x 3W G9 LED

(Including Non Dimmable Lamps)

Lamps

Wattage

230v 12W

IP Rating

IP20



**GO-KLCH423-8/SG**  
 230v 3W G9 LED Fantasy Pendant  
 Colour Satin Gold and Opal White Glass Shade  
 Measurement in cm H: 140 L: 90 W: 25  
 Glass: Ø: 8/10/12  
 Lamps 8 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 24W  
 IP Rating IP20



**GO-KLCH423-8/BL**  
 230v 3W G9 LED Fantasy Pendant  
 Colour Black and Opal White Glass Shade  
 Measurement in cm H: 140 L: 90 W: 25  
 Glass: Ø: 8/10/12  
 Lamps 8 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 24W  
 IP Rating IP20



**T-KLCH-1477/BL**  
 230v 3W G9 LED 7 Light Spiral Pendant  
 Colour Black  
 Measurement in cm H: 145 L: 120 Ø: 30  
 Glass: Ø: 12  
 Lamps 7 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 21W  
 IP Rating IP20



**T-KLCH-1477/GD**

230v 3W G9 LED 7 Light Spiral Pendant

Colour Gold

Measurement in cm H: 145 L: 120 Ø: 30

Glass: Ø: 12

Lamps

7 x 3W G9 LED

(Including Non Dimmable Lamps)

Wattage

230v 21W

IP Rating

IP20





(MOUNTING OPTION 2)



(MOUNTING OPTION 1)

**A-KLCH-9226/14**  
 230v 3W G9 LED Round Bubble Glass Pendant  
 Colour French Gold with Cognac Glass  
 Measurement in cm H: 125 Ø: 80  
 Glass Ø: 10/12/15  
 Lamps 14 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 42W  
 IP Rating IP20







**A-KLCH-9226/20**  
 230v 3W G9 LED Round Bubble Glass Pendant  
 Colour French Gold with Cognac Glass  
 Measurement in cm H: 125 Ø: 107  
 Glass Ø: 10/12/15  
 Lamps 20 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 60W  
 IP Rating IP20



(MOUNTING OPTION 1)

**A-KLCH-9225/7**  
 230v 3W G9 LED Horizontal Bubble Glass Pendant  
 Colour Black & Antique Brass with Smoke Glass  
 Measurement in cm H: 119 L: 65 W: 28  
 Glass Ø: 10/12/15  
 Lamps 7 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 21W  
 IP Rating IP20

(MOUNTING OPTION 2)



**A-KLCH-9225/14 (MOUNTING OPTION 2)**  
 230v 3W G9 LED Round Bubble Glass Pendant  
 Colour Black & Antique Brass with Smoke Glass  
 Measurement in cm H: 125 Ø: 80  
 Glass Ø: 10/12/15  
 Lamps 14 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 42W  
 IP Rating IP20

**A-KLCH-9225/14 (MOUNTING OPTION 1)**  
 230v 3W G9 LED Round Bubble Glass Pendant  
 Colour Black & Antique Brass with Smoke Glass  
 Measurement in cm H: 125 Ø: 80  
 Glass Ø: 10/12/15  
 Lamps 14 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 42W  
 IP Rating IP20

**A-KLCH-9225/6**  
 230v 3W G9 LED Vertical Bubble Glass Pendant  
 Colour Black & Antique Brass with Smoke Glass  
 Measurement in cm H: 160 Ø: 28  
 Glass Ø: 10/12  
 Lamps 6 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 18W  
 IP Rating IP20

**A-KLW-9225/1**  
 230v 40W E27 Bubble Glass Wall Light  
 Colour Black with Smoke Glass  
 Measurement in cm H: 22 W: 20 D: 26.5  
 Glass Ø: 10/12/15  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20







**A-KLCH-9225/20**


230v 3W G9 LED Round Bubble Glass Pendant

Colour Black & Antique Brass with  
Smoke Glass

Measurement in cm H: 125 Ø: 107  
Glass Ø: 10/12/15

Lamps 20 x 3W G9 LED  
(Including Non Dimmable Lamps)

Wattage 230v 60W  
IP Rating IP20

**3E-KLCH-101-3B**

230v 3W G9 LED Bonbon Trio on a Bar  
 Colour Black and Antique Brass

Glass: Light Smoke  
 Measurement in cm H: 132 L: 70 W: 18  
 Glass: H: 16 Ø: 14  
 Metal around Glass: Ø: 18

Lamps 3 x 3W G9 LED WW  
 (Including Non Dimmable Lamps)

Wattage 230v 9W  
 IP Rating IP20

**3E-KLCH-101-1**

230v 3W G9 LED Bonbon Pendant

Colour Black and Antique Brass  
 Glass: Light Smoke

Measurement in cm H: 132  
 Glass: H: 16 Ø: 14  
 Metal around Glass: Ø: 18

Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)

Wattage 230v 3W  
 IP Rating IP20

**3E-KLW-101-1**

230v 3W G9 LED Bonbon Wall Light

Colour Black and Antique Brass  
 Glass: Light Smoke

Measurement in cm H: 36 Depth: 24  
 Glass: H: 16 Ø: 14  
 Metal around Glass: Ø: 18

Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)

Wattage 230v 3W  
 IP Rating IP20







**3E-KLCH-101-3P**

230v 3W G9 LED Bonbon Trio on a Plate

Colour Black and Antique Brass

Glass: Light Smoke

Measurement in cm H: 132 Ø: 58

Glass: H: 16 Ø: 14

Metal around Glass: Ø: 18

Lamps 3 x 3W G9 LED WW  
(Including Non Dimmable Lamps)

Wattage 230v 9W

IP Rating IP20

**DL-KLCH-9252L/5**

230v 40W E27 5 Light Large Art Deco Pendant  
 Colour Matt Gun Metal with Opal White Glasses  
 Measurement in cm H: 115 L: 96 W: 56  
 Glass: H: 15 Ø: 15  
 Lamps 5 x E27  
 Wattage 230v 200W  
 IP Rating IP20

**DL-KLCH-9252S/5**

230v 40W E27 5 Light Small Art Deco Pendant  
 Colour Matt Gun Metal with Opal White Glasses  
 Measurement in cm H: 115 L: 54 W: 54  
 Glass: H: 15 Ø: 15  
 Lamps 5 x E27  
 Wattage 230v 200W  
 IP Rating IP20







**DL-KLCH-9252L/9**

230v 40W E27 9 Light XLarge Art Deco Pendant

Colour Matt Gun Metal with Opal White Glasses

Measurement in cm H: 150 L: 140 W: 56

Glass: H: 15 Ø: 15

Lamps 9 x E27

Wattage 230v 360W

IP Rating IP20



**A-KLCH-9275/6**  
230v 40W E14 Urban Chandelier  
Colour Black/Satin Gold with Opal Glass  
Measurement in cm H: 74 Ø: 78  
Glass Ø: 15  
Lamps 6 x E14  
Wattage 230v 40W  
IP Rating IP20





**T-KLCH-707**  
230v 40W E27 Boss Pendant  
Colour Bronze  
Measurement in cm H: 45 + cord 100 Ø: 34.5  
Lamps 5 x E27  
Wattage 230v 40W  
IP Rating IP20

**3E-KLW-105/AB**

230v 3W G9 LED Fizz Pop Wall Light  
 Colour Antique Brass and Clear Glass  
 Measurement in cm H: 34 D: 20 Ø: 15

Glass: H: 14  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamps)

Wattage 230v 3W  
 IP Rating IP20

**3E-KLW-105/BL**

230v 3W G9 LED Fizz Pop Wall Light  
 Colour Black and Smoke Glass  
 Measurement in cm H: 34 D: 20 Ø: 15

Glass: H: 14  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamps)

Wattage 230v 3W  
 IP Rating IP20

**3E-KLCH-105/BL**

230v 3W G9 LED Fizz Pop Pendant  
 Colour Black and Smoke Glass  
 Measurement in cm H: 156 Ø: 15

Glass: H: 14  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamps)

Wattage 230v 3W  
 IP Rating IP20

**3E-KLCH-105/AB**

230v 3W G9 LED Fizz Pop Pendant  
 Colour Antique Brass and Clear Glass  
 Measurement in cm H: 156 Ø: 15

Glass: H: 14  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamps)

Wattage 230v 3W  
 IP Rating IP20





**3E-KLCH-108-3/P**

230v 40W E14 Fizz Pop Opal Glass Cluster on a Plate

Colour Antique Brass and Opal white Glass  
Gold Fabric Cord

Measurement in cm Base : 0: 30  
Glass: 0: 15/20/25  
Cable Length: 260/290/270

Lamps 3 x E14  
Wattage 230v 40W  
IP Rating IP20



**3E-KLW-108/AB**

230v 3W G9 LED Fizz Pop Wall Light

Colour Antique Brass and Opal white Glass  
H: 34 D: 20  
Glass: 0: 15

Lamps 1 x 3W G9 LED  
(Including Non Dimmable)

(Lamp) Wattage 230v 3W  
IP Rating IP20

**3E-KLCH-108-25**

230v 40W E14 Fizz Pop 25cm Opal Glass Pendant

Colour Antique Brass and Opal white Glass  
H: 156 0: 25  
Glass: 0: 25

Lamps 1 x E14  
Wattage 230v 40W  
IP Rating IP20



**3E-KLCH-108-20**

230v 40W E14 Fizz Pop 20cm Opal Glass

Pendant Colour Antique Brass and Opal white Glass  
H: 156 0: 20  
Glass: 0: 20

Measurement in cm 1 x E14  
Lamps 230v 40W  
Wattage IP20

**3E-KLCH-108-15**

230v 3W G9 LED Fizz Pop 15cm Opal Glass Pendant

Colour Antique Brass and Opal white Glass  
H: 156 0: 15  
Glass: 0: 15

Lamps 1 x 3W G9 LED  
(Including Non Dimmable)

(Lamp) Wattage 230v 3W  
IP Rating IP20





As marble is a product of nature, the pattern will differ with every fitting and will not be the same as in the picture.

#### GO-KLCH-830/BL

230v 5W G9 LED Marble Pendant  
 Colour Black Marble with Antique Brass  
 Measurement in cm Fitting H: 180  
 Glass Ø: 15  
 Shade H: 30  
 Base Ø: 12  
 Lamps 1 x G9 LED  
 Wattage 230v 5W  
 IP Rating IP20

#### GO-KLCH-830/WH

230v 5W G9 LED Marble Pendant  
 Colour White Marble with Antique Brass  
 Measurement in cm Fitting H: 180  
 Glass Ø: 15  
 Shade H: 30  
 Base Ø: 12  
 Lamps 1 x G9 LED  
 Wattage 230v 5W  
 IP Rating IP20







**T-KLCH-840/BL**

230v 40W E27 Marble Pendant  
 Colour Gold Iron & Black Marble  
 Measurement in cm Fitting H: 133 Ø: 15  
 Marble H: 10 Ø: 15  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-840/GR**

230v 40W E27 Marble Pendant  
 Colour Gold Iron & Green Marble  
 Measurement in cm Fitting H: 133 Ø: 15  
 Marble H: 10 Ø: 15  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-840/WH**

230v 40W E27 Marble Pendant  
 Colour Gold Iron & White Marble  
 Measurement in cm Fitting H: 133 Ø: 15  
 Marble H: 10 Ø: 15  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-913-20**

230v 40W E27 Croquet Antique Brass Glass Pendant  
Colour Antique Brass with Opal White Glass

Measurement in cm H: 120 Ø: 20  
Glass Ø: 20

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**A-KLCH-913-25**

230v 40W E27 Croquet Antique Brass Glass Pendant  
Colour Antique Brass with Opal White Glass

Measurement in cm H: 120 Ø: 25  
Glass Ø: 25

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**A-KLCH-913-30**

230v 40W E27 Croquet Antique Brass Glass Pendant  
Colour Antique Brass with Opal White Glass

Measurement in cm H: 120 Ø: 30  
Glass Ø: 30

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20





**VE-KLCH-800/GD**

230v 40W E27 Infinity Pendant  
 Colour Satin Gold  
 Measurement in cm H: 200 Ø: 25  
 Shade: H: 41  
 Glass Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**VE-KLCH-800/BL**

230v 40W E27 Infinity Pendant  
 Colour Matt Black  
 Measurement in cm H: 200 Ø: 25  
 Shade: H: 41  
 Glass Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**LW-KLCH-1100/BL**

230v 3W G9 LED Long Luna Pendant  
 Colour Charcoal Black  
 Measurement in cm H: 195 W: 20

Shade: H: 87

Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)

Wattage 230v 3W  
 IP Rating IP20

**LW-KLCH-1200/BL**

230v 3W G9 LED Double Luna Pendant  
 Colour Charcoal Black  
 Measurement in cm H: 158 W: 20

Shade: H: 58

Lamps 2 x 3W G9 LED  
 (Including Non Dimmable Lamps)

Wattage 230v 6W  
 IP Rating IP20

**LW-KLCH-1300/BL**

230v 3W G9 LED Short Luna Pendant  
 Colour Charcoal Black  
 Measurement in cm H: 158 W: 20

Shade: H: 48

Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)

Wattage 230v 3W  
 IP Rating IP20





**LW-KLCH-1200/GD**

230v 3W G9 LED Double Luna Pendant  
 Colour Gold  
 Measurement in cm H: 158 W: 20  
 Shade: H: 58  
 Lamps 2 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 6W  
 IP Rating IP20

**LW-KLCH-1100/GD**

230v 3W G9 LED Long Luna Pendant  
 Colour Gold  
 Measurement in cm H: 195 W: 20  
 Shade: H: 87  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)  
 Wattage 230v 3W  
 IP Rating IP20

**LW-KLCH-1300/GD**

230v 3W G9 LED Short Luna Pendant  
 Colour Gold  
 Measurement in cm H: 158 W: 20  
 Shade: H: 48  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)  
 Wattage 230v 3W  
 IP Rating IP20



**CA-KLCH-1626L/SG**  
 230v 40W E27 Large White Glass Branch Pendant  
 Colour Satin Gold with Opal White Glass  
 Measurement in cm H: 206 Glass: Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLW-1626/SG**  
 230v 40W E27 White Glass Branch Wall Light  
 Colour Satin Gold with Opal White Glass  
 Measurement in cm H: 22 D: 27 Glass: Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**CA-KLCH-1626M/SG**  
 230v 40W E27 Medium White Glass Branch Pendant  
 Colour Satin Gold with Opal White Glass  
 Measurement in cm H: 201 Glass: Ø: 25  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**CA-KLCH-1626S/SG**  
 230v 40W E27 Small White Glass Branch Pendant  
 Colour Satin Gold with Opal White Glass  
 Measurement in cm H: 185 Glass: Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLW-130**

230v 3W G9 LED Tear Drop Glass Wall Light  
 Colour Satin Gold with Opal White Glass

Measurement in cm H: 37 D: 16  
 Glass: Ø: 10

Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)

Wattage 230v 3W  
 IP Rating IP20

**T-KLCH-130**

230v 3W G9 LED Tear Drop Glass Pendant  
 Colour Satin Gold with Opal White Glass

Measurement in cm H: 100  
 Metal Part: H: 36 W: 15 Glass Ø: 10

Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)

Wattage 230v 3W  
 IP Rating IP20

**T-KLT-130T**

230v 3W G9 Tear Drop Table Lamp with in-line switch  
 Colour Satin Gold with Opal White glass

Measurement in cm Base: Ø: 18  
 H: 50

Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)

Wattage 230v 3W  
 IP Rating IP20



**GO-KLCH-170-6/SG**

230v 40W E27 6 Light Molecule Horizontal Pendant  
 Colour Satin Gold with Amber Glass  
 Measurement in cm H: 70 L: 160 W: 90

Large Glass: H: 24 Ø: 23  
 Small Glass: H: 20 Ø: 19

Lamps 6 x E27  
 Wattage 230v 240W  
 IP Rating IP20

**GO-KLCH-170-6/B**

230v 40W E27 6 Light Molecule Horizontal Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm H: 70 L: 160 W: 90

Large Glass: H: 24 Ø: 23  
 Small Glass: H: 20 Ø: 19

Lamps 6 x E27  
 Wattage 230v 240W  
 IP Rating IP20

**GO-KLCH-170-8/B**

230v 40W E27 8 Light Molecule Horizontal Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm H: 70 L: 216 W: 90

Large Glass: H: 24 Ø: 23  
 Small Glass: H: 20 Ø: 19

Lamps 8 x E27  
 Wattage 230v 320W  
 IP Rating IP20

**GO-KLCH-170-8/SG**

230v 40W E27 8 Light Molecule Horizontal Pendant  
 Colour Satin Gold with Amber Glass  
 Measurement in cm H: 70 L: 216 W: 90

Large Glass: H: 24 Ø: 23  
 Small Glass: H: 20 Ø: 19

Lamps 8 x E27  
 Wattage 230v 320W  
 IP Rating IP20





**GO-KLCH-170-7/SG**

230v 40W E27 7 Light Molecule Vertical Pendant  
 Colour Satin Gold with Amber Glass  
 Measurement in cm H: 230 W: 115

Large Glass: H: 24 Ø: 23  
 Small Glass: H: 20 Ø: 19  
 7 x E27

Lamps  
 Wattage 230v 280W  
 IP Rating IP20

**GO-KLCH-170-7/B**

230v 40W E27 7 Light Molecule Vertical Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm H: 230 W: 115

Large Glass: H: 24 Ø: 23  
 Small Glass: H: 20 Ø: 19  
 7 x E27

Lamps  
 Wattage 230v 280W  
 IP Rating IP20

**WE-KLCH-303/GD**

230v 40W E27 12 Light Small Supernova Pendant

Colour Gold

Measurement in cm H: 20 + 50 Rod + 50 Chain

L: 72 W: 70

Lamps 12 x E27 (Excluding Lamps)

Wattage 230v 480W

IP Rating IP20

**WE-KLCH-302/GD**

230v 40W E27 18 Light Medium Supernova Pendant

Colour Gold

Measurement in cm H: 40 + 50 Rod + 50 Chain

L: 87 W: 67

Lamps 18 x E27 (Excluding Lamps)

Wattage 230v 720W

IP Rating IP20





**WE-KLCH-301/GD**

230v 40W E27 40 Light Large Supernova Pendant

Colour Gold

Measurement in cm H: 60 + 50 Rod + 80 Chain

L: 128 W: 120

Lamps 40 x E27 (Excluding Lamps)

Wattage 230v 1600W

IP Rating IP20

**WE-KLCH-302/BL**

230v 40W E27 18 Light Medium Supernova Pendant

Colour Black

Measurement in cm H: 40 + 50 Rod + 50 Chain

L: 87 W: 67

Lamps 18 x E27 (Excluding Lamps)

Wattage 230v 720W

IP Rating IP20

**WE-KLCH-303/BL**

230v 40W E27 12 Light Small Supernova Pendant

Colour Black

Measurement in cm H: 20 + 50 Rod + 50 Chain

L: 72 W: 70

Lamps 12 x E27 (Excluding Lamps)

Wattage 230v 480W

IP Rating IP20





**WE-KLCH-301/BL**

230v 40W E27 40 Light Large Supernova Pendant

Colour Black

Measurement in cm H: 60 + 50 Rod + 80 Chain

L: 128 W: 120

Lamps 40 x E27 (Excluding Lamps)

Wattage 230v 1600W

IP Rating IP20

**P-KLCH-8320/6**

230v 3W G9 LED 3 Arms Branch Pendant

Colour Satin Gold with Frosted Glasses

Specifications Dimmable Optional

Measurement in cm Full Height: 100 L: 140 W: 91

Glass: L: 30 Ø: 2.5

Lamps 6 x 3W G9 LED  
(Including Non Dimmable Lamps)

Wattage 230v 18W

IP Rating IP20







**P-KLCH-8320/10**

230v 3W G9 LED 5 Arms Branch Pendant

Colour Satin Gold with Frosted Glasses

Specifications Dimmable Optional

Measurement in cm Full Height: 100 L: 140 W: 165

Glass: L: 30 Ø: 2.5

Lamps 10 x 3W G9 LED

(Including Non Dimmable Lamps)

Wattage 230v 30W

IP Rating IP20

**CA-KLCH-1106**

230v 40W E27 Large Square Rustic Lantern  
 Colour Black with Clear Glasses  
 Measurement in cm H: 146 L: 40 W: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1107**

230v 40W E27 Small Square Rustic Lantern  
 Colour Black with Clear Glasses  
 Measurement in cm H: 128 L: 17 W: 14  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**KLG-1133**

230v 40W E27 Chic Bracket Wall Light  
 Colour Black with Clear Glasses  
 Specifications: Iron (Non Coastal)  
 Measurement in cm H: 35 W: 17 D: 17  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP44

**CA-KLW-1099/BL**

230v 40W E27 Rustic Rectangular Wall Light  
 Colour Black with Clear Glasses  
 Measurement in cm H: 36 W: 16 D: 17  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**CA-KLCH-1105/4**

230v 40W E27 4 Light Rustic Rectangular Lantern  
 Colour Black with Clear Glasses  
 Measurement in cm H: 133 L: 78 W: 30,5  
 Lamps 4 x E27  
 Wattage 230v 160W  
 IP Rating IP20



**WE-KLCH-390**  
 230v 40W E27 Square Ranch Iron Pendant  
 Colour Black  
 Measurement in cm H: 65 Chain 120 L: 46 W: 46  
 Lamps 4 x E27 (Excluding Lamps)  
 Wattage 230v 160W  
 IP Rating IP20



**WE-KLCH-393**  
 230v 40W E27 Large Pentagon Ranch Iron Pendant  
 Colour Black  
 Measurement in cm H: 67 Chain 120 L: 71 W: 71  
 Lamps 4 x E27 (Excluding Lamps)  
 Wattage 230v 160W  
 IP Rating IP20







**WE-KLCH-394**

230v 40W E27 XLarge Pentagon Ranch Iron Pendant

Colour Black

Measurement in cm H: 103 Chain 120 L: 73 W: 73

Lamps 6 x E27 (Excluding Lamps)

Wattage 230v 240W

IP Rating IP20

**WE-KLCH-396**

230v 40W E27 Rectangular Ranch Iron Pendant

Colour Black

Measurement in cm H: 47 Chain 120 L: 130 W: 40

Lamps 8 x E27 (Excluding Lamps)

Wattage 230v 320W

IP Rating IP20





**WE-KLCH-395**

230v 40W E27 Rectangular Ranch Iron Pendant

Colour Black

Measurement in cm H: 63 Chain 120 L: 173 W: 43

Lamps 6 x E27 (Excluding Lamps)

Wattage 230v 240W

IP Rating IP20

**WE-KLCH-397/36**

230v 40W E14 Round Ranch Iron Pendant

Colour Black

Measurement in cm H: 220 Ø: 152

Lamps 36 x E14 (Excluding Lamps)

Wattage 230v 1440W

IP Rating IP20

**WE-KLCH-397/18**

230v 40W E14 Round Ranch Iron Pendant

Colour Black

Measurement in cm H: 110 Ø: 78

Lamps 18 x E14 (Excluding Lamps)

Wattage 230v 720W

IP Rating IP20





**WE-KLCH-397/54**

230v 40W E14 Two Tier Round Ranch Iron Pendant  
 Colour Black  
 Measurement in cm H: 235  
 Shade Top Ring Ø: 129  
 Shade Bottom Ring Ø: 102  
 Lamps 54 x E14 (Excluding Lamps)  
 Wattage 230v 1800W  
 IP Rating IP20

**DL-KLCH-9209/6**

230v 40W E27 6 Light Linear Pendant

Colour Black

Measurement in cm H: 170 Ø: 120

Lamps 6 x E27

Wattage 230v 240W

IP Rating IP20

**DL-KLCH-9209/3**

230v 40W E27 3 Light Linear Pendant

Colour Black

Measurement in cm H: 184 Ø: 60

Lamps 3 x E27

Wattage 230v 120W

IP Rating IP20





**GO-KLCH-313-3/W or GO-KLCH-313-3/B**  
 230v 40W E14 3 Light Magic Box Pendant  
 Colour White & Gold OR Black & Gold  
 Measurement in cm H: 175 L: 37 W: 39  
 Lamps 3 x E14  
 Wattage 230v 120W  
 IP Rating IP20



**GO-KLCH-313-1/W**  
 230v 40W E27 1 Light Magic Box Pendant  
 Colour White & Gold  
 Measurement in cm H: 175 L: 22 W: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**GO-KLCH-313-6/B or GO-KLCH-313-6/W**  
 230v 40W E14 6 Light Magic Box Pendant  
 Colour Black & Gold OR White & Gold  
 Measurement in cm H: 175 L: 94 W: 27  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20



**K-KLCH-520-1/BL**  
 230v 40W E27 Mobile Single Pendant  
 Colour Black  
 Measurement in cm H: 127 Ø: 8  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**K-KLCH-520-1/ST**  
 230v 40W E27 Mobile Single Pendant  
 Colour Satin Chrome  
 Measurement in cm H: 127 Ø: 8  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20




**K-KLW-520/ST**  
 230v 40W E27 Mobile Single Wall Light  
 Colour Satin Chrome  
 Measurement in cm H: 35 W: 8 D: 33  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20



**K-KLW-520/BL**  
 230v 40W E27 Mobile Single Wall Light  
 Colour Black  
 Measurement in cm H: 35 W: 8 D: 33  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20





**CA-KLCH-1274/3**  
 230v 3W G9 LED 3 Light Symmetrical Wires Fitting  
 Colour Black  
 Kelvin / Lumen Warm White: 3000K / 840lm  
 Measurement in cm Each Wire Length 400  
 Lamps 3 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 9W  
 IP Rating IP20

**CA-KLCH-1274/6**  
 230v 3W G9 LED 6 Light Symmetrical Wires Fitting  
 Colour Black  
 Kelvin / Lumen Warm White: 3000K / 1680lm  
 Measurement in cm Each Wire Length 400  
 Lamps 6 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 18W  
 IP Rating IP20

**CA-KLCH-1274/1**  
 230v 3W G9 LED 1 Light Symmetrical Wires Fitting  
 Colour Black  
 Kelvin / Lumen Warm White: 3000K / 280lm  
 Measurement in cm Wire Length 400  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)  
 Wattage 230v 3W  
 IP Rating IP20



**DL-KLCH-9305/GD**

230v 40W E27 Small Molten Pendant  
 Colour Gold with  
 Gold Acrylic Shade  
 Measurement in cm H: 190 Ø: 26  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**DL-KLCH-9305/CH**

230v 40W E27 Small Molten Pendant  
 Colour Chrome with  
 Chrome Acrylic Shade  
 Measurement in cm H: 190 Ø: 26  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**DL-KLCH-9305/CO**

230v 40W E27 Small Molten Pendant  
 Colour Copper with  
 Copper Acrylic Shade  
 Measurement in cm H: 190 Ø: 26  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

Recommended Bulb: HX-GB45-4W,  
 LED 4W Clear G45 Filament



**DL-KLCH-9306/GD**

230v 40W E27 Large Molten Pendant  
Colour Gold with Gold Acrylic Shade

Measurement in cm H: 200 Ø: 38

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**DL-KLCH-9306/CO**

230v 40W E27 Large Molten Pendant  
Colour Copper with Copper Acrylic Shade

Measurement in cm H: 200 Ø: 38

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**DL-KLCH-9306/CH**

230v 40W E27 Large Molten Pendant  
Colour Chrome with Chrome Acrylic Shade

Measurement in cm H: 200 Ø: 38

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

Recommended Bulb: HX-GB45-4W,  
LED 4W Clear G45 or A60 Filament



**PO-KLCH-1912**  
 230v 4W E27 LED Eco Friendly Pendant  
 Colour White  
 Specifications Recyclable Plastics  
 Measurement in cm H: 186.5 Ø: 25  
 Base Ø: 10 H: 2.5  
 Shade H: 44 Ø: 25  
 Lamps 1 x 4W E27 LED  
 Wattage 230v 4W  
 IP Rating IP20



**PO-KLCH-1911**  
 230v 4W E27 LED Eco Friendly Pendant  
 Colour White  
 Specifications Recyclable Plastics  
 Measurement in cm H: 174.5 Ø: 20  
 Base Ø: 10 H: 2.5  
 Shade H: 32 Ø: 20  
 Lamps 1 x 4W E27 LED  
 Wattage 230v 4W  
 IP Rating IP20




**PO-KLCH-1922**  
 230v 4W LED E27 Orchid 3D Printed Recycled Pendant  
 Colour White  
 Specifications Recyclable Plastics  
 Measurement in cm H: 177.5 Ø: 29  
 Base Ø: 10 H: 2.5  
 Shade H: 35 Ø: 29  
 Lamps 1 x 4W E27 LED  
 Wattage 230v 4W LED  
 IP Rating IP20



**PO-KLCH-1918**

230v 4W E27 LED Eco Friendly Pendant  
 Colour White  
 Specifications Recyclable Plastics  
 Measurement in cm H: 170.5 Ø: 24  
 Base Ø: 10 H: 2.5  
 Shade H: 28 Ø: 24  
 Lamps 1 x 4W E27 LED  
 Wattage 230v 4W  
 IP Rating IP20

**PO-KLCH-1916**

230v 4W E27 LED Eco Friendly Pendant  
 Colour White  
 Specifications Recyclable Plastics  
 Measurement in cm H: 170.5 Ø: 33  
 Base Ø: 10 H: 2.5  
 Shade H: 28 Ø: 33  
 Lamps 1 x 4W E27 LED  
 Wattage 230v 4W  
 IP Rating IP20

A60 4W LED bulbs must be used with this range, as they do not emit as much heat as the incandescent bulbs.

**MC-KLCH-1310/3**

230v 40W E14 3 Arms Candelabra Chandelier

Colour Chrome

Specification Clear Glass Ball

Measurement in cm H: 56 +112 Chain Ø: 43

Lamps 3 x E14

Wattage 230v 120W

IP Rating IP20

**MC-KLCH-1310/5**

230v 40W E14 5 Arms Candelabra Chandelier

Colour Chrome

Specification Clear Glass Ball

Measurement in cm H: 56 + 112 Chain Ø: 55

Lamps 5 x E14

Wattage 230v 200W

IP Rating IP20





**U-8618**  
 230v 55W T5 Round Glass Fluorescent Pendant  
 Colour Satin  
 Specifications Non Dimmable  
 Tube included  
 Measurement in cm H: 130 Ø: 44  
 Lamps 1 x T5 (Including Lamp)  
 Wattage 230v 55W  
 IP Rating IP20



**B-KLCH-6010-CH**  
 230v 40W E14 Drum Shaped Glass Lantern  
 Colour Chrome With Clear Glasses  
 Measurement in cm H: 40 + 100 Chain Ø: 42  
 Lamps 4 x E14  
 Wattage 230v 160W  
 IP Rating IP20



**N-MX0163-12**  
 230v 20W G4 Bi-Pin 12 Light Halogen Glass Pendant  
 Colour Satin Chrome with Clear Glass  
 Specifications Non Dimmable  
 Measurement in cm H: 150 Ø: 80  
 Lamps 12 x 12v G4 Bi Pin  
 Wattage 230v 240W  
 IP Rating IP20



**MW-5404/6PD**  
 230v 40W G9 6 Light Rain Pendant  
 Colour Silver with Frosted Scavo Glass  
 Measurement in cm H: 120 L: 57 W: 35  
 Lamps 6 x G9  
 Wattage 230v 240W  
 IP Rating IP20



**V-KLC-6106/3**  
 230v 35W MR11 3 Light Pendant  
 Colour Satin Chrome with  
 Clear Glasses  
 Measurement in cm H: 120 Ø: 51  
 Lamps 3 x 12v MR11  
 Wattage 230v 105W  
 IP Rating IP20



**A-KLCH6149**

230v 40W E27 Acrylic Shade Pendant  
 Colour Chrome with crystal embedded chrome acrylic shade  
 Measurement in cm Full Height: 180 Ø: 51  
 Shade: H: 29 Ø: 51  
 Lamps 3 x E27  
 Wattage 230v 120W  
 IP Rating IP20

**K-KLCH-4866/BL**

230v 40W E27 Acrylic Pendant  
 Colour Black  
 Measurement in cm Full Height: 130 Ø: 48  
 Shade: H: 17 Ø: 48  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP

**A-KLF6149/50**

230v 40W E27 Floor Lamp with Acrylic Shade with Foot Switch  
 Colour Chrome with crystal embedded chrome acrylic shade  
 Measurement in cm Base: Ø: 32  
 H: 160  
 Shade: H: 29 Ø: 51  
 Lamps 3 x E27  
 Wattage 230v 120W  
 IP Rating IP20



**U-KLCH-3000/WH**  
 230v 40W E27 Feather Shade Pendant  
 Colour White  
 Measurement in cm H: 150  
 Shade: H: 23 Ø: 68  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**U-KLCH-3000/BL**  
 230v 40W E27 Feather Shade Pendant  
 Colour Black  
 Measurement in cm H: 150  
 Shade: H: 23 Ø: 68  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**HP-9011D**

230v 50W G5.3 Bi Pin 1 Light AR111  
Reflector Pendant

Colour Oxidated Silver  
Measurement in cm H: 91 L: 19 W: 7  
Lamps 1 x 12v G5.3 Bi Pin  
(Including Non Dimmable Lamp)

Wattage 230v 50W  
IP Rating IP20

**HP-9014DM**

230v 50W G5.3 Bi Pin 4 Light AR111  
Reflector Pendant

Colour Oxidated Silver  
Measurement in cm H: 104 L: 32 W: 7  
Lamps 4 x 12v G5.3 Bi Pin  
(Including Non Dimmable Lamps)


Wattage 230v 200W  
IP Rating IP20

**HP-9013D**

230v 50W G5.3 Bi Pin 3 Light AR111  
Reflector Pendant

Colour Oxidated Silver  
Measurement in cm H: 91 L: 46 W: 7  
Lamps 3 x 12v G5.3 Bi Pin  
(Including Non Dimmable Lamps)

Wattage 230v 150W  
IP Rating IP20



**SK-FABRIC**

2 Core Fabric Cord  
 Colour Red & Black  
 Measurement in cm Available in your choice of lengths

**DA-KLCH-777/RED**

230v 40W E27 2 Core  
 Fabric Cord Pendant  
 Colour Red  
 Measurement in cm H: 220  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**DA-KLCH-777/BL**

230v 40W E27 2 Core  
 Fabric Cord Pendant  
 Colour Black  
 Measurement in cm H: 220  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





# LED FITTINGS



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

**K-LED-2103/GD**

230v 40W LED Alice Pendant

Colour Electroplated Gold  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140 Ø: 60  
 Shade Height: 5.5  
 LED SMD 40W  
 Wattage 230v 40W  
 IP Rating IP20

**K-LED-2103/WH**

230v 40W LED Alice Pendant

Colour White  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140 Ø: 60  
 Shade Height: 5.5  
 LED SMD 40W  
 Wattage 230v 40W  
 IP Rating IP20





**K-LED-2103/BL**

230v 40W LED Alice Pendant

Colour Black

Specifications Non-Dimmable

Kelvin / Lumen Warm White: 3000K


Measurement in cm Full Height: 140 Ø: 60

Shade Height: 5.5

LED SMD 40W

Wattage 230v 40W

IP Rating IP20



**K-LED-716/BL**

230v 40W LED Eternity Pendant  
 Colour Black  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 177 Ø: 50  
 Shade Height: 4.5  
 LED SMD 40W  
 Wattage 230v 40W  
 IP Rating IP20

**K-LED-716/WH**

230v 40W LED Eternity Pendant  
 Colour White  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 177 Ø: 50  
 Shade Height: 4.5  
 LED SMD 40W  
 Wattage 230v 40W  
 IP Rating IP20





**K-LED-716/GD**

230v 40W LED Eternity Pendant

Colour Satin Gold

Specifications Non-Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 177 Ø: 50

Shade Height: 4.5

LED SMD 40W

Wattage 230v 40W

IP Rating IP20

**K-LED-710/60**

230v 30W LED Large Ring Pendant  
 Colour Black and Gold  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 193  
 Shade Ø: 60  
 LED SMD 30W  
 Wattage 230v 30W  
 IP Rating IP20

**K-LED-710/40**

230v 20W LED Medium Ring Pendant  
 Colour Black and Gold  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 163  
 Shade Ø: 40  
 LED SMD 20W  
 Wattage 230v 20W  
 IP Rating IP20





**K-LED-710/100**

230v 20+30W LED Double Ring Pendant  
 Colour Black and Gold  
 Specifications Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 189  
 L: 70 when displayed  
 Ring Ø: 40 + 60  
 20 + 30W  
 Wattage 230v 20 + 30W  
 IP Rating IP20

**K-LED-700/BLUE**

230v 10W LED Fountain Pendant  
 Colour White and Blue  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 156  
 Shade Height: 14  
 Shade Ø: 30  
 LED SMD 5W Up & 5W Down  
 Wattage 230v 10W  
 IP Rating IP20

**K-LED-700/BL**

230v 10W LED Fountain Pendant  
 Colour Black and White  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 156  
 Shade Height: 14  
 Shade Ø: 30  
 LED SMD 5W Up & 5W Down  
 Wattage 230v 10W  
 IP Rating IP20

**K-LED-700/WH**

230v 10W LED Fountain Pendant  
 Colour White  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 156  
 Shade Height: 14  
 Shade Ø: 30  
 LED SMD 5W Up & 5W Down  
 Wattage 230v 10W  
 IP Rating IP20



**K-LED3578L/GR**

230v 35W LED SMD Large UFO Pendant

Colour Grey

Specifications Non Dimmable

Kelvin / Lumen Natural White: 4000K / 1575lm

Measurement in cm Full Height: 120 0: 65

LED SMD 35W

Wattage 230v 35W

IP Rating IP20

**K-LED-55/1**

230v 7W LED Pendant

Colour Gold  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140  
 Glass Ø: 15  
 Plate H: 3.5 Ø: 30

LED SMD  
 Wattage 7W  
 230v 7W  
 IP Rating IP20

**K-LED-55/2**

230v 7W LED Pendant

Colour Gold  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140  
 Glass Ø: 12  
 Plate H: 3.5 Ø: 25 & 25

LED SMD  
 Wattage 7W  
 230v 7W  
 IP Rating IP20

**K-LED-55/3**


230v 7W LED Pendant

Colour Gold  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140  
 Glass Ø: 12  
 Plate H: 3.5 Ø: 20, 25 & 30

LED SMD  
 Wattage 7W  
 230v 7W  
 IP Rating IP20





**K-LED-9082/BL**

230v 60W LED Vertical Enigma Pendant

Colour Black  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 250

Full Length: 38

Full Width: 13

Shade 1: H: 58 L: 15.5 W: 2

Shade 2: H: 55 L: 18.5 W: 2

Shade 3: H: 46 L: 21.5 W: 2

LED SMD


Wattage

IP Rating

60W

230v 60W

IP20

**K-LED-1021/BL**

230v 100W LED Horizontal Enigma Pendant

Colour Black  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 201

Full Length: 120

Full Width: 22

Shade H: 31 L: 85 W: 2

LED SMD

Wattage


IP Rating

100W

230v 100W

IP20



**K-LED-1021/GD**

230v 100W LED Horizontal Enigma Pendant

Colour Electroplated Gold

Specifications Non-Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 201

Full Length: 120

Full Width: 22

Shade H: 31 L: 85 W: 2

100W

Wattage 230v 100W

IP Rating IP20

**K-LED-9026/60**

230v 65W LED Olympic Pendant  
 Colour Satin Gold  
 Specifications Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 132  
 Shade Height: 22  
 Shade Ø: 58.5  
 Base Ø: 17.5

LED SMD  
 Wattage 65W  
 IP Rating 230v 65W  
 IP20








**K-LED-9025/60**

230v 45W LED Pandora Pendant  
 Colour Satin Gold  
 Specifications Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 132  
 Shade Height: 22  
 Shade Ø: 58.5  
 Base Ø: 17.5

LED SMD  
 Wattage 45W  
 IP Rating IP20



**K-LED-190-60/BL**

230v 22W LED SMD 60cm Single Ribbon Pendant  
 Colour Black  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140  
 Shade H: 2 Ø: 60  
 Base Ø: 16  
 LED SMD 22W  
 Wattage 230v 22W  
 IP Rating IP20

**K-LED-190-60/GD**

230v 22W LED SMD 60cm Single Ribbon Pendant  
 Colour Gold  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140  
 Shade H: 2 Ø: 60  
 Base Ø: 16  
 LED SMD 22W  
 Wattage 230v 22W  
 IP Rating IP20

**K-LED-190-60/WH**

230v 22W LED SMD 60cm Single Ribbon Pendant  
 Colour White  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140  
 Shade H: 2 Ø: 60  
 Base Ø: 16  
 LED SMD 22W  
 Wattage 230v 22W  
 IP Rating IP20



**K-LED-190-80/BL**

230v 29W LED SMD 80cm Single Ribbon Pendant  
 Colour Black  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140  
 Shade H: 2 Ø: 80  
 Base Ø: 16

LED SMD  
 Wattage 29W  
 IP Rating 230v 29W  
 IP20

**K-LED-190-80/GD**

230v 29W LED SMD 80cm Single Ribbon Pendant  
 Colour Gold  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140  
 Shade H: 2 Ø: 80  
 Base Ø: 16


LED SMD  
 Wattage 29W  
 IP Rating 230v 29W  
 IP20

**K-LED-190-80/WH**

230v 29W LED SMD 80cm Single Ribbon Pendant  
 Colour White  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140  
 Shade H: 2 Ø: 80  
 Base Ø: 16

LED SMD  
 Wattage 29W  
 IP Rating 230v 29W  
 IP20





**K-LED-200/GD**  
 230v 58W LED SMD Ribbon Pendant  
 Colour Gold  
 Kelvin / Lumen Warm White: 3000K / 4250lm  
 Measurement in cm Full Height: 250 Ø: 80/60/40/20  
 LED SMD 58W  
 Wattage 230v 58W  
 IP Rating IP20





**K-LED-200/BL**

230v 58W LED SMD Ribbon Pendant

Colour Black

Kelvin / Lumen Warm White: 3000K / 4250lm

Measurement in cm Full Height: 250 Ø: 80/60/40/20

LED SMD 58W

Wattage 230v 58W

IP Rating IP20

**K-LED-201/BL**

230v 145W LED SMD Mega Ribbon Pendant

Colour Matt Black

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K / 8925lm

Measurement in cm Full Height: 350 Ø:120/100/80/60/40/20

LED SMD 145W

Wattage 230v 145W

IP Rating IP20





**K-LED-201/GD**

230v 145W LED SMD Mega Ribbon Pendant

Colour Gold

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K / 8925lm

Measurement in cm Full Height: 350 Ø: 120/100/80/60/40/20


LED SMD 145W

Wattage 230v 145W

IP Rating IP20



**F-KLCH-LINEAR/2**  
 230v 12W LED Strip Up & Down Pendant  
 Colour Chrome  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 540lm  
 Measurement in cm Full Height: 84-154 L: 106 W: 4  
 LED Strip 12W  
 Wattage 230v 12W  
 IP Rating IP20



**K-LED-300/BL**  
 230v 36W LED SMD Pendulum Pendant  
 Colour Black  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 144 L: 90  
 Shade Height: 35 W: 2  
 LED SMD 36W  
 Wattage 230v 36W  
 IP Rating IP20

**K-LED-300/GD**

230v 36W LED SMD Pendulum Pendant

Colour

Gold

Kelvin / Lumen

Warm White: 3000K

Measurement in cm

Full Height: 144 L:90

Shade Hight: 35 W: 2

LED SMD

36W



Wattage

230v 36W

IP Rating

IP20



**K-LED-2057/BL**

230v 50W LED Rhythm Pendant  
 Colour Black  
 Kelvin / Lumen Natural White: 4000K  
 Measurement in cm Full Height: 155 L: 120  
 Shade Ø: 21  
 LED SMD 50W  
 Wattage 230v 50W  
 IP Rating IP20

**K-LED-2058/BL**

230v 50W LED Whisper Pendant  
 Colour Black  
 Kelvin / Lumen Natural White: 4000K  
 Measurement in cm Full Height: 147 L: 120  
 Shade Ø: 16  
 LED SMD 50W  
 Wattage 230v 50W  
 IP Rating IP20

**K-LED-2058/GD**

230v 50W LED Whisper Pendant  
 Colour Gold  
 Kelvin / Lumen Natural White: 4000K  
 Measurement in cm Full Height: 147 L: 120  
 Shade Ø: 16  
 LED SMD 50W  
 Wattage 230v 50W  
 IP Rating IP20



**K-LED-2057/GD**

230v 50W LED Rhythm Pendant  
 Colour Gold  
 Kelvin / Lumen Natural White: 4000K  
 Measurement in cm Full Height: 155 L: 120  
 Shade Ø: 21

LED SMD 50W  
 Wattage 230v 50W  
 IP Rating IP20

**K-LED-400/80NS**

230v 33W LED SMD 80cm Crown + 5 Spot 3W Pendant

Colour Satin Nickl

Kelvin / Lumen Warm White: 3000K/1400lm

Measurement in cm Full Height: 140 Ø: 80

Base: Ø: 18

LED SMD 5 x 3W & 33W

Wattage 230v 15W & 33W

IP Rating IP20






**K-LED-400/80BL**

230v 33W LED SMD 80cm Crown + 5 Spot 3W Pendant

Colour	Black
Kelvin / Lumen	Warm White: 3000K/1400lm
Measurement in cm	Full Height: 140 0: 80
	Base: 0: 18
LED SMD	5 x 3W & 33W
Wattage	230v 15W & 33W
IP Rating	IP20



**K-LED-400/48NS**  
 230v 21W LED SMD 48cm Crown + 3 Spot 3W Pendant  
 Colour Satin Nickel  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140 Ø: 48  
 Base: Ø: 18  
 LED SMD 3 x 3W & 21W  
 Wattage 230v 9W & 21W  
 IP Rating IP20



**K-LED-400/48BL**  
 230v 21W LED SMD 48cm Crown + 3 Spot 3W Pendant  
 Colour Black  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140 Ø: 48  
 Base: Ø: 18  
 LED SMD 3 x 3W & 21W  
 Wattage 230v 9W & 21W  
 IP Rating IP20



**K-LED-400/64NS**

230v 26W LED SMD 64cm Crown + 4 Spot 3W Pendant  
 Colour Satin Nickel  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140 Ø: 64  
 Base: Ø: 18  
 LED SMD 4 x 3W & 26W  
 Wattage 230v 12W & 26W  
 IP Rating IP20

**K-LED-400/64BL**

230v 26W LED SMD 64cm Crown + 4 Spot 3W Pendant  
 Colour Black  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 140 Ø: 64  
 Base: Ø: 18  
 LED SMD 4 x 3W & 26W  
 Wattage 230v 12W & 26W  
 IP Rating IP20







**K-LED-1781/BL**  
 230v 3W LED Baton Pendant  
 Colour Black  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 200  
 Shade Height: 74  
 Shade Ø: 2  
 Base Ø: 8  
 LED SMD 3W  
 Wattage 230v 3W  
 IP Rating IP20

**K-LED-1781/WH**  
 230v 3W LED Baton Pendant  
 Colour White  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 200  
 Shade Height: 74  
 Shade Ø: 2  
 Base Ø: 8  
 LED SMD 3W  
 Wattage 230v 3W  
 IP Rating IP20

**GO-K-LED-48/BL**

230v 2W LED SMD Raindrop Pendant  
 Colour Black  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 275 Ø: 15  
 LED SMD 2W  
 Wattage 230v 2W  
 IP Rating IP20

**GO-K-LED-48/WH**

230v 2W LED SMD Raindrop Pendant  
 Colour White  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 275 Ø: 15  
 LED SMD 2W  
 Wattage 230v 2W  
 IP Rating IP20



**K-LED-01/25**

230v 125W LED SMD Cosmic Cluster  
 Colour Black, Grey, Satin Gold and White  
 Specifications Dimmable with Shuttle Dimmer  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Fitting Max Height: 310 Ø: 80  
 LED SMD 25 x 5W  
 Wattage 230v 125W  
 IP Rating IP20

**K-LED-01/18**

230v 90W LED SMD Cosmic Cluster  
 Colour Black, Grey, Satin Gold and White  
 Specifications Dimmable with Shuttle Dimmer  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Fitting Max Height: 245 Ø: 70  
 LED SMD 18 x 5W  
 Wattage 230v 90W  
 IP Rating IP20

**K-LED-01/WH or K-LED-01/GR or K-LED-01/BL or K-LED-01/SG**

230v 5W LED SMD Cosmic Cluster  
 Colour White or Grey or Black or Satin Gold  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 190 Ø: 10  
 LED SMD 5W  
 Wattage 230v 5W  
 IP Rating IP20






**K-LED-01/15**  
 230v 75W LED SMD Cosmic Cluster  
 Colour Black, Grey, Satin Gold and White  
 Specifications Dimmable with Shuttle Dimmer  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Fitting Max Height: 220 Ø: 60  
 LED SMD 15 x 5W  
 Wattage 230v 75W  
 IP Rating IP20

**K-LED-89095**

230v 25W LED Imperial Round Crystal and Gold Chandelier

Colour	Gold
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	H: 162 Shade H: 20 Ø: 60
LED SMD	25W
Wattage	230v 25W
IP Rating	IP20



**K-LED-89099**

230v 30W LED Imperial Oval Crystal and Gold Chandelier

Colour Gold  
 Specifications Clear K9 Crystals

Non Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm H: 162

Shade H: 20 L: 100 W: 35

LED SMD 30W

Wattage 230v 30W

IP Rating IP20



**K-LED9967/60**

230v 60W LED Strip Round Crystal and Gold Chandelier

Colour Gold

Specifications Clear K9 Crystals

Non Dimmable

Kelvin / Lumen Warm White: 3000K / 4800lm

Measurement in cm H: 30 + 133 Cable Ø: 60

Weight in kg 13

LED Strip 60W

Wattage 230v 60W

IP Rating IP20

**K-LED9967/1**

230v 48W LED Strip Wave Crystal and Gold Chandelier

Colour Gold

Specifications Clear K9 Crystals

Non Dimmable

Kelvin / Lumen Warm White: 3000K / 3840lm


Measurement in cm H: 30 + 133 Cable L: 100 W: 7

Weight in kg 9

LED Strip 48W

Wattage 230v 48W

IP Rating IP20

**K-LED9967/2**

230v 88W LED Strip Oval Crystal and Gold Chandelier

Colour Gold

Specifications Clear K9 Crystals

Non Dimmable

Kelvin / Lumen Warm White: 3000K / 7040lm

Measurement in cm H: 30 + 133 Cable L: 100 W: 35

Weight in kg 18


LED Strip 88W

Wattage 230v 88W

IP Rating IP20



**K-LED-483/GD**  
 230v 80W LED Celestial Pendant  
 Colour Gold  
 Specifications Steel + Aluminium + Silicon  
 Dimmable  
 Kelvin / Lumen Warm White: 3000K / 4800lm  
 Measurement in cm H: 230 Ø: 70  
 Weight in kg 3  
 LED SMD LED Strip 80W  
 Wattage 230v 80W  
 IP Rating IP20



**K-LED-483/BL**  
 230v 80W LED Celestial Pendant  
 Colour Black  
 Specifications Steel + Aluminium + Silicon  
 Dimmable  
 Kelvin / Lumen Warm White: 3000K / 4000lm  
 Measurement in cm H: 230 Ø: 70  
 Weight in kg 3  
 LED SMD LED 80W  
 Wattage 230v Strip 80W  
 IP Rating IP20



**K-LED-482/BL**

230v 120W LED Black Swan Pendants

Colour Black  
 Specifications Steel + Aluminium + Silicon  
 Dimmable

Kelvin / Lumen Warm White: 3000K / 6000lm

Measurement in cm H: 320 Ø: 60

Weight in kg 5.3

LED SMD LED Strip 120W

Wattage 230v 120W

IP Rating IP20

**K-LED-482/GD**

230v 120W LED Gold Swan Pendants

Colour Gold  
 Specifications Steel + Aluminium + Silicon  
 Dimmable

Kelvin / Lumen Warm White: 3000K / 7200lm

Measurement in cm H: 320 Ø: 60

Weight in kg 5.3

LED SMD LED Strip 120W

Wattage 230v 120W

IP Rating IP20

**K-LED-89314/120**

230v 200W LED Ballerina Crystal Chandelier

Colour Chrome  
 Specifications Clear Crystals  
 Stainless Steel Plate

Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Estimated 22440lm

Measurement in cm Fitting Full H: 490  
 Frame H: 280 + 200 Cable  
 Fitting Ø: 120

Weight in kg Base Ø: 120 H: 10  
 LED SMD Estimated Weight 70  
 LED Strip 200W

Wattage 230v 200W  
 IP Rating IP20

**K-LED-89314/80**

230v 120W LED Ballerina Crystal Chandelier

Colour Chrome  
 Specifications Clear Crystals  
 Stainless Steel Plate

Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Estimated 14400lm

Measurement in cm Fitting Full H: 390  
 Frame H: 180 + 200 Cable  
 Fitting Ø: 80

Weight in kg Base Ø: 80 H: 10  
 LED SMD Estimated Weight 32  
 LED Strip 120W

Wattage 230v 120W  
 IP Rating IP20

**K-LED-89315**

230v 55W LED Symphony Crystal Chandelier

Colour Chrome  
 Specifications Clear Crystals  
 Stainless Steel Plate  
 Dimmable

Kelvin / Lumen Warm White: 3000K  
 Estimated 7000lm

Measurement in cm H: 250 + 300 Cable  
 Shade H: 45 L: 150 H: 120  
 Base Ø: 85 H: 5

Weight in kg Estimated Weight 20  
 LED SMD LED Strip 55W  
 Wattage 230v 55W  
 IP Rating IP20



**K-LED-89316**

230v 80W LED Carousel Crystal Chandelier

Colour Chrome  
 Specifications Clear Crystals  
 Stainless Steel Plate

Dimmable

Kelvin / Lumen Warm White: 3000K  
 Estimated 16900lm

Measurement in cm H: 300 + 300 Cable Ø: 150  
 Base Plate Ø: 150

Weight in kg Estimated Weight 40

LED SMD LED Strip 80W

Wattage 230v 80W

IP Rating IP20

**K-LED-8213/40**

230v 62.5W LED SMD Starlight Cube Pendant

Colour Chrome

Specifications Non Dimmable

Kelvin / Lumen Warm White: 3000K / 7440lm

Measurement in cm Full Height: 140


Shade: H: 60 L: 40 W: 40

LED SMD 125 x 0.5W

Wattage 230v 62.5W

IP Rating IP20



**K-LED-8781/21**

230v 10.5W LED Firefly Pendant  
 Colour Brass & White  
 Specifications Stainless Steel + Copper + Acrylic  
 Kelvin / Lumen Warm White: 3000K / 1820lm  
 Measurement in cm Full Height: 80 W: 135 D: 85  
 LED 10.5W  
 Wattage 230v 10.5W  
 IP Rating IP20

**K-LED-8781/11**

230v 5.5W LED Firefly Pendant  
 Colour Brass & White  
 Specifications Stainless Steel + Copper + Acrylic  
 Kelvin / Lumen Warm White: 3000K / 980lm  
 Measurement in cm Full Height: 65 W: 80 D: 65  
 LED 5.5W  
 Wattage 230v 5.5W  
 IP Rating IP20





**K-LED-8781/31**

230v 15.5W LED Firefly Pendant

Colour Brass &amp; White

Specifications Stainless Steel + Copper + Acrylic

Kelvin / Lumen Warm White: 3000K / 2320lm

Measurement in cm Full Height: 80 W: 180 D: 100

LED 15.5W

Wattage 230v 15.5W

IP Rating IP20



**K-LED-9027M/WW or K-LED-9027M/CW**

230v 27.6W LED Fuse Medium Deathstar Pendant  
 Colour Stainless Steel 304  
 Specifications Non Dimmable  
 Kelvin / Lumen Cool White: 6000K / 2208lm OR  
 Warm White: 3000K / 2208lm  
 Measurement in cm Full Height: 225  
 Shade: 0: 65  
 LED Fuse 92 x 0.3W  
 Wattage 230v 27.6W  
 IP Rating IP20

**K-LED-9028/CW**

230v 23.1W LED Fuse Oval Deathstar Pendant  
 Colour Stainless Steel 304  
 Specifications Non Dimmable  
 Kelvin / Lumen Cool White: 6000K / 1848lm  
 Measurement in cm Full Height: 185  
 Shade: H: 30 Ø: 60  
 LED Fuse 77 x 0.3W  
 Wattage 230v 23.1W  
 IP Rating IP20

**K-LED-9027S/WW or K-LED-9027S/CW**


230v 12.6W LED Fuse Small Deathstar Pendant  
 Colour Stainless Steel 304  
 Specifications Non Dimmable  
 Kelvin / Lumen Cool White: 6000K / 1008lm OR  
 Warm White: 3000K / 1008lm  
 Measurement in cm Full Height: 195  
 Shade: 0: 45  
 LED Fuse 42 x 0.3W  
 Wattage 230v 12.6W  
 IP Rating IP20

**K-LED-9027L/WW or K-LED-9027L/CW**

230v 48.6W LED Fuse Large Deathstar Pendant  
 Colour Stainless Steel 304  
 Specifications Non Dimmable  
 Kelvin / Lumen Cool White: 6000K / 3888lm OR  
 Warm White: 3000K / 3888lm  
 Measurement in cm Full Height: 235  
 Shade: 0: 90  
 LED Fuse 162 x 0.3W  
 Wattage 230v 48.6W  
 IP Rating IP20

**K-LED-9027XL/WW or K-LED-9027XL/CW**

230v 75.6W LED Fuse X-Large Deathstar Pendant  
 Colour Stainless Steel 304  
 Specifications Non Dimmable  
 Kelvin / Lumen Cool White: 6000K / 6048lm OR  
 Warm White: 3000K / 6048lm  
 Measurement in cm Full Height: 265  
 Shade: 0: 120  
 LED Fuse 252 x 0.3W  
 Wattage 230v 75.6W  
 IP Rating IP20











**K-LED-5801/80**

230v 45W LED Strip 80cm Golden Halo Pendant  
 Colour Gold with Opal White Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 3200lm  
 Measurement in cm Full Height: 145 Ø: 80  
 Shade: H: 5  
 LED Strip 45W  
 Wattage 230v 45W  
 IP Rating IP20

**K-LED-5801/60**

230v 36W LED Strip 60cm Golden Halo Pendant  
 Colour Gold with Opal White Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 1600lm  
 Measurement in cm Full Height: 145 Ø: 60  
 Shade: H: 5  
 LED Strip 36W  
 Wattage 230v 36W  
 IP Rating IP20

**K-LED-5801/50**

230v 30W LED Strip 50cm Golden Halo Pendant  
 Colour Gold with Opal White Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 1600lm  
 Measurement in cm Full Height: 145 Ø: 50  
 Shade: H: 5  
 LED Strip 30W  
 Wattage 230v 30W  
 IP Rating IP20







**K-LED-5801/80BL**

230v 45W LED Strip 80cm Black Halo Pendant  
 Colour Black with Opal White Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 3200lm  
 Measurement in cm Full Height: 145 Ø: 80  
 Shade: H: 5  
 LED Strip 45W  
 Wattage 230v 45W  
 IP Rating IP20

**K-LED-5801/60BL**

230v 36W LED Strip 60cm Black Halo Pendant  
 Colour Black with Opal White Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 1600lm  
 Measurement in cm Full Height: 145 Ø: 60  
 Shade: H: 5  
 LED Strip 36W  
 Wattage 230v 36W  
 IP Rating IP20



**K-LED-5801/50BL**

230v 30W LED Strip 50cm Black Halo Pendant  
 Colour Black with Opal White Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 1600lm  
 Measurement in cm Full Height: 145 Ø: 50  
 Shade: H: 5  
 LED Strip 30W  
 Wattage 230v 30W  
 IP Rating IP20



**K-LED-5700**

230v 65W LED SMD Piano Pendant

Colour	Black with Opal White Diffuser
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 5200lm
Measurement in cm	Full Height: 170 L: 101 W: 48
LED SMD	65W
Wattage	230v 65W
IP Rating	IP20

**K-LED-9388/S**

230v 50W LED SMD Small Button Pendant

Colour Black with White Acrylic Covers

Specifications Non Dimmable


Kelvin / Lumen Warm White: 3000K / 4000lm

Measurement in cm Full Height: 234 Ø: 65

LED SMD 48 x 1.04W

Wattage 230v 50W

IP Rating IP20

**K-LED-9388/M**

230v 80W LED SMD Medium Button Pendant

Colour Black with White Acrylic Covers

Specifications Non Dimmable

Kelvin / Lumen Warm White: 3000K / 6400lm

Measurement in cm Full Height: 250 Ø: 78

LED SMD 60 x 1.33W

Wattage 230v 80W

IP Rating IP20

**K-LED-9066/WH**

230v 75W LED SMD Meteor Pendant  
 Colour White with White Acrylic Covers  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 5760lm  
 Measurement in cm Full Height: 200  
 Shade: Ø: 48  
 LED SMD 75W  
 Wattage 230v 75W  
 IP Rating IP20

**K-LED-9066/CH**

230v 75W LED SMD Meteor Pendant  
 Colour Chrome with White Acrylic Covers  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 5760lm  
 Measurement in cm Full Height: 200  
 Shade: Ø: 48  
 LED SMD 75W  
 Wattage 230v 75W  
 IP Rating IP20





**K-LED-5908/5**  
 230v 10W LED SMD Sudsy Pendant  
 Colour Electroplated Gold with Clear Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 960lm  
 Measurement in cm Full Height: 220 Ø: 55  
 Glass: Ø: 8/12/15/30  
 LED SMD 10W (2 x 5W)  
 Wattage 230v 10W  
 IP Rating IP20

**K-LED-518S/BL**

230v 7.2W LED SMD Small Apple Pendant  
 Colour Black  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 324lm  
 Measurement in cm Full Height: 151  
 Shade: H: 29 Ø: 40  
 LED SMD 7.2W  
 Wattage 230v 7.2W  
 IP Rating IP20

**K-LED-518S/WH**

230v 7.2W LED SMD Small Apple Pendant  
 Colour White  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 324lm  
 Measurement in cm Full Height: 151  
 Shade: H: 29 Ø: 40  
 LED SMD 7.2W  
 Wattage 230v 7.2W  
 IP Rating IP20

**K-LED-518L/WH**

230v 7.2W LED SMD Large Apple Pendant  
 Colour White  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 324lm  
 Measurement in cm Full Height: 154  
 Shade: H: 36 Ø: 50  
 LED SMD 7.2W  
 Wattage 230v 7.2W  
 IP Rating IP20

**K-LED3380-60/BC**

230v 36W LED SMD Round Pendant  
 Colour Brushed Coffee  
 Specifications Dimmable on Request  
 Kelvin / Lumen Warm White: 3000K / 1620lm  
 Measurement in cm Full Height: 120 Ø: 60  
 LED SMD 36W  
 Wattage 230v 36W  
 IP Rating IP20

**K-LED3380-60/WH**

230v 36W LED SMD Round Pendant  
 Colour White  
 Specifications Dimmable on Request  
 Kelvin / Lumen Warm White: 3000K / 1620lm  
 Measurement in cm Full Height: 120 Ø: 60  
 LED SMD 36W  
 Wattage 230v 36W  
 IP Rating IP20







**K-LED3380-108NW or K-LED3380-108WW**

230v 144W LED SMD Large Round Pendant

Colour White

Specifications Dimmable on Request

Kelvin / Lumen Natural White: 4000K / 6480lm OR

Warm White: 3000K / 6480lm

Measurement in cm Full Height: 120 Ø: 108

LED SMD 144W

Wattage 230v 144W

IP Rating IP20

**K-LED2032-8/SG**

230v 40W LED SMD Round Cone Cluster Pendant  
 Colour Satin Gold with Opal White Acrylic  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 1800lm  
 Measurement in cm Full Height: 200 Ø: 44  
 LED SMD 8 x 5W  
 Wattage 230v 40W  
 IP Rating IP20

**K-LED2032-8/CF**

230v 40W LED SMD Round Cone Cluster Pendant  
 Colour Coffee with Opal White Acrylic  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 1800lm  
 Measurement in cm Full Height: 200 Ø: 44  
 LED SMD 8 x 5W  
 Wattage 230v 40W  
 IP Rating IP20

**K-LED2032-8/BA**

230v 40W LED SMD Round Cone Cluster Pendant  
 Colour Brushed Aluminium with Opal White Acrylic  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 1800lm  
 Measurement in cm Full Height: 200 Ø: 44  
 LED SMD 8 x 5W  
 Wattage 230v 40W  
 IP Rating IP20

**K-LED2032-1/BA**

230v 5W LED SMD Single Cone Pendant  
 Colour Brushed Aluminium with  
 Opal White Acrylic  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 65lm  
 Measurement in cm Full Height: 200 Ø: 10  
 LED SMD 1 x 5W  
 Wattage 230v 5W  
 IP Rating IP20

**K-LED2032-1/SG**

230v 5W LED SMD Single Cone Pendant  
 Colour Satin Gold with  
 Opal White Acrylic  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 65lm  
 Measurement in cm Full Height: 200 Ø: 10  
 LED SMD 1 x 5W  
 Wattage 230v 5W  
 IP Rating IP20

**K-LED2032-1/CF**

230v 5W LED SMD Single Cone Pendant  
 Colour Coffee with  
 Opal White Acrylic  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 65lm  
 Measurement in cm Full Height: 200 Ø: 10  
 LED SMD 1 x 5W  
 Wattage 230v 5W  
 IP Rating IP20



**K-LED-943/SM**

230v 4W LED SMD Liza Glass Pendant  
 Colour Smoky Grey Shadow  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 120  
 Glass Ø: 14  
 LED SMD 4W  
 Wattage 230v 4W  
 IP Rating IP20

**K-LED-943/WH**

230v 4W LED SMD Liza Glass Pendant  
 Colour White Shadow  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 120  
 Glass Ø: 14  
 LED SMD 4W  
 Wattage 230v 4W  
 IP Rating IP20

**K-LED-944/SM**

230v 4W LED SMD Scarlet Glass Pendant  
 Colour Smoky Grey Shadow  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 120  
 Glass Ø: 10  
 LED SMD 4W  
 Wattage 230v 4W  
 IP Rating IP20

**K-LED-944/WH**

230v 4W LED SMD Scarlet Glass Pendant  
 Colour White Shadow  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 120  
 Glass Ø: 10  
 LED SMD 4W  
 Wattage 230v 4W  
 IP Rating IP20

**K-LED-945/WH**

230v 24W LED SMD Liza Glass Cluster  
 Colour White Shadow  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 150  
 Glass Ø: 77  
 LED SMD 24W  
 Wattage 230v 24W  
 IP Rating IP20

**K-LED-945/SM**

230v 24W LED SMD Liza Glass Cluster  
 Colour Smoky Grey Shadow  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 150  
 Glass Ø: 77  
 LED SMD 24W  
 Wattage 230v 24W  
 IP Rating IP20

**K-LED-021/AB**

230v 9W LED SMD Magnum 1 Glass Pendant  
 Colour Black with Amber Glass  
 Specifications Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 158  
 Glass + Metal Height: 52  
 Glass Ø: 36 H: 43

LED SMD  
 Wattage 9W  
 230v 9W  
 IP Rating IP20

**K-LED-022/AB**

230v 9W LED SMD Magnum 2 Glass Pendant  
 Colour Black with Amber Glass  
 Specifications Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 145  
 Glass + Metal Height: 37  
 Glass Ø: 35 H: 29

LED SMD  
 Wattage 9W  
 230v 9W  
 IP Rating IP20

**K-LED-023/AB**

230v 9W LED SMD Magnum 3 Glass Pendant  
 Colour Black with Amber Glass  
 Specifications Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 136  
 Glass + Metal Height: 30  
 Glass Ø: 44 H: 21

LED SMD  
 Wattage 9W  
 230v 9W  
 IP Rating IP20





**K-LED-021/GR**

230v 9W LED SMD Magnum 1 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 158

Glass + Metal Height: 52

Glass Ø: 36 H: 43

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

**K-LED-022/GR**

230v 9W LED SMD Magnum 2 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 145

Glass + Metal Height: 37

Glass Ø: 35 H: 29

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

**K-LED-023/GR**

230v 9W LED SMD Magnum 3 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 136

Glass + Metal Height: 30

Glass Ø: 44 H: 21

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

**K-LED-9966B/SM**

230v 5W LED SMD Bee Hive Glass & Rope Pendant  
 Colour Gold with Smoke Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 27 Ø: 18  
 LED SMD  
 Wattage 5W  
 230v 5W  
 IP Rating IP20

**K-LED-9966C/AB**

230v 5W LED SMD Orb Glass & Rope Pendant  
 Colour Gold with Amber Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 30 Ø: 28  
 LED SMD  
 Wattage 5W  
 230v 5W  
 IP Rating IP20



**K-LED-9966B/BU**

230v 5W LED SMD Bee Hive Glass & Rope Pendant  
 Colour Copper with Blue Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 27 Ø: 18

LED SMD  
 Wattage 5W  
 230v 5W  
 IP Rating IP20

**K-LED-9966A/BU**

230v 5W LED SMD Droplet Glass & Rope Pendant  
 Colour Copper with Blue Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 28 Ø: 16

LED SMD  
 Wattage 5W  
 230v 5W  
 IP Rating IP20

**K-LED-9966C/BU**

230v 5W LED SMD Orb Glass & Rope Pendant  
 Colour Copper with Blue Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 30 Ø: 28

LED SMD  
 Wattage 5W  
 230v 5W  
 IP Rating IP20

**K-LED-9966D/BU**

230v 5W LED SMD Pebble Glass & Rope Pendant  
 Colour Copper with Blue Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 13 Ø: 30

LED SMD  
 Wattage 5W  
 230v 5W  
 IP Rating IP20



**AP-2119/B-PEND-CW or AP-2119/B-PEND-WW**

230v 16W LED Strip Profile Short Cover Pendant

Colour Aluminium with Opal White cover OR Black  
 Specifications Dimmable on Request  
 Kelvin / Lumen Cool White: 6000K / 1000lm Per Meter OR  
 Warm White: 2700K / 1000lm Per Meter  
 Measurement in cm Full Height: 142 (Can be Lengthened to 4m)  
 Shade: H: 2 L: 100-300 W: 2  
 LED Strip 1 x Single row 3528 Strip Light 16W  
 Wattage 230v 16W per meter  
 IP Rating IP20

**AP-2119/C-PEND-CW or AP-2119/C-PEND-WW**

230v 16W LED Strip Profile High Cover Pendant

Colour Aluminium with Opal White cover OR Black  
 Specifications Dimmable on Request  
 Kelvin / Lumen Cool White: 6000K / 1000lm Per Meter OR  
 Warm White: 2700K / 1000lm Per Meter  
 Measurement in cm Full Height: 144 (Can be Lengthened to 4m)  
 Shade: H: 3.5 L: 100-300 W: 2  
 LED Strip 1 x Single row 3528 Strip Light 16W  
 Wattage 230v 16W per meter  
 IP Rating IP20



**AP-2119/CLUSTER**

230v 144W LED Strip	Profile High and Short Cover Cluster
Colour	Aluminium with Opal White cover
Specifications	Dimmable on Request
	3 x 1.5 meter with High Opal White cover
	3 x 1.5 meter with Short Opal White cover
Kelvin / Lumen	Cool White: 6000K / 1000lm Per Meter OR
	Warm White: 2700K / 1000lm Per Meter
Measurement in cm	Full Height: 144
	High Shade: H: 3.5 L: 150 W: 2
	Short Shade: H: 2 L: 150 W: 2
LED Strip	6 x Single row 3528 Strip Light, 16W Per Meter
Wattage	230v 144W
IP Rating	IP20



#### AP-500/BL+BL OR AP-500/WH+BL

230v 32W Aluminium U-Channel Pendant with Black Polycarbonate Cover

Colour Black with Black Polycarbonate Cover OR

White with Black Polycarbonate Cover

Specifications Dimmable or Non Dimmable available

With:

2 x 1.4m Suspension Cables

1 x 1.5m Electrical Cable

2 x 1m YM-100-24v 16W LED Flexi Strip

(Driver price is excluded from fitting price)

Kelvin / Lumen Cool White: 6000K / 4000lm Per Meter,

Natural White: 4000K / 4000lm Per Meter, OR

Warm White: 3000K / 4000lm Per Meter

Measurement in cm Full Length: 100 (Can be Lengthened to 3m)

Shade: H: 6.5 W: 4

Lamps 2 x (240 x 0.0667W SMD LEDs) 24v 32W

Wattage 230v 32W

IP Rating IP20







**AP-500/BL+FR OR AP-500/WH+FR**

230v 32W Aluminium U-Channel Pendant with Frosted Polycarbonate Cover  
 Colour

Specifications

Black with Frosted Polycarbonate Cover OR  
 White with Frosted Polycarbonate Cover  
 Dimmable or Non Dimmable available

With:

2 x 1.4m Suspension Cables  
 1 x 1.5m Electrical Cable  
 2 x 1m YM-100-24v 16W LED Flexi Strip  
 (Driver price is excluded from fitting price)  
 Cool White: 6000K / 4000lm Per Meter,  
 Natural White: 4000K / 4000lm Per Meter OR  
 Warm White: 3000K / 4000lm Per Meter

Kelvin / Lumen

Measurement in cm

Full Length: 100 (Can be Lengthened to 3m)  
 Shade: H: 6.5 W: 4

Lamps  
 Wattage  
 IP Rating

2 x (240 x 0.0667W SMD LEDs) 24v 32W  
 230v 32W  
 IP20



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)



# METAL/WIRE PENDANTS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY





**T-KLCH-15-80/GD**

230v 40W E27 X Large Sensu Pendant  
 Colour Satin Gold  
 Measurement in cm Full Height: 140  
 Shade: H: 25 Ø: 80  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-15-60/GD**

230v 40W E27 Large Sensu Pendant  
 Colour Satin Gold  
 Measurement in cm Full Height: 140  
 Shade: H: 20 Ø: 60  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-15-60/BL**

230v 40W E27 Large Sensu Pendant  
 Colour Black  
 Measurement in cm Full Height: 140  
 Shade: H: 20 Ø: 60  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**T-KLCH-15-80/BL**  
230v 40W E27 X Large Sensu Pendant  
Colour Black  
Measurement in cm Full Height: 140  
Shade: H: 25 Ø: 80  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**T-KLCH-17/BL**


230v 40W E27 Twin Sensu Pendant  
 Colour Black  
 Measurement in cm Full Height: 140  
 Shade: H: 29 Ø: 62  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-17/SG**

230v 40W E27 Twin Sensu Pendant  
 Colour Satin Gold  
 Measurement in cm Full Height: 140  
 Shade: H: 29 Ø: 62  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**T-KLCH-17/WH**

230v 40W E27 Twin Sensu Pendant

Colour Satin Gold

Measurement in cm Full Height: 140

Shade: H: 29 Ø: 62

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**T-KLCH-165/WH**  
 230v 40W E27 Trio Sensu Pendant  
 Colour White  
 Measurement in cm Full Height: 153  
 Shade: H: 37 Ø: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLCH-165/BL**  
 230v 40W E27 Trio Sensu Pendant  
 Colour Black  
 Measurement in cm Full Height: 153  
 Shade: H: 37 Ø: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLCH-165/SG**  
 230v 40W E27 Trio Sensu Pendant  
 Colour Satin Gold  
 Measurement in cm Full Height: 153  
 Shade: H: 37 Ø: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-16/WH**

230v 40W E27 Solo Sensu Pendant  
 Colour White  
 Measurement in cm Full Height: 140  
 Shade: H: 21 Ø: 61  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-16/BL**

230v 40W E27 Solo Sensu Pendant  
 Colour Black  
 Measurement in cm Full Height: 140  
 Shade: H: 21 Ø: 61  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-16/SG**

230v 40W E27 Solo Sensu Pendant  
 Colour Satin Gold  
 Measurement in cm Full Height: 140  
 Shade: H: 21 Ø: 61  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**GO-KLCH-317M/GD**  
 230v 40W Medium Phantom Pendant  
 Colour Gold  
 Measurement in cm Full Height: 190  
 Shade: H: 34 Ø: 27  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**GO-KLCH-317L/GD**  
 230v 40W Large Phantom Pendant  
 Colour Gold  
 Measurement in cm Full Height: 195  
 Shade: H: 50 Ø: 37  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**GO-KLCH-317L/BL**

230v 40W Large Phantom Pendant

Colour Black  
Measurement in cm Full Height: 195  
Shade: H: 50 Ø: 37

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**GO-KLCH-317M/BL**

230v 40W Medium Phantom Pendant

Colour Black  
Measurement in cm Full Height: 190  
Shade: H: 34 Ø: 27

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**T-KLCH-154-3/BL**  
 230v 40W 3 x E14 Sensu Cluster  
 Colour Black  
 Measurement in cm Full Height: 292 Ø: 40  
 Shade: H: 25 Ø: 14  
 Base: Ø: 30  
 Lamps 3 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-154-1/GD**  
 230v 40W 14 Sensu Pendant  
 Colour Gold  
 Measurement in cm Full Height: 140  
 Shade: H: 25 Ø: 14  
 Base: Ø: 10  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-154-1/BL**  
 230v 40W 14 Sensu Pendant  
 Colour Black  
 Measurement in cm Full Height: 140  
 Shade: H: 25 Ø: 14  
 Base: Ø: 10  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20





**T-KLCH-154-3/GD**

230v 40W 3 x E14 Sensu Cluster

Colour Gold

Measurement in cm Full Height: 292 Ø: 40

Shade: H: 25 Ø: 14

Base: Ø: 30

Lamps 3 x E14

Wattage 230v 40W

IP Rating IP20

**T-KLCH-592**

230v 40W E27 Midnight Mesh Long Pendant

Colour Stone &amp; Black Mesh

Measurement in cm Full Height: 147  
Shade Height + Stone: 32  
Shade Ø: 10Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**T-KLCH-594**

230v 40W E27 Midnight Mesh Round Pendant

Colour Stone &amp; Black Mesh

Measurement in cm Full Height: 137  
Shade Height + Stone: 23  
Shade Ø: 25Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**T-KLCH-595**

230v 40W E27 Midnight Mesh Dome Pendant

Colour Stone &amp; Black Mesh

Measurement in cm Full Height: 139  
Shade Height + Stone: 23  
Shade Ø: 15Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**T-KLCH-593**

230v 40W E27 Midnight Mesh Cone Pendant

Colour Stone &amp; Black Mesh

Measurement in cm Full Height: 136

Shade Height + Stone: 21



Shade Ø: 21

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**G-KLCH-70/GD**

230v 40W E27 Nest Pendant

Colour Gold

Measurement in cm Full Height: : 175  
Shade: H: 50 Ø: 32Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**G-KLCH-70/BL**

230v 40W E27 Nest Pendant

Colour Black

Measurement in cm Full Height: : 175  
Shade: H: 50 Ø: 32Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**G-KLCH-86/GD**

230v 40W E27 Mesh Pendant  
 Colour Gold  
 Measurement in cm Full Height: : 160  
 Shade: H: 35 Ø: 42  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLCH-86/BL**

230v 40W E27 Mesh Pendant  
 Colour Black  
 Measurement in cm Full Height: : 160  
 Shade: H: 35 Ø: 42  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**G-KLCH81015S/CH, G-KLCH81015S/CO or G-KLCH81015S/BL**  
 230v 40W E27 Small Prism Pendant  
 Colour Chrome, Copper or Black  
 Measurement in cm Full Height: 145  
 Wire Shade: H: 24 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLCH81015M/CH, G-KLCH81015M/CO or G-KLCH81015M/BL**  
 230v 40W E27 Medium Prism Pendant  
 Colour Chrome, Copper or Black  
 Measurement in cm Full Height: 165  
 Wire Shade: H: 32 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLCH81015L/CH, G-KLCH81015L/CO or G-KLCH81015L/BL**  
 230v 40W E27 Large Prism Pendant  
 Colour Chrome, Copper or Black  
 Measurement in cm Full Height: 170  
 Wire Shade: H: 45 Ø: 48  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20








**CA-KLCH-1047/WH**

230v 40W E27 Ball Wire Metal Pendant  
 Colour White with Fabric Shade  
 Measurement in cm Full Height: 175  
 Wire Shade: H: 67 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1046/WH**

230v 40W E27 Tube Wire Metal Pendant  
 Colour White with Fabric Shade  
 Measurement in cm Full Height: 165  
 Wire Shade: H: 60 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1044/WH**

230v 40W E27 Wide Wire Metal Pendant  
 Colour White with Fabric Shade  
 Measurement in cm Full Height: 175  
 Wire Shade: H: 55 Ø: 42  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1045/WH**

230v 40W E27 Tall Wire Metal Pendant  
 Colour White with Fabric Shade  
 Measurement in cm Full Height: 190  
 Wire Shade: H: 84 Ø: 21  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**DA-KLCH-026/WH**

230v 40W E27 Cage Hat Pendant  
 Colour White  
 Measurement in cm Full Height: 160  
 Wire Shade: H: 27 Ø: 27  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**DA-KLCH-026/CH**

230v 40W E27 Cage Hat Pendant  
 Colour Chrome  
 Measurement in cm Full Height: 160  
 Wire Shade: H: 27 Ø: 27  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**G-KLCH-8103**

230v 40W E27 Boston Mesh Pendant

Colour Black &amp; Gold

Measurement in cm Full Height: 160 Ø: 24

Metal Shade: H: 40 Ø: 24

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20





**G-KLCH-821/BL**

230v 40W E27 Laser Cut Metal Cylinder Pendant

Colour Matt Black

Measurement in cm Full Height: 160  
Metal Shade: H: 41 Ø: 20

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**G-KLCH-821/WH**

230v 40W E27 Laser Cut Metal Cylinder Pendant

Colour Matt White

Measurement in cm Full Height: 160  
Metal Shade: H: 41 Ø: 20

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**G-KLCH-820-L/SG, G-KLCH-820-L/WH,  
G-KLCH-820-L/BL or G-KLCH-820-L/CO**

230v 40W E27 Large Laser Cut Metal Ball Pendant  
Colour Satin Gold, Matt White, Matt Black  
or Copper  
Measurement in cm Full Height: 165  
Metal Shade: H: 37 Ø: 40  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**G-KLCH-820-M/SG, G-KLCH-820-M/WH,  
G-KLCH-820-M/BL or G-KLCH-820-M/CO**

230v 40W E27 Medium Laser Cut Metal Ball Pendant  
Colour Satin Gold, Matt White, Matt Black  
or Copper  
Measurement in cm Full Height: 155  
Metal Shade: H: 27 Ø: 30  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**G-KLCH-820-S/SG, G-KLCH-820-S/WH,  
G-KLCH-820-S/BL or G-KLCH-820-S/CO**

230v 40W E27 Small Laser Cut Metal Ball Pendant  
Colour Satin Gold, Matt White, Matt Black  
or Copper  
Measurement in cm Full Height: 145  
Metal Shade: H: 17 Ø: 20  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20







**G-KLCH-500/22**

230v 40W E27 22cm Golden Nugget  
Pendant

Colour Gold  
Measurement in cm Full Height: 138  
Metal Shade: Ø: 22

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**G-KLCH-501/22**

230v 40W E27 22cm Golden Flower  
Pendant

Colour Gold  
Measurement in cm Full Height: 136  
Metal Shade: Ø: 22

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**G-KLCH-502/22**

230v 40W E27 22cm Golden Shell  
Pendant

Colour Gold  
Measurement in cm Full Height: 136  
Metal Shade: Ø: 22

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**G-KLCH-500/38**

230v 40W E27 38cm Golden Nugget Pendant  
 Colour Gold  
 Measurement in cm Full Height: 137  
 Metal Shade: Ø: 38  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLCH-502/30**

230v 40W E27 30cm Golden Shell Pendant  
 Colour Gold  
 Measurement in cm Full Height: 140  
 Metal Shade: Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLCH-501/39**

230v 40W E27 39cm Golden Flower Pendant  
 Colour Gold  
 Measurement in cm Full Height: 140  
 Metal Shade: Ø: 39  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**CA-KLCH-1005/WH**

230v 40W E27 Vuvu Metal Pendant  
 Colour White and Gold  
 Measurement in cm Full Height: 160  
 Metal Shade: H: 38 Ø: 19  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1004/BL**

230v 40W E27 Crown Metal Pendant  
 Colour Black and Gold  
 Measurement in cm Full Height: 164  
 Metal Shade: H: 31 Ø: 25  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1006/WH**

230v 40W E27 Conical Metal Pendant  
 Colour White and Gold  
 Measurement in cm Full Height: 151  
 Metal Shade: H: 17 Ø: 37  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1005/BL**

230v 40W E27 Vuvu Metal Pendant  
 Colour Black and Gold  
 Measurement in cm Full Height: 160  
 Metal Shade: H: 38 Ø: 19  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1004/WH**

230v 40W E27 Crown Metal Pendant  
 Colour White and Gold  
 Measurement in cm Full Height: 164  
 Metal Shade: H: 31 Ø: 25  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1006/BL**

230v 40W E27 Conical Metal Pendant  
 Colour Black and Gold  
 Measurement in cm Full Height: 151  
 Metal Shade: H: 17 Ø: 37  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1007/WH**

230v 40W E27 Aladdin Metal Pendant  
 Colour White and Gold  
 Measurement in cm Full Height: 170  
 Metal Shade: H: 45 Ø: 51  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1004/NS**

230v 40W E27 Crown Metal Pendant  
 Colour Nickel Satin and White  
 Measurement in cm Full Height: 164  
 Metal Shade: H: 31 Ø: 25  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1005/NS**

230v 40W E27 Vuvu Metal Pendant  
 Colour Nickel Satin and White  
 Measurement in cm Full Height: 160  
 Metal Shade: H: 38 Ø: 18.7  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1006/NS**

230v 40W E27 Conical Metal Pendant  
 Colour Nickel Satin and White  
 Measurement in cm Full Height: 151  
 Metal Shade: H: 17 Ø: 37  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**CA-KLCH-1729/L**

230v 40W E27 Multi Design 42cm Pendant  
 Colour Antique Brass  
 Measurement in cm Full Height: 175 Ø: 42  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1729/M**

230v 40W E27 Multi Design 38cm Pendant  
 Colour Antique Brass  
 Measurement in cm Full Height: 170 Ø: 38  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**H-KLCH-5016/RG**

230v 40W E27 Aladdin Metal Pendant  
 Colour Rose Gold Outside with  
 White inside  
 Measurement in cm Full Height: 161  
 Metal Shade: H: 27 Ø: 41  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**H-KLCH-5016/BL**

230v 40W E27 Aladdin Metal Pendant  
 Colour Black Outside with  
 White inside  
 Measurement in cm Full Height: 161  
 Metal Shade: H: 27 Ø: 41  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**H-KLCH-5016/WH**

230v 40W E27 Aladdin Metal Pendant  
 Colour White  
 Measurement in cm Full Height: 161  
 Metal Shade: H: 27 Ø: 41  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-124/WH**

230v 40W E27 Leather &amp; Iron Ball Metal Pendant

Colour White

Measurement in cm Full Height: 135

Metal Shade: H: 19 Ø: 28

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**T-KLCH-124/BL**

230v 40W E27 Leather &amp; Iron Ball Metal Pendant

Colour Black

Measurement in cm Full Height: 135

Metal Shade: H: 19 Ø: 28

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20





**T-KLCH-122S/BL or T-KLCH-122S/WH or T-KLCH-122S/CO or T-KLCH-122S/SL**

230v 40W E27 Small Leather & Iron Cone Metal Pendant

Colour Black, White, Copper or Brushed Aluminium

Measurement in cm Full Height: 135

Metal Shade: H: 18 Ø: 25

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20





**T-KLCH-122L/CO or T-KLCH-122L/BL or T-KLCH-122L/SL or T-KLCH-122L/WH**  
 230v 40W E27 Large Leather & Iron Cone Metal Pendant  
 Colour Copper, Black, Brushed Aluminium or White  
 Measurement in cm Full Height: 135  
 Metal Shade: H: 24 Ø: 36  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**CA-KLCH-1580S/P or CA-KLCH-1580S/G or CA-KLCH-1580S/B or CA-KLCH-1580S/W or CA-KLCH-1580S/T**

230v 40W E27 Small Cupcake Metal Pendant

Colour Pink, Grey, Black, White or Teal

Measurement in cm Full Height: 155

Metal Shade: H: 15 Ø: 25

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20







**CA-KLCH-1580L/G or CA-KLCH-1580L/B or CA-KLCH-1580L/P or CA-KLCH-1580L/W or CA-KLCH-1580L/T**  
 230v 40W E27 Large Cupcake Metal Pendant  
 Colour Grey, Black, Pink, White or Teal  
 Measurement in cm Full Height: 160  
 Metal Shade: H: 24 Ø: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**H-KLCH-1423/WH**

230v 40W E27 Small Nautical Metal Pendant  
 Colour White and Gold  
 Measurement in cm Full Height: 150  
 Metal Shade: H: 30 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**H-KLCH-1423/BL**

230v 40W E27 Small Nautical Metal Pendant  
 Colour Black and Gold  
 Measurement in cm Full Height: 150  
 Metal Shade: H: 30 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**H-KLCH-1423/G**

230v 40W E27 Small Nautical Metal Pendant  
 Colour Gold  
 Measurement in cm Full Height: 150  
 Metal Shade: H: 30 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**H-KLCH-8050/WH**

230v 40W E27 Lighthouse Metal Pendant  
 Colour White and Copper  
 Measurement in cm Full Height: 150  
 Metal Shade: H: 37 Ø: 27  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**H-KLCH-8050/GR**

230v 40W E27 Lighthouse Metal Pendant  
 Colour Grey and Copper  
 Measurement in cm Full Height: 150  
 Metal Shade: H: 37 Ø: 27  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**H-KLCH-8050/BL**

230v 40W E27 Lighthouse Metal Pendant  
 Colour Black and Copper  
 Measurement in cm Full Height: 150  
 Metal Shade: H: 37 Ø: 27  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**H-KLCH5005-60/WH**

230v 40W E27 Large Dome Metal Pendant  
 Colour White outside and Silver inside  
 Measurement in cm Full Height: 155  
 Metal Shade: H: 31 Ø: 60  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**H-KLCH5005-60/BL**

230v 40W E27 Large Dome Metal Pendant  
 Colour Black outside and Gold inside  
 Measurement in cm Full Height: 155  
 Metal Shade: H: 31 Ø: 60  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**R-KLCH-4131M/WH**

230v 40W E27 Medium Metal & Wood Pendant  
 Colour White and Wood  
 Measurement in cm Full Height: 245  
 Metal Shade: H: 20 Ø: 40  
 Wood: H: 18 Ø: 7.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**R-KLCH-4131S/BL**

230v 40W E27 Small Metal & Wood Pendant  
 Colour Black and Wood  
 Measurement in cm Full Height: 240  
 Metal Shade: H: 15 Ø: 27  
 Wood: H: 18 Ø: 7.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**R-KLCH-4131M/BL**

230v 40W E27 Medium Metal & Wood Pendant  
 Colour Black and Wood  
 Measurement in cm Full Height: 245  
 Metal Shade: H: 20 Ø: 40  
 Wood: H: 18 Ø: 7.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**R-KLCH-4131S/WH**

230v 40W E27 Small Metal & Wood Pendant  
 Colour White and Wood  
 Measurement in cm Full Height: 240  
 Metal Shade: H: 15 Ø: 27  
 Wood: H: 18 Ø: 7.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1125/1**

230v 40W E27 Single Pendant  
 Colour Black and Antique Brass  
 Measurement in cm H: 143  
 Metal Shade: H: 6 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1124/1**

230v 40W E27 Single Pendant  
 Colour Black and Antique Brass  
 Measurement in cm H: 143  
 Metal Shade: H: 8.5 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1125/3**

230v 40W E27 Trio Pendant  
 Colour Black and Antique Brass  
 Measurement in cm H: 80 L: 100  
 Metal Shade: H: 6 Ø: 22  
 Lamps 3 x E27  
 Wattage 230v 120W  
 IP Rating IP20

**CA-KLW-1125 or CA-KLW-1124**

230v 40W E27 Metal Shade Wall Light  
 Colour Black and Antique Brass  
 Measurement in cm H: 19 W: 22 D: 27  
 Metal Shade: H: 6 OR 8.5 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**CA-KLCH-1126/3**


230v 40W E27 Adjustable Trio Pendant  
 Colour Black and Antique Brass  
 Measurement in cm H: 86-154 L: 100  
 Metal Shade: H: 6 Ø: 22  
 Lamps 3 x E27  
 Wattage 230v 120W  
 IP Rating IP20

**R-KLCH-3001/WH**

230v 40W E27 Metal Pendant  
 Colour White  
 Measurement in cm Full Height: : 140  
 Metal Shade: H: 21 Ø: 35  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1314**

230v 40W E27 Square Metal Pendant  
 Colour Black  
 Measurement in cm Full Height:  
 32 + 15 Rope + 50 Chain  
 Metal Part: H: 32 W: 32  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-1554**

230v 40W E27 Square Rope Pendant  
 Colour Black with Rope  
 Measurement in cm Full Height: 175  
 Rope Part: H: 36 W: 34  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**KLCH-5312L/ST**

230v 40W E14 Large Lace Pendant  
Colour Chrome

Measurement in cm Full Height: 120  
Metal Shade: H: 25 Ø: 40

Lamps 3 x E14  
Wattage 220v 120W  
IP Rating IP20

**KLCH-5312AS/ST**

230v 40W E27 Small Lace Pendant  
Colour Chrome

Measurement in cm Full Height: 120  
Metal Shade: H: 16 Ø: 26

Lamps 1 x E27  
Wattage 220v 40W  
IP Rating IP20

**KLCH-5312AS/WH**

230v 40W E27 Small Lace Pendant  
Colour White

Measurement in cm Full Height: 120  
Metal Shade: H: 16 Ø: 26

Lamps 1 x E27  
Wattage 220v 40W  
IP Rating IP20



**VR-KLCH-1021/ST**

230v 40W E27 Flute Pendant  
 Colour Satin  
 Measurement in cm Full Height: 140  
 Metal Tube: H: 35 Ø: 6  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**VR-KLCH-1021/CO**

230v 40W E27 Flute Pendant  
 Colour Copper  
 Measurement in cm Full Height: 140  
 Metal Tube: H: 35 Ø: 6  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**VR-KLCH-1021/WH or VR-KLCH-1021/GR or VR-KLCH-1021/BL**

230v 40W E27 Flute Pendant  
 Colour White, Grey OR Black  
 Measurement in cm Full Height: 140  
 Metal Tube: H: 35 Ø: 6  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**VR-KLCH-1031/BL**

230v 35W GU10 Flute Pendant  
 Colour Black  
 Measurement in cm Full Height: 116  
 Metal Tube: H: 35 Ø: 6  
 Lamps 1 x GU10  
 Wattage 230v 35W  
 IP Rating IP20

**VR-KLCH-1031/GR**

230v 35W GU10 Flute Pendant  
 Colour Grey  
 Measurement in cm Full Height: 116  
 Metal Tube: H: 35 Ø: 6  
 Lamps 1 x GU10  
 Wattage 230v 35W  
 IP Rating IP20

**VR-KLCH-1031/WH**

230v 35W GU10 Flute Pendant  
 Colour White  
 Measurement in cm Full Height: 116  
 Metal Tube: H: 35 Ø: 6  
 Lamps 1 x GU10  
 Wattage 230v 35W  
 IP Rating IP20

**VR-KLCH-1031/CH**

230v 35W GU10 Flute Pendant  
 Colour Chrome  
 Measurement in cm Full Height: 116  
 Metal Tube: H: 35 Ø: 6  
 Lamps 1 x GU10  
 Wattage 230v 35W  
 IP Rating IP20

**T-KLCH-40/GD**

230v 40W E27 Style Plate Pendant

Colour Gold

Measurement in cm H: 125

Shade: H: 17 Ø: 18

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20

**T-KLCH-40/BL**

230v 40W E27 Style Plate Pendant

Colour Black

Measurement in cm H: 125

Shade: H: 17 Ø: 18

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20

**T-KLCH-40/SN**

230v 40W E27 Style Plate Pendant

Colour Satin

Measurement in cm H: 125

Shade: H: 17 Ø: 18

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20



**T-KLCH-50/GD**

230v 40W E27 Style Pendant

Colour Gold  
 Measurement in cm H: 125  
 Shade: H: 16 Ø: 5  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-50/BL**

230v 40W E27 Style Pendant

Colour Black  
 Measurement in cm H: 125  
 Shade: H: 16 Ø: 5  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-50/SN**

230v 40W E27 Style Pendant

Colour Satin Silver  
 Measurement in cm H: 125  
 Shade: H: 16 Ø: 5  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20



**DA-KLCH-888/CO**

230v 40W E27 Bullet Twisted Fabric Cord Pendant  
 Colour Copper  
 Measurement in cm H: 138  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**DA-KLCH-888/CH**

230v 40W E27 Bullet Twisted Fabric Cord Pendant  
 Colour Chrome  
 Measurement in cm H: 138  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**DA-KLCH-888/AB**

230v 40W E27 Antique Brass Bullet Twisted Fabric Cord Pendant  
 Colour Antique Brass  
 Measurement in cm H: 138  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**DA-KLCH-T777/CO**

230v 40W E27 Twisted Fabric Cord Pendant  
 Colour Copper  
 Measurement in cm H: 146  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**DA-KLCH-T777/AB**

230v 40W E27 Antique Brass Twisted Fabric Cord Pendant  
 Colour Antique Brass  
 Measurement in cm H: 146  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**DA-KLCH-T777/CH**

230v 40W E27 Twisted Fabric Cord Pendant  
 Colour Chrome  
 Measurement in cm H: 146  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 40W  
 IP Rating IP20



**DA-KLCH-777/ABW**

230v 40W E27 Antique Brass L.H. 2 Core

Fabric Cord Pendant

Colour Antique Brass with White

Measurement in cm H: 140

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20

**DA-KLCH-777/ABB**

230v 40W E27 Antique Brass L.H. 2 Core

Fabric Cord Pendant

Colour Antique Brass with Black

Measurement in cm H: 140

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20

**DA-KLCH-777/AGM**

230v 40W E27 Matt Gun Metal L.H. 2 Core

Fabric Cord Pendant

Colour Gun Metal with Black

Measurement in cm H: 140

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20





# GLASS PENDANTS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

**T-KLCH-110/AB**

230v 40W E27 Glass Dome Pendant

Colour Amber

Measurement in cm Full Height: 145 Ø: 35

Shade: H: 35

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLCH-110/CL**

230v 40W E27 Glass Dome Pendant

Colour Clear

Measurement in cm Full Height: 145 Ø: 35

Shade: H: 35

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20





**T-KLCH-110/SM**

230v 40W E27 Glass Dome Pendant

Colour Smoke

Measurement in cm Full Height: 145 0: 35

Shade: H: 35

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLCH-133/BL**

230v 40W E27 Medium Chicago Glass Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm Full Height: 145 Ø: 28  
 Shade: H: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-133/SG**

230v 40W E27 Medium Chicago Glass Pendant  
 Colour Satin Gold with Amber Glass  
 Measurement in cm Full Height: 145 Ø: 28  
 Shade: H: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-135/BL**

230v 40W E27 Large Chicago Glass Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm Full Height: 155 Ø: 25  
 Shade: H: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-135/SG**

230v 40W E27 Large Chicago Glass Pendant  
 Colour Satin Gold with Amber Glass  
 Measurement in cm Full Height: 155 Ø: 25  
 Shade: H: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLT-133/SG**

230v 40W E27 Medium Chicago Glass Table Lamp  
 Colour Satin Gold with Amber Glass  
 Measurement in cm Height: 33 Ø: 21.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**3E-KLCH-800/3P**

230v 40W E27 Cleopatra Glass Pendant on a Plate

Colour Matt Black  
Brass with Clear Glass  
Measurement in cm Full Height: 137 Ø: 18  
Base: Ø: 32  
Glass: H: 23.5 Ø: 18  
Lamps 3 x E27  
Wattage 230v 40W  
IP Rating IP20

**3E-KLCH-800/1**

230v 40W E27 Cleopatra Glass Pendant

Colour Matt Black  
Brass with Clear Glass  
Measurement in cm Full Height: 140 Ø: 18  
Glass: H: 23.5 Ø: 18  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**3E-KLCH-800/SB**

230v 40W E27 Cleopatra Glass Pendant on a Bar


Colour Matt Black  
Brass with Clear Glass

Measurement in cm Full Height: 137  
Base: L: 120 H: 2.5 W: 6  
Glass: H: 23.5 Ø: 18

Lamps 5 x E27  
Wattage 230v 40W  
IP Rating IP20

**T-KLCH-10/SN**

230v 40W E27 Style Cone Glass Pendant  
 Colour Satin Silver  
 Measurement in cm Full Height: 125 Ø: 20  
 Glass: H: 16  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-10/BL**

230v 40W E27 Style Cone Glass Pendant  
 Colour Black  
 Measurement in cm Full Height: 125 Ø: 20  
 Glass: H: 16  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLCH-10/GD**

230v 40W E27 Style Cone Glass Pendant  
 Colour Gold  
 Measurement in cm Full Height: 125 Ø: 20  
 Glass: H: 16  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLCH-20/BL**

230v 40W E27 Style Ball Glass Pendant

Colour Black

Measurement in cm Full Height: 137 Ø: 20  
Glass: H: 28Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**T-KLCH-20/GD**

230v 40W E27 Style Ball Glass Pendant

Colour Gold

Measurement in cm Full Height: 137 Ø: 20  
Glass: H: 28Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**T-KLCH-20/SN**

230v 40W E27 Style Ball Glass Pendant

Colour Satin Silver

Measurement in cm Full Height: 137 Ø: 20  
Glass: H: 28Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**GO-KLCH-160L/BL**  
 230v 40W E27 Single Large Molecule Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm Full Height: 225  
 Glass: H: 24 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**GO-KLCH-160L/SG**  
 230v 40W E27 Single Large Molecule Pendant  
 Colour Satin Gold with Amber Glass  
 Measurement in cm Full Height: 225  
 Glass: H: 24 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**GO-KLCH-160S/BL**  
 230v 40W E27 Single Small Molecule Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm Full Height: 225  
 Glass: H: 20 Ø: 19  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**GO-KLCH-160S/SG**  
 230v 40W E27 Single Small Molecule Pendant  
 Colour Satin Gold with Amber Glass  
 Measurement in cm Full Height: 225  
 Glass: H: 20 Ø: 19  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**3E-KLCH-106/SM**

230v 40W E27 Nougat Pendant  
 Colour Antique Brass and  
 Smoke Grey  
 Measurement in cm Full Height: 156 Ø: 13  
 Glass: H: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**3E-KLCH-107/SM**

230v 40W E27 Truffle Pendant  
 Colour Antique Brass and  
 Smoke Grey  
 Measurement in cm Full Height: 154 Ø: 25  
 Glass: H: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**3E-KLCH-107/CL**

230v 40W E27 / Truffle Pendant  
 Colour Antique Brass and  
 Clear Glass  
 Measurement in cm Full Height: 147 Ø: 20  
 Glass: H: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**3E-KLCH-106/CL**

230v 40W E27 Nougat Pendant  
 Colour Antique Brass and  
 Clear Glass  
 Measurement in cm Full Height: 159 Ø: 13  
 Glass: H: 32  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**A-KLCH-9005/SM**

230v 40W E27 Jackie Cut Glass Pendant  
 Colour Smoke Glass & Matt Black  
 Measurement in cm Full Height: 152  
 Glass: H: 18 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9005/CL**

230v 40W E27 Jackie Cut Glass Pendant  
 Colour Clear Glass & Satin Nickel  
 Measurement in cm Full Height: 152  
 Glass: H: 18 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9005/AB**

230v 40W E27 Jackie Cut Glass Pendant  
 Colour Amber Glass & Antique Brass  
 Measurement in cm Full Height: 152  
 Glass: H: 18 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9006/CL**

230v 40W E27 Athina Cut Glass Pendant  
 Colour Clear Glass & Satin Nickel  
 Measurement in cm Full Height: 151  
 Glass: H: 20 Ø: 14  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9006/SM**

230v 40W E27 Athina Cut Glass Pendant  
 Colour Smoke Glass & Matt Black  
 Measurement in cm Full Height: 151  
 Glass: H: 20 Ø: 14  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9006/AB**

230v 40W E27 Athina Cut Glass Pendant  
 Colour Amber Glass & Antique Brass  
 Measurement in cm Full Height: 151  
 Glass: H: 20 Ø: 14  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9181/SM**

230v 40W E27 Cedar Glass Pendant  
 Colour Smoke Glass & Matt Black  
 Measurement in cm Full Height: 150  
 Glass: H: 20 Ø: 19  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9181/CL**

230v 40W E27 Cedar Glass Pendant  
 Colour Clear Glass & Satin Nickel  
 Measurement in cm Full Height: 150  
 Glass: H: 20 Ø: 19  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9181/AB**

230v 40W E27 Cedar Glass Pendant  
 Colour Amber Glass & Brass  
 Measurement in cm Full Height: 150  
 Glass: H: 20 Ø: 19  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**A-KLCH-9182/AB**

230v 40W E27 Chestnut Glass Pendant  
 Colour Amber Glass & Brass  
 Measurement in cm Full Height: 147  
 Glass: H: 18 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9182/CL**

230v 40W E27 Chestnut Glass Pendant  
 Colour Clear Glass & Satin Nickel  
 Measurement in cm Full Height: 147  
 Glass: H: 18 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9182/SM**

230v 40W E27 Chestnut Glass Pendant  
 Colour Smoke Glass & Matt Black  
 Measurement in cm Full Height: 147  
 Glass: H: 18 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9183/SM**

230v 40W E27 Cypress Glass Pendant  
 Colour Smoke Glass & Matt Black  
 Measurement in cm Full Height: 156  
 Glass: H: 25 Ø: 14  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9183/CL**

230v 40W E27 Cypress Glass Pendant  
 Colour Clear Glass & Satin Nickel  
 Measurement in cm Full Height: 156  
 Glass: H: 25 Ø: 14  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-9183/AB**

230v 40W E27 Cypress Glass Pendant  
 Colour Amber Glass & Brass  
 Measurement in cm Full Height: 156  
 Glass: H: 25 Ø: 14  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLCH-2175/AB**

230v 40W E27 Twisted Glass Pendant  
 Colour Amber Glass & Black  
 Measurement in cm Full Height: 150  
 Glass: H: 35 Ø: 12  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLCH-2175/CL**

230v 40W E27 Twisted Glass Pendant  
 Colour Clear Glass & Chrome  
 Measurement in cm Full Height: 150  
 Glass: H: 35 Ø: 12  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLCH-2175/SM**

230v 40W E27 Twisted Glass Pendant  
 Colour Smoke Glass & Black  
 Measurement in cm Full Height: 150  
 Glass: H: 35 Ø: 12  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**LW-KLCH-5118/SM**

230v 40W E27 New York Cylinder Glass Pendant  
 Colour Smoke Glass Black Mesh  
 Measurement in cm Full Height: 135  
 Glass: H: 27 Ø: 13  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLCH-5118/CL**

230v 40W E27 New York Cylinder Glass Pendant  
 Colour Clear Glass Satin Gold Mesh  
 Measurement in cm Full Height: 135  
 Glass: H: 27 Ø: 13  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-5118/CL**

230v 40W E27 New York Cylinder Wall Light  
 Colour Clear Glass Satin Gold Mesh  
 Measurement in cm Full Height: 65  
 Glass: D: 20 W: 13  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-5118/SM**

230v 40W E27 New York Cylinder Wall Light  
 Colour Smoke Glass Black Mesh  
 Measurement in cm Full Height: 65  
 Glass: D: 20 W: 13  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-5120/CL OR LW-KLW-5120/SM**

230v 40W E27 New York 20cm Ball Wall Light  
 Colour Clear Glass Satin Gold Mesh OR  
 Smoke Glass Black Mesh  
 Measurement in cm Full Height: 55  
 Glass: D: 26 W: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLCH-5120/CL OR LW-KLCH-5120/SM**

230v 40W E27 New York 20cm Ball Glass Pendant  
 Colour Clear Glass Satin Gold Mesh OR  
 Smoke Glass Black Mesh  
 Measurement in cm Full Height: 125  
 Glass: H: 18 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLCH-5121/CL OR LW-KLCH-5121/SM**

230v 40W E27 New York 25cm Ball Glass Pendant  
 Colour Clear Glass Satin Gold Mesh OR  
 Smoke Glass Black Mesh  
 Measurement in cm Full Height: 125  
 Glass: H: 22 Ø: 25  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-900-S/CG**

230v 40W E14 Marilyn Small  
Glass Pendant

Colour

Chrome with  
Cognac Glass

Measurement in cm

Full Height: 160  
Glass: H: 30 Ø: 20

Lamps

1 x E14  
230v 40W

IP Rating

IP20

**A-KLCH-900-S/SM**

230v 40W E14 Marilyn Small  
Glass Pendant

Colour

Chrome with  
Smoke Glass

Measurement in cm

Full Height: 160  
Glass: H: 30 Ø: 20

Lamps

1 x E14  
230v 40W

IP Rating

IP20

**A-KLCH-900-S/OP**

230v 40W E14 Marilyn Small  
Glass Pendant

Colour

Chrome with  
Opal White Glass

Measurement in cm

Full Height: 160  
Glass: H: 30 Ø: 20

Lamps

1 x E14  
230v 40W

IP Rating

IP20





**A-KLCH-900-L/CG**

230v 40W E27 Marilyn Large  
Glass Pendant

Colour

Chrome with  
Cognac Glass

Measurement in cm

Full Height: 162  
Glass: H: 42 Ø: 30

Lamps

1 x E27

Wattage  
IP Rating

230v 40W  
IP20

**A-KLCH-900-L/SM**

230v 40W E27 Marilyn Large  
Glass Pendant

Colour

Chrome with  
Smoke Glass

Measurement in cm

Full Height: 162  
Glass: H: 42 Ø: 30

Lamps

1 x E27

Wattage  
IP Rating

230v 40W  
IP20

**A-KLCH-900-L/OP**

230v 40W E27 Marilyn Large  
Glass Pendant

Colour

Chrome with  
Opal White Glass

Measurement in cm

Full Height: 162  
Glass: H: 42 Ø: 30

Lamps

1 x E27

Wattage  
IP Rating

230v 40W  
IP20





**DL-KLCH-1027**  
 230v 40W E27 Arum Lily Glass Pendant  
 Colour Amber  
 Measurement in cm Full Height: 215  
 Glass: H: 25 W: 26 L: 21  
 Lamps 1 x E27  
 (Including Lamp: Mirror LED Filament Bulb E27 4W 2700K)  
 Wattage 230v 40W  
 IP Rating IP20



**A-KLCH-912/SM**  
 230v 40W E27 Pouch Glass Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 32 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**A-KLCH-912/AB**  
 230v 40W E27 Pouch Glass Pendant  
 Colour Brass with Amber Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 32 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-910-S/AB**

230v 40W E27 Apple Small Glass Pendant  
 Colour Antique Brass with Amber Glass  
 Measurement in cm Full Height: 155  
 Glass: H: 24 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-910-S/SM**

230v 40W E27 Apple Small Glass Pendant  
 Colour Chrome with Smoke Glass  
 Measurement in cm Full Height: 155  
 Glass: H: 24 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-910-L/AB**

230v 40W E27 Apple Large Glass Pendant  
 Colour Antique Brass with Champagne Glass  
 Measurement in cm Full Height: 140  
 Glass: H: 34 Ø: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-910-L/SM**

230v 40W E27 Apple Large Glass Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm Full Height: 140  
 Glass: H: 34 Ø: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**Y-KLCH-79**  
 230v 40W E27 Flambouw Pendant  
 Colour Antique Brass with Clear Glass  
 Measurement in cm Full Height: 146  
 Metal & Glass: H: 43.5 Ø: 7  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**Y-KLW-79**  
 230v 40W E27 Flambouw Wall Light  
 Colour Antique Brass with Clear Glass  
 Measurement in cm Full Height: 43 Depth: 15.5  
 Glass: H: 22  
 Shade: Ø: 7 Base: Ø: 12  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLCH-4164**

230v 40W E14 Vintage Cut Glass Pendant  
Colour

Satin Gold with  
Clear Glass

Measurement in cm Full Height: 185  
Glass: H: 13 Ø: 12

Lamps 1 x E14  
Wattage 230v 40W  
IP Rating IP20

**LW-KLCH-4165**

230v 40W E14 Vintage Cut Glass Pendant  
Colour

Satin Gold with  
Clear Glass

Measurement in cm Full Height: 180  
Glass: H: 6 Ø: 22

Lamps 1 x E14  
Wattage 230v 40W  
IP Rating IP20

**LW-KLCH-4162**

230v 40W E14 Vintage Cut Glass Pendant  
Colour

Satin Gold with  
Clear Glass

Measurement in cm Full Height: 185  
Glass: H: 6 Ø: 12

Lamps 1 x E14  
Wattage 230v 40W  
IP Rating IP20

**LW-KLCH-4163**

230v 40W E14 Vintage Cut Glass Pendant  
Colour

Satin Gold with  
Clear Glass

Measurement in cm Full Height: 190  
Glass: H: 14 Ø: 15

Lamps 1 x E14  
Wattage 230v 40W  
IP Rating IP20

**LW-KLCH-4166**

230v 40W E14 Vintage Cut Glass Pendant  
Colour

Satin Gold with  
Clear Glass

Measurement in cm Full Height: 185  
Glass: H: 12 Ø: 11.5

Lamps 1 x E14  
Wattage 230v 40W  
IP Rating IP20

**B-KLW-2196-ST**

230v 40W E27 Cone Glass Wall Light

Colour Satin Chrome with Clear Glass

Measurement in cm H: 35 W: 33,5 D: 16

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**B-KLCH-2196-1S**

230v 40W E27 Small Cone Glass Pendant

Colour Satin Chrome with Clear Glass

Measurement in cm Full Height: 149

Glass: H: 33 Ø: 27

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**B-KLCH-2196-1L**

230v 40W E27 Large Cone Glass Pendant

Colour Satin Chrome with Clear Glass

Measurement in cm Full Height: 164

Glass: H: 47 Ø: 44

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**CA-KLCH-3279/CL**

230v 40W E27 Copper Lined Glass Pendant  
 Colour Chrome with Clear Glass  
 Measurement in cm Full Height: 175  
 Glass: H: 35 Ø: 17  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-3279/SM**

230v 40W E27 Copper Lined Glass Pendant  
 Colour Chrome with Smoke/Blue Glass  
 Measurement in cm Full Height: 175  
 Glass: H: 35 Ø: 17  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**M-KLCH-5011-60**

230v 40W E14 Glass Round Cluster Pendant

Colour Chrome with Orange Glasses

Measurement in cm H: 190 Ø: 46  
Big Glass: H: 20 Ø: 27  
Long Glass: H: 27 Ø: 9  
Small Glass: H: 12 Ø: 18Lamps 6 x E14  
Wattage 230v 240W  
IP Rating IP20**M-KLCH-5011-30**

230v 40W E14 Glass Round Cluster Pendant

Colour Satin Chrome with Orange Glasses

Measurement in cm H: 190 Ø: 40  
Big Glass: H: 20 Ø: 27  
Long Glass: H: 27 Ø: 9  
Small Glass: H: 12 Ø: 18Lamps 3 x E14  
Wattage 230v 120W  
IP Rating IP20

**M-KLCH-5011-150**

230v 40W E14 Glass Rectangular Cluster Pendant  
 Chrome with Orange Glasses  
 Measurement in cm H: 190 L: 101 W: 35

Big Glass: H: 20 Ø: 27  
 Long Glass: H: 27 Ø: 9  
 Small Glass: H: 12 Ø: 18

Lamps 15 x E14  
 Wattage 230v 600W  
 IP Rating IP20



**CA-KLCH-108L/AB or CA-KLCH-108L/SM or CA-KLCH-108L/WH**

230v 40W E27 Large Glass Ball Pendant

Colour Black with Amber Glass OR  
Black with Smoke Glass OR  
White with Opal White Glass

Measurement in cm Full Height: 180  
Glass: Ø: 40

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**CA-KLCH-108S/AB or CA-KLCH-108S/SM**

230v 40W E27 Small Glass Ball Pendant

Colour Black with Amber Glass OR  
Black with Smoke Glass

Measurement in cm Full Height: 170  
Glass: Ø: 30

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**CA-KLCH-108L/CO**

230v 40W E27 Large Glass Ball Pendant  
 Colour Black with Copper Glass  
 Measurement in cm Full Height: 180  
 Glass: Ø: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-108S/CO**

230v 40W E27 Small Glass Ball Pendant  
 Colour Black with Copper Glass  
 Measurement in cm Full Height: 170  
 Glass: Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-108L/CH**

230v 40W E27 Large Glass Ball Pendant  
 Colour Black with Chrome Glass  
 Measurement in cm Full Height: 180  
 Glass: Ø: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-108S/CH**

230v 40W E27 Small Glass Ball Pendant  
 Colour Black with Chrome Glass  
 Measurement in cm Full Height: 170  
 Glass: Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-336S/AB**

230v 40W E27 Small Vase Glass Pendant  
 Colour Black Rod with Amber Glass  
 Measurement in cm Full Height: 38 + 100 Rod  
 Glass: H: 34 Ø: 26

Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-336S/CL**

230v 40W E27 Small Vase Glass Pendant  
 Colour Black Rod with Clear Glass  
 Measurement in cm Full Height: 38 + 100 Rod  
 Glass: H: 34 Ø: 26

Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-336S/SM**

230v 40W E27 Small Vase Glass Pendant  
 Colour Black Rod with Smoke Glass  
 Measurement in cm Full Height: 38 + 100 Rod  
 Glass: H: 34 Ø: 26

Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**CA-KLCH-336L/SM**

230v 40W E27 Large Vase Glass Pendant  
 Colour Black Rod with Smoke Glass  
 Measurement in cm Full Height: 48 + 100 Rod  
 Glass: H: 44 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-336L/CL**

230v 40W E27 Large Vase Glass Pendant  
 Colour Black Rod with Clear Glass  
 Measurement in cm Full Height: 48 + 100 Rod  
 Glass: H: 44 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-336L/AB**

230v 40W E27 Large Vase Glass Pendant  
 Colour Black Rod with Amber Glass  
 Measurement in cm Full Height: 48 + 100 Rod  
 Glass: H: 44 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-3140**

230v 40W E27 Antique Brass Glass  
Ball Wall Light

Colour

Antique Brass with  
Clear Glass

Measurement in cm

H: 32.5 D: 28  
Glass: H: 17 Ø: 20

Lamps

1 x E27  
230v 40W

IP Rating

IP20

**T-KLCH-109/L**

230v 40W E27 Antique Brass Large  
Glass Ball Pendant

Colour

Antique Brass with  
Clear Glass

Measurement in cm

Full Height: 155  
Glass: H: 37 Ø: 40

Lamps

1 x E27  
230v 40W

IP Rating

IP20

**T-KLCH-109/M**

230v 40W E27 Antique Brass Medium  
Glass Ball Pendant

Colour

Antique Brass with  
Clear Glass

Measurement in cm

Full Height: 145  
Glass: H: 27 Ø: 30

Lamps

1 x E27  
230v 40W

IP Rating

IP20

**T-KLCH-109/S**

230v 40W E27 Antique Brass Small  
Glass Ball Pendant

Colour

Antique Brass with  
Clear Glass

Measurement in cm

Full Height: 140  
Glass: H: 22 Ø: 25

Lamps

1 x E27  
230v 40W

IP Rating

IP20



**CA-KLW-3139**

230v 40W E27 Glass Wall Light  
 Colour Black, Antique Brass with Clear Glass  
 Measurement in cm H: 30 W: 25 D: 25  
 Glass: H: 15 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-3209**

230v 40W E27 Medium Antique Glass Pendant  
 Colour Antique Brass with Clear Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 15 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-320901**

230v 40W E27 Antique Brass Finish Glass Cluster Pendant  
 Colour Antique Brass with Clear Glass  
 Measurement in cm Full Height: 175  
 Ceiling Plate: H: 2.5 Ø: 40  
 Lamps 3 x E27  
 Wattage 230v 120W  
 IP Rating IP20

**CA-KLCH-3210**

230v 40W E27 Small Antique Glass Pendant  
 Colour Antique Brass with Clear Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 14 Ø: 13  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20







**CA-KLCH-3094/CH**  
 230v 40W E27 Medium Diamond Cut Glass Pendant  
 Colour Chrome Cup Black wire and Chrome Glass  
 Measurement in cm Full Height: 167  
 Glass: H: 19 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-3095/CH**  
 230v 40W E27 Large Diamond Cut Glass Pendant  
 Colour Chrome Cup Black wire and Chrome Glass  
 Measurement in cm Full Height: 183  
 Glass: H: 41 Ø: 14  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**CA-KLCH-3093/CO**  
 230v 40W E27 Small Diamond Cut Glass Pendant  
 Colour Copper Cup Black wire and Copper Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 11 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-3093/CH**  
 230v 40W E27 Small Diamond Cut Glass Pendant  
 Colour Chrome Cup Black wire and Chrome Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 11 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-904/CH**

230v 40W E27 Morpheus Round Glass Pendant  
 Colour Chrome with Chrome Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 25 Ø: 25  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-904/CO**

230v 40W E27 Morpheus Round Glass Pendant  
 Colour Copper with Copper Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 25 Ø: 25  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-903/CH**

230v 40W E27 Morpheus Oval Glass Pendant  
 Colour Chrome with Chrome Glass  
 Measurement in cm Full Height: 166  
 Glass: H: 36 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**A-KLCH-903/CO**

230v 40W E27 Morpheus Oval Glass Pendant  
 Colour Copper with Copper Glass  
 Measurement in cm Full Height: 166  
 Glass: H: 36 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-3232/AB**

230v 40W E27 Nautical Glass Pendant  
 Colour Antique Brass with Amber Glass  
 Measurement in cm Full Height: 164  
 Glass: H: 18 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-3232/CL**

230v 40W E27 Nautical Glass Pendant  
 Colour Antique Brass with Clear Glass  
 Measurement in cm Full Height: 164  
 Glass: H: 18 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-3232/CO**

230v 40W E27 Nautical Glass Pendant  
 Colour Copper with Smoke Glass  
 Measurement in cm Full Height: 164  
 Glass: H: 18 Ø: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**CA-KLCH-3232/3**

230v 40W E27 Nautical Glass Trio Pendant

Colour Copper with Smoke Glass

Measurement in cm Full Height: 140 L: 120 W: 23

Glass: H: 18 Ø: 23

Lamps 3 x E27

Wattage 230v 120W

IP Rating IP20

**CA-KLCH-001/AB**

230v 40W E27 Bell Jar Glass Pendant  
 Colour Black with Amber Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 30 Ø: 24  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-001/CL**

230v 40W E27 Bell Jar Glass Pendant  
 Colour Chrome with Clear Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 30 Ø: 24  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-001/SM**

230v 40W E27 Bell Jar Glass Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm Full Height: 160  
 Glass: H: 30 Ø: 24  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-002/AB**

230v 40W E27 Lantern Glass Pendant  
 Colour Black with Amber Glass  
 Measurement in cm Full Height: 132  
 Glass: H: 28 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-002/CL**

230v 40W E27 Lantern Glass Pendant  
 Colour Chrome with Clear Glass  
 Measurement in cm Full Height: 132  
 Glass: H: 28 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-002/SM**

230v 40W E27 Lantern Glass Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm Full Height: 132  
 Glass: H: 28 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**MP-HAT/PLAIN**

230v 40W E27 Hat Glass Pendant  
 Colour Antique Brass with  
 Alabaster Glass  
 Measurement in cm Full Height: 110  
 Glass: H: 15 Ø: 41  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**MP-14**

230v 40W E27 14" Glass Pendant  
 Colour Antique Brass with  
 Alabaster Glass  
 Measurement in cm Full Height: 110  
 Glass: H: 15 Ø: 35  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-004/FR**

230v 40W E27 Cylinder Half Frosted Glass Pendant  
 Colour Chrome with Half Frosted Glass  
 Measurement in cm Full Height: 170  
 Glass: H: 32 Ø: 14-9  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-004/AB**

230v 40W E27 Cylinder Glass Pendant  
 Colour Black with Amber Glass  
 Measurement in cm Full Height: 170  
 Glass: H: 32 Ø: 14-9  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-004/CL**

230v 40W E27 Cylinder Glass Pendant  
 Colour Chrome with Clear Glass  
 Measurement in cm Full Height: 170  
 Glass: H: 32 Ø: 14-9  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLCH-004/SM**

230v 40W E27 Cylinder Glass Pendant  
 Colour Black with Smoke Glass  
 Measurement in cm Full Height: 170  
 Glass: H: 32 Ø: 14-9  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**CA-KLCH-3052/FR**  
230v 40W E27 12 Lights Cylinder Half Frosted Glass Pendant Cluster  
Colour Chrome with Half Frosted Glass  
Measurement in cm Full Height: 170 L: 56 W: 40  
Glass: H: 32 Ø: 14-9  
Lamps 12 x E27  
Wattage 230v 480W  
IP Rating IP20





**CA-KLCH-3052/12**  
 230v 40W E27 12 Lights Cylinder Glass Pendant Cluster  
 Colour Chrome with Clear Glass  
 Specifications Non Dimmable  
 Measurement in cm Full Height: 170 L: 56 W: 40  
 Glass: H: 32 Ø: 14-9  
 Lamps 12 x E27  
 Wattage 230v 480W  
 IP Rating IP20

**LED-3048/1**

230v 2W G4 LED Glass Wall Light  
Colour Chrome with Clear Glass  
Specifications Non Dimmable  
Kelvin / Lumen Warm White: 3000K  
Measurement in cm H: 32 D: 19  
Glass: H:13.5 Ø: 10  
LED SMD 2W  
Wattage 230v 2W  
IP Rating IP20



**KLCH-3048/24**

230v 20W G4 Bi-Pin Glass Rectangular Cluster Pendant

Colour Chrome with Clear Glass

Specifications Dimmable Optional

Measurement in cm H: 112 L: 119 W: 30

Glass 1: H: 30 Ø: 10

Glass 2: H: 35 Ø: 8

Glass 3: H: 25 Ø: 14

Lamps 24 x 20W G4 Bi Pin (Including Bi Pin Lamps)

Wattage 230v 480W

IP Rating IP20



**K-LED-021/AB**

230v 9W LED SMD Magnum 1 Glass Pendant

Colour Black with Amber Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 158

Glass + Metal Height: 52

Glass Ø: 36 H: 43

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

**K-LED-022/AB**

230v 9W LED SMD Magnum 2 Glass Pendant

Colour Black with Amber Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 145

Glass + Metal Height: 37

Glass Ø: 35 H: 29

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

**K-LED-023/AB**

230v 9W LED SMD Magnum 3 Glass Pendant

Colour Black with Amber Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 136

Glass + Metal Height: 30

Glass Ø: 44 H: 21

LED SMD 9W

Wattage 230v 9W

IP Rating IP20



**K-LED-021/GR**

230v 9W LED SMD Magnum 1 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 158

Glass + Metal Height: 52

Glass Ø: 36 H: 43

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

**K-LED-022/GR**

230v 9W LED SMD Magnum 2 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 145

Glass + Metal Height: 37

Glass Ø: 35 H: 29

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

**K-LED-023/GR**

230v 9W LED SMD Magnum 3 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 136

Glass + Metal Height: 30

Glass Ø: 44 H: 21

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

**K-LED-9966B/SM**

230v 5W LED SMD Bee Hive Glass & Rope Pendant  
 Colour Gold with Smoke Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 27 Ø: 18  
 LED SMD  
 Wattage 5W  
 230v 5W  
 IP Rating IP20

**K-LED-9966C/AB**

230v 5W LED SMD Orb Glass & Rope Pendant  
 Colour Gold with Amber Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 30 Ø: 28  
 LED SMD  
 Wattage 5W  
 230v 5W  
 IP Rating IP20





**K-LED-9966B/BU**

230v 5W LED SMD Bee Hive Glass & Rope Pendant  
 Colour Copper with Blue Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 27 Ø: 18

LED SMD  
 Wattage 230v 5W  
 IP Rating IP20

**K-LED-9966A/BU**

230v 5W LED SMD Droplet Glass & Rope Pendant  
 Colour Copper with Blue Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 28 Ø: 16

LED SMD  
 Wattage 230v 5W  
 IP Rating IP20

**K-LED-9966C/BU**

230v 5W LED SMD Orb Glass & Rope Pendant  
 Colour Copper with Blue Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 30 Ø: 28

LED SMD  
 Wattage 230v 5W  
 IP Rating IP20

**K-LED-9966D/BU**

230v 5W LED SMD Pebble Glass & Rope Pendant  
 Colour Copper with Blue Glass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 225lm  
 Measurement in cm Full Height: 175  
 Glass: H: 13 Ø: 30

LED SMD  
 Wattage 230v 5W  
 IP Rating IP20

**CA-PLATE/REC-WH**

Rectangular Base Plate

Colour Matt White

Measurement in cm H: 4 L: 90 W: 35

Number of Holes No Holes in order to allow custom design

**CA-PLATE/80-WH**

80cm Base Plate

Colour White

Measurement in cm H: 3 Ø: 80

Number of Holes No Holes in order to allow custom design

**CA-PLATE/50-WH**

50cm Base Plate

Colour White

Measurement in cm H: 2.5 Ø: 50

Number of Holes No Holes in order to allow custom design

**CA-PLATE/40-WH**

40cm Base Plate

Colour White

Measurement in cm H: 2.5 Ø: 40

Number of Holes No Holes in order to allow custom design

**CA-PLATE/REC-BL**

Rectangular Base Plate

Colour Black

Measurement in cm H: 4 L: 90 W: 35

Number of Holes No Holes in order to allow custom design

**CA-PLATE/80-BL**

80cm Base Plate

Colour Black

Measurement in cm H: 3 Ø: 80

Number of Holes No Holes in order to allow custom design

**CA-PLATE/50-BL**

50cm Base Plate

Colour Black

Measurement in cm H: 2.5 Ø: 50

Number of Holes 7

**CA-PLATE/40-BL**

40cm Base Plate

Colour Black

Measurement in cm H: 2.5 Ø: 40

Number of Holes 3

**CA-PLATE/80-CH**

80cm Base Plate

Colour Chrome

Measurement in cm H: 3 Ø: 80

Number of Holes No Holes in order to allow custom design

**CA-PLATE/50-CH**

50cm Base Plate

Colour Satin Chrome

Measurement in cm H: 5.5 Ø: 50

Number of Holes 7

**CA-PLATE/40-CH**

40cm Base Plate

Colour Satin Chrome

Measurement in cm H: 5.5 Ø: 40

Number of Holes 3





**K. LIGHT**<sup>®</sup>  
DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)



# RATTAN, RAFFIA & BAMBOO PENDANTS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



**E-KLCH-7141**  
 230v 40W E27 Small Raffia Pendant  
 Colour Natural Raffia  
 Measurement in cm Shade: H: 20 Ø: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**E-KLCH-7140**  
 230v 40W E27 Large Raffia Pendant  
 Colour Natural Raffia  
 Measurement in cm Shade: H: 26 Ø: 60  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**E-KLCH-7160**

230v 40W E27 Rattan Pendant

Colour Natural Rattan

Measurement in cm Shade: H: 46 Ø: 80

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**E-KLCH-7150/80**

230v 40W E27 Bamboo Pendant  
 Colour Natural original  
 Bamboo colour  
 with fabric cable  
 Measurement in cm H: 227 Ø: 80  
 Shade: H: 80  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**E-KLCH-7150/60**

230v 40W E27 Bamboo Pendant  
 Colour Natural original  
 Bamboo colour  
 with fabric cable  
 Measurement in cm H: 198 Ø: 60  
 Shade: H: 60  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**E-KLCH-7150/46**

230v 40W E27 Bamboo Pendant  
 Colour Natural original  
 Bamboo colour  
 with fabric cable  
 Measurement in cm H: 176 Ø: 46  
 Shade: H: 46  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**E-KLCH-7150/32**

230v 40W E27 Bamboo Pendant  
 Colour Natural original  
 Bamboo colour  
 with fabric cable  
 Measurement in cm H: 156 Ø: 32  
 Shade: H: 32  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**E-KLCH-7150/100**

230v 40W E27 Bamboo Pendant

Colour

Natural original  
Bamboo colour  
with fabric cable

Measurement in cm

H: 237 Ø: 100

Shade: H: 100

Lamps

1 x E27

Wattage

230v 40W

IP Rating

IP20



**E-KLCH-7128**

230v 40W E27 Bamboo Pendant  
 Colour Natural original Bamboo  
 Measurement in cm H: 188 Ø: 36  
 Shade: H: 41  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**E-KLCH-7130**

230v 40W E27 Rattan & Bamboo Pendant  
 Colour Coffee  
 Measurement in cm H: 185 Ø: 30  
 Shade: H: 41  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**E-KLCH-7091**

230v 40W E27 Bamboo Pendant  
 Colour Natural original Bamboo  
 Measurement in cm H: 175 Ø: 40  
 Shade: H: 29  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**E-KLCH-7092**

230v 40W E27 Bamboo Pendant

Colour Natural original Bamboo

Measurement in cm H: 185 Ø: 51  
Shade: H: 51Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**E-KLCH-7106**

230v 40W E27 Bamboo Pendant

Colour Natural original Bamboo

Measurement in cm H: 214 Ø: 31  
Shade: H: 76Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**E-KLCH-7089**

230v 40W E27 Bamboo Pendant

Colour Natural original Bamboo

Measurement in cm H: 197 Ø: 28  
Shade: H: 52.5Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**E-KLCH-7127**

230v 40W E27 Bamboo Pendant

Colour Natural original Bamboo

Measurement in cm H: 188 Ø: 40  
Shade: H: 40Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**E-KLCH-7093**

230v 40W E27 Bamboo Pendant  
 Colour Natural original Bamboo  
 Measurement in cm H: 170 Ø: 57  
 Shade: H: 19,5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**E-KLCH-7131**

230v 40W E27 Bamboo Pendant  
 Colour Natural original Bamboo  
 Measurement in cm H: 179 Ø: 26  
 Shade: H: 31  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**E-KLCH-7127/BL**

230v 40W E27 Bamboo Pendant  
 Colour Black Bamboo  
 Measurement in cm H: 188 Ø: 40  
 Shade: H: 40  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**E-KLCH-7089/BL**

230v 40W E27 Bamboo Pendant  
 Colour Black Bamboo  
 Measurement in cm H: 197 Ø: 28  
 Shade: H: 52,5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**K. LIGHT**<sup>®</sup>

DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)



# CEILING FITTINGS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY





**T-KLC-1428-L/CL**  
 230v 40W E27 Large Glass Molten Ceiling Light  
 Colour Clear Glass and White  
 Measurement in cm Fitting: H: 22 Ø: 23  
 Lamps 1 x E27  
 (Golf Ball G45 Lamp only)  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLC-1428-L/AB**  
 230v 40W E27 Large Glass Molten Ceiling Light  
 Colour Amber Glass and Black  
 Measurement in cm Fitting: H: 22 Ø: 23  
 Lamps 1 x E27  
 (Golf Ball G45 Lamp only)  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLC-1428-L/SM**  
 230v 40W E27 Large Glass Molten Ceiling Light  
 Colour Smoke Glass and Black  
 Measurement in cm Fitting: H: 22 Ø: 23  
 Lamps 1 x E27  
 (Golf Ball G45 Lamp only)  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1428-S/CL**

230v 40W E27 Small Glass Molten Ceiling Light  
 Colour Clear Glass and White  
 Measurement in cm Fitting: H: 20.5 Ø: 21  
 Lamps 1 x E27  
 (Golf Ball G45 Lamp only)  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1428-S/SM**

230v 40W E27 Small Glass Molten Ceiling Light  
 Colour Smoke Glass and Black  
 Measurement in cm Fitting: H: 20.5 Ø: 21  
 Lamps 1 x E27  
 (Golf Ball G45 Lamp only)  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1428-S/AB**

230v 40W E27 Small Glass Molten Ceiling Light  
 Colour Amber Glass and Black  
 Measurement in cm Fitting: H: 20.5 Ø: 21  
 Lamps 1 x E27  
 (Golf Ball G45 Lamp only)  
 Wattage 230v 40W  
 IP Rating IP20





**T-KLC-1427-L/AB**  
 230v 40W E27 Large Glass Orb Ceiling Light  
 Colour Amber Glass and Black  
 Measurement in cm Fitting: H: 22 Ø: 26  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLC-1427-L/CL**  
 230v 40W E27 Large Glass Orb Ceiling Light  
 Colour Clear Glass and White  
 Measurement in cm Fitting: H: 22 Ø: 26  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLC-1427-L/SM**  
 230v 40W E27 Large Glass Orb Ceiling Light  
 Colour Smoke Glass and Black  
 Measurement in cm Fitting: H: 22 Ø: 26  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLC-1427-S/AB**

230v 40W E27 Small Glass Orb Ceiling Light  
 Colour Amber Glass and Black  
 Measurement in cm Fitting: H: 22 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1427-S/SM**

230v 40W E27 Small Glass Orb Ceiling Light  
 Colour Smoke Glass and Black  
 Measurement in cm Fitting: H: 22 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1427-S/CL**

230v 40W E27 Small Glass Orb Ceiling Light  
 Colour Clear Glass and White  
 Measurement in cm Fitting: H: 22 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1430/CL**

230v 40W E27 Glass Drum Ceiling Light  
 Colour Clear Glass and White  
 Measurement in cm Fitting: H: 22 Ø: 25.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1430/AB**

230v 40W E27 Glass Drum Ceiling Light  
 Colour Amber Glass and Black  
 Measurement in cm Fitting: H: 22 Ø: 25.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1430/SM**

230v 40W E27 Glass Drum Ceiling Light  
 Colour Smoke Glass and Black  
 Measurement in cm Fitting: H: 22 Ø: 25.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1431/CL**

230v 40W E27 Glass Keg Ceiling Light  
 Colour Clear Glass and White  
 Measurement in cm Fitting: H: 33 Ø: 38  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1431/SM**

230v 40W E27 Glass Keg Ceiling Light  
 Colour Smoke Glass and Black  
 Measurement in cm Fitting: H: 33 Ø: 38  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLC-1431/AB**

230v 40W E27 Glass Keg Ceiling Light  
 Colour Amber Glass and Black  
 Measurement in cm Fitting: H: 33 Ø: 38  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**G-KLC-86/BL**  
 230v 40W E27 Mesh Ceiling Fitting  
 Colour Black  
 Measurement in cm Fitting: H:26 Ø: 42  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLC-86/GD**  
 230v 40W E27 Mesh Ceiling Fitting  
 Colour Gold  
 Measurement in cm Fitting: H: 26 Ø: 42  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLC-70/BL**  
 230v 40W E27 Nest Ceiling Fitting  
 Colour Black  
 Measurement in cm Fitting: H: 19.5 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLC-70/GD**  
 230v 40W E27 Nest Ceiling Fitting  
 Colour Gold  
 Measurement in cm Fitting: H: 19.5 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLC-501**

230v 40W E27 Golden Flower Ceiling Light  
 Colour Gold & Black  
 Measurement in cm Fitting: H: 14 Ø: 39  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLC-502**


230v 40W E27 Golden Shell Ceiling Light  
 Colour Gold & Black  
 Measurement in cm Fitting: H: 13 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLC-500**

230v 40W E27 Golden Nugget Ceiling Light  
 Colour Gold & Black  
 Measurement in cm Fitting: H: 11.5 Ø: 38  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**T-KLC-900**

230v 3W G9 LED Urban Ceiling Fitting


Colour Gold and Black with Opal White Glass

Measurement in cm H: 30 Ø: 80

Lamps 6 x 3W G9 LED (Including Non Dimmable Lamps)

Wattage 230v 18W

IP Rating IP20

**CA-KLW-1626/SG**

230v 40W E27 Branch Ceiling Fitting

Colour Satin Gold Opal White Glass

Measurement in cm Fitting: H: 27 D: 22 Glass: Ø: 20

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**G-KLC-8104/4**

230v 40W E27 4 Light Traverse Ceiling Fitting

Colour Matt Black and Satin Gold

Measurement in cm L: 52 W: 38 D: 9

Lamps 4 x E27

Wattage 230v 160W

IP Rating IP20

**G-KLW-8104/2**

230v 40W E27 2 Light Traverse Ceiling Fitting

Colour Black and Satin Gold

Measurement in cm H: 36 W: 12 D: 15

Lamps 2 x E27

Wattage 230v 80W

IP Rating IP20



**T-KLCH-60819/5**

230v 40W E14 Swirl Luxury Ceiling Fitting  
 Colour Satin Chrome Opal White Glasses  
 Specifications Clear K9 Crystals  
 Measurement in cm Fitting: H: 17 Ø: 56 Glass: H: 12 Ø: 14  
 Lamps 5 x E14  
 Wattage 230v 200W  
 IP Rating IP20

**T-KLCH-60723/5**

230v 40W E14 Flower Luxury Ceiling Fitting  
 Colour Satin Chrome Opal White Glasses  
 Specifications Clear K9 Crystals  
 Measurement in cm Fitting: H: 18.5 Ø: 55 Glass: H: 14 Ø: 14  
 Lamps 5 x E14  
 Wattage 230v 200W  
 IP Rating IP20

**T-KLCH-613/6**

230v 40W E14 Modern Luxury Ceiling Fitting  
 Colour Satin Chrome Opal White Glasses  
 Measurement in cm Fitting: H: 22 Ø: 58 Glass: H: 14 Ø: 14  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20

**T-KLCH-613/4**

230v 40W E14 Modern Luxury Ceiling Fitting  
 Colour Satin Chrome Opal White Glasses  
 Measurement in cm Fitting: H: 22 Ø: 47 Glass: H: 14 Ø: 14  
 Lamps 4 x E14  
 Wattage 230v 160W  
 IP Rating IP20



**KLCH-REINA-C6H**

230v 3W G9 LED Large Round Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 20 Ø: 45  
 Lamps 6 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 18W  
 IP Rating IP20

**KLCH-REINA-C4H**

230v 3W G9 LED Small Round Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 20 Ø: 35  
 Lamps 4 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 12W  
 IP Rating IP20

**KLCH-REINA-CS6H**

230v 3W G9 LED Large Square Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 15.5 W: 43 L: 43  
 Lamps 6 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 18W  
 IP Rating IP20

**KLCH-REINA-CS4H**

230v 3W G9 LED Small Square Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 15.5 W: 33.5 L: 33.5  
 Lamps 4 x 3W G9 LED  
 (Including Non Dimmable Lamps)  
 Wattage 230v 12W  
 IP Rating IP20



**S-KLCH-70325/5R**

230v 3W G9 LED Small Round Crystal Ceiling Fitting

Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 40 Ø: 30  
 Lamps 5 x 3W G9 LED  
 (Including Non Dimmable Lamps)

Wattage 230v 15W  
 IP Rating IP20

**S-KLCH-70325/9R**

230v 3W G9 LED Large Round Crystal Ceiling Fitting

Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 50 Ø: 45  
 Lamps 9 x 3W G9 LED  
 (Including Non Dimmable Lamps)

Wattage 230v 27W  
 IP Rating IP2

**S-KLCH-70326/5S**

230v 3W G9 LED Small Square Crystal Ceiling Fitting

Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 40 W: 30 L: 30  
 Lamps 5 x 3W G9 LED  
 (Including Non Dimmable Lamps)

Wattage 230v 15W  
 IP Rating IP20

**S-KLCH-70326/9S**

230v 3W G9 LED Large Square Crystal Ceiling Fitting

Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 50 W: 40 L: 40  
 Lamps 9 x 3W G9 LED  
 (Including Non Dimmable Lamps)

Wattage 230v 27W  
 IP Rating IP20



**HL-KLC-844**

230v 40W G9 Poppy Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 24 Ø: 35  
 Lamps 6 x G9 (Including Lamps)  
 Wattage 230v 240W  
 IP Rating IP20

**HL-KLC-835**

230v 40W G9 Lily Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 23 Ø: 35  
 Lamps 6 x G9 (Including Lamps)  
 Wattage 230v 240W  
 IP Rating IP20

**HL-KLC-836**

230v 40W G9 Daisy Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 32 Ø: 35  
 Lamps 6 x G9 (Including Lamps)  
 Wattage 230v 240W  
 IP Rating IP20

**HL-KLC-842**

230v 40W G9 Tulip Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 27 Ø: 35  
 Lamps 6 x G9 (Including Lamps)  
 Wattage 230v 240W  
 IP Rating IP20

**KLC-6515/SG**

230v 40W E14 Small Crystal 3 Tier Ceiling  
Fitting  
Colour Satin Gold  
Specifications Clear K9 Crystals  
Measurement in cm H: 50 Ø: 40  
Lamps 4 x E14  
Wattage 230v 160W  
IP Rating IP20

**KLC-6515/BL**

230v 40W E14 Small Crystal 3 Tier Ceiling  
Fitting  
Colour Charcoal Grey  
Specifications Smoke K9 Crystals  
Measurement in cm H: 50 Ø: 40  
Lamps 4 x E14  
Wattage 230v 160W  
IP Rating IP20



**S-KLC-2313/52**

230v 40W E14 Large Square Crystal Ceiling Fitting

Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 24.3 W: 52.1 L: 52.1  
 Weight in kg 21  
 Lamps 8 x E14  
 Wattage 230v 320W  
 IP Rating IP20

**S-KLC-2313/40**

230v 40W E14 Small Square Crystal Ceiling Fitting

Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 24.3 W: 40.1 L: 40.1  
 Weight in kg 15  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20

**S-KLC-2310/50**

230v 40W E14 Large Round Crystal Ceiling Fitting

Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 24.3 Ø: 50  
 Weight in kg 17  
 Lamps 8 x E14  
 Wattage 230v 320W  
 IP Rating IP20

**S-KLC-2310/40**

230v 40W E14 Small Round Crystal Ceiling Fitting

Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 24.3 Ø: 40.1  
 Weight in kg 14  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20



**S-KLC-2317/84**


230v 40W E14 Large Rectangular Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 24.3 W: 43.5 L: 84  
 Weight in kg 27  
 Lamps 16 x E14  
 Wattage 230v 640W  
 IP Rating IP20

**S-KLC-2317/57**


230v 40W E14 Small Rectangular Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 24.3 W: 30 L: 57  
 Weight in kg 17  
 Lamps 6 x E14  
 Wattage 230v 240W  
 IP Rating IP20

**KLC-450/40-RED**

230v 40W G9 Magma Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications RED Italian Crystals  
 Measurement in cm H: 19 W: 41 L: 41  
 Lamps 4 x G9 (Including Lamps)  
 Wattage 230v 160W  
 IP Rating IP20

**KLC-450/40-WH**

230v 40W G9 Magma Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear Italian Crystals  
 Measurement in cm H: 19 W: 41 L: 41  
 Lamps 4 x G9 (Including Lamps)  
 Wattage 230v 160W  
 IP Rating IP20

**S-KLC-8738/10**

230v 40W E14 Medium Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 28 Ø: 60  
 Weight in kg 22  
 Lamps 10 x E14  
 Wattage 230v 400W  
 IP Rating IP20





**KLC-6007/11**  
230v 40W E14 Cascading Crystal Ceiling Fitting  
Colour Chrome with Clear K9 Crystals  
Measurement in cm Fitting: H: 64 Ø: 66  
Weight in kg 14  
Lamps 11 x E14  
Wattage 230v 440W  
IP Rating IP20



# LED CEILING FITTINGS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY





**KLC-LED3-80D/GD**  
 230v 72W LED SMD Large Ovoid 80cm Slim Ceiling Fitting  
 Colour Gold  
 Specifications Metal & Acrylic  
 Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 5 Ø: 80  
 LED SMD 72W  
 Wattage 230v 72W  
 IP Rating IP20

**KLC-LED3-60D/GD**  
 230v 48W LED SMD Large Ovoid 60cm Slim Ceiling Fitting  
 Colour Gold  
 Specifications Metal & Acrylic  
 Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 5 Ø: 61  
 LED SMD 48W  
 Wattage 230v 48W  
 IP Rating IP20

**KLC-LED3-42D/GD**  
 230v 35W LED SMD Large Ovoid 42cm Slim Ceiling Fitting  
 Colour Gold  
 Specifications Metal & Acrylic  
 Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 5 Ø: 42  
 LED SMD 35W  
 Wattage 230v 35W  
 IP Rating IP20







## Slim Line Style

These large dimmable ceiling fittings with their distinct ovoid shape create a bold feature in a room.

With their modern slim line style, they make a good choice for rooms where space is premium. This array allows you to choose a fitting that will compliment your interior and meet your requirements.

Available in three sizes with two designs, one with a black or white frame and the other with a golden edging – 3000K Warm White



### KLC-LED2-80D/WH

230v 60W LED SMD Large Ovoid 80cm Framed Ceiling Fitting

Colour Specifications	White Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 6.5 Ø: 80
LED SMD	60W
Wattage	230v 60W
IP Rating	IP20

### KLC-LED2-80D/GD

230v 60W LED SMD Large Ovoid 80cm Framed Ceiling Fitting

Colour Specifications	Gold Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 6.5 Ø: 80
LED SMD	60W
Wattage	230v 60W
IP Rating	IP20

### KLC-LED2-80D/BL

230v 60W LED SMD Large Ovoid 80cm Framed Ceiling Fitting

Colour Specifications	Black Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 6.5 Ø: 80
LED SMD	60W
Wattage	230v 60W
IP Rating	IP20







**KLC-LED2-60D/WH or KLC-LED2-60D/GD or KLC-LED2-60D/BL**

230v 48W LED SMD Large Ovoid 60cm Framed Ceiling Fitting

Colour White or Gold or Black

Specifications Metal & Acrylic  
Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 6.5 Ø: 60

LED SMD 48W

Wattage 230v 48W

IP Rating IP20



**KLC-LED2-42D/WH or KLC-LED2-42D/GD or KLC-LED2-42D/BL**

230v 36W LED SMD Large Ovoid 42cm Framed Ceiling Fitting

Colour White or Gold or Black

Specifications Metal & Acrylic  
Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 6.5 Ø: 42

LED SMD 36W

Wattage 230v 36W

IP Rating IP20



**KLC-LED1-50/BL**  
 230v 36W LED SMD Round Framed Ceiling Fitting  
 Colour Black  
 Specifications Metal & Acrylic  
 Kelvin / Lumen Warm White: 3000K, 4000K & 6000K  
 Control by Wall Switch  
 WW - 2100lm  
 NW - 2800lm  
 CW - 2800lm  
 Measurement in cm Full Height: 7 Ø: 47.5  
 LED SMD 36W  
 Wattage 230v 36W  
 IP Rating IP20



**KLC-LED1-50/WH**  
 230v 36W LED SMD Round Framed Ceiling Fitting  
 Colour White  
 Specifications Metal & Acrylic  
 Kelvin / Lumen Warm White: 3000K, 4000K & 6000K  
 Control by Wall Switch  
 WW - 2100lm  
 NW - 2800lm  
 CW - 2800lm  
 Measurement in cm Full Height: 7 Ø: 47.5  
 LED SMD 36W  
 Wattage 230v 36W  
 IP Rating IP20

# Colour Changing Temperature

These modern round framed ceiling fittings are perfect for almost any interior.

These fittings are available in two versions:

- 1) Dimmable
- 2) (CCT) Colour Changing Temperature feature, which enables you to change the colour temperature at the touch of a switch – 3000K Warm White, 4000K Natural White & 6000K Cool White.

Available in two sizes, in black or white framed colour options and either a dimmable or CCT option.



Cool White



Natural White



Warm White



## KLC-LED1-40/BL

230v 24W LED SMD Round Framed Ceiling Fitting

Colour Black  
Specifications Metal & Acrylic  
Kelvin / Lumen Warm White: 3000K & 6000K  
Control by Wall Switch  
WW - 1400lm  
NW - 1900lm  
CW - 1900lm

Measurement in cm Full Height: 7 Ø: 37.5

LED SMD 24W  
Wattage 230v 24W  
IP Rating IP20

## KLC-LED1-40/WH

230v 24W LED SMD Round Framed Ceiling Fitting

Colour White  
Specifications Metal & Acrylic  
Kelvin / Lumen Warm White: 3000K & 6000K  
Control by Wall Switch  
WW - 1400lm  
NW - 1900lm  
CW - 1900lm

Measurement in cm Full Height: 7 Ø: 37.5

LED SMD 24W  
Wattage 230v 24W  
IP Rating IP20



**KLC-LED4-60D/WH or KLC-LED4-60D/BL**

230v 36W LED SMD Large Round Framed Ceiling Fitting

Colour White or Black

Specifications Metal &amp; Acrylic

Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 6.5 Ø: 57

LED SMD 36W

Wattage 230v 36W

IP Rating IP20

**KLC-LED4-80D/WH or KLC-LED4-80D/BL**

230v 48W LED SMD Large Round Framed Ceiling Fitting

Colour White or Black

Specifications Metal &amp; Acrylic

Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 6.5 Ø: 78

LED SMD 48W

Wattage 230v 48W

IP Rating IP20



**KLC-LED1-40D/WH or KLC-LED1-40D/BL**  
 230v 24W LED SMD Round Framed Ceiling Fitting  
 Colour White or Black  
 Specifications Metal & Acrylic  
 Dimmable  
 Kelvin / Lumen Warm White: 3000K / 1400lm  
 Measurement in cm Full Height: 7 Ø: 37.5  
 LED SMD 24W  
 Wattage 230v 24W  
 IP Rating IP20



**KLC-LED1-50D/WH or KLC-LED1-50D/BL**  
 230v 36W LED SMD Round Framed Ceiling Fitting  
 Colour White or Black  
 Specifications Metal & Acrylic  
 Dimmable  
 Kelvin / Lumen Warm White: 3000K / 1400lm  
 Measurement in cm Full Height: 7 Ø: 47.5  
 LED SMD 36W  
 Wattage 230v36W  
 IP Rating IP20





## Halo Effect

These ceiling fittings are notable for their large but slim line design with either a black or white edging.

When switched on it has an appealing visual element of a halo effect created by the illuminated edges of the fitting.

These dimmable fittings are available in two sizes and in black or white edging colour options – 3000K Warm White



### KLC-LED5-80D/WH

230v 60W LED SMD Large Round Slim Ceiling Fitting

Colour	White
Specifications	Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 78
LED SMD	60W
Wattage	230v 60W
IP Rating	IP20

### KLC-LED5-80D/BL

230v 60W LED SMD Large Round Slim Ceiling Fitting

Colour	Black
Specifications	Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 78
LED SMD	60W
Wattage	230v 60W
IP Rating	IP20

### KLC-LED5-60D/WH

230v 48W LED SMD Large Round Slim Ceiling Fitting

Colour	White
Specifications	Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 60
LED SMD	48W
Wattage	230v 48W
IP Rating	IP20


### KLC-LED5-60D/BL

230v 48W LED SMD Large Round Slim Ceiling Fitting

Colour	Black
Specifications	Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 60
LED SMD	48W
Wattage	230v 48W
IP Rating	IP20





**KLC-LED3380/WH/NW or KLC-LED3380/WH/WW**

230v 27W LED SMD Ceiling Fitting

Colour White  
 Specifications Dimmable on request  
 Kelvin / Lumen Natural White: 4000K / 1620lm OR  
 Warm White: 3000K / 1620lm

Measurement in cm H: 13 Ø: 45  
 LED SMD 27W  
 Wattage 230v 27W  
 IP Rating IP20

**MG-55/S-LED**

230v 3.6W LED Strip Light Small Ceiling Fitting

Colour Satin Chrome  
 Specifications Non Dimmable  
 Kelvin / Lumen Cool White: 6000K / 300lm OR  
 Warm White: 3000K / 300lm

Measurement in cm H: 4 Ø: 25  
 LED Strip 3.6W  
 Wattage 230v 3.6W  
 IP Rating IP20

**KLC-LED3380/BC/NW or KLC-LED3380/BC/WW**

230v 27W LED SMD Ceiling Fitting

Colour Brushed Coffee  
 Specifications Dimmable on request  
 Kelvin / Lumen Natural White: 4000K / 1620lm OR  
 Warm White: 3000K / 1620lm

Measurement in cm H: 13 Ø: 45  
 LED SMD 27W  
 Wattage 230v 27W  
 IP Rating IP20





**KLC-LED6-50**  
 230v 40W LED SMD Olympic Ceiling Fitting  
 Colour Black and Satin Gold  
 Specifications Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 7.5 Ø: 50  
 LED SMD 40W  
 Wattage 230v 40W  
 IP Rating IP20



**KLC-LED7/BL**

230v 25W LED SMD Saturn Ceiling Fitting  
 Colour Black  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 8 Ø: 42  
 LED SMD 25W  
 Wattage 230v 25W  
 IP Rating IP20

**KLC-LED7/WH**

230v 25W LED SMD Saturn Ceiling Fitting  
 Colour White  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 8 Ø: 42  
 LED SMD 25W  
 Wattage 230v 25W  
 IP Rating IP20

**KLC-LED7/GD**

230v 25W LED SMD Saturn Ceiling Fitting  
 Colour Electroplated Gold  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm Full Height: 8 Ø: 42  
 LED SMD 25W  
 Wattage 230v 25W  
 IP Rating IP20






# Minimalistic Design

The Enigma LED Ceiling fittings are a versatile and stylish lighting option for rooms with low ceilings or smaller spaces.

The modern minimalistic design creates a focal point with its multidimensional and sleek appearance.

These fittings feature three different illumination settings, allowing you to create a range of lighting intensity in your interior space with a touch of a switch.

Available in Black or Satin Gold –  
3000K Warm White



## K-LED-9012/BL

230v 40W LED SMD Enigma Ceiling Fitting

Colour Black

Specifications 3 Illumination Settings

Kelvin / Lumen Warm White: 3000K / 2600lm


Measurement in cm Full Height: 6 L: 104 W: 42

LED SMD 40W

Wattage 230v 40W

IP Rating IP20



**K-LED-9012/GD**

230v 40W LED SMD	Enigma Ceiling Fitting
Colour	Gold
Specifications	3 Illumination Settings
Kelvin / Lumen	Warm White: 3000K / 2600lm
Measurement in cm	Full Height: 6 L: 104 W: 42
LED SMD	40W
Wattage	230v 40W
IP Rating	IP20

**H-KLC-LED-17/40**

230v 24W LED SMD Acrylic Sun 40cm Crystal Sand Ceiling Fitting

Colour	Chrome/Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2280lm
Measurement in cm	H: 7 Ø: 40
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

**H-KLC-LED-16/50**

230v 36W LED SMD Acrylic Coral 50cm Crystal Sand Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 4320lm
Measurement in cm	H: 7 Ø: 51
LED SMD	36W
Wattage	230v 36W
IP Rating	IP20

**H-KLC-LED-16/40**

230v 24W LED SMD Acrylic Coral 40cm Crystal Sand Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2280lm
Measurement in cm	H: 7 Ø: 41
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20





**H-KLC-LED-17/50**

230v 36W LED SMD Acrylic Sun 50cm Crystal Sand

Ceiling Fitting

Colour

Chrome/Opal White with Crystal Sand &amp; Sparkle

Specifications

Non Dimmable

Kelvin / Lumen

Warm White: 3000K / 4320lm

Measurement in cm

H: 7 Ø: 50

LED SMD

36W

Wattage

230v 36W

IP Rating

IP20

**H-KLC-LED-40/BL**

230v 24W LED SMD Acrylic Pebble 40cm Crystal Sand  
Black Ceiling Fitting

Colour	Black with Crystal Sand
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2880lm
Measurement in cm	H: 6 Ø: 38
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

**H-KLC-LED-50/WH**

230v 36W LED SMD Acrylic Pebble 50cm White  
Ceiling Fitting

Colour	Opel White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 4320lm
Measurement in cm	H: 6 Ø: 49
LED SMD	36W
Wattage	230v 36W
IP Rating	IP20

**H-KLC-LED-40/WH**

230v 24W LED SMD Acrylic Pebble 40cm White  
Ceiling Fitting

Colour	Opel White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2880lm
Measurement in cm	H: 6 Ø: 38
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

**H-KLC-LED-9/40**

230v 24W LED SMD Ceiling Fitting

Colour	Opal White Acrylic with Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	H: 9 Ø: 40
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

**H-KLC-LED-19/40**

230v 24W LED SMD Acrylic Ocean 40cm Crystal Sand Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2880lm
Measurement in cm	H: 8 Ø: 41
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

**H-KLC-LED-18/40**

230v 24W LED SMD Acrylic Shell 40cm Crystal Sand Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2880lm
Measurement in cm	H: 7 Ø: 38
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

**H-KLC-LED-15/40**

230v 24W LED SMD Acrylic Moon 40cm Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2880lm
Measurement in cm	H: 8 Ø: 41
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

**H-KLC-LED-19/50**

230v 36W LED SMD Acrylic Ocean 50cm Crystal Sand Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 4320lm
Measurement in cm	H: 8 Ø: 51
LED SMD	36W
Wattage	230v 36W
IP Rating	IP20





**KLC-LED465/100 or KLC-LED465/100WW**

230v 98W LED SMD Extra Large Luxury  
Round Crystal Ceiling Fitting

Colour	Chrome
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Natural White: 4000K / 50960lm OR Warm White: 3000K / 50960lm
Measurement in cm	H: 28 Ø: 100
Weight in kg	63
LED SMD	98W
Wattage	230v 98W
IP Rating	IP20

**KLC-LED465/60 or KLC-LED465/60WW**

230v 42W LED SMD Large Luxury  
Round Crystal Ceiling Fitting

Colour	Chrome
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Natural White: 4000K / 21840lm OR Warm White: 3000K / 21840lm
Measurement in cm	H: 22 Ø: 60
Weight in kg	25
LED SMD	42W
Wattage	230v 42W
IP Rating	IP20

**HL-KLC-LED-6573**

230v 36W LED SMD Sunflower Crystal Ceiling Fitting

Colour	Chrome
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1620lm
Measurement in cm	H: 10 Ø: 32
LED SMD	36W
Wattage	230v 36W
IP Rating	IP20

**KLC-LED473/59 or KLC-LED473/59WW**

230v 42W LED SMD Large Majestic  
Round Crystal Ceiling Fitting

Colour	Chrome
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Natural White: 4000K / 21840lm DR Warm White: 3000K / 21840lm
Measurement in cm	H: 32 Ø: 59
Weight in kg	25
LED SMD	42W
Wattage	230v 42W
IP Rating	IP20







**KLC-LED473/98 or KLC-LED473/98WW**  
 230v 98W LED SMD Extra Large Majestic  
 Round Crystal Ceiling Fitting  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 50960lm OR  
 Warm White: 3000K / 50960lm  
 Measurement in cm H: 40 Ø: 98  
 Weight in kg 65  
 LED SMD 98W  
 Wattage 230v 98W  
 IP Rating IP20

**H-BOARD-12W**

230v 12W LED SMD Ceiling Fitting Conversion Board, including driver

Colour White  
 Specifications Non Dimmable  
 Kelvin / Lumen Cool White: 6000K / 360lm  
 Warm White: 3000K / 360lm

Measurement in cm Ø: 18  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP20

**H-BOARD-18W**

230v 18W LED SMD Ceiling Fitting Conversion Board, including driver

Colour White  
 Specifications Non Dimmable  
 Kelvin / Lumen Cool White: 6000K / 540lm  
 Warm White: 3000K / 540lm

Measurement in cm Ø: 21.5  
 LED SMD 18W  
 Wattage 230v 18W  
 IP Rating IP20

**H-BOARD-24W**

230v 24W LED SMD Ceiling Fitting Conversion Board, including driver

Colour White  
 Specifications Non Dimmable  
 Kelvin / Lumen Cool White: 6000K / 720lm  
 Warm White: 3000K / 720lm

Measurement in cm Ø: 25  
 LED SMD 24W  
 Wattage 230v 24W  
 IP Rating IP20





# WALL LIGHTS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

**LED-652/BL**

230v 10W LED Wall Light  
 Colour Black  
 Specifications Metal + PE + Aluminium  
 Non Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 52 D: 8.5 W: 17  
 LED SMD 10W  
 Wattage 230v 10W  
 IP Rating IP20

**LED-652/GD**

230v 10W LED Wall Light  
 Colour Gold  
 Specifications Metal + PE + Aluminium  
 Non Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 52 D: 8.5 W: 17  
 LED SMD 10W  
 Wattage 230v 10W  
 IP Rating IP20

**LED-650/BL**

230v 10W LED Wall Light

Colour Black  
 Specifications Metal + PE + Aluminium  
 Non Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm H: 29.5 D: 8 W: 17

LED SMD 10W

Wattage 230v 10W

IP Rating IP20

**LED-650/GD**

230v 10W LED Wall Light

Colour Gold  
 Specifications Metal + PE + Aluminium  
 Non Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm H: 29.5 D: 8 W: 17

LED SMD 10W

Wattage 230v 10W

IP Rating IP20



**LED-651/BL**

230v 10W LED Wall Light

Colour Black  
 Specifications Metal + PE + Aluminium  
 Non Dimmable

Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 34.5 D: 10.5 W: 17  
 LED SMD 10W  
 Wattage 230v 10W  
 IP Rating IP20

**LED-651/GD**

230v 10W LED Wall Light

Colour Gold  
 Specifications Metal + PE + Aluminium  
 Non Dimmable

Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 34.5 D: 10.5 W: 17  
 LED SMD 10W  
 Wattage 230v 10W  
 IP Rating IP20



**LED-409/BL**

230v 10W LED Wall Light  
 Colour Black  
 Specifications Metal + Silicon Gel + Acrylic  
 Non Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 34.5 D: 10.5 W: 17  
 LED SMD 10W  
 Wattage 230v 10W  
 IP Rating IP20



**LED-409/BR**

230v 10W LED Wall Light  
 Colour Brass  
 Specifications Metal + Silicon Gel + Acrylic  
 Non Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 34.5 D: 10.5 W: 17  
 LED SMD 10W  
 Wattage 230v 10W  
 IP Rating IP20




**M-LED-1440M/WH**

230v 12W LED Medium Slated Wall Light  
 Colour White  
 Specifications Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 7 L: 20 W: 16  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP20

**M-LED-1440L/WH**

230v 16W LED Large Slated Wall Light  
 Colour White  
 Specifications Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 7 L: 27 W: 16  
 LED SMD 16W  
 Wattage 230v 16W  
 IP Rating IP20




**M-LED-1401L/WH**

230v 20W LED Large Ripple Wall Light  
 Colour White  
 Specifications Aluminium, Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 8 L: 30 W: 9.9  
 LED SMD 20W  
 Wattage 230v 20W  
 IP Rating IP20

**M-LED-1401L/BL**

230v 20W LED Large Ripple Wall Light  
 Colour Black  
 Specifications Aluminium, Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 8 L: 30 W: 9.9  
 LED SMD 20W  
 Wattage 230v 20W  
 IP Rating IP20

**M-LED-1401M/WH**

230v 6W LED Medium Ripple Wall Light  
 Colour White  
 Specifications Aluminium, Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 8 L: 18.5 W: 9.9  
 LED SMD 6W  
 Wattage 230v 6W  
 IP Rating IP20

**M-LED-1401M/BL**

230v 6W LED Medium Ripple Wall Light  
 Colour Black  
 Specifications Aluminium, Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 8 L: 18.5 W: 9.9  
 LED SMD 6W  
 Wattage 230v 6W  
 IP Rating IP20



**M-LED-1463L/WH**

230v 20W LED Large 3-Step Wall Light

Colour White  
 Specifications Aluminium, Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 7 L: 30 W: 10  
 LED SMD 20W  
 Wattage 230v 20W  
 IP Rating IP20

**M-LED-1463M/WH**

230v 6W LED Medium 3-Step Wall Light

Colour White  
 Specifications Aluminium, Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 7 L: 18 W: 10  
 LED SMD 6W  
 Wattage 230v 6W  
 IP Rating IP20

**M-LED-1464L/WH**

230v 20W LED Large 5-Step Wall Light

Colour White  
 Specifications Aluminium, Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 10 L: 30 W: 14  
 LED SMD 20W  
 Wattage 230v 20W  
 IP Rating IP20

**M-LED-1464M/WH**

230v 12W LED Medium 5-Step Wall Light

Colour White  
 Specifications Aluminium, Acrylic & Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 8 L: 18 W: 14  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP20

**M-LED-1507/WH**

230v 14W LED Royal Wall Light  
 Colour White  
 Specifications Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 14 L: 28 W: 16  
 LED SMD 14W  
 Wattage 230v 14W  
 IP Rating IP20

**M-LED-1507/BL**

230v 14W LED Royal Wall Light  
 Colour Black  
 Specifications Iron  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 14 L: 28 W: 16  
 LED SMD 14W  
 Wattage 230v 14W  
 IP Rating IP20





**G-KLW-821/BL**

230v 40W E14 Laser Cut Metal Cylinder Wall Light

Colour Matt Black

Measurement in cm H: 20 W: 13 D: 12

Lamps 2 x E14

Wattage 230v 80W

IP Rating IP20

**G-KLW-821/WH**

230v 40W E14 Laser Cut Metal Cylinder Wall Light

Colour Matt White

Measurement in cm H: 20 W: 13 D: 12

Lamps 2 x E14

Wattage 230v 80W

IP Rating IP20

**G-KLW-501**

230v 40W E27 Golden Flower Wall Light  
 Colour Gold & Black  
 Measurement in cm D: 11 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLW-502**

230v 40W E27 Golden Shell Wall Light  
 Colour Gold & Black  
 Measurement in cm D: 11 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLW-500**

230v 40W E27 Golden Nugget Wall Light  
 Colour Gold & Black  
 Measurement in cm D: 10 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**LED-710/33**

230v 15W LED Ring Wall Light  
 Colour Black and Gold  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White 3000K  
 Measurement in cm D: 6.5  
 Lamps LED 15W  
 Wattage 230v 15W  
 IP Rating IP20

**LED-943/SM**

230v 4W LED Liza Glass Wall Light  
 Colour Smoky Grey Shadow  
 Kelvin / Lumen Warm White 3000K  
 Measurement in cm H: 21.5 L: 14 W: 20.4  
 Lamps 4W LED SMD  
 Wattage 230v 4W  
 IP Rating IP20

**LED-943/WH**

230v 4W LED Liza Glass Wall Light  
 Colour White Shadow  
 Kelvin / Lumen Warm White 3000K  
 Measurement in cm H: 21.5 L: 14 W: 20.4  
 Lamps 4W LED SMD  
 Wattage 230v 4W  
 IP Rating IP20



**T-KLW-154-2/BL**

230v 40W 2 x E14 Sensu Wall Light  
 Colour Black  
 Measurement in cm H: 42 W: 14 D: 16  
 Lamps 2 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-154-1/GD**

230v 40W E14 Sensu Wall Light  
 Colour Gold  
 Measurement in cm H: 25 W: 14 D: 16  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-154-1/BL**

230v 40W E14 Sensu Wall Light  
 Colour Black  
 Measurement in cm H: 25 W: 14 D: 16  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-154-2/GD**

230v 40W 2 x E14 Sensu Wall Light  
 Colour Gold  
 Measurement in cm H: 42 W: 14 D: 16  
 Lamps 2 x E14  
 Wattage 230v 40W  
 IP Rating IP20



**GO-MB-48/BL**  
 230v 2W LED Raindrop Wall Light  
 Colour Black  
 Measurement in cm H: 38 D: 19 Ø: 15  
 Lamps 2W LED SMD  
 Wattage 230v 2W  
 IP Rating IP20



**GO-MB-48/WH**  
 230v 2W LED Raindrop Wall Light  
 Colour White  
 Measurement in cm H: 38 D: 19 Ø: 15  
 Lamps 2W LED SMD  
 Wattage 230v 2W  
 IP Rating IP20

**GO-KLW-830/WH**

230v 3W G9 Marble Wall Light

Colour White Marble with Antique Brass

Measurement in cm H: 23.5 D: 18

Lamps 1 x 3W G9 LED

Wattage 230v 3W

IP Rating IP20

*As marble is a product of nature, the pattern will differ with every fitting and will not be the same as in the picture.*

**GO-KLW-830/BL**

230v 3W G9 Marble Wall Light

Colour Black Marble with Antique Brass

Measurement in cm H: 23.5 D: 18

Shade Ø: 10

Lamps 1 x G9

Wattage 230v 3W

IP Rating IP20



**VE-KLW-800/BL**

230v 40W E14 Infinity Wall Light  
 Colour Matt Black  
 Measurement in cm H: 42 W: 19 D: 23  
 Shade Ø: 15  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**VE-KLW-800/GD**

230v 40W E14 Infinity Wall Light  
 Colour Satin Gold  
 Measurement in cm H: 42 W: 19 D: 23  
 Shade Ø: 15  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**KLW-735/GD**

230v 3W G9 Curved Wall Light  
 Colour Gold  
 Measurement in cm H: 28 W: 12 D: 17  
 Lamps 1 x 3W G9 LED  
 Wattage 230v 3W  
 IP Rating IP20

**KLW-735/WH**

230v 3W G9 Curved Wall Light  
 Colour White  
 Measurement in cm H: 28 W: 12 D: 17  
 Lamps 1 x 3W G9 LED  
 Wattage 230v 3W  
 IP Rating IP20

**KLW-735/BL**

230v 3W G9 Curved Wall Light  
 Colour Black  
 Measurement in cm H: 28 W: 12 D: 17  
 Lamps 1 x 3W G9 LED  
 Wattage 230v 3W  
 IP Rating IP20

**3E-KLW-105/BL**

230v 3W G9 LED Fizz Pop Wall Light

Colour Black with Smoke Glass

Measurement in cm H: 34 D: 20 Ø: 15

Lamps 1 x 3W G9 LED  
(Including Non Dimmable Lamp)

Wattage 230v 3W

IP Rating IP20

**3E-KLW-108/AB**

230v 3W G9 LED Fizz Pop Wall Light

Colour Antique Brass with  
Opal white Glass

Measurement in cm H: 34 D: 20 Ø: 15

Lamps 1 x 3W G9 LED  
(Including Non Dimmable Lamp)

Wattage 230v 3W

IP Rating IP20

**3E-KLW-105/AB**

230v 3W G9 LED Fizz Pop Wall Light

Colour Antique Brass with Clear Glass

Measurement in cm H: 34 D: 20 Ø: 15

Lamps 1 x 3W G9 LED  
(Including Non Dimmable Lamp)

Wattage 230v 3W

IP Rating IP20



**T-KLW-900/L**

230v 3W G9 LED Urban Left Wall Light

Colour Gold with Opal White Glass

Measurement in cm H: 33 W: 35 D: 17

Lamps 2 x 3W G9 LED  
(Including Non Dimmable Lamps)

Wattage 230v 6W

IP Rating IP20

**T-KLW-900/R**

230v 3W G9 LED Urban Right Wall Light

Colour Gold with Opal White Glass

Measurement in cm H: 33 W: 35 D: 17

Lamps 2 x 3W G9 LED  
(Including Non dimmable Lamps)

Wattage 230v 6W

IP Rating IP20

**CA-KLW1626/SG**

230v 40W E27 Branch Glass Wall Light  
 Colour Satin Gold with Opal White Glass  
 Measurement in cm H: 22 D: 27  
 Glass Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**MB-55**

230v 5W LED Wall Light  
 Colour Gold with Opal White Glass  
 Measurement in cm H: 22.3 D: 25.9 W: 20  
 Glass Ø: 12  
 Plate H: 3.5 Ø: 20  
 Lamps 1 x 5W LED  
 Wattage 230v 5W  
 IP Rating IP20

**T-KLW-130**

230v 3W G9 LED Tear Drop Glass Wall Light  
 Colour Satin Gold with Opal White Glass  
 Measurement in cm H: 37 D: 16  
 Glass Ø: 10  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)  
 Wattage 230v 3W  
 IP Rating IP20

**PO-KLW-1921**

230v 4W E27 LED Eco Friendly Wall Light

Colour White

Specifications Recyclable Plastics

Measurement in cm H: 32.5 Ø: 19.5

Base Ø: 10 D: 2.5

Shade H: 22.5 Ø: 13.5

Lamps 1 x 4W E27 LED

Wattage 230v 4W

IP Rating IP20

**PO-KLW-1911**

230v 4W E27 LED Eco Friendly Wall Light

Colour White

Specifications Recyclable Plastics

Measurement in cm H: 28.2 Ø: 18

Base Ø: 10 H: 2.5

Shade H: 18.5 Ø: 11

Lamps 1 x 4W E27 LED

Wattage 230v 4W

IP Rating IP20

A60 4W LED bulbs must be used with this range, as they do not emit as much heat as the incandescent bulbs.



**T-KLW-10/GD**

230v 40W E27 Trends Cone Glass Wall Light  
 Colour Gold with Clear Glass  
 Measurement in cm H: 27 D: 25 Ø: 21  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-10/BL**

230v 40W E27 Trends Cone Glass Wall Light  
 Colour Black with Clear Glass  
 Measurement in cm H: 27 D: 25 Ø: 21  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-10/SN**

230v 40W E27 Trends Cone Glass Wall Light  
 Colour Satin Silver with Clear Glass  
 Measurement in cm H: 27 D: 25 Ø: 21  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-20/GD**

230v 40W E27 Trends Ball Glass Wall Light  
 Colour Gold with Clear Glass  
 Measurement in cm H: 28 D: 25 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-20/SN**

230v 40W E27 Trends Ball Glass Wall Light  
 Colour Satin Silver with Clear Glass  
 Measurement in cm H: 28 D: 25 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-20/BL**

230v 40W E27 Trends Ball Glass Wall Light  
 Colour Black with Clear Glass  
 Measurement in cm H: 28 D: 25 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLW-40/GD**  
 230v 40W E27 Trends Plate Wall Light  
 Colour Gold  
 Measurement in cm H: 17 D: 25 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLW-40/BL**  
 230v 40W E27 Trends Plate Wall Light  
 Colour Black  
 Measurement in cm H: 17 D: 25 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLW-40/NS**  
 230v 40W E27 Trends Plate Wall Light  
 Colour Satin Silver  
 Measurement in cm H: 17 D: 25 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLW-50/BL**

230v 40W E27 Trends Wall Light  
 Colour Black  
 Measurement in cm H: 17 D: 16 Ø: 12  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-50/NS**

230v 40W E27 Trends Wall Light  
 Colour Satin Silver  
 Measurement in cm H: 17 D: 16 Ø: 12  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-50/GD**

230v 40W E27 Trends Wall Light  
 Colour Gold  
 Measurement in cm H: 17 D: 16 Ø: 12  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLW-8104/2**

230v 40W E27 2 Light Traverse Wall Light  
 Colour Black and Satin Gold  
 Measurement in cm H: 36 W: 12 D: 15  
 Lamps 2 x E27  
 Wattage 230v 80W  
 IP Rating IP20

**A-KLW-9225/1**

230v 40W E27 Bubble Glass Wall Light  
 Colour Black with Smoke Glass  
 Measurement in cm H: 22 W: 20 D: 26.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLW-8106/1**

230v 40W E27 1 Light Constellation Wall Light  
 Colour Black and Satin Gold  
 Measurement in cm H: 12 W: 10 D: 23  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLW-8107**

230v 40W E27 Slick Wall Light  
 Colour Black  
 Measurement in cm H: 23 D: 14 Ø: 10  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**K-KLW-520/BL**

230v 40W E27 Mobile Single Wall Light  
 Colour Black  
 Measurement in cm H: 35 D: 32  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**K-KLW-520/ST**

230v 40W E27 Mobile Single Wall Light  
 Colour Satin Chrome  
 Measurement in cm H: 35 D: 32  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**3E-KLW-101-1**

230v 3W G9 LED Bonbon Wall Light  
 Colour Black and Antique Brass with Light Smoke Glass  
 Measurement in cm Fitting: H: 36 Depth 24 Ø: 19  
 Glass: H: 16 Ø: 14  
 Metal around Glass: Ø: 18  
 Lamps 1 x 3W G9 LED (Including Non Dimmable Lamp)  
 Wattage 230v 3W  
 IP Rating IP20







**LW-KLW-5118/SM**  
 230v 40W E27 New York Cylinder Wall Light  
 Colour Black Mesh with Smoke Glass  
 Measurement in cm Full Height: 65  
 Glass: D: 20 W: 13  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-5118/CL**  
 230v 40W E27 New York Cylinder Wall Light  
 Colour Satin Gold Mesh with Clear Glass  
 Measurement in cm Full Height: 65  
 Glass: D: 20 W: 13  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-5120/CL**

230v 40W E27 New York 20cm Ball Wall Light  
 Colour Satin Gold Mesh with Clear Glass  
 Measurement in cm Full Height: 55  
 Glass: D: 26 W: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-5120/SM**

230v 40W E27 New York 20cm Ball Wall Light  
 Colour Black Mesh with Smoke Glass  
 Measurement in cm Full Height: 55  
 Glass: D: 26 W: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**CA-KLW-1099/BL**

230v 40W E27 Rustic Rectangular Wall Light  
 Colour Matt Black with Clear Glasses  
 Measurement in cm H: 36 W: 16 D: 17  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**KLG-1133**

230v 60W E27 Chic Bracket Wall Light  
 Colour Matt Black with Clear Glass  
 Specifications Iron (Non Coastal)  
 Measurement in cm H: 35 W: 17 D: 17  
 Lamps 1 x E27 (Excluding Lamp)  
 Wattage 230v 60W  
 IP Rating IP44

**CA-KLW-1127/2**

230v 40W E27 Art Deco 2 Glass Ball Wall Light  
 Colour Black with Amber Glasses  
 Measurement in cm H: 40 D: 20  
 Glass: 0: 12  
 Lamps 2 x E27 (Recommended: Golf Ball)  
 Wattage 230v 80W  
 IP Rating IP20



**T-KLW-3139**

230v 40W E27 Glass Wall Light  
 Colour Black, Antique Brass with Clear Glass  
 Measurement in cm H: 30 W: 25 D: 25  
 Glass: H: 15 Ø: 18  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLW-3140**

230v 40W E27 Glass Ball Wall Light  
 Colour Black, Antique Brass with Clear Glass  
 Measurement in cm H: 32.5 D: 28  
 Glass: H: 17 Ø: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLW-1125**

230v 40W E27 Metal Shade Wall Light  
 Colour Black with Antique Brass  
 Measurement in cm H: 19 W: 22 D: 27  
 Metal Shade: H: 6 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLW-1124**

230v 40W E27 Metal Shade Wall Light  
 Colour Black with Antique Brass  
 Measurement in cm H: 19 W: 22 D: 27  
 Metal Shade: H: 8.5 Ø: 22  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**DA-KLW-P28**  
230v 40W E27 Caged Pipe Wall Light  
Colour Antique Brass  
Measurement in cm H: 33 L: 54 D: 9  
Lamps 2 x E27  
Wattage 230v 80W  
IP Rating IP20

**DA-KLW-P30**  
230v 40W E27 Double Pipe Wall Light  
Colour Antique Brass  
Measurement in cm H: 39 L: 33 D: 9  
Lamps 2 x E27  
Wattage 230v 80W  
IP Rating IP20

**DA-KLW-P05**  
230v 40W E27 Single Pipe Wall Light  
Colour Antique Brass  
Measurement in cm H: 26 L: 9 D: 14  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**WE-KLW-397/3**

230v 40W E14 Ranch Iron Wall Light  
 Colour Black  
 Measurement in cm H: 11 W: 24 D: 15  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**WE-KLW-397/1**

230v 40W E14 Ranch Iron Wall Light  
 Colour Black  
 Measurement in cm H: 13 W: 10 D: 11  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20



**LW-KLW-4165**

230v 40W E14 Vintage Cut Glass Wall Light  
 Colour Satin Gold with Clear Glass  
 Measurement in cm H: 90 D: 30  
 Glass: H: 6 Ø: 22  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-4164**

230v 40W E14 Vintage Cut Glass Wall Light  
 Colour Satin Gold with Clear Glass  
 Measurement in cm H: 90 D: 24  
 Glass: H: 13 Ø: 12  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-4166**

230v 40W E14 Vintage Cut Glass Wall Light  
 Colour Satin Gold with Clear Glass  
 Measurement in cm H: 90 D: 24  
 Glass: H: 12 Ø: 11.5  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-4163**

230v 40W E14 Vintage Cut Glass Wall Light  
 Colour Satin Gold with Clear Glass  
 Measurement in cm H: 90 D: 24  
 Glass: H: 14 Ø: 15  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**LW-KLW-4162**

230v 40W E14 Vintage Cut Glass Wall Light  
 Colour Satin Gold with Clear Glass  
 Measurement in cm H: 90 D: 27  
 Glass: H: 6 Ø: 19.5  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**Y- K LW-79**

230v 40W E27 Flambouw Wall Light

Colour Antique Brass with Clear Glass

Measurement in cm H: 43 D: 15.5

Shade H: 7

Glass H: 22

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**B-KLW-2196/ST**

230v 40W E27 Cone Glass Wall Light

Colour Satin Chrome with Clear Glass

Measurement in cm H: 35 W: 33.5 D: 16

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**LED-3048/1**

230v 2W G4 LED Glass Wall Light

Colour Chrome with Clear Glass

Specifications Non Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm H: 32 D: 19

Glass: H:13.5 Ø: 10

LED SMD 2W

Wattage 230v 2W

IP Rating IP20

**N-MB0195-3B**

230v 20W G4 Bi-Pin Halogen Tusk Glass Wall Light

Colour Chrome with Clear Glass

Specifications Non Dimmable

Measurement in cm H: 67 W: 30 D: 22

Lamps 3 x 12v Bi-Pin G4 (Including Lamps)

Wattage 230v 60W

IP Rating IP20



**Z-B3015/6**

230v 10W G4 Bi-Pin Dance 6 Flexible Arm Wall Light

Colour Chrome

Specifications Non Dimmable

Measurement in cm D: 44 Ø: 44

Lamps 6 x 12v Bi-Pin G4  
(Including Lamps)

Wattage 230v 60W

IP Rating IP20

**J-MW2053/3A**

230v 20W G4 Bi-Pin Small 3 Drop Glass Wall Light

Colour Satin Chrome with  
Shiny White Glass

Specifications Non Dimmable

Measurement in cm H: 20 W: 20 D: 23

Lamps 3 x 12v Bi-Pin G4 (Including Lamps)

Wattage 230v 60W

IP Rating IP20

**J-MW2053/3**

230v 20W G4 Bi-Pin Medium 3 Drop Glass Wall Light

Colour Satin Chrome with  
Shiny White Glass


Specifications Non Dimmable

Measurement in cm H: 35 W: 34 D: 18

Lamps 3 x 12v Bi-Pin G4  
(Including Lamps)

Wattage 230v 60W

IP Rating IP20

**Z-B001A/9**

230v 5W G4 Bi-Pin Wind Wall Light

Colour Chrome

Specifications Non Dimmable

Measurement in cm H: 55 W: 45 D: 35

Lamps 9 x 12v Bi-Pin G4 (Including Lamps)

Wattage 230v 45W

IP Rating IP20





**S-KLW-2311/B**  
 230v 40W E14 Large Round Crystal Wall Light  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 30 W: 22 D: 13  
 Lamps 2 x E14  
 Wattage 230v 80W  
 IP Rating IP20

**S-KLW-2311/S**  
 230v 40W E14 Small Round Crystal Wall Light  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 21 W: 17 D: 9  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**S-KLW-2316/B**  
 230v 40W E14 Large Square Crystal Wall Light  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 30 W: 23 D: 11  
 Lamps 2 x E14  
 Wattage 230v 80W  
 IP Rating IP20

**S-KLW-2316/S**  
 230v 40W E14 Small Square Crystal Wall Light  
 Colour Chrome  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 21 W: 17 D: 11  
 Lamps 2 x E14  
 Wattage 230v 80W  
 IP Rating IP20



**K LW-450/RED**

230v 150W Q1 78mm Magma Italian Crystal  
Wall Light

Colour Chrome  
Specifications Red Italian Crystals  
Measurement in cm H: 12 W: 21 D: 9  
Lamps 1 x Q1 78mm  
Wattage 230v 150W  
IP Rating IP20

**K LW-450/WH**

230v 150W Q1 78mm Magma Italian Crystal  
Wall Light

Colour Chrome  
Specifications Clear Italian Crystals  
Measurement in cm H: 12 W: 21 D: 9  
Lamps 1 x Q1 78mm  
Wattage 230v 150W  
IP Rating IP20

**S-K LW-8738/2**

230v 40W E14 Round Crystal Wall Light

Colour Chrome  
Specifications Clear K9 Crystals  
Measurement in cm H: 18 W: 30 D: 18  
Lamps 2 x E14  
Wattage 230v 80W  
IP Rating IP20



**KLW-6515/SG**

230v 40W E14 Clear Crystal Wall Light  
 Colour Satin Gold  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 30 W: 23 D: 15  
 Lamps 2 x E14  
 Wattage 230v 80W  
 IP Rating IP20

**KLW-6515/BL**

230v 40W E14 Crystal Wall Light  
 Colour Charcoal Grey  
 Specifications Smoke K9 Crystals  
 Measurement in cm H: 30 W: 23 D: 15  
 Lamps 2 x E14  
 Wattage 230v 80W  
 IP Rating IP20

**KLW-1558-1**

230v 8W LED SMD Curved Square Crystal and Glass Wall Light

Colour Crystal with Frosted Glass  
 Specifications Clear K9 Crystals  
 Non Dimmable

Kelvin / Lumen Warm White: 3000K / 360lm  
 Measurement in cm H: 22 W: 20 D: 11  
 LED SMD 8W  
 Wattage 230v 8W  
 IP Rating IP20

**KLW-1558-2**

230v 12W LED SMD Curved Rectangular Crystal and Glass Wall Light

Colour Crystal with Frosted Glass  
 Specifications Clear K9 Crystals  
 Non Dimmable

Kelvin / Lumen Warm White: 3000K / 270lm  
 Measurement in cm H: 12 W: 32 D: 11  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP20

**V-KLW-8816/1**

230v 40W E14 1 Arm Metal and Crystal Wall Light

Colour	Chrome
Specifications	Clear K9 Crystals
Measurement in cm	H: 30 W: 13 D: 23
Lamps	1 x E14
Wattage	230v 40W
IP Rating	IP20

**V-KLW-8816/2**

230v 40W E14 2 Arm Metal and Crystal Wall Light

Colour	Chrome
Specifications	Clear K9 Crystals
Measurement in cm	H: 30 W: 34 D: 20
Lamps	2 x E14
Wattage	230v 80W
IP Rating	IP20

**V-KLW-8004/1**

230v 40W E14 1 Arm Glass and Crystal Wall Light

Colour	Chrome with Clear Glass
Specifications	Clear K9 Crystals
Measurement in cm	H: 33 W: 12 D: 23
Lamps	1 x E14
Wattage	230v 40W
IP Rating	IP20

**V-KLW-8004/2**

230v 40W E14 2 Arm Glass and Crystal Wall Light

Colour	Chrome with Clear Glass
Specifications	Clear K9 Crystals
Measurement in cm	H: 34 W: 26 D: 23
Lamps	2 x E14
Wattage	230v 80W
IP Rating	IP20





**KLW-8061/1**

230v 40W E14 1 Arm White Glass and Crystal Wall Light

Colour White Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 33 W: 13 D: 21  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20

**KLW-8061/2**

230v 40W E14 2 Arm White Glass and Crystal Wall Light

Colour White Glass with Crystal  
 Specifications Clear K9 Crystals  
 Measurement in cm H: 39 W: 35 D: 18  
 Lamps 2 x E14  
 Wattage 230v 80W  
 IP Rating IP20

**MC-KLW-1310/1**

230v 40W E14 1 Arm Candelabra Wall Light

Colour Chrome  
 Specifications Clear Glass  
 Measurement in cm H: 41 W: 10 D: 20  
 Lamps 1 x E14  
 Wattage 230v 40W  
 IP Rating IP20



# READING LIGHTS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY





## USB RECHARGEABLE PORT



**MB-190/BL**  
 230v 3W COB LED Wall Reading Light with USB Port  
 Colour Black  
 Specifications Rechargeable USB, 2.1 Amp Aluminium & Steel Beam Angle 30°  
 Kelvin / Lumen Warm White: 3000K / 60-70lm  
 Measurement in cm Base: H: 18 W: 5.5 Head: H: 12 Ø: 4  
 LED COB 3W  
 Wattage 230v 3W  
 IP Rating IP44

**MB-190/WH**  
 230v 3W COB LED Wall Reading Light with USB Port  
 Colour White  
 Specifications Rechargeable USB, 2.1 Amp Aluminium & Steel Beam Angle 30°  
 Kelvin / Lumen Warm White: 3000K / 60-70lm  
 Measurement in cm Base: H: 18 W: 5.5 Head: H: 12 Ø: 4  
 LED COB 3W  
 Wattage 230v 3W  
 IP Rating IP44

**MB-190/AB**  
 230v 3W COB LED Wall Reading Light with USB Port  
 Colour Antique Brass  
 Specifications Rechargeable USB, 2.1 Amp Aluminium & Steel Beam Angle 30°  
 Kelvin / Lumen Warm White: 3000K / 60-70lm  
 Measurement in cm Base: H: 18 W: 5.5 Head: H: 12 Ø: 4  
 LED COB 3W  
 Wattage 230v 3W  
 IP Rating IP44



**MB-002/WH**

230v 3W COB LED Round Head Wall Light

Colour White  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 2700K / 240lm  
 Measurement in cm Base: H: 14 W: 3.5 D: 8  
 Head: H: 12 Ø: 3  
 3W Osram  
 LED COB  
 Wattage 230v 3W  
 IP Rating IP20

**MB-002/BL**

230v 3W COB LED Round Head Wall Light

Colour Black  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 2700K / 240lm  
 Measurement in cm Base: H: 14 W: 3.5 D: 8  
 Head: H: 12 Ø: 3  
 3W Osram  
 LED COB  
 Wattage 230v 3W  
 IP Rating IP20

**MB-003/WH**

230v 3W COB LED Square Head Wall Light

Colour White  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 2700K / 240lm  
 Measurement in cm Base: H: 14 W: 3.5 D: 8  
 Head: H: 12 W: 3 L: 3  
 3W Osram  
 LED COB  
 Wattage 230v 3W  
 IP Rating IP20

**MB-003/BL**

230v 3W COB LED Square Head Wall Light

Colour Black  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 2700K / 240lm  
 Measurement in cm Base: H: 14 W: 3.5 D: 8  
 Head: H: 12 W: 3 L: 3  
 3W Osram  
 LED COB  
 Wattage 230v 3W  
 IP Rating IP20

**MB-005/BL**

230v 3W COB LED Goose Neck Wall Light

Colour Black  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 240lm  
 Base: D: 6.5 Ø: 7.5  
 Measurement in cm Fitting Arm: L: 40  
 LED COB  
 Wattage 3W  
 230v 3W  
 IP Rating IP20

**X-MB1216P/AL**

230v 2W COB LED Square Base Flexi Wall Light

Colour Brushed Aluminium  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 160lm  
 Base: H: 8 W: 8 D: 5.5  
 Measurement in cm LED Arm: L: 50  
 LED COB  
 Wattage 2W  
 230v 2W  
 IP Rating IP20

**MB-005/WH**

230v 3W COB LED Goose Neck Wall Light

Colour White  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 240lm  
 Base: D: 6.5 Ø: 7.5  
 Measurement in cm Fitting Arm: L: 40  
 LED COB  
 Wattage 3W  
 230v 3W  
 IP Rating IP20





**MB-140/BL**  
 230v 3W LED COB & 8W LED Strip Round Wall Reading Light  
 Colour: Black  
 Specifications: Non Dimmable, Beam Angle 360°, Warm White: 3000K / 225lm & 600lm  
 Kelvin / Lumen: 3000K / 225lm & 600lm  
 Measurement in cm: Base: 0: 14 D: 3 Arm: 3 - 15  
 Lamps: 1 x COB LED + LED Strip  
 Wattage: 230v Reading light: 3W & Background light: 8W  
 IP Rating: IP44

**MB-140/WH**  
 230v 3W LED COB & 8W LED Strip Round Wall Reading Light  
 Colour: White  
 Specifications: Non Dimmable, Beam Angle 360°, Warm White: 3000K / 225lm & 600lm  
 Kelvin / Lumen: 3000K / 225lm & 600lm  
 Measurement in cm: Base: 0: 14 D: 3 Arm: 3 - 15  
 Lamps: 1 x COB LED + LED Strip  
 Wattage: 230v Reading light: 3W & Background light: 8W  
 IP Rating: IP44



**MB-180/BL**  
 230v 3W LED COB & 8W LED Strip Rectangular Wall Reading Light  
 Colour: Black  
 Specifications: Non Dimmable, Beam Angle 360°, Warm White: 3000K / 225lm & 600lm  
 Kelvin / Lumen: 3000K / 225lm & 600lm  
 Measurement in cm: Base: L: 18 W: 10 D: 3 Arm: 3.5 - 11.5  
 Lamps: 1 x COB LED + LED Strip  
 Wattage: 230v Reading light: 3W & Background light: 8W  
 IP Rating: IP44

**MB-180/WH**  
 230v 3W LED COB & 8W LED Strip Rectangular Wall Reading Light  
 Colour: White  
 Specifications: Non Dimmable, Beam Angle 360°, Warm White: 3000K / 225lm & 600lm  
 Kelvin / Lumen: 3000K / 225lm & 600lm  
 Measurement in cm: Base: L: 18 W: 10 D: 3 Arm: 3.5 - 11.5  
 Lamps: 1 x COB LED + LED Strip  
 Wattage: 230v Reading light: 3W & Background light: 8W  
 IP Rating: IP44



**MB-170/AB**

230v 3W LED COB Recessed Wall Reading Light

Colour Antique Brass  
 Specifications Switch is situated on the base under the reading light arm. When lifting the arm the light will switch on and when pushing the arm down in the base the light will switch off.  
 Beam Angle 30°

Kelvin / Lumen Warm White: 3000K / 240lm  
 Measurement in cm Base: L: 17 W: 7 D: 5  
 Arm: 3.5 - 11.5

LED COB 3W  
 Wattage 230v 3W  
 IP Rating IP44

**MB-170/BL**

230v 3W LED COB Recessed Wall Reading Light

Colour Black  
 Specifications Switch is situated on the base under the reading light arm. When lifting the arm the light will switch on and when pushing the arm down in the base the light will switch off.  
 Beam Angle 30°

Kelvin / Lumen Warm White: 3000K / 240lm  
 Measurement in cm Base: L: 17 W: 7 D: 5  
 Arm: 3.5 - 11.5

LED COB 3W  
 Wattage 230v 3W  
 IP Rating IP44

**MB-170/WH**

230v 3W LED COB Recessed Wall Reading Light

Colour White  
 Specifications Switch is situated on the base under the reading light arm. When lifting the arm the light will switch on and when pushing the arm down in the base the light will switch off.  
 Beam Angle 30°

Kelvin / Lumen Warm White: 3000K / 240lm  
 Measurement in cm Base: L: 17 W: 7 D: 5  
 Arm: 3.5 - 11.5

LED COB 3W  
 Wattage 230v 3W  
 IP Rating IP44



**X-MB6019**

230v 40W E27 Fabric Shade Wall Light

Colour Chrome with  
White Fabric ShadeMeasurement in cm  
H: 31 W: 20 D: 16  
Fabric Shade: H: 19 W: 20 D: 12  
Base: L: 12 W: 12 D: 2.5Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20**X-MB6020**

230v 40W E27 Fabric Shade Wall Light

Colour Chrome & Wood colour with  
Cream Fabric ShadeMeasurement in cm  
H: 29 W: 20 D: 20  
Fabric Shade: H: 19 W: 20 D: 12  
Base: L: 12 W: 12 D: 2.5Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



# PICTURE LIGHTS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



**Z-102-12/ST**

230v 12W LED SMD 67.5cm Picture Light  
 Colour Satin  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 924lm  
 Measurement in cm H: 12 L: 67.5 D: 21  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP20

**Z-102-8/ST**

230v 8W LED SMD 46cm Picture Light  
 Colour Satin  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 616lm  
 Measurement in cm H: 12 L: 46 D: 21  
 LED SMD 8W  
 Wattage 230v 8W  
 IP Rating IP20

**Z-102-12/AB**

230v 12W LED SMD 67.5cm Picture Light  
 Colour Antique Brass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 924lm  
 Measurement in cm H: 12 L: 67.5 D: 21  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP20

**Z-102-8/AB**

230v 8W LED SMD 46cm Picture Light  
 Colour Antique Brass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 616lm  
 Measurement in cm H: 12 L: 46 D: 21  
 LED SMD 8W  
 Wattage 230v 8W  
 IP Rating IP20

**Z-101-8/ST**

230v 8W LED SMD 56cm Picture Light  
 Colour Satin  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 616lm  
 Measurement in cm H: 6 L: 56 D: 19  
 LED SMD 8W  
 Wattage 230v 8W  
 IP Rating IP20

**Z-101-8/AB**

230v 8W LED SMD 56cm Picture Light  
 Colour Antique Brass  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 616lm  
 Measurement in cm H: 6 L: 56 D: 19  
 LED SMD 8W  
 Wattage 230v 8W  
 IP Rating IP20

**Z-106-10/ST**

230v 10W LED SMD 61cm Picture Light

Colour Satin  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 770lm  
 Measurement in cm H: 7 L: 61 D: 12  
 LED SMD 10W  
 Wattage 230v 10W  
 IP Rating IP20

**Z-106-8/ST**

230v 8W LED SMD 46cm Picture Light

Colour Satin  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 616lm  
 Measurement in cm H: 7 L: 46 D: 12  
 LED SMD 8W  
 Wattage 230v 8W  
 IP Rating IP20

**Z-106-10/BL**

230v 10W LED SMD 61cm Picture Light

Colour Black  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 770lm  
 Measurement in cm H: 7 L: 61 D: 12  
 LED SMD 10W  
 Wattage 230v 10W  
 IP Rating IP20

**Z-106-8/BL**

230v 8W LED SMD 46cm Picture Light

Colour Black  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 616lm  
 Measurement in cm H: 7 L: 46 D: 12  
 LED SMD 8W  
 Wattage 230v 8W  
 IP Rating IP20









**K. LIGHT**<sup>®</sup>  
DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)



# BATHROOM FITTINGS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



**F-MB-008/60**

230v 12W SMD LED Square Cover Wall Light  
 Colour Chrome with Opal White Acrylic Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 540lm  
 Measurement in cm H: 6 L: 60 D: 9.5  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP44

**F-MB-008/90 or F-MB-008/90/WW**


230v 18W SMD LED Square Cover Wall Light  
 Colour Chrome with Opal White Acrylic Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 810lm OR  
 Natural White: 4000K / 810lm  
 Measurement in cm H: 6 L: 90 D: 9.5  
 LED SMD 18W  
 Wattage 230v 18W  
 IP Rating IP44

**F-MB-001/60**

230v 12W SMD LED Round Cover Wall Light  
 Colour Chrome with Opal White Acrylic Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 540lm  
 Measurement in cm H: 6 L: 60 D: 10  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP44

**F-MB-001/90**

230v 18W SMD LED Round Cover Wall Light  
 Colour Chrome with Opal White Acrylic Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 810lm  
 Measurement in cm H: 6 L: 90 D: 10  
 LED SMD 18W  
 Wattage 230v 18W  
 IP Rating IP44

**F-MB-007/4 or F-MB-007/4/WW**

230v 12W SMD LED Cube Wall Light  
 Colour Chrome with Frosted Acrylic Diffusers  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 540lm OR  
 Natural White: 4000K / 540lm  
 Measurement in cm H: 6 L: 73 D: 11  
 LED SMD 4 x 3W  
 Wattage 230v 12W  
 IP Rating IP44

**F-MB-003/60**

230v 12W SMD LED Slim Wall Light  
 Colour Chrome with Frosted Acrylic Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 540lm  
 Measurement in cm H: 6 L: 60 D: 9  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP44

**F-MB-003/90**

230v 18W SMD LED Slim Wall Light  
 Colour Chrome with Frosted Acrylic Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 810lm  
 Measurement in cm H: 6 L: 90 D: 9  
 LED SMD 18W  
 Wattage 230v 18W  
 IP Rating IP44

**F-MB-002/60**

230v 12W SMD LED Straight Wall Light  
 Colour Chrome with Frosted Acrylic Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Natural White: 4000K / 540lm  
 Measurement in cm H: 6 L: 60 D: 10  
 LED SMD 12W  
 Wattage 230v 12W  
 IP Rating IP44

**F-MB-002/90 or F-MB-002/90/WW**

230v 18W SMD LED Straight Wall Light  
 Colour Chrome with Frosted Acrylic Diffuser  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 810lm OR  
 Natural White: 4000K / 810lm  
 Measurement in cm H: 6 L: 90 D: 10  
 LED SMD 18W  
 Wattage 230v 18W  
 IP Rating IP44



**MG-GLORIOSA/M**

230v 40W G9 Double Horizontal Bathroom  
Wall Light

Colour Satin Chrome with  
Frosted Glass  
Measurement in cm H: 17.5 W: 22.5 D: 16.2  
Lamps 2 x G9  
Wattage 230v 80W  
IP Rating IP44

**MG-GLORIOSA/1**

230v 40W G9 Single Vertical Bathroom  
Wall Light

Colour Satin Chrome with  
Frosted Glass  
Measurement in cm H: 16.5 W: 10 D: 11.5  
Lamps 1 x G9  
Wattage 230v 40W  
IP Rating IP44

**MG-GLORIOSA/2**

230v 40W G9 Double Vertical Bathroom  
Wall Light

Colour Satin Chrome with  
Frosted Glass  
Measurement in cm H: 22.5 W: 10 D: 11.5  
Lamps 2 x G9  
Wattage 230v 80W  
IP Rating IP44





# FLOOR & TABLE LAMPS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

**T-KLT-155**

230v 40W E27 Mozart Table Lamp

Colour White Shade, White Marble &amp; Gold

Measurement in cm Fitting Height + Shade: 62

Shade H: 25 Ø: 35

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLT-156**

230v 40W E27 Chopin Table Lamp

Colour White Shade, White Marble &amp; Gold

Measurement in cm Fitting Height + Shade: 48

Shade H: 21 Ø: 25

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLT-150**

230v 40W E27 Tchaikovsky Table Lamp

Colour White Shade, Black Marble &amp; Gold

Measurement in cm Fitting Height + Shade: 86

Shade H: 26 Ø: 25

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLT-153**

230v 40W E27 Vivaldi Table Lamp

Colour Black Shade, White Marble &amp; Gold

Measurement in cm Fitting Height + Shade: 64

Shade H: 28.5 Top Ø: 30 Bottom Ø: 36

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**T-KLT-151**

230v 40W E27 Verdi Table Lamp

Colour White Shade, White Marble &amp; Gold

Measurement in cm Fitting Height + Shade: 62

Shade L: 36 W: 22 H: 23

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLT-154**

230v 40W E27 Beethoven Table Lamp

Colour White Shade, White Marble &amp; Gold

Measurement in cm Fitting Height + Shade: 62

Shade L: 38 H: 25 W: 25

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLT-152**

230v 40W E27 Bach Table Lamp

Colour White Shade, White Marble &amp; Gold

Measurement in cm Fitting Height + Shade: 55

Shade L: 35 H: 25 W: 20

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**DL-KLT-1027**  
230v 40W E27 Arum Lily Glass Table Lamp  
Colour Amber  
Measurement in cm H: 20 W: 25 L: 22  
Lamps 1 x E27 (Including Lamp: Mirror LED Filament Bulb E27 4W 2700K)  
Wattage 230v 40W  
IP Rating IP20





**T-KLT-133/BL**  
 230v 40W E27 Medium Chicago Glass Table Lamp  
 Colour Black with Smoke Glass  
 Measurement in cm H: 33 Ø: 21.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**T-KLT-133/SG**  
 230v 40W E27 Medium Chicago Glass Table Lamp  
 Colour Satin Gold With Amber Glass  
 Measurement in cm H: 33 Ø: 21.5  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**E-KLT-600F**  
230v 40W E27 Rattan Floor Lamp  
Colour Rattan with Satin Gold  
Measurement in cm H: 183 W: 40 D: 49  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**E-KLT-610**

230v 40W E27 Rattan Table Lamp  
Colour Rattan with Satin Gold  
Measurement in cm H: 50 W: 23 D: 30  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**PO-KLT-1911**

230v 4W E27 LED Eco Friendly Table Lamp

Colour White & Gold  
 Specifications Recyclable Plastics  
 Measurement in cm H: 29.3 Ø: 16

Base Ø: 12 H: 2.5  
 Shade H: 26.8  
 Lamps 1 x 4W E27 LED  
 Wattage 230v 4W  
 IP Rating IP20

**PO-KLT-1921**

230v 4W E27 LED Eco Friendly Table Lamp

Colour White & Gold  
 Specifications Recyclable Plastics  
 Measurement in cm H: 35 Ø: 20

Base Ø: 12 H: 2.5  
 Shade H: 32.5  
 Lamps 1 x 4W E27 LED  
 Wattage 230v 4W  
 IP Rating IP20

A60 4W LED bulbs must be used with this range, as they do not emit as much heat as the incandescent bulbs.

**H-KLT-210251/GR**

230v 40W E27 Flexi Desk Lamp with in-line switch

Colour Grey  
Measurement in cm Base: Ø: 17  
H: 44

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**H-KLT-210265/GR**

230v 40W E27 Tripod Desk Lamp with in-line switch

Colour Grey  
Measurement in cm Tri Pod Base: Ø: 17  
H: 64

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**H-KLT-210265/BL**

230v 40W E27 Tripod Desk Lamp with in-line switch

Colour Black  
Measurement in cm Tri Pod Base: Ø: 17

H: 64  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**G-KLT-8107/F**  
 230v 40W E27 Slick Floor Lamp  
 Colour Black  
 Measurement in cm H: 152 W: 15 L: 26  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**G-KLT-8107**  
 230v 40W E27 Slick Table Lamp  
 Colour Black  
 Measurement in cm H: 52 W: 12 L: 20  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLT-84/BL**  
 230v 40W E27 Cube Table Lamp  
 Colour Black  
 Measurement in cm H: 23 W: 12 L: 15  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**G-KLT-8105/BL**

230v 40W E27 Constellation Table Lamp  
 Colour Black and Satin Gold  
 Measurement in cm H: 39 W: 17  
 Base: L: 12 H: 3 W: 10  
 Lamps 1 x E27 (Including Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLT-8105/WH**

230v 40W E27 Constellation Table Lamp  
 Colour White and Satin Gold  
 Measurement in cm H: 39 W: 17  
 Base: L: 12 H: 3 W: 10  
 Lamps 1 x E27 (Including Lamp)  
 Wattage 230v 40W  
 IP Rating IP20



**T-LED-672/BL**  
230v 12W LED Table Lamp  
Colour Black  
Specifications Steel + Aluminium + Acrylic  
Kelvin / Lumen Warm White: 3000K / 410lm  
Measurement in cm H: 29.5 Ø: 29  
Lamps LED  
Wattage 230v 12W  
IP Rating IP20

**T-LED-672/GD**

230v 12W LED Table Lamp

Colour Gold

Specifications Steel + Aluminium + Acrylic

Kelvin / Lumen Warm White: 3000K / 450lm

Measurement in cm H: 29.5 Ø: 29

Lamps LED

Wattage 230v 12W

IP Rating IP20





**V-LED-5210/1W-WW or V-LED-5210/1W-CW**  
 230v 7.8W LED SMD Curve Floor Lamp with switch on arm  
 Colour White  
 Specifications Non Dimmable  
 Kelvin / Lumen Warm White: 3000K / 325lm  
 Cool White: 6000K / 325lm  
 Measurement in cm Base: H: 3 L: 26 W: 18  
 H: 175  
 Arm: W: 4  
 LED SMD 7.8W  
 Wattage 230v 7.8W  
 IP Rating IP20



**T-LED-6281/CH**  
 230v 6.3W LED SMD Table Lamp with Hand Dimmer  
 Colour Chrome  
 Specifications Dimmable  
 Kelvin / Lumen Warm White: 3000K / 480lm  
 Measurement in cm Base: L: 20 W: 13  
 H: 52  
 Arm: W: 2  
 6.3W  
 230v 6.3W  
 IP Rating IP20

**T-LED-6281/WH**  
 230v 6.3W LED SMD Table Lamp with Hand Dimmer  
 Colour White  
 Specifications Dimmable  
 Kelvin / Lumen Warm White: 3000K / 480lm  
 Measurement in cm Base: L: 20 W: 13  
 H: 52  
 Arm: W: 2  
 6.3W  
 230v 6.3W  
 IP Rating IP20



**K-LED-9182**  
 230v 28W LED Slim Enigma Floor Lamp  
 Colour Black  
 Specifications Non-Dimmable  
 Kelvin / Lumen Warm White: 3000K  
 Measurement in cm H: 91 Ø: 19  
 LED SMD LED  
 Wattage 230v 28W  
 IP Rating IP20



**K-LED-7754**  
 230v 40W LED Enigma Floor Lamp  
 Colour Black  
 Specifications 3 Illumination Settings  
 Kelvin / Lumen Warm White: 3000K / 2600lm  
 Measurement in cm H: 162 W: 42  
 LED SMD 40W  
 Wattage 230v 40W  
 IP Rating IP20



**3E-KLT-200/BL**  
230v 40W E27 Ringmaster Floor Lamp  
Colour Black  
Measurement in cm Fitting Height: 136  
Length: 32  
Width: 22  
Base: L: 32 W: 22  
Lamps 3 x E27 (Excluding Lamps)  
Wattage 230v 40W  
IP Rating IP20



**M-KLT-210266**

230v 40W E27 Cantilever Floor Lamp with Foot switch

Colour Black wood base, aluminium with black fabric shade

Measurement in cm Base: H: 5 Ø: 42  
H: 194-198 W: 158  
Shade: H: 26 Ø: 37

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**M-KLT-210265**

230v 40W E27 Cantilever Floor Lamp with Foot switch

Colour Natural wood base, aluminium with white fabric shade

Measurement in cm Base: H: 5 Ø: 42  
H: 194-198 W: 158  
Shade: H: 26 Ø: 37

Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20

**G-KLT-820F/WH**

230v 40W E27 Laser Cut Floor Lamp  
 Colour Sandy White, Inside White  
 Leg: Satin Nickel  
 Measurement in cm H: 160 Ø: 40  
 Shade Ø: 40 H: 38  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLT-820F/BL**

230v 40W E27 Laser Cut Floor Lamp  
 Colour Matt Black, Inside White  
 Leg: Satin Nickel  
 Measurement in cm H: 160 Ø: 40  
 Shade Ø: 40 H: 38  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLT-820T/WH**

230v 40W E27 Laser Cut Table Lamp  
 Colour Sandy White, Inside White  
 Measurement in cm H: 22 Ø: 25  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLT-820T/BL**

230v 40W E27 Laser Cut Table Lamp  
 Colour Matt Black, Inside White  
 Measurement in cm H: 22 Ø: 25  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20





**G-KLT-8103T**  
 230v 40W E27 Boston Mesh Table Lamp  
 Colour Black & Gold  
 Measurement in cm Fitting Height: 73 Ø: 26  
 Shade H: 40 Ø: 24  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20



**G-KLT-8103F**  
 230v 40W E27 Boston Mesh Floor Lamp  
 Colour Black & Gold  
 Measurement in cm Fitting Height: 114 Ø: 37  
 Shade H: 59 Ø: 30  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLT-86/GD**

230v 40W E27 Mesh Table Lamp  
 Colour Gold  
 Measurement in cm Fitting Height: 41 Ø: 30  
 Shade H: 15  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**G-KLT-86/BL**

230v 40W E27 Mesh Table Lamp  
 Colour Black  
 Measurement in cm Fitting Height: 41 Ø: 30  
 Shade H: 15  
 Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLT-1472/BL**

230v 40W E27 Inspiration Cone Glass Table Lamp

Colour Black  
 Measurement in cm H: 49  
 Ø: 20

Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLT-1473/GD**

230v 40W E27 Inspiration Ball Glass Table Lamp

Colour Gold  
 Measurement in cm H: 50  
 Ø: 26

Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20

**T-KLT-1473/BL**

230v 40W E27 Inspiration Ball Glass Table Lamp

Colour Black  
 Measurement in cm H: 50  
 Ø: 26

Lamps 1 x E27  
 Wattage 230v 40W  
 IP Rating IP20







**T-KLT-1472/GD**  
230v 40W E27 Inspiration Cone Glass Table Lamp  
Colour Gold  
Measurement in cm H: 49  
Ø: 20  
Lamps 1 x E27  
Wattage 230v 40W  
IP Rating IP20



**T-KLT-1470**  
 230v 3W G9 LED Glass & Gold Table Lamp  
 Colour Gold with Opal White Glass  
 Measurement in cm H: 45  
 Ø: 24  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)  
 Wattage 230v 3W  
 IP Rating IP20



**T-KLT-130T**  
 230v 3W G9 LED Tear Drop Table Lamp with in-line switch  
 Colour Satin Gold with Opal White Glass  
 Measurement in cm Base: Ø: 18  
 H: 50  
 Lamps 1 x 3W G9 LED  
 (Including Non Dimmable Lamp)  
 Wattage 230v 40W  
 IP Rating IP20

**CA-KLT1626S**

230v 40W E27 Small Table Lamp with in-line switch

Colour Gold with Opal White Glass

Measurement in cm H: 32 W: 29

Glass Ø: 20

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**CA-KLT1626L**

230v 40W E27 Long Table Lamp with in-line switch

Colour Gold with Opal White Glass

Measurement in cm H: 60 W: 29

Glass Ø: 20

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**CA-KLT1626F**

230v 40W E27 Floor Lamp with Foot Switch

Colour Gold with Opal White Glass

Measurement in cm Base: Ø: 33

H: 143

Glass Ø: 25

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20





**N-ML0195/5B**  
 230v 20W G4 Bi-Pin Tusk Floor Lamp with  
 Foot Dimmer  
 Colour Chrome with Clear glasses  
 Specifications Dimmable  
 Measurement in cm Base: Ø: 22  
 H: 147 Ø: 40  
 Lamps 5 x 12v G4 Bi-Pin (Including Lamps)  
 Wattage 230v 100W  
 IP Rating IP20



**N-MB0195-3B**  
 230v 20W G4 Bi-Pin Tusk Glass Wall Light  
 Colour Chrome with Clear Glass  
 Specifications Non Dimmable  
 Measurement in cm H: 67 W: 30 D: 22  
 Lamps 3 x 12v Bi-Pin G4 (Including Lamps)  
 Wattage 230v 60W  
 IP Rating IP20

**J-MT2039/3**

230v 20W G4 Bi-Pin Ball Glass Table Lamp with Hand Dimmer

Colour

Satin Chrome with Opal White glasses

Specifications

Dimmable

Measurement in cm

Base: Ø: 16

H: 40

Lamps

3 x 12v G4 Bi-Pin (Including Lamps)

Wattage

230v 60W

IP Rating

IP20

**J-MT2053A/2**

230v 20W G4 Bi-Pin Drop Glass Table Lamp with Hand Dimmer

Colour

Satin Chrome with Shiny White glasses

Specifications

Dimmable

Measurement in cm

Base: Ø: 16

H: 50

Lamps

2 x 12v G4 Bi-Pin (Including Lamps)

Wattage

230v 40W

IP Rating

IP20

**X-LDD39**

230v 40W E27 Adjustable Floor Lamp with Foot switch  
 Colour Satin Chrome with silver parchment shade  
 Measurement in cm Base: Ø: 33

H: 146-195  
 Shade: H: 22 Ø: 46

Lamps 1 x E27  
 Wattage 230v40W  
 IP Rating IP20

**A-KLF6149/50**

230v 40W E27 Floor Lamp with Acrylic Shade with Foot switch  
 Colour Chrome with crystal embedded chrome acrylic shade  
 Measurement in cm Base: Ø: 32

H: 160  
 Shade: H: 29 Ø: 51

Lamps 3 x E27  
 Wattage 230v 120W  
 IP Rating IP20



**V-KLT-5032/2**

230v 40W G9 Folded Glass Floor Lamp with  
Foot switch

Colour Satin Chrome with  
Opal White glasses

Measurement in cm Base: W: 24 L: 20  
H: 153

Lamps 2 x G9  
Wattage 230v 80W  
IP Rating IP20

**KLF-GEELONG/BL**

230v 300W Q1 118 Halogen Floor Lamp with  
Foot Dimmer

Colour Black & Silver  
Specifications Dimmable

Measurement in cm Base: Ø: 26  
H: 181

Lamps 1 x Q1 118mm  
Wattage 230v 300W  
IP Rating IP20





# RECHARGEABLE TABLE LAMPS

All fittings exclude lamps unless otherwise stated.



**K. LIGHT™**

DESIGN • SERVICE • QUALITY

**KLT-8006/GD**

230v 3W LED Vogue Rechargeable Table Lamp

Colour Gold  
 Specifications Dimmable - 3 Colour Option (CCT)  
 Battery: 1800MA  
 Rechargeable with USB Cable

Kelvin / Lumen Warm White 3000K  
 Measurement in cm H: 34 Ø: 8  
 Shade Height: 9

LED SMD 3W  
 Wattage 230v 3W  
 IP Rating IP20

**KLT-8006/BL**

230v 3W LED Vogue Rechargeable Table Lamp

Colour Black  
 Specifications Dimmable - 3 Colour Option (CCT)  
 Battery: 1800MA  
 Rechargeable with USB Cable

Kelvin / Lumen Warm White 3000K  
 Measurement in cm H: 34 Ø: 8  
 Shade Height: 9

LED SMD 3W  
 Wattage 230v 3W  
 IP Rating IP20



**KLT-8001/CO**

230v 2W LED Turret Rechargeable Table Lamp

Colour Copper  
 Specifications Dimmable - 3 Colour Option (CCT)  
 Battery: 1800MA  
 Rechargeable with USB Cable

Kelvin / Lumen Warm White 3000K  
 Measurement in cm H: 21 Ø: 9  
 LED SMD 2W  
 Wattage 230v 2W  
 IP Rating IP20

**KLT-8004/CO**

230v 2W LED Beacon Rechargeable Table Lamp

Colour Copper  
 Specifications Dimmable - 3 Colour Option (CCT)  
 Battery: 1800MA  
 Rechargeable with USB Cable

Kelvin / Lumen Warm White 3000K  
 Measurement in cm H: 21 Ø: 9  
 LED SMD 2W  
 Wattage 230v 2W  
 IP Rating IP20

**KLT-8004/GD**

230v 2W LED Beacon Rechargeable Table Lamp

Colour Gold  
Chromed Brushed Iron  
Specifications Dimmable - 3 Colour Option (CCT)  
Battery: 1800MA  
Rechargeble with USB Cable  
Warm White 3000K

Kelvin / Lumen  
Measurement in cm H: 21 Ø: 9  
LED SMD 2W  
Wattage 230v 2W  
IP Rating IP20

**KLT-8001/GD**

230v 2W LED Turret Rechargeable Table Lamp

Colour Gold  
Chromed Brushed Iron  
Specifications Dimmable - 3 Colour Option (CCT)  
Battery: 1800MA  
Rechargeble with USB Cable  
Warm White 3000K

Kelvin / Lumen  
Measurement in cm H: 21 Ø: 9  
LED SMD 2W  
Wattage 230v 2W  
IP Rating IP20



**KLT-013/BL**  
 230v 3.5W LED SMD Rechargeable Table Lamp  
 Colour Black  
 Specifications Touch Switch  
 Dimmable  
 Battery: 5V/2A  
 Rechargeble with USB Cable  
 Charging Time approx: 4 Hours  
 Working Time approx: 6-8 Hours  
 Measurement in cm Base: H: 9.8 W: 9.8  
 Full Height: 38  
 Shade Ø: Top: 8.5 Bottom: 11.5  
 Shade Height: 9  
 LED SMD  
 Wattage 3.5W  
 230v 3.5W  
 IP Rating IP20

**KLT-013/WH**  
 230v 3.5W LED SMD Rechargeable Table Lamp  
 Colour White  
 Specifications Touch Switch  
 Dimmable  
 Battery: 5V/2A  
 Rechargeble with USB Cable  
 Charging Time approx: 4 Hours  
 Working Time approx: 6-8 Hours  
 Measurement in cm Base: H: 9.8 W: 9.8  
 Full Height: 38  
 Shade Ø: Top: 8.5 Bottom: 11.5  
 Shade Height: 9  
 LED SMD  
 Wattage 3.5W  
 230v 3.5W  
 IP Rating IP20





**KLT-8011/GD**  
230v 3W LED Pixie Rechargeable Table Lamp

Colour	Gold
Specifications	Material: PMMA Battery: 1800MA Rechargeble with USB Cable Warm White 3000K
Kelvin / Lumen	
Measurement in cm	H: 27.5 Ø: 15
LED SMD	3W
Wattage	230v 3W
IP Rating	IP20

**KLT-001/BL**

230v 1W LED SMD Acrylic Tri Coloured Dimmable  
Rechargeable Table Lamp

Colour Smoke Black  
Specifications Touch Switch  
Dimmable  
Battery: 5V/2A

Rechargeable with USB Cable

Kelvin / Lumen Warm White: 3000K  
Natural White: 4000K  
Cool White: 6000K

Measurement in cm Base: H: 8.5 W: 8.5  
Full Height: 26 Ø: 12

LED SMD 1W  
Wattage 230v 1W  
IP Rating IP20

**KLT-001/CL**

230v 1W LED SMD Acrylic Tri Coloured Dimmable  
Rechargeable Table Lamp

Colour Clear  
Specifications Touch Switch  
Dimmable  
Battery: 5V/2A

Rechargeable with USB Cable

Kelvin / Lumen Warm White: 3000K  
Natural White: 4000K  
Cool White: 6000K

Measurement in cm Base: H: 8.5 W: 8.5  
Full Height: 26 Ø: 12

LED SMD 1W  
Wattage 230v 1W  
IP Rating IP20

**KLT-005**

230v 1W LED SMD Acrylic Colour Changing Rechargeable Table Lamp

Colour Clear  
Specifications Touch Switch  
Dimmable

With Remote Control

Battery: 5V/2A

Rechargeable with USB Cable

Charging Time approx: 4 Hours

Working Time approx: 6-8 Hours

Full Height: 22 Ø: 9

Measurement in cm

LED SMD

1W

Wattage

230v 1W

IP Rating

IP20





**KLT-26**

230v 1.2W LED SMD Chickabiddy Night Light

Colour White

Specifications Material: ABS & Silicon & PC  
 Rechargeble with USB Cable  
 Dimmable  
 Battery: 5V/1A  
 Touch Switchs

It's a decoration, a decompression toy and a lamp

Kelvin / Lumen Warm White: 3000K

Cool White: 6500K

Measurement in cm H: 11.8 W: 10.4 L: 10.4

Weight 200g

LED SMD 1.2W

Wattage 230v 1.2W

IP Rating IP20

**KLT-23**

230v 2.6W LED SMD Elephant Night Light

Colour White

Specifications Material: ABS & HIPS & Silicon  
 Rechargeble with USB Cable  
 Dimmable  
 Battery: 5V/1A  
 Timer  
 Touch Switchs

It's a decoration, a decompression toy and a lamp

Kelvin / Lumen Warm White: 3000K

Cool White: 6500K

Measurement in cm H: 15.1 W: 8.2 L: 9.6

Weight 200g

LED SMD 2.6W

Wattage 230v 2.6W

IP Rating IP20

**KLT-22**

230v 0.4W LED SMD Goose Night Light

Colour White

Specifications Material: ABS & Silicon & PC  
 Rechargeble with USB Cable  
 Dimmable  
 Battery: 5V/1A  
 Timer

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 13.1 W: 7.8 L: 10.5

Weight 211g

LED SMD 0.4W

Wattage 230v 0.4W

IP Rating IP20

**KLT-25**

230v 1W LED SMD Kitty Night Light

Colour White

Specifications Material: ABS & Silicon & PC  
 Rechargeble with USB Cable  
 Dimmable  
 Battery: 5V/1A  
 Timer  
 Touch Switchs

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 10.2 W: 10.9 L: 15.2

Weight 278g

LED SMD 1W

Wattage 230v 1W

IP Rating IP20

# Baby Night Lights

## KLT-27

230v 1.5W LED SMD Dog Night Light

Colour White

Specifications Material: ABS & Silicon  
Rechargeble with USB Cable  
Dimmable  
Battery: 5V/1A  
Timer  
Touch Switchs

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 7.6 W: 9 L: 16

Weight 174g

LED SMD 1.5W

Wattage 230v 1.5W

IP Rating IP20

## KLT-20

230v 1W LED SMD Pear Night Light

Colour White

Specifications Material: ABS & Silicon & PC  
Rechargeble with USB Cable  
Dimmable  
Battery: 5V/1A  
Timer

Colour Changing  
It's a decoration, a decompression toy and a lamp

Measurement in cm H: 13 W: 11.4 L: 11.7

Weight 173g

LED SMD 1W

Wattage 230v 1W

IP Rating IP20

## KLT-21

230v 1W LED SMD Tiger Night Light

Colour Yellow/Orange

Specifications Material: ABS & Silicon  
Rechargeble with USB Cable  
Dimmable  
Battery: 5V/1A  
Timer

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 15.2 W: 11 L: 13.2

Weight 232g

LED SMD 1W

Wattage 230v 1W

IP Rating IP20

## KLT-24

230v 0.45W LED SMD Little Cloud Night Light

Colour White

Specifications Material: ABS & Silicon  
Rechargeble with USB Cable  
Non-Dimmable  
Battery: 5V/1A  
Timer  
Touch Switchs  
Colour Changing

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 9 W: 11.4 L: 14.2

Weight 250g

LED SMD 0.45W

Wattage 230v 0.45W

IP Rating IP20





**K. LIGHT**<sup>®</sup>

DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)





# SPOTLIGHTS

- 230v GU10 & G9
- 12v G5.3



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

**N-KLS-851-1B/BL**

230v 50W GU10 Single Adjustable Spot Light on a Bar

Colour	Black & Copper with Red Cord
Measurement in cm	Length: 12.2 Width: 10 Depth: 11.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**N-KLS-851-2P/BL**

230v 50W GU10 Two Adjustable Spot Lights on a Plate

Colour	Black & Copper with Red Cord
Measurement in cm	Diameter: 17 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-851-3P/BL**

230v 50W GU10 Three Adjustable Spot Lights on a Plate

Colour	Black & Copper with Red Cord
Measurement in cm	Diameter: 23 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-851-2B/BL**

230v 50W GU10 Two Adjustable Spot Lights on a Bar

Colour	Black & Copper with Red Cord
Measurement in cm	Length: 30 Width: 6.5 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-851-3B/BL**

230v 50W GU10 Three Adjustable Spot Lights on a Bar

Colour	Black & Copper with Red Cord
Measurement in cm	Length: 43 Width: 6.5 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-851-1B/WH**

230v 50W GU10 Single Adjustable Spot Light on a Bar

Colour	White & Chrome with Red Cord
Measurement in cm	Length: 12.2 Width: 10 Depth: 11.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**N-KLS-851-2P/WH**

230v 50W GU10 Two Adjustable Spot Lights on a Plate

Colour	White & Chrome with Red Cord
Measurement in cm	Diameter: 17 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-851-3P/WH**

230v 50W GU10 Three Adjustable Spots Lights on a Plate

Colour	White & Chrome with Red Cord
Measurement in cm	Diameter: 23 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-851-2B/WH**

230v 50W GU10 Two Adjustable Spot Lights on a Bar

Colour	White & Chrome with Red Cord
Measurement in cm	Length: 30 Width: 6.5 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-851-3B/WH**

230v 50W GU10 Three Adjustable Spot Lights on a Bar

Colour	White & Chrome with Red Cord
Measurement in cm	Length: 43 Width: 6.5 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20



**N-KLS-644-1B/WH**

230v 50W GU10 Single Adjustable Spot Light on a Bar

Colour	White
Measurement in cm	Length: 12.5 Width: 10 Depth: 12
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**N-KLS-644-2P/WH**

230v 50W GU10 Two Adjustable Spot Lights on a Plate

Colour	White
Measurement in cm	Diameter: 17 Depth: 12
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-644-3P/WH**

230v 50W GU10 Three Adjustable Spot Lights on a Plate

Colour	White
Measurement in cm	Diameter: 23 Depth: 12
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-644-2B/WH**

230v 50W GU10 Two Adjustable Spot Lights on a Bar

Colour	White
Measurement in cm	Length: 35 Width: 6.5 Depth: 13.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-644-3B/WH**

230v 50W GU10 Three Adjustable Spot Lights on a Bar

Colour	White
Measurement in cm	Length: 56.5 Width: 6.5 Depth: 13.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20



**N-KLS-95-1B/NS**  
230v 50W GU10 Single Adjustable Spot Light on a Bar

Colour	Brushed Aluminium
Measurement in cm	Length: 12.5 Width: 6.5 Depth: 11.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**N-KLS-95-2P/NS**  
230v 50W GU10 Two Adjustable Spot Lights on a Plate

Colour	Brushed Aluminium
Measurement in cm	Diameter: 17 Depth: 12.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20



**N-KLS-95-3P/NS**  
230v 50W GU10 Three Adjustable Spot Lights on a Plate

Colour	Brushed Aluminium
Measurement in cm	Diameter: 23 Depth: 12.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20



**N-KLS-95-2B/NS**  
230v 50W GU10 Two Adjustable Spot Lights on a Bar

Colour	Brushed Aluminium
Measurement in cm	Length: 35 Width: 6.5 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20



**N-KLS-95-3B/NS**  
230v 50W GU10 Three Adjustable Spot Lights on a Bar

Colour	Brushed Aluminium
Measurement in cm	Length: 45 Width: 6.5 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20



**FL-3090/1**  
230v 50W GU10 Single Adjustable Spot Light on Plate

Colour	White with Red Cord
Measurement in cm	Diameter: 10 Depth: 14
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**FL-3090B/4**  
230v 50W GU10 Four Adjustable Spot Lights on Bar

Colour	White with Red Cord
Measurement in cm	Length: 79 Width: 6.5 Depth: 14.5
Lamps	4 x GU10 (Excluding Lamps)
Wattage	230v 200W
IP Rating	IP20



**HP-9024D**  
12v 50W G5.3 DR111 4 Spot Lights on a Bar

Colour	Oxidized Silver
Specifications	Reflector available in 24° & 48°
Measurement in cm	Length: 68 Width: 7 Depth: 15.5
Lamps	4 x BiPin (Including Lamps)
Wattage	230v 200W
IP Rating	IP20



**MG-VELA/4**  
230v 40W G9 Four Adjustable Spot Lights on Square Plate

Colour	Satin
Measurement in cm	Length: 25 Width: 25 Depth: 12
Lamps	4 x G9 (Excluding Lamps)
Wattage	230v 160W
IP Rating	IP20





**FL-5351/1**  
230v 50W GU10 Single Adjustable Wood Finish Spot Light on Bar

Colour	Chrome with Wood Finish
Measurement in cm	Length: 10 Width: 10 Depth: 12
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**FL-5781-P/3**  
230v 50W GU10 Three Adjustable Bubble Spot Lights on Plate

Colour	Brushed Aluminium
Measurement in cm	Diameter: 21 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20



**MG-SPECTRUM/3B**  
12v 50W G5.3 Three Adjustable Colour Glass Spot Lights on Bar

Colour	Satin with Blue, Red or Clear Glass
Measurement in cm	Length: 54.5 Width: 7.7 Depth: 12.3
Lamps	3 x MR16 (Excluding Lamps)
Wattage	12v 150W
IP Rating	IP20



**MG-SPECTRUM/3P**  
12v 50W G5.3 Three Adjustable Colour Glass Spot Lights on Plate

Colour	Satin with Blue, Red or Clear Glass
Measurement in cm	Length: 24 Width: 23 Depth: 10.5
Lamps	3 x MR16 (Excluding Lamps)
Wattage	12v 150W
IP Rating	IP20



**K. LIGHT**<sup>®</sup>  
DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)



# GU10 TRACK SPOTLIGHTS

- 230v GU10
- Tracks & Connectors
- Suspension Track



**K. LIGHT**  
DESIGN • SERVICE • QUALITY





**VR-KLS-100/BL**  
230v 50W GU10 Spot Light for 3 Wire Track  
(Recessed Adaptor)

Colour	Black
Measurement in cm	Height: 11 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-100/WH**  
230v 50W GU10 Spot Light for 3 Wire Track  
(Recessed Adaptor)

Colour	White
Measurement in cm	Height: 11 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-160/BL**  
230v 50W GU10 Spot Light for 3 Wire Track  
(Recessed Adaptor)

Colour	Black
Measurement in cm	Height: 9.2 Length: 8.6 Diameter: 5.6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-160/WH**  
230v 50W GU10 Spot Light for 3 Wire Track  
(Recessed Adaptor)

Colour	White
Measurement in cm	Height: 9.2 Length: 8.6 Diameter: 5.6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-150/BL**  
230v 50W GU10 Anti-Glare Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 16 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-150/WH**  
230v 50W GU10 Anti-Glare Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 16 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-150/SG**  
230v 50W GU10 Anti-Glare Spot Light for 3 Wire Track

Colour	Satin Gold
Measurement in cm	Height: 16 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-105/BL**  
230v 50W GU10 Long Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 18 Length: 13 Diameter: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-105/WH**  
230v 50W GU10 Long Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 18 Length: 13 Diameter: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-140/BL**  
230v 50W GU10 Slim Spot Light for 3 Wire Track  
(Recessed Adaptor)

Colour	Black
Measurement in cm	Height: 21.5 Length: 15.2 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-140/WH**  
230v 50W GU10 Slim Spot Light for 3 Wire Track  
(Recessed Adaptor)

Colour	Black
Measurement in cm	Height: 21.5 Length: 15.2 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20





**VR-KLS-110/BL**  
230v 50W GU10 Round Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 14 Length: 7 Diameter: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-110/WH**  
230v 50W GU10 Round Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 14 Length: 7 Diameter: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-120/BL**  
230v 50W GU10 Square Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 14 Length: 6 Width: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-120/WH**  
230v 50W GU10 Square Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 14 Length: 6 Width: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-130/BL**  
230v 50W GU10 Goose Neck Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 30 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-130/WH**  
230v 50W GU10 Goose Neck Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 30 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



# LED TRACK SPOTLIGHTS

- 230v LED
- Tracks & Connectors
- Suspension Track



**K. LIGHT**  
DESIGN • SERVICE • QUALITY





**P-700-3500K/BL or P-700-4000K/BL**  
230v 35W LED 3 Wire Track Spot Light

Colour	Black
Specifications	Beam angle: 38° Aluminium
Kelvin / Lumen	Warm White: 3000K, 3183lm or Natural White: 4000K, 3360lm
Measurement in cm	Spot Light: Height: 14.5 Length: 13 Diameter: 9
LED SMD	35W
Wattage	230v 35W
IP Rating	IP20



**P-700-3500K/WH or P-700-4000K/WH**  
230v 35W LED 3 Wire Track Spot Light

Colour	White
Specifications	Beam angle: 38° Aluminium
Kelvin / Lumen	Warm White: 3000K, 3183lm or Natural White: 4000K, 3360lm
Measurement in cm	Spot Light: Height: 14.5 Length: 13 Diameter: 9
LED SMD	35W
Wattage	230v 35W
IP Rating	IP20



**P-520/WH-3000K**  
230v 35W LED COB Spot Light for 3 Wire Track

Colour	White
Specifications	Reflector angle: 38°
Kelvin / Lumen	Warm White: 3000K, 3400lm
Measurement in cm	Spot Light: Height: 15.5 Length: 17.5 Diameter: 12
LED COB	1 x 35W Cree
Wattage	230v 35W
IP Rating	IP20



**P-600/BL**  
230v 10W LED 3 Wire Track Spot Light

Colour	Black with a Gold Inner Ring
Specifications	Beam angle: 38° Aluminium
Kelvin / Lumen	Warm White: 3000K, 904lm
Measurement in cm	Spot Light: Height: 16 Length: 13.5 Diameter: 5
LED SMD	10W
Wattage	230v 10W
IP Rating	IP20



**P-600/WH**  
230v 10W LED 3 Wire Track Spot Light

Colour	White with a Gold Inner Ring
Specifications	Beam angle: 38° Aluminium
Kelvin / Lumen	Warm White: 3000K, 904lm
Measurement in cm	Spot Light: Height: 16 Length: 13.5 Diameter: 5
LED SMD	10W
Wattage	230v 10W
IP Rating	IP20

# SURFACE MOUNTED TRACK WITH COMPONENTS



## YB-3W-TRACK

3-Wire 1-Circuit Surface Mounted Track

Colour	Black or White
Measurements	Track Length: 1M, 1.5M, 2M or 3M Sold incl. power feed and end cap. Track Measurements: W: 3.5 H: 1.6



## YB-3W-AD

3-Wire Track Adaptor for pendants

Colour	Black or White
--------	----------------



## YB-3W-IJ

3-Wire I-Joiner without Power Feed

Colour	Black or White
--------	----------------



## YB-3W-LC

3-Wire L Connector

Colour	Black or White
--------	----------------



## YB-3W-IC

3-Wire I Connector

Colour	Black or White
--------	----------------





**YB-3W-EC AND YB-3W-PF**  
3-Wire Power Feed with 3-Wire End Cap

Colour	Black or White
--------	----------------



**YB-3W-TC**  
3-Wire T Connector

Colour	Black or White
--------	----------------



**YB-3W-XC**  
3-Wire X Connector

Colour	Black or White
--------	----------------



**YB-3W-FLEXI**  
3-Wire Flexi Connector

Colour	Black or White
--------	----------------

# SUSPENSION TRACK



## YB-3WS-TRACK

3 Wire 1-Circuit Suspension Track

Colour	Black or White
Measurements	Track Length: 1M, 1.5M, 2M or 3M Sold incl. power feed and end cap. Track Measurements: W: 3.5 H: 1.6



## YB-3WS-KIT

Colour	Black or White
Components	Ceiling Cup Metalwire 1.5m Track Connector

# RECESSED TRACK



**YB-3WR-TRACK**  
3-Wire 1-Circuit Recessed Track

Colour	Black or White
Measurements	Track Length: 1M, 1.5M, 2M or 3M Sold incl. power feed and end cap. Track Measurements: W: 5.8 H: 1.6 Cut Out: 3.4



**YB-3WR-TR-MB**

Components	Mounting Bracket for Recessed Track
------------	-------------------------------------



**YB-3WR-IJ**  
3-Wire I-Joiner without Power Feed

Colour	Black or White
--------	----------------



**YB-3WR-EC AND YB-3WR-PF**  
3-Wire Power Feed with 3-Wire End Cap

Colour	Black or White
--------	----------------





**K. LIGHT**

DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)



# RECESSED DOWNLIGHTS

- 230v LED
- 230v GU10 & BRACKET
- 12v G4 & G5.3 LOW VOLTAGE
- 230v COMPACT FLUORESCENT G24
- 230v METAL HALIDE G12 & R7S
- 230v LUXMAN TRANSFORMERS



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



**LED-02/NW**  
230v 1W COB LED Star Light

Colour	White
Specifications	Beam angle: 120° Anti Glare
Kelvin / Lumen	Natural White: 4000K / 50lm
Measurement in cm	Diameter: 2.4 Height: 5 Cut Out: 2
LED COB	1W
Wattage	230v 1W
IP Rating	IP44



**LED-02/WW**  
230v 1W COB LED Star Light

Colour	White
Specifications	Beam angle: 120° Anti Glare
Kelvin / Lumen	Warm White: 3000K / 45lm
Measurement in cm	Diameter: 2.4 Height: 5 Cut Out: 2
LED COB	1W
Wattage	230v 1W
IP Rating	IP44



**LED-03-WH/CW or LED-03-WH/WW**  
230v 1W COB LED Star Light

Colour	White
Specifications	Beam angle: 120°
Kelvin / Lumen	Cool White: 6000K / 100lm Warm White: 3000K / 90lm
Measurement in cm	Diameter: 3.1 Height: 2 Cut Out: 2.5
LED COB	1W
Wattage	230v 1W
IP Rating	IP20



**LED-03-ST/CW or LED-03-ST/WW**  
230v 1W COB LED Star Light

Colour	Satin
Specifications	Beam angle: 120°
Kelvin / Lumen	Cool White: 6000K / 100lm Warm White: 3000K / 90lm
Measurement in cm	Diameter: 3.1 Height: 2 Cut Out: 2.5
LED COB	1W
Wattage	230v 1W
IP Rating	IP20





**LED-01/5WH-CW**  
230v 5W COB LED Tilt Down Light

Colour	White
Specifications	Beam angle 60° Non Dimmable Includes CE Approved KLight LED External Driver
Kelvin / Lumen	Cool White: 6000K
Measurement in cm	Diameter: 7.8 Height: 5.5 Cut Out: 7
LED COB	5W
Wattage	230v 5W
IP Rating	IP20



**LED-01/D10WH-CW**  
230v 10W COB LED Tilt Down Light

Colour	White
Specifications	Beam angle 60° Dimmable Includes CE Approved All-Top LED External Driver
Kelvin / Lumen	Cool White: 6000K / 1100lm
Measurement in cm	Diameter: 9 Height: 8 Cut Out: 7.3
LED COB	10W
Wattage	230v 10W
IP Rating	IP20



**LED-01/D10WH-WW**  
230v 10W COB LED Tilt Down Light

Colour	White
Specifications	Beam angle 60° Dimmable Includes CE Approved All-Top LED External Driver
Kelvin / Lumen	Warm White: 3000K / 1000lm
Measurement in cm	Diameter: 9 Height: 8 Cut Out: 7.3
LED COB	10W
Wattage	230v 10W
IP Rating	IP20


**LED-1031-8/CW or LED-1031-8/WW**  
 230v 8W SMD LED (Indirect Light)

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 350lm Warm White: 3000K / 300lm
Measurement in cm	Diameter: 10.5 Height: 4 Cut Out: 9.5
LED Epistar SMD	8W
Wattage	230v 8W
IP Rating	IP20


**LED-1031-12/CW or LED-1031-12/WW**  
 230v 12W SMD LED (Indirect Light)

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 650lm Warm White: 3000K / 600lm
Measurement in cm	Diameter: 14.5 Height: 6 Cut Out: 13.5
LED Epistar SMD	12W
Wattage	230v 12W
IP Rating	IP20


**LED-1031-20/CW or LED-1031-20/WW**  
 230v 20W SMD LED (Indirect Light)

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 950lm Warm White: 3000K / 850lm
Measurement in cm	Diameter: 17.5 Height: 6 Cut Out: 15.5
LED Epistar SMD	20W
Wattage	230v 20W
IP Rating	IP20



**LED-1031-D8/CW or LED-1031-D8/WW**  
230v 8W SMD LED (Indirect Light)

Colour	White
Specifications	Dimmable
Kelvin / Lumen	Cool White: 6000K / 350lm Warm White: 3000K / 300lm
Measurement in cm	Diameter: 10.5 Height: 4 Cut Out: 9.5
LED Epistar SMD	8W
Wattage	230v 8W
IP Rating	IP20



**LED-1031-D12/CW or LED-1031-D12/WW**  
230v 12W SMD LED (Indirect Light)

Colour	White
Specifications	Dimmable
Kelvin / Lumen	Cool White: 6000K / 650lm Warm White: 3000K / 600lm
Measurement in cm	Diameter: 14.5 Height: 6 Cut Out: 13.5
LED Epistar SMD	12W
Wattage	230v 12W
IP Rating	IP20



**LED-1031-D20/CW or LED-1031-D20/WW**  
230v 20W SMD LED (Indirect Light)

Colour	White
Specifications	Dimmable
Kelvin / Lumen	Cool White: 6000K / 950lm Warm White: 3000K / 850lm
Measurement in cm	Diameter: 17.5 Height: 6 Cut Out: 15.5
LED Epistar SMD	20W
Wattage	230v 20W
IP Rating	IP20





**ELC-146/WH-GU**  
230v 50W GU10 Aluminium Straight Down Light

Colour	White
Specifications	-
Measurement in cm	Diameter: 7.8 Height: 9 Cut Out: 5.8
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**ELC-146/NM-GU**  
230v 50W GU10 Aluminium Straight Down Light

Colour	Satin
Specifications	-
Measurement in cm	Diameter: 7.8 Height: 9 Cut Out: 5.8
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**ELC-229/WH-GU**  
230v 50W GU10 Aluminium Tilt Down Light

Colour	White
Specifications	-
Measurement in cm	Diameter: 8.4 Height: 9 Cut Out: 7.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**ELC-229/NM-GU**  
230v 50W GU10 Aluminium Tilt Down Light

Colour	Satin
Specifications	-
Measurement in cm	Diameter: 8.4 Height: 9 Cut Out: 7.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**ELC-GU/BACKET**  
230v GU10 Lamp Holder with Earth Wire and Metal Bracket

IP Rating	IP20
-----------	------

**ELC-57/WH-GU**

230v 50W GU10 CNC Tilt Down Light

Colour	Matt White
Specifications	-
Measurement in cm	Diameter: 8.3 Height: 10 Cut Out: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**ELC-57/CNC-GU**

230v 50W GU10 CNC Tilt Down Light

Colour	Brushed Aluminum
Specifications	-
Measurement in cm	Diameter: 8.3 Height: 10 Cut Out: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**ELC-57/BL-GU**

230v 50W GU10 CNC Tilt Down Light

Colour	Black
Specifications	-
Measurement in cm	Diameter: 8.3 Height: 10 Cut Out: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**ELC-58/CNC-GU**

230v 50W GU10 CNC Square Tilt Down Light

Colour	Brushed Aluminium
Specifications	-
Measurement in cm	Width: 9.2 x 9.2 Height: 10.5 Cut Out: 7.8
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**HP-9604FM-GU**

230v 50W GU10 Commercial Square Tilt Down Light

Colour	Oxidized Silver
Specifications	-
Measurement in cm	Frame: Length: 19.6 Width: 19.6 Cut Out: Height: 12.6 Length: 17.5 Width: 17.5
Lamps	4 x GU10 (Excluding Lamps)
Wattage	230v 200W
IP Rating	IP20



**ELC-1120/WH**  
230v 70W G12 Metal Halide Tilt Down Light

Colour	White with Frosted Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 20.8 Width: 20.8	Cut Out: Height: 19.5 Length: 16 Width: 16
Lamps	1 x G12 (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



**ELC-3120/WH**  
230v 70W G12 Metal Halide Tilt Down Light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 49.7 Width: 20.8	Cut Out: Height: 19.5 Length: 46 Width: 16
Lamps	3 x G12 (Excluding Lamps and Control Gear)	
Wattage	230v 210W	
IP Rating	IP20	



**ELC-3120/SL**  
230v 70W G12 Metal Halide Tilt Down Light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 49.7 Width: 20.8	Cut Out: Height: 19.5 Length: 46 Width: 16
Lamps	3 x G12 (Excluding Lamps and Control Gear)	
Wattage	230v 210W	
IP Rating	IP20	



**ELC-1120P**  
230v 70W G12 Metal Halide Tilt Down Light with Profile

Colour	Matt Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 20.8 Width: 20.8 Profile Height: 2	Cut Out: Height: 19.5 Length: 17 Width: 17
Lamps	1 x G12 (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



**ELC-3120P**  
230v 70W G12 Metal Halide Tilt Down Light with Profile

Colour	Matt Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 49.7 Width: 20.8 Profile Height: 2	Cut Out: Height: 19.5 Length: 47 Width: 17
Lamps	3 x G12 (Excluding Lamps and Control Gear)	
Wattage	230v 210W	
IP Rating	IP20	





**ELC-2496A/WH**  
230v 26W G24 Compact Fluorescent Tilt Down Light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 13 Length: 23.1 Width: 14.6	Cut Out: Height: 13 Length: 21.5 Width: 13
Lamps	2 x G24 (Including Lamps and Ballast)	
Wattage	230v 2x13W	
IP Rating	IP20	



**ELC-2496A/SL**  
230v 26W G24 Compact Fluorescent Tilt Down Light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 13 Length: 23.1 Width: 14.6	Cut Out: Height: 13 Length: 21.5 Width: 13
Lamps	2 x G24 (Including Lamps and Ballast)	
Wattage	230v 2x13W	
IP Rating	IP20	



**DG-950305/W-26W**  
230v 26W PLC Compact Fluorescent Down Light

Colour	White with Frosted Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 27 Width: 27	Cut Out: Height: 14.5 Length: 25.6 Width: 25.6
Lamps	1 x PLC (Excluding Lamp and Ballast)	
Wattage	230v 26W	
IP Rating	IP20	



**DG-950305/S-26W**  
230v 26W PLC Compact Fluorescent Down Light

Colour	Silver with Frosted Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 27 Width: 27	Cut Out: Height: 14.5 Length: 25.6 Width: 25.6
Lamps	1 x PLC (Excluding Lamp and Ballast)	
Wattage	230v 26W	
IP Rating	IP20	



**DG-S431BF/WH**  
230v 70W G12 Tilt Round Down light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 16.5 Diameter: 18.8	Cut Out: Height: 16.5 Diameter: 17.2
Lamps	1 x G12 (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



**DG-S431BF/SL**  
230v 70W G12 Tilt Round Down light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 16.5 Diameter: 18.8	Cut Out: Height: 16.5 Diameter: 17.2
Lamps	1 x G12 (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



**L-ETH-60**  
12v 60VA Electronic Transformer

Colour	White	
Specifications	Protection: Short Circuit, Overload, Thermal Dimmable with Leading and Trailing Edge Dimmer Casing Temperature 80° C	
Measurement in cm	Height: 2.5 Length: 11.5 Width: 4	
Wattage	12v 60W	
IP Rating	IP20	



**L-ETH-60.2**  
12v 60VA Looping Electronic Transformer

Colour	White	
Specifications	Protection: Short Circuit, Overload, Thermal Dimmable with Leading and Trailing Edge Dimmer Casing Temperature 80° C	
Measurement in cm	Height: 2.5 Length: 10.6 Width: 4	
Wattage	12v 60W	
IP Rating	IP20	



**DG-S318F/WH**  
230v 70W R7S Metal Halide Tilt Flood Light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 25.5 Width: 17.5	Cut Out: Height: 14.5 Length: 24.2 Width: 16
Lamps	1 x R7S (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



**DG-S318F/SL**  
230v 70W R7S Metal Halide Tilt Flood Light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 25.5 Width: 17.5	Cut Out: Height: 14.5 Length: 24.2 Width: 16
Lamps	1 x R7S (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



**DG-950305/WH**  
230v 70W R7S Metal Halide Down Light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 27 Width: 27	Cut Out: Height: 14.5 Length: 25.6 Width: 25.6
Lamps	1 x R7S (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



**DG-950305/SL**  
230v 70W R7S Metal Halide Down Light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 27 Width: 27	Cut Out: Height: 14.5 Length: 25.6 Width: 25.6
Lamps	1 x R7S (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	





**K. LIGHT**<sup>®</sup>  
DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)



# SURFACE MOUNTED DOWNLIGHTS

- 230v LED
- 230v GU10
- 12v G5.3 LOW VOLTAGE



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

**O-KLS-5220/WH**

230v 50W GU10 Surface Mounted Adjustable Down Light

Colour	White
Specifications	-
Measurement in cm	Height: 18 Diameter: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**O-KLS-5220/BL**

230v 50W GU10 Surface Mounted Adjustable Down Light

Colour	Black
Specifications	-
Measurement in cm	Height: 18 Diameter: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**JB-LED-2006/WH**

230v 6W LED SMD Round Surface Mounted Ceiling Light

Colour	White
Specifications	-
Measurement in cm	Height: 11 Diameter: 9
Lamps	LED 6W
Wattage	230v 6W
IP Rating	IP20

**JB-LED-2006/BL**


230v 6W LED SMD Round Surface Mounted Ceiling Light

Colour	Black
Specifications	-
Measurement in cm	Height: 11 Diameter: 9
Lamps	LED 6W
Wattage	230v 6W
IP Rating	IP20




### Surface Mount Installation:

1. Position and securely fix the bracket to the ceiling
2. Feed the mains wires through the bracket and connect to the fitting
3. Position the fitting over the bracket and twist clockwise to secure



### Recessed Installation:

1. Attached and position the two springs to the bracket
2. Feed the fitting wires through the bracket centre hole, attach the bracket to the fitting and twist to secure
3. Connect fitting wires to the mains, lift the springs and install the fitting through the pre-cut hole.



#### LED-6-D/CW

230v 6W LED SMD Round Mini Panel Light, Dimmable

Colour	White
Specifications	Dimmable with built-in driver
Kelvin / Lumen	Cool White: 6000K / 420lm
Measurement in cm	Diameter: 12 Height : 1.5
LED SMD	6W
Wattage	230v 6W
IP Rating	IP20



#### LED-18-D/CW or LED-18-D/WW

230v 18W LED SMD Round Mini Panel Light, Dimmable

Colour	White
Specifications	LED Dimmable with built-in driver
Kelvin / Lumen	Cool White: 6000K / 1400lm Warm White: 3000K / 1300lm
Measurement in cm	Diameter: 23 Height : 1.5
LED SMD	18W
Wattage	230v 18W
IP Rating	IP20



**VR-KLS-3051RD/B**  
230v 50W GU10 Round Surface Mounted

Colour	Black
Specifications	-
Measurement in cm	Height: 12 Top Diameter: 10 Bottom Diameter: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-3051RD/WH**  
230v 50W GU10 Round Surface Mounted

Colour	White
Specifications	-
Measurement in cm	Height: 12 Top Diameter: 10 Bottom Diameter: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-3051SQ/B**  
230v 50W GU10 Square Surface Mounted

Colour	Black
Specifications	-
Measurement in cm	Height: 12 Top Width: 10 Bottom Width: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**VR-KLS-3051SQ/WH**  
230v 50W GU10 Square Surface Mounted

Colour	White
Specifications	-
Measurement in cm	Height: 12 Top Width: 10 Bottom Width: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**O-KLS-5180/BL**  
230v 50W GU10 Surface Mounted Round Down Light

Colour	Black or Black with Aluminium or Black with Gold
Specifications	-
Measurement in cm	Height: 8.5 Diameter: 6
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**O-KLS-5180/WH**  
230v 50W GU10 Surface Mounted Round Down Light

Colour	White or White with Aluminium or White with Gold
Specifications	-
Measurement in cm	Height: 8.5 Diameter: 6
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**O-KLS-5230/WH**  
230v 50W GU10 Surface Mounted Square Down Light

Colour	White
Specifications	-
Measurement in cm	Height: 8.5 Width: 6.5 Lenth: 6.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



**O-KLS-5230/BL**  
230v 50W GU10 Surface Mounted Square Down Light

Colour	Black
Specifications	-
Measurement in cm	Height: 8.5 Width: 6.5 Lenth: 6.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20





**HP-9723D/BL**  
230v 50W G5.3 BiPin DR111 Rectangular Surface Mounted

Colour	Black
Specifications	Reflector available in 24° or 48°
Measurement in cm	Height: 13 Length: 45 Width: 15
Lamps	3 x 50w BiPin (Including Lamps and Transformers)
Wattage	230v 150W
IP Rating	IP20



**HP-9723D/SL**  
230v 50W G5.3 BiPin DR111 Rectangular Surface Mounted

Colour	Oxidized Silver
Specifications	Reflector available in 24° or 48°
Measurement in cm	Height: 13 Length: 45 Width: 15
Lamps	3 x 50w BiPin (Including Lamps and Transformers)
Wattage	230v 150W
IP Rating	IP20




**HP-9724D/BL**  
230v 50W G5.3 BiPin DR111 Rectangular Surface Mounted

Colour	Black
Specifications	Reflector available in 24° or 48°
Measurement in cm	Height: 13 Length: 60 Width: 15
Lamps	4 x 50w BiPin (Including Lamps and Transformers)
Wattage	230v 200W
IP Rating	IP20



**HP-9724D/SL**  
230v 50W G5.3 BiPin DR111 Rectangular Surface Mounted

Colour	Oxidized Silver
Specifications	Reflector available in 24° or 48°
Measurement in cm	Height: 13 Length: 60 Width: 15
Lamps	4 x 50w BiPin (Including Lamps and Transformers)
Wattage	230v 200W
IP Rating	IP20



# LED STRIP LIGHTS

- 12v LED STRIP LIGHTS IP20
- DC12v POWER SUPPLIES
- 24v LED STRIP LIGHTS IP20
- DC24v LED DRIVER
- 230v LED STRIP LIGHTS IP65



**K. LIGHT**

DESIGN • SERVICE • QUALITY

## 12V LED STRIP LIGHT IP20



### YM-3528-60/WW

12v 4.8W 60 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Open Flexi Strip Available in 50m roll
Kelvin / Lumen	Warm White: 3000K / 565lm per meter
Measurement in mm	Height: 1 Width: 8
LED SMD	60 x 0.08W per meter
Wattage	12v 4.8W per meter
IP Rating	IP20



### YM-3528-60/CW

12v 4.8W 60 LED's SMD Open Flexi Strip per meter

Colour	Brown PC Board
Specifications	Open Flexi Strip Available in 50m roll
Kelvin / Lumen	Cool White: 6000K / 565lm per meter
Measurement in mm	Height: 1 Width: 8
LED SMD	60 x 0.08W per meter
Wattage	12v 4.8W per meter
IP Rating	IP20




## 12V LED STRIP LIGHT IP20



### YM-2835-120/WW

12v 9W 120 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Warm White: 3000K
Measurement in mm	Height: 1 Width: 8
LED SMD	120 x 0.075W per meter
Wattage	12v 9W per meter
IP Rating	IP20



### YM-2835-120/CW

12v 9W 120 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Cool White: 6500K
Measurement in mm	Height: 1 Width: 8
LED SMD	120 x 0.075W per meter
Wattage	12v 9W per meter
IP Rating	IP20

## 12V LED STRIP LIGHT IP20



**YM-3528-240S/WW**  
12v 16W 240 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Warm White: 3000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	12v 16W per meter
IP Rating	IP20



**YM-3528-240S/CW**  
12v 16W 240 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Cool White: 6000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	12v 16W per meter
IP Rating	IP20

# DC12V POWER SUPPLIES FOR LED STRIP LIGHTS



## K-25W-DC12V

12v 25W Power Supply for LED Strip Light

Colour	Chrome
Specifications	DC12v 25W Power Supply for LED Strip Light
Measurement in cm	Height: 3.5 Width: 6 Length: 8.5
Wattage	12v 25W
IP Rating	IP20



## K-35W-DC12V

12v 35W Power Supply for LED Strip Light

Colour	Chrome
Specifications	DC12v 35W Power Supply for LED Strip Light
Measurement in cm	Height: 3 Width: 6 Length: 10
Wattage	12v 35W
IP Rating	IP20



## K-50W-DC12V

12v 50W Power Supply for LED Strip Light

Colour	Chrome
Specifications	DC12v 50W Power Supply for LED Strip Light
Measurement in cm	Height: 3.5 Width: 8 Length: 11
Wattage	12v 50W
IP Rating	IP20



## K-80W-DC12V

12v 80W Power Supply for LED Strip Light

Colour	Chrome
Specifications	DC12v 80W Power Supply for LED Strip Light
Measurement in cm	Height: 4 Width: 10 Length: 16
Wattage	12v 80W
IP Rating	IP20



## K-120W-DC12V

12v 120W Power Supply for LED Strip Light

Colour	Chrome
Specifications	DC12v 120W Power Supply for LED Strip Light
Measurement in cm	Height: 4 Width: 10 Length: 20
Wattage	12v 120W
IP Rating	IP20



## 24V LED STRIP LIGHT IP20



### YM-100-24V/WW

24v 16W 240 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Warm White: 3000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	24v 16W per meter
IP Rating	IP20



### YM-100-24V/NW

24v 16W 240 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Natural White: 4000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	24v 16W per meter
IP Rating	IP20



### YM-100-24V/CW

24v 16W 240 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Cool White: 6000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	24v 16W per meter
IP Rating	IP20

# DC24V LED DRIVER



## EULP-SMT60W24V

24v 60W Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 60W Power Supply for LED Strip Light Amperage 2.5A
Measurement in cm	Height: 2 Width: 3 Length: 30
Wattage	220-240v 60W
IP Rating	IP20



## EULP-SMT96W24V

24v 96W Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 96W Power Supply for LED Strip Light Amperage 4.0A
Measurement in cm	Height: 2.2 Width: 3 Length: 33
Wattage	220-240v 96W
IP Rating	IP20



## EULP-60W24V

24v 60W Non Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 60W Power Supply for LED Strip Light Amperage 0.35A
Measurement in cm	Height: 1.8 Width: 2.9 Length: 29.8
Wattage	220-240v 60W
IP Rating	IP20



## EULP-100W24V

24v 100W Non Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 60W Power Supply for LED Strip Light Amperage 0.6A
Measurement in cm	Height: 1.8 Width: 2.9 Length: 34.9
Wattage	220-240v 100W
IP Rating	IP20

## 230V LED STRIP LIGHT IP65



### YMW-3528-60/WW

230v 4.8W 60 LED's SMD Silicone Covered Flexi Strip per meter

Colour	White PC Board
Specifications	Silicone Covered Flexi Strip
Kelvin / Lumen	Warm White: 3000K / 258lm per meter
Measurement in mm	Height: 7 Width: 11
LED SMD	60 x 0.08W per meter
Wattage	230v 4.8W per meter
IP Rating	IP65



### YMW-3528-60/CW

230v 4.8W 60 LED's SMD Silicone Covered Flexi Strip per meter

Colour	White PC Board
Specifications	Silicone Covered Flexi Strip
Kelvin / Lumen	Cool White: 6000K / 258lm per meter
Measurement in mm	Height: 7 Width: 11
LED SMD	60 x 0.08W per meter
Wattage	230v 4.8W per meter
IP Rating	IP65



### YMW-3528-60/B

230v 4.8W 60 LED's SMD Silicone Covered Flexi Strip per meter

Colour	White PC Board
Specifications	Silicone Covered Flexi Strip
Kelvin / Lumen	Blue: 450NM / 390lm per meter
Measurement in mm	Height: 7 Width: 11
LED SMD	60 x 0.08W per meter
Wattage	230v 4.8W per meter
IP Rating	IP65



### YMW-COMPONENTS

230v 60 LED's SMD Silicone Covered Flexi Strip, Components

Colour	White and Clear
Components	<b>YMW-POWERCORD</b> Power cord for YMW-3528-60 <b>YMW-T-CONN</b> PVC "T" Connector <b>YMW-L-CONN</b> PVC "L" Connector <b>YMW-I-CONN</b> PVC "I" Connector <b>YMW-ENDCAP</b> PVC End Cap <b>YMW-CLIP</b> PVC Mounting Clip Connecting Pin






# ALUMINIUM PROFILES



**K. LIGHT**

DESIGN • SERVICE • QUALITY

# RECESSED



## AP-2507-ALUMINI OR AP-2507-BLACK

Recessed Aluminium Profile with no Cover  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.


Colour	Aluminium or Black	
Specifications	Aluminium	
Measurement in cm	Outside: Height: 0.7 Width: 1.75	Inside: Height: 0.5 Width: 1.22



## AP-100/BL OR AP-100/CL OR AP-100/WH


Covers only for AP-2507 Profiles.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.

Colour	Black, Clear or White	
Specifications	PC	
Measurement in cm for Cover only	Outside: Height: 0.8 Width: 1.7	Inside: Height: 0.7 Width: 1.2



## AP-2507 Complete Fitting


Recessed Aluminium Profile with Black, Clear or Opal White Cover.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.



## AP-2507 COMPONENTS

Recessed Aluminium Profiles with Covers and Components.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.

## SURFACE MOUNTED



### AP-100-ALUMINI OR AP-100-BLACK

Aluminium Profile with no Cover.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.


Colour	Aluminium or Black	
Specifications	Aluminium	
Measurement in cm	Outside: Height: 0.7 Width: 1.75	Inside: Height: 0.5 Width: 1.22



### AP-100/BL OR AP-100/CL OR AP-100/WH

Covers only for AP-100 Profiles.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.

Colour	Black, Clear or White	
Specifications	PC	
Measurement in cm for Cover only	Outside: Height: 0.8 Width: 1.7	Inside: Height: 0.7 Width: 1.2



### AP-100 Complete Fitting

Aluminium Profile with Black, Clear or Opal White Cover.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.



### AP-100 COMPONENTS

Aluminium Profiles with Covers and Components.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.




# PENDANT



## AP-2119-ALUMINI OR AP-2119-BLACK

Wide Aluminium Profile with no Cover.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.

Colour	Aluminium or Black	
Specifications	No Cover	
Measurement in cm	Outside: Height: 1.1 Width: 2	Inside: Height: 0.6 Width: 1.6



## AP-2119 and AP-2119/B

Wide Aluminium Profile with Short PC Opal White Cover.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.

Colour	Aluminium	
Specifications	Short Acrylic Opal White Cover	
Measurement in cm for Cover only	Outside: Height: 2.1 Width: 2	Inside: Height: 1.6 Width: 1.6



## AP-2119 and AP-2119/C

Wide Aluminium Profile with High PC Opal White Cover.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.

Colour	Aluminium	
Specifications	High Acrylic Opal White Cover	
Measurement in cm for Cover only	Outside: Height: 3.6 Width: 2	Inside: Height: 3 Width: 1.6



## AP-2119 COMPONENTS

Wide LED Aluminium Profiles with hanging Components.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.



**AP-2119/B-PEN/B**  
Complete 1 meter Pendant with 1.4 m Cable  
with Short PC Opal Cover



**AP-2119/C-PEN/A**  
Complete 1 meter Pendant with 1.4 m Cable  
with High PC Opal Cover

# SURFACE MOUNTED



## AP-500/BL+BL(SURFACE MOUNTED)

Complete 1 meter Black Aluminium U-Channel Surface Mounted Fitting with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

## AP-500/BL+FR(SURFACE MOUNTED)

Complete 1 meter Black Aluminium U-Channel Surface Mounted Fitting with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

## AP-500/WH+BL(SURFACE MOUNTED)

Complete 1 meter White Aluminium U-Channel Surface Mounted Fitting with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

## AP-500/WH+FR(SURFACE MOUNTED)

Complete 1 meter White Aluminium U-Channel Surface Mounted Fitting with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20



# PENDANT



## AP-500/BL+BL

Complete 1 meter Black Aluminium U-Channel Pendant with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

## AP-500/BL+FR

Complete 1 meter Black Aluminium U-Channel Pendant with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

## AP-500/WH+BL

Complete 1 meter White Aluminium U-Channel Pendant with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

## AP-500/WH+FR

Complete 1 meter White Aluminium U-Channel Pendant with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm , Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20


# INNER LOOK

---



**AP-500/BL+BL(Inner Look)**  
U Channel Black with Black Cover

---



**AP-500/BL+WH(Inner Look)**  
U Channel Black with Frosted Cover

---



**AP-500/WH+BL(Inner Look)**  
U Channel White with Black Cover

---



**AP-500/WH+WH(Inner Look)**  
U Channel White with Frosted Cover

---

# SKIRTING



### AP-700 with Cool White LED Strip

Cool White LED strip in Aluminium Skirting Profile.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.



### AP-700 with Warm White LED Strip

Warm White LED strip in Aluminium Skirting Profile.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.



### AP-700 with Components

Aluminium Skirting Profile with components.  
Imported in 3 meter lengths, available in custom sizing.  
Charged per meter.





**K. LIGHT**

DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)



# STEP LIGHTS

- 230v LED INDOOR RECESSED STEP LIGHTS
- 230v LED OUTDOOR RECESSED STEP LIGHTS
- 230v LED OUTDOOR SURFACE MOUNTED STEP LIGHTS
- 230v LED OUTDOOR RECESSED GROUND LIGHT



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



**ST-LED-106/BL**  
230v 1W LED SMD Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 80lm
Measurement in cm	Height: 9 Width: 8.5 Depth: 3
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



**ST-LED-106/ST**  
230v 1.5W LED SMD Square Recessed Step Light

Colour	Satin
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 120lm
Measurement in cm	Height: 9 Width: 8.5 Depth: 3
LED SMD	1.5W
Wattage	230v 1.5W
IP Rating	IP20



**ST-LED-107/WH**  
230v 1.5W LED SMD Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 120lm
Measurement in cm	Height: 8.5 Width: 8.5 Depth: 3
LED SMD	1.5W
Wattage	230v 1.5W
IP Rating	IP20



**ST-LED-108/BG**  
230v 1.5W LED SMD Rectangular Recessed Step Light

Colour	Satin
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 120lm
Measurement in cm	Height: 7.5 Width: 11.7 Depth: 3
LED SMD	1.5W
Wattage	230V 1.5W
IP Rating	IP20





**ST-LED-105RD/BA**  
230v 1W LED SMD Round Recessed Step Light

Colour	Brushed Aluminium
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 110lm
Measurement in cm	Depth: 7.5 Diameter: 8
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



**ST-LED-105RD/WH**  
230v 1W LED SMD Round Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 110lm
Measurement in cm	Depth: 7.5 Diameter: 8
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



**ST-LED-105SQ/BA**  
230v 1W LED SMD Square Recessed Step Light

Colour	Brushed Aluminium
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 110lm
Measurement in cm	Height: 8 Width: 8 Depth: 7.5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



**ST-LED-105SQ/WH**  
230v 1W LED SMD Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 110lm
Measurement in cm	Height: 8 Width: 8 Depth: 7.5
LED SMD	1W
Wattage	230V 1W
IP Rating	IP20



**ST-LED-695S/BL**  
230v 1W LED SMD Small Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 40lm
Measurement in cm	Height: 5.5 Width: 5.5 Depth: 5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP65



**ST-LED-695S/WH**  
230v 1W LED SMD Small Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 40lm
Measurement in cm	Height: 5.5 Width: 5.5 Depth: 5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP65



**ST-LED-695M/BL**  
230v 1W LED SMD Medium Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 80lm
Measurement in cm	Height: 8.5 Width: 8.5 Depth: 5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP65



**ST-LED-695M/WH**  
230v 1W LED SMD Medium Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 80lm
Measurement in cm	Height: 8.5 Width: 8.5 Depth: 5
LED SMD	1W
Wattage	230V 1W
IP Rating	IP65



**ST-LED-102RD/WH**  
230v 2W LED SMD Round Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 160lm
Measurement in cm	Depth: 8 Diameter: 4.5 Cut out: Diameter: 4
LED SMD	2W
Wattage	230v 2W
IP Rating	IP54



**ST-LED-102RD/BL**  
230v 2W LED SMD Round Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 160lm
Measurement in cm	Depth: 8 Diameter: 4.5 Cut out: Diameter: 4
LED SMD	2W
Wattage	230v 2W
IP Rating	IP54



**ST-LED-102SQ/WH**  
230v 2W LED SMD Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 160lm
Measurement in cm	Height: 4.5 Width: 4.5 Depth: 8 Cut out: Diameter: 4
LED SMD	2W
Wattage	230v 2W
IP Rating	IP54



**ST-LED-102SQ/BL**  
230v 2W LED SMD Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 160lm
Measurement in cm	Height: 4.5 Width: 4.5 Depth: 8 Cut out: Diameter: 4
LED SMD	2W
Wattage	230V 2W
IP Rating	IP54



**R-LED-601**

230v 1W LED SMD Square Recessed Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 25lm
Measurement in cm	Height: 9 Width: 9 Depth: 7.5
LED SMD	15 x 0.066W
Wattage	230v 1W
IP Rating	IP65

**R-LED-602**

230v 3W LED SMD Rectangular Recessed Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 400lm
Measurement in cm	Height: 7 Width: 14 Depth: 7.5
LED SMD	15 x 0.2W
Wattage	230v 9W
IP Rating	IP65

**R-LED-603**

230v 3W LED SMD Square Recessed Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 90lm
Measurement in cm	Height: 14 Width: 14 Depth: 7.5
LED SMD	15 x 0.2W
Wattage	230v 3W
IP Rating	IP65

**ST-LED-657/G**

230v 3W LED SMD Vertical Recessed Step Light

Colour	Grey
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 240lm
Measurement in cm	Height: 18.5 Width: 4 Depth: 5
LED SMD	3W
Wattage	230v 3W
IP Rating	IP65

**R-LED-2601**

230v 4W LED SMD Square Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 100lm
Measurement in cm	Height: 9 Width: 9 Depth: 5.3
LED SMD	15 x 0.266W
Wattage	230v 4W
IP Rating	IP54

**R-LED-2602**

230v 6W LED SMD Square Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 170lm
Measurement in cm	Height: 14 Width: 14.4 Depth: 5.7
LED SMD	20 x 0.3W
Wattage	230v 6W
IP Rating	IP54

**JB-KLG-316**

230v 35W GU10 Recessed Ground Light

Colour	316 Stainless Steel
Measurement in cm	Depth: 14.5 Diameter: 11
Lamps	1 x GU10
Wattage	230v 35W
IP Rating	IP67



**K. LIGHT**<sup>®</sup>

DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)





# GARDEN & OUTDOOR WALL LIGHTS

- 230v LED Surface Mounted
- 230v LED Wall Lights
- 230v E27 Wall Lights & Pendant
- 230v GU10 Wall Lights
- 230v LED Semi Recessed Wall Lights



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



**R-LED-9001**  
230v 3W LED SMD Curved Small Rectangular  
Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 150lm
Measurement in cm	Height: 5.5 Width: 13 Depth: 3
LED SMD	15 x 0.2W
Wattage	230v 3W
IP Rating	IP54




**R-LED-9002**  
230v 6W LED SMD Curved Medium Rectangular  
Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 260lm
Measurement in cm	Height: 6 Width: 17 Depth: 3.1
LED SMD	23 x 0.2608W
Wattage	230v 6W
IP Rating	IP54



**R-LED-9003**  
230v 8W LED SMD Curved Large Rectangular  
Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 350lm
Measurement in cm	Height: 8.2 Width: 24 Depth: 4.5
LED SMD	26 x 0.307W
Wattage	230v 8W
IP Rating	IP54



**L-LED 1483/SL**  
230v 3.2W LED SMD Eyelid Rectangular  
Surface Mounted Step Light

Colour	Matt Grey with Opal White PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 130lm
Measurement in cm	Height: 7.7 Width: 23 Depth: 4.3
LED SMD	16 x 0.2W
Wattage	230v 3.2W
IP Rating	IP54

**R-LED-9801/B**

230v 16W LED SMD Up &amp; Down Skyline Wall Light

Colour	Matt Black with Opal White PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1100lm
Measurement in cm	Height: 6 Width: 22 Depth: 7
LED SMD	27 x 0.296W UP 27 x 0.296W DOWN
Wattage	230v 16W
IP Rating	IP54

**R-LED-9802/B**

230v 8W LED SMD Down Skyline Wall Light

Colour	Matt Black with Opal White PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 550lm
Measurement in cm	Height: 4 Width: 22 Depth: 7.5
LED SMD	27 x 0.296W
Wattage	230v 8W
IP Rating	IP54

**R-LED-1002**

230v 9W LED SMD Up &amp; Down Large Brick Wall Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 400lm
Measurement in cm	Height: 6.5 Width: 18 Depth: 7.5
LED SMD	24 x 0.1875W UP 24 x 0.1875W DOWN
Wattage	230v 9W
IP Rating	IP54





**I-LED-51/1**  
230v 5W LED SMD Coastal Round Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 9 Width: 9.5 Depth: 10.5
LED SMD	5W
Wattage	230v 5W
IP Rating	IP54



**I-LED-53/1**  
230v 5W LED SMD Coastal Square Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 8.5 Width: 9.5 Depth: 10.5
LED SMD	5W
Wattage	230v 5W
IP Rating	IP54



**I-LED-51/2**  
230v 2 x 5W LED SMD Coastal Up & Down Round Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 13 Width: 9.5 Depth: 11
LED SMD	2 x 5W
Wattage	230v 5W
IP Rating	IP54



**I-LED-53/2**  
230v 2 x 5W LED SMD Coastal Up & Down Square Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 12 Width: 18.5 Depth: 8.5
LED SMD	2 x 5W
Wattage	230v 5W
IP Rating	IP54



**I-LED-56/1**  
230v 6W LED SMD Coastal Oval Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 8 Width: 18 Depth: 8.5
LED SMD	6W
Wattage	230v 6W
IP Rating	IP54



**I-LED-56/2**  
230v 2 x 6W LED SMD Coastal Up & Down Oval Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 12 Width: 18.5 Depth: 8.5
LED SMD	2 x 6W
Wattage	230v 6W
IP Rating	IP54




**LED-5008**  
230v 1W LED SMD Outdoor Wall Light

Colour	Matt Silver with Frosted Line Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 35lm
Measurement in cm	Height: 13 Width: 9.5 Depth: 12.3
LED SMD	12 x 0.0833W
Wattage	230v 1W
IP Rating	IP54



**JB-LED-0075/BL**  
230v 6W LED SMD Up & Down Square Beam  
Adjustable Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 10 Depth: 10
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54



**JB-LED-0075/DG**  
230v 6W LED SMD Up & Down Square Beam  
Adjustable Wall Light

Colour	Dark Grey
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 10 Depth: 10
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54



**JB-LED-0075/WH**  
230v 6W LED SMD Up & Down Square Beam  
Adjustable Wall Light

Colour	White
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 10 Depth: 10
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54



**JB-LED-007R/BL**

230v 6W LED SMD Up & Down Round Beam  
Adjustable Wall Light

Colour	Black
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 14 Depth: 12
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007R/DG**

230v 6W LED SMD Up & Down Round Beam  
Adjustable Wall Light

Colour	Dark Grey
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 14 Depth: 12
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007R/WH**

230v 6W LED SMD Up & Down Round Beam  
Adjustable Wall Light

Colour	White
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 14 Depth: 12
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-237S/WH**

230v 6W LED SMD Small Slim Up &amp; Down Wall Light

Colour	Matt White with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 330lm
Measurement in cm	Height: 10 Width: 11 Depth: 3
LED SMD	3W UP 3W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-237M/WH**

230v 10W LED SMD Medium Slim Up &amp; Down Wall Light

Colour	Matt White with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 546lm
Measurement in cm	Height: 10 Width: 17.5 Depth: 3
LED SMD	5W UP 5W DOWN
Wattage	230v 10W
IP Rating	IP54

**JB-LED-237L/WH**

230v 20W LED SMD Large Slim Up &amp; Down Wall Light

Colour	Matt White with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1460lm
Measurement in cm	Height: 11.5 Width: 40 Depth: 4.5
LED SMD	10W UP 10W DOWN
Wattage	230v 20W
IP Rating	IP54

**JB-LED-237S/BL**

230v 6W LED SMD Small Slim Up &amp; Down Wall Light

Colour	Matt Black with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 330lm
Measurement in cm	Height: 10 Width: 11 Depth: 3
LED SMD	3W UP 3W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-237M/BL**

230v 10W LED SMD Medium Slim Up &amp; Down Wall Light

Colour	Matt Black with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 546lm
Measurement in cm	Height: 10 Width: 17.5 Depth: 3
LED SMD	5W UP 5W DOWN
Wattage	230v 10W
IP Rating	IP54

**JB-LED-237L/BL**

230v 20W LED SMD Large Slim Up &amp; Down Wall Light

Colour	Matt Black with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1460lm
Measurement in cm	Height: 11.5 Width: 40 Depth: 4.5
LED SMD	10W UP 10W DOWN
Wattage	230v 20W
IP Rating	IP54



**JB-LED-792/BL**

230v 6W LED COB Up &amp; Down Oval Wall Light

Colour	Matt Black with Clear Glass cover
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 7 Width: 11 Depth: 11
LED COB	6W
Wattage	230v 6W
IP Rating	IP54

**JB-LED-792/WH**

230v 6W LED COB Up &amp; Down Oval Wall Light

Colour	Matt White with Clear Glass cover
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 7 Width: 11 Depth: 11
LED COB	6W
Wattage	230v 6W
IP Rating	IP54

**JB-LED-793/BL**

230v 6W LED COB Up &amp; Down Round Wall Light

Colour	Matt Black with Clear Glass cover
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 7 Width: 9 Depth: 13.5
LED COB	6W
Wattage	230v 6W
IP Rating	IP54



**JB-LED-787/BL**  
230v 9W LED COB Open Oval Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium Warm White: 3000K / 620lm OSRAM COB
Measurement in cm	Height: 7.5 Width: 18 Depth: 11.7
LED COB	9W
Wattage	230v 9W
IP Rating	IP54



**JB-LED-787/WH**  
230v 9W LED COB Open Oval Wall Light

Colour	Matt White
Specifications	Die Cast Aluminium Warm White: 3000K / 620lm OSRAM COB
Measurement in cm	Height: 7.5 Width: 18 Depth: 11.7
LED COB	9W
Wattage	230v 9W
IP Rating	IP54



**JB-LED-789/BL**  
230v 4W LED COB Hook Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 6 Width: 11 Depth: 9.5
Lamps	4W COB LED
Wattage	230v 4W
IP Rating	IP54



**JB-LED-789/WH**  
230v 4W LED COB Hook Wall Light

Colour	Matt White
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 6 Width: 11 Depth: 9.5
Lamps	4W COB LED
Wattage	230v 4W
IP Rating	IP54



**KLG-1135**  
230v 60W E27 Chic Flush Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 24 Width: 11.5 Depth: 11.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



**KLG-1138**  
230v 60W E27 Chic Flush Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 26 Width: 13 Depth: 8
Lamps	1 x E27 (Recommended only G45 Golfball)
Wattage	230v 60W
IP Rating	IP44



**KLG-1123**  
230v 60W E27 Chic Flush Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 30 Width: 18 Depth: 17.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



**KLG-1160**  
230v 40W E27 XLarge Flush Wall Light

Colour	Black
Specifications	-
Measurement in cm	Height: 56 Width: 37 Depth: 20
Lamps	2 x E27 (Excluding Lamp)
Wattage	230v 40W
IP Rating	IP44





**KLG-1128**  
230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 29.5 Width: 14 Depth: 19.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



**KLG-1130**  
230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 22 Width: 13 Depth: 17.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



**KLG-1133**  
230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 35 Width: 17 Depth: 17
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



**KLG-1134**  
230v 60W E27 Chic Pendant Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Fitting Height: 126.5 Shade Height: 30 Shade Width: 17-14
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



**KLG-1132**  
230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 36 Width: 15.5 Depth: 23.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



**KLG-1131**  
230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Seedy Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 35 Diameter: 29 Depth: 37.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



**KLG-1148**  
230v 40W E27 Outdoor Chic Lantern Wall Light

Colour	Black
Specifications	-I
Measurement in cm	Height: 33 Width: 12.5 Depth: 18.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



**JB-KLG-2613**  
230v 40W E27 Lighthouse Outdoor Wall Light

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 31.5 Width: 11 Depth: 15
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP54



**JB-KLG-2763**  
230v 40W E27 Candle Outdoor Wall Light

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 25.5 Width: 6 Depth: 13
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP54



**KLG-1150**  
230v 40W E27 Opal Ball Wall Light

Colour	Black
Specifications	-
Measurement in cm	Height: 26 Width: 28 Diameter: 20
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP44





**L-KLG-1801/1S-B**  
230v 35W GU10 Square Down Only Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44



**L-KLG-1801/2S-B**  
230v 70W GU10 Square Up & Down Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44



**L-KLG-1801/1R-B**  
230v 35W GU10 Round Down Only Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44



**L-KLG-1801/2R-B**  
230v 70W GU10 Round Up & Down Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44

**L-KLG-1801/1S-G**

230v 35W GU10 Square Down Only Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44

**L-KLG-1801/2S-G**

230v 70W GU10 Square Up &amp; Down Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44

**L-KLG-1801/1R-G**


230v 35W GU10 Round Down Only Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44

**L-KLG-1801/2R-G**

230v 70W GU10 Round Up &amp; Down Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44



**Y-KLG-1801/2C-SG**  
230v 70W GU10 Curved Square Wall Light

Colour	Matt Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



**Y-KLG-1801/2C-SB**  
230v 70W GU10 Curved Square Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



**Y-KLG-1801/2C-RG**  
230v 70W GU10 Curved Round Wall Light

Colour	Matt Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 10.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



**Y-KLG-1801/2C-RB**  
230v 70W GU10 Curved Round Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 10.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54





**L-KLG-1805/25-B**  
230v 3W GU10 Square Up and Down with Bracket Wall Light

Colour	Black
Specifications	-
Kelvin / Lumen	-
Measurement in cm	Height: 16 Depth: 11.5 Diameter: 6.5
Lamps	2 x GU10
Wattage	230v 3W
IP Rating	IP54



**JB-KLG-800/1**  
230v 35W GU10 Single Adjustable Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 9 Width: 13.5 Depth: 9.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



**JB-KLG-800/2**  
230v 70W GU10 Double Adjustable Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 9 Width: 20.5 Depth: 9.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54

**Y-KLG-1801/1LSG**

230v 35W GU10 Square 180° Tilt with Lens Wall Light

Colour	Matt Grey
Specifications	Die Cast Aluminium
Measurement in cm	Height: 16 Width: 6 Depth: 10
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54

**Y-KLG-1801/1LSB**

230v 35W GU10 Square 180° Tilt with Lens Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium
Measurement in cm	Height: 16 Width: 6 Depth: 10
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54

**Y-KLG-1801/1LRG**

230v 35W GU10 Round 180° Tilt with Lens Wall Light

Colour	Matt Grey
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15.4 Diameter: 6.5 Depth: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54

**Y-KLG-1801/1LRB**

230v 35W GU10 Round 180° Tilt with Lens Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15.4 Diameter: 6.5 Depth: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



**KLG-1801/1GU-G or KLG-1801/1E27-G**  
230v 35W GU10 Up or Down Wall Light

Colour	Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 18.5 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



**KLG-1801/1GU-BL or KLG-1801/1E27-BL**  
230v 35W GU10 Up or Down Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 18.5 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



**KLG-1801/1GU-SS**  
230v 35W GU10 Up or Down Wall Light

Colour	Shiny Silver with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



**KLG-1801/1GU-DG or KLG-1801/1E27-DG**  
230v 35W GU10 Up or Down Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 18.5 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54





**LED-K03/B**  
230v 1W LED SMD Small Round Semi Recessed Light

Colour	Chrome base with Clear Line Glass
Specifications	Die Cast Aluminium Blue LEDs Non Dimmable
Measurement in cm	Height: 11 Diameter: 10.5 Cut Out: 10
LED SMD	14 x 0.071W
Wattage	230v 1W
IP Rating	IP54




**LED-K04/B**  
230v 1.6W LED SMD Medium Round Semi Recessed Light

Colour	Chrome base with Clear Line Glass
Specifications	Die Cast Aluminium Blue LEDs Non Dimmable
Measurement in cm	Height: 11 Diameter: 12.5 Cut Out: 12
LED SMD	25 x 0.056W
Wattage	230v 1.6W
IP Rating	IP54



**LED-K04**  
230v 1.6W LED SMD Medium Round Semi Recessed Light

Colour	Chrome base with Clear Line Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 45lm
Measurement in cm	Height: 11 Diameter: 12.5 Cut Out: 12
LED SMD	25 x 0.056W
Wattage	230v 1.6W
IP Rating	IP54



# GARDEN & OUTDOOR COASTAL WALL LIGHTS

(PC + ABS Body)

- 230v LED Polycarbonate + ABS Wall Lights
- 230v GU10 LED Polycarbonate + ABS Wall Lights
- 230v E27 LED Polycarbonate + ABS Wall Lights
- + GU10 Garden Spike Light



**K. LIGHT**

DESIGN + SERVICE + QUALITY



**P-KLB-LED-402**  
230v 20W LED SMD Coastal Vertical Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 24.5 Depth: 10 Width: 11
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54



**P-KLB-LED-403**  
230v 20W LED SMD Coastal Framed Vertical Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 24.5 Depth: 10 Width: 11
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54



**P-KLB-LED-613**  
230v 20W LED SMD Coastal Square Grid Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 20 Depth: 5 Width: 16
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54



**P-KLB-LED-612**  
230v 20W LED SMD Coastal Square Plain Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 20 Depth: 5 Width: 16
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54





**KLB-LED-161**  
230v 25W LED SMD Coastal Horizontal Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Length: 32 Height: 13 Depth: 10
LED SMD	25W
Wattage	230v 25W
IP Rating	IP65



**KLB-LED-290**  
230v 20W LED SMD Coastal Curved Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Length: 25 Height: 13 Depth: 12.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65



**KLG-LED-291**  
230v 20W LED SMD Coastal Vertical Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 27 Width: 14 Depth: 10
LED SMD	20W
Wattage	230v 40W
IP Rating	IP44



**KLB-LED-292**  
230v 15W LED SMD Coastal Eyelid Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 23 Width: 12 Depth: 7
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65

**I-LED-51/1-ABS**

230v 4W LED SMD Coastal Round ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 9 Width: 9,5 Depth: 10.5
LED SMD	4W
Wattage	230v 4W
IP Rating	IP44

**I-LED-53/1-ABS**

230v 4W LED SMD Coastal Square ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 8.5 Width: 9,5 Depth: 10.5
LED SMD	4W
Wattage	230v 4W
IP Rating	IP44

**I-LED-51/2-ABS**

230v 2 x 4W LED SMD Coastal Up &amp; Down Round ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 13 Width: 9,5 Depth: 11
LED SMD	2 x 4W
Wattage	230v 4W
IP Rating	IP44

**I-LED-53/2-ABS**

230v 2 x 4W LED SMD Coastal Up &amp; Down Square ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 12 Width: 18.5 Depth: 8.5
LED SMD	2 x 4W
Wattage	230v 4W
IP Rating	IP44

**P-KLG-8110**

230v 7W GU10 LED Coastal Polycarbonate + ABS Square Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 8.1 Width: 5.8 Depth: 9.2
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 7W LED
IP Rating	IP54

**P-KLG-9210**

230v 7W GU10 LED Coastal Polycarbonate + ABS Round Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 8.1 Width: 5.8 Depth: 9.2
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 7W LED
IP Rating	IP54

**P-KLG-8111**

230v 7W GU10 LED Coastal Polycarbonate + ABS Square Up & Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 15 Width: 5.8 Depth: 9.2
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 14W LED
IP Rating	IP54

**P-KLG-9211**

230v 7W GU10 LED Coastal Polycarbonate + ABS Round Up & Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 15 Width: 5.8 Depth: 9.2
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 14W LED
IP Rating	IP54



**SLM111DL15W**

230v 15W LED SMD Coastal Eyelid Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65

**SLM105DL15W**

230v 15W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65

**SLM109DL20W**

230v 20W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1700lm
Measurement in cm	Diameter: 27 Depth: 6.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65



**MB-001/10**  
230v 10W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 550lm
Measurement in cm	Height: 9.8 Width: 19.8 Depth: 4.3
LED SMD	48 x 0.208W
Wattage	230v 10W
IP Rating	IP44



**MB-001/15**  
230v 15W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 850lm
Measurement in cm	Height: 10.4 Width: 23 Depth: 4.3
LED SMD	72 x 0.208W
Wattage	230v 15W
IP Rating	IP44

**P-KLG-6410/BL**

230v 40W E27 Coastal Polypropylene Half Lantern Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Measurement in cm	Height: 36 Width: 18 Depth: 9
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 40W
IP Rating	IP44

**P-KLG-6410/WH**

230v 40W E27 Coastal Polypropylene Half Lantern Wall Light

Colour	White
Specifications	Polypropylene Body PC Diffuser
Measurement in cm	Height: 36 Width: 18 Depth: 9
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 40W
IP Rating	IP44

**P-LED-8217**

230v 9W LED SMD Coastal Polycarbonate + ABS Medium Vogue Up &amp; Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body PC Diffuser Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 600lm
Measurement in cm	Height: 4.6 Width: 17 Depth: 8
LED SMD	2 x 4.5W
Wattage	230v 9W
IP Rating	IP65

**P-KLG-4901**

230v 5W GU10 LED Coastal Polycarbonate + ABS Single Adjustable Spike

Colour	Black
Specifications	Polycarbonate + ABS Body PC Diffuser
Measurement in cm	Height: 11 Diameter: 6
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 5W LED
IP Rating	IP65





# GARDEN & OUTDOOR BULKHEADS

- 230v LED Bulkheads
- 230v E27 Bulkheads



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

**KLB-LED-305**

230v 20W LED SMD Polar Large Square Bulkhead

Colour	Black & White
Specifications	PC with a Metal Bracket
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 25,5 Width: 25,5 Depth: 8
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65




In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

**KLB-LED-302**

230v 20W LED SMD Arctic Large Square Bulkhead

Colour	White
Specifications	PC
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 25 Width: 25 Depth: 7,5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

**KLB-LED-304**

230v 15W LED SMD Polar Rectangular Bulkhead

Colour	Black & White
Specifications	PC with a Metal Bracket
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 30,5 Width: 10,5 Depth: 8
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

**KLB-LED-301**

230v 15W LED SMD Rectangular Arctic Bulkhead

Colour	White
Specifications	PC
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 30 Width: 10 Depth: 7,5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

#### KLB-LED-300 or KLB-LED-303

230v 5W LED SMD Polar Small Square Bulkhead

Colour	Black & White
Specifications	PC with a Metal Bracket
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 10.5 Width: 10.5 Depth: 7.5 or 8
LED SMD	5W
Wattage	230v 5W
IP Rating	IP65



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

#### KLB-LED-300 or KLB-LED-303

230v 5W LED SMD Arctic Small Square Bulkhead

Colour	White
Specifications	PC
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 10.5 Width: 10.5 Depth: 7.5 or 8
LED SMD	5W
Wattage	230v 5W
IP Rating	IP65



#### MB-001/10

230v 10W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 550lm
Measurement in cm	Height: 9.8 Width: 19.8 Depth: 4.3
LED SMD	48 x 0.208W
Wattage	230v 10W
IP Rating	IP44



#### MB-001/15

230v 15W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 850lm
Measurement in cm	Height: 10.4 Width: 23 Depth: 4.3
LED SMD	72 x 0.208W
Wattage	230v 15W
IP Rating	IP44





**SLM111DL15W**  
230v 15W LED SMD Coastal Eyelid Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65



**SLM105DL15W**  
230v 15W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65



**SLM109DL20W**  
230v 20W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1700lm
Measurement in cm	Diameter: 27 Depth: 6.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65



**JB-LED-701/BL**  
230v 12W LED SMD Vertical Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 1080lm
Measurement in cm	Height: 18 Width: 9 Depth: 7
LED SMD	12W
Wattage	230v 12W
IP Rating	IP65



**JB-LED-702/BL**  
230v 12W LED SMD Horizontal Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 1130lm
Measurement in cm	Height: 9 Width: 18 Depth: 9
LED SMD	12W
Wattage	230v 12W
IP Rating	IP65



**KLB-LED-401**  
230v 12W LED SMD Horizontal Bulkhead

Colour	Black
Specifications	Die Cast Aluminium with PC
Kelvin / Lumen	Warm White: 3000K / 840lm
Measurement in cm	Height: 12.5 Width: 26 Depth: 12.5
LED SMD	12W
Wattage	230v 12W
IP Rating	IP65



**KLB-5522-G/SL**  
230v 18W E27 Round Grid Bulkhead

Colour	Matt Grey with Opal White PC Cover
Specifications	Die Cast Aluminium Aluminium Reflector Included
Measurement in cm	Diameter: 30 Depth: 7
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



**KLB-5522-P/BL**  
230v 18W E27 Round Plain Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Diameter: 30 Depth: 7
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



**KLB-5533/BL**  
230v 18W E27 Round Patterned Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Diameter: 30 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54





**KLB-5521-P/BL**  
230v 18W E27 Square Plain Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 30 Width: 30 Depth: 7.5
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



**KLB-5521-G/BL**  
230v 18W E27 Square Grid Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 30 Width: 30 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



**KLB-5523-P/BL**  
230v 18W E27 Rectangular Plain Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Width: 17.5 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



**KLB-5523-G/BL**  
230v 18W E27 Rectangular Grid Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Width: 17.5 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



**KLB-5523-E/BL**  
230v 18W E27 Rectangular Eyelid Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Width: 17.5 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



**K. LIGHT**

DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)



# GARDEN & OUTDOOR BOLLARDS

- 230v LED Bollards
- 230v GU10 Bollards & Spikes
- 230v E27 Bollards



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



**L-LED-024/BL**  
230v 7W LED COB Bollard

Colour	Matt Black
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 570lm CREE COB
Measurement in cm	Height: 60 Diameter: 11 Base Diameter: 15.5
LED COB	7W
Wattage	230v 7W
IP Rating	IP54



**LED-051/BL**  
230v 7W LED COB Bollard

Colour	Matt Black
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 570lm CREE COB
Measurement in cm	Height: 40 Width: 15 Depth: 4
LED COB	7W
Wattage	230v 7W
IP Rating	IP54



**L-LED-054/BL**  
230v 7W LED COB Bollard

Colour	Matt Black
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 570lm CREE COB
Measurement in cm	Height: 90 Width: 12 Depth: 14
LED COB	7W
Wattage	230v 7W
IP Rating	IP54



**L-LED-058/BL**  
230v 5W LED COB Bollard

Colour	Matt Black	
Specifications	Die Cast Aluminium	
Kelvin / Lumen	Warm White: 3000K / 450lm CREE COB	
Measurement in cm	Height: 70 Width: 10 Depth: 14.8	Base Depth: 10 Base Width: 10
LED COB	5W	
Wattage	230v 5W	
IP Rating	IP54	





**L-LED-767/30**  
230v 30W LED Light Saber Bollard

Colour	Black
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 100 Diameter: 10 Base Diameter: 18
LED	30W
Wattage	230v 30W
IP Rating	IP54



**L-LED-005**  
230v 7W LED Bollard

Colour	Black
Specifications	Aluminium
Kelvin / Lumen	Warm White: 3000K / 570lm
Measurement in cm	Height: 60 Diameter: 8.6
LED COB	7W
Wattage	230v 7W
IP Rating	IP65



**L-LED-009**  
230v 8W LED Bollard

Colour	Black
Specifications	Aluminium + PC
Kelvin / Lumen	Warm White: 3000K / 600lm
Measurement in cm	Height: 70 Diameter: 9
LED COB	8W
Wattage	230v 8W
IP Rating	IP65



**JB-KLG-905/1**  
230v 35W GU10 Single Adjustable Bollard

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 55.5 Diameter: 7 Width including the 1 Spot: 14
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



**JB-KLG-905/2**  
230v 70W GU10 Double Adjustable Bollard

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 55.5 Diameter: 7 Width including the 2 Spots: 20.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



**JB-KLG-900/1**  
230v 35W GU10 Single Adjustable Spike

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Diameter: 7 Width including the 1 Spot: 14
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



**JB-KLG-900/2**  
230v 70W GU10 Double Adjustable Spike

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Diameter: 7 Width including the 2 Spots: 20.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



**KLG-1151**  
230v 40W E27 Opal Ball Bollard

Colour	Black
Specifications	-
Measurement in cm	Height: 105 Width: 20 Depth: 35
Lamps	1x E27
Wattage	230v 40W
IP Rating	IP44



**JB-KLG-2764**  
230v 40W E27 Candle Bollard

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 65 Diameter: 6 Base Diameter: 12
Lamps	1 x E27 Recommended 14W Energy Saver Bulb
Wattage	230v 40W
IP Rating	IP54



**JB-KLG-2614**  
230v 40W E27 Lighthouse Bollard

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 71 Diameter: 11
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP54



**KLG-1136**  
230v 60W E27 Chic Bollard

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 34.5 Width: 17.5 Depth: 17.5
Lamps	1x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



# SOLAR



**K. LIGHT**  
DESIGN • SERVICE • QUALITY





**SOLAR-10W**  
230v 10W LED COB Security Day Night and Sensor Wall Lamp

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 1800lm
Measurement in cm	Height: 24 Width: 29 Depth: 23
LED COB	10W
Wattage	230v 10W
IP Rating	IP65



**SOLAR-20W**  
230v 20W LED COB Security Day Night and Sensor Wall Lamp

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 3600lm
Measurement in cm	Height: 37 Width: 29 Depth: 23
LED COB	20W
Wattage	230v 20W
IP Rating	IP65



# INDUSTRIAL



**K. LIGHT**  
DESIGN • SERVICE • QUALITY

**K-LED-UFO**

230v -240v 200W LED High Bay Industrial Light

---

Colour	Black
Specifications	Non Dimmable Beam Angle 80° The Surge Protection is 6KV
Kelvin / Lumen	Cool White: 6500K / 28000lm
Measurement in cm	Height: 20 Diameter: 28
LED COB	Max 200W LED
Wattage	230v-240v 50Hz 200W
IP Rating	IP65

---



**K. LIGHT**<sup>®</sup>  
DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)





# DECORATIVE BULBS

- 240v E14 LED Dimmable Filament Bulbs
- 240v E27 LED Dimmable Filament Bulbs
- 240v LED Crystal Bulbs
- 240v LED SMD Bulbs
- 240v GU10 LED SMD Bulbs



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



**HX-CN35-4W/WW**  
240v 4W E14 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.5
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



**HX-CN35-4W/CW**  
240v 4W E14 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.3
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



**HX-CN35-4W/WW**  
240v 4W E27 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.5
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



**HX-CN35-4W/CW**  
240v 4W E27 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.3
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



**HX-GL45-4W/WW**  
240v 4W E14 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 8 Diameter: 4.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-GL45-4W/CW**  
240v 4W E14 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 8 Diameter: 4.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-GB45-4W/WW**  
240v 4W E27 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 7.5 Diameter: 4.2
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-GB45-4W/CW**  
240v 4W E27 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 7.5 Diameter: 4.2
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-CW35-4W/WW**  
240v 4W E14 LED SMD Filament Flame Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 11.6 Diameter: 3.5
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



**HX-LST64-4W/WW**  
240v 4W E27 LED Filament Balloon T64 Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 14.6 Diameter: 6.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-LST64-4W/CW**  
240v 4W E27 LED Filament Balloon T64 Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 14.2 Diameter: 6.4
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-LSAST64-4W/W**  
240v 4W E27 LED Filament Balloon Spiral T64 Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 14.6 Diameter: 6.4
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20





**HX-LA60-8W**  
240v 8W E27 LED Filament A60 Clear Bulb

Colour	Clear
Specifications	Warm White: 2200K / 1200-1240lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 8W
IP Rating	IP20



**HX-LA60-4W/WW**  
240v 4W E27 LED Filament A60 Clear Bulb

Colour	Clear
Specifications	Warm White: 2200K / 600-620lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-LA60-4W/CW**  
240v 4W E27 LED Filament A60 Clear Bulb

Colour	Clear
Specifications	Cool White: 6500K / 600-620lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-LA60-4W/OPAL**  
240v 4W E27 LED Filament A60 Opal Bulb

Colour	Opal White
Specifications	Warm White: 2200K / 260-280lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-LSG80-4W/WW**  
240v 4W E27 LED G80 Ball Spiral Filament Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 12 Diameter: 8
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-LSG95-4W/WW**  
240v 4W E27 LED G95 Ball Spiral Filament Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 12 Diameter: 9.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-LG125-8W/NW**  
240v 8W E27 LED G125 Ball Filament Bulb

Colour	Clear
Specifications	Natural White: 4000K / 350lm Dimmable
Measurement in cm	Height: 18 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 8W
IP Rating	IP20



**HX-LG125-4W**  
240v 4W E27 LED G125 Ball Filament Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 18 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-OPALINA8W/NW**

240v 8W E27 LED SMD G125 Opalina Ball Bulb

Colour	Opal White
Specifications	Natural White: 4000K Dimmable
Measurement in cm	Height: 17 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 8W SMD LED
IP Rating	IP20

**HX-OPALINA8W/WW**

240v 8W E27 LED SMD G125 Opalina Ball Bulb

Colour	Opal White
Specifications	Warm White: 2200K Dimmable
Measurement in cm	Height: 17 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 8W SMD LED
IP Rating	IP20

**HX-LST30-185/WW**

240v 4W E27 LED Filament Long T18 Spiral Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 18 Diameter: 3
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LST30-300/WW**

240v 4W E27 LED Filament Long T30 Spiral Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 29.6 Diameter: 3
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**CA-CRYS-4W-D/CW**  
240v 4W E14 LED SMD Crystal Bulb

Colour	K9 Crystal
Specifications	Cool White: 6000K / 400lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 4
Lifespan	10,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



**CA-CRYS-4W-D/WW**  
240v 4W E14 LED SMD Crystal Bulb

Colour	K9 Crystal
Specifications	Warm White: 2700K / 400lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 4
Lifespan	10,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



**HX-G125-4W/AB**

240v 4W E27 LED G125 Wonky Amber Filament Bulb

Colour	Amber
Specifications	Warm White: 2000K / 140lm Dimmable Spiral Filament
Measurement in cm	Height: 17.6 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-G125-4W/SM**

240v 4W E27 LED G125 Wonky Smoke Filament Bulb

Colour	Smoke
Specifications	Warm White: 2000K / 140lm Dimmable Spiral Filament
Measurement in cm	Height: 17.6 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-PS165-4W/AB**

240v 4W E27 LED A165 Large Pear Amber Filament Bulb

Colour	Amber
Specifications	Warm White: 2000K / 140lm Dimmable
Measurement in cm	Height: 26.5 Diameter: 16.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-PS165-4W/SM**

240v 4W E27 LED A165 Large Pear Smoke Filament Bulb

Colour	Smoke
Specifications	Warm White: 2000K / 60-80lm Dimmable
Measurement in cm	Height: 26.5 Diameter: 16.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



**HX-G9D-3.5W/WW**  
240v 3.5W G9 LED SMD Bulb

Colour	Clear PVC
Specifications	Warm White: 3000K Dimmable
Measurement in cm	Height: 5 Diameter: 2
Lifespan	15,000 hours
Wattage	240v 3.5W SMD LED
IP Rating	IP20



**HX-G9-3.5W/FR**  
240v 3.5W G9 LED SMD Frosted Bulb

Colour	Frosted PVC
Specifications	Warm White: 3000K Non Dimmable
Measurement in cm	Height: 5 Diameter: 2
Lifespan	15,000 hours
Wattage	240v 3.5W SMD LED
IP Rating	IP20



**HX-G9-3.5W/WW**  
230v 3W G9 LED SMD Bulb

Colour	Clear PVC
Specifications	Warm White: 3000K / 350lm Non-Dimmable
Measurement in cm	Height: 5 Diameter: 2
Lifespan	15,000 hours
Wattage	230v 3W SMD LED
IP Rating	IP20



**HX-G4D-2W/WW**  
12v 2W G4 LED SMD Bulb

Colour	Clear PVC
Specifications	Warm White: 3000K Dimmable
Measurement in cm	Height: 3.7 Diameter: 1
Lifespan	15,000 hours
Wattage	12v 2W SMD LED
IP Rating	IP20



**HX-7WD-GU10/WW**  
230v 7W GU10 LED SMD Bulb

Colour	White
Specifications	Warm White: 3000K / 550lm Dimmable
Measurement in cm	Height: 5.5 Diameter: 5
Lifespan	15,000 hours
Wattage	230v 7W SMD LED
IP Rating	IP20



**HX-7W-GU10/WW**  
230v 7W GU10 LED SMD Bulb

Colour	White
Specifications	Warm White: 3000K / 550lm Non-Dimmable
Measurement in cm	Height: 5.5 Diameter: 5
Lifespan	15,000 hours
Wattage	230v 7W SMD LED
IP Rating	IP20



**K. LIGHT**

DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)





**DURA**  
LAMP

# DURALAMP COLLECTION

- 240v Duralamp Incandescent Bulbs
- 240v Duralamp Halogen QI Bulbs
- 240v Duralamp Metal Halide RX7s & G12 Bulbs
- 12v Duralamp UNDER-WATER PAR 56 Halogen Bulbs
- 12v Duralamp MR16 Halogen Dichroic Bulbs
- 12v Duralamp MR16 Halogen Dichroic Colour Bulbs



**K. LIGHT**  
DESIGN • SERVICE • QUALITY



**D00017**  
230v 25W E14 Incandescent Clear Golf Ball bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Height: 7.5 Diameter: 4.5
Lifespan	1500 hours
Wattage	230v 25W
IP Rating	IP20



**D0152BC**  
240v 60W B22 Incandescent Frosted Flame bulb

Colour	Frosted
Specifications	Warm White: 2700K
Measurement in cm	Height: 12 Diameter: 3.5
Lifespan	1500 hours
Wattage	240v 60W
IP Rating	IP20



**D00155**  
240v 40W E14 Incandescent Clear Flame bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Height: 12.5 Diameter: 3.5
Lifespan	1500 hours
Wattage	240v 40W
IP Rating	IP20



**D-01105**  
240v 150W RX7s WDL 830 Metal Halide bulb

Colour	Clear
Specifications	Warm White: 3000K / WDL 830
Measurement in cm	Length: 14 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 150W
IP Rating	IP20



**D-01107**  
240v 150W RX7s NDL 942 Metal Halide bulb

Colour	Clear
Specifications	Natural White: 4200K / NDL 942
Measurement in cm	Length: 14 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 150W
IP Rating	IP20



**D-01123**  
240v 70W G12 WDL 830 Metal Halide bulb

Colour	Clear
Specifications	Warm White: 3000K / WDL 830
Measurement in cm	Length: 10 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 70W
IP Rating	IP20



**D-01123**  
240v 70W G12 NDL 942 Metal Halide bulb

Colour	Clear
Specifications	Natural White: 4200K / NDL 942
Measurement in cm	Length: 10 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 70W
IP Rating	IP20



**D-02976**  
240v 200W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 200W
IP Rating	IP20



**D-02987**  
240v 500W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 500W
IP Rating	IP20

## 12v Duralamp UNDER-WATER PAR 56 Halogen Bulbs



**D-30012**  
12v 300W G53 Par 56 Halogen bulb

Colour	Patterned Glass Cover
Specifications	Par 56 Under Water
Measurement in cm	Height: 10 Diameter: 18
Lifespan	3000 hours
Wattage	12v 300W
IP Rating	IP67





**D-01991**  
240v 250W 78mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 7.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 250W
IP Rating	IP20



**D-01982**  
240v 100W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 100W
IP Rating	IP20



**D-01983**  
240v 150W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 150W
IP Rating	IP20

**D-01269-FG**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	Frosted Cover
Specifications	Beam angle: 38° Warm White
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01280**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	Clear Cover
Specifications	Beam angle: 60° Warm White
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01569**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	Clear Cover
Specifications	Beam angle: 38° Warm White: Alu-Lamp
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20



**D-01269R**  
12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	RED Mirror Cover
Specifications	Beam angle: 38°
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20



**D-01269V**  
12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	GREEN Mirror Cover
Specifications	Beam angle: 38°
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20



**D-01269Y**  
12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	YELLOW Mirror Cover
Specifications	Beam angle: 38°
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20



**K. LIGHT**

DESIGN • SERVICE • QUALITY

[www.klight.co.za](http://www.klight.co.za)





**Cape Town**  
7 Kunene Circle  
Omuramba Business Park  
Milnerton  
Tel: 021 552 4370

**Johannerburg**  
Units 8 & 9, The Arena  
Capital Hill Business Park  
Halfway House, Midrand  
Tel: 011 312 1247