




Motorized & Connected Solutions
For Curtains, Blinds, Shutters,
Awnings and Screens


somfy®

Connect your home equipment With Somfy

SHUTTERS & EXTERNAL SCREENS



CURTAINS & INTERIOR BLINDS



DOORS & GATES



HEATING & LIGHTING




TERRACE & OUTDOOR



CAMERAS & ALARM SYSTEMS



SMART HOME & CONTROLS



Somfy's leading **smart management solutions** for homes and buildings have been improving people's daily lives for over 50 years.

Developed with **comfort, ease of use, security and sustainability** in mind, our innovations automate and connect roller shutters, curtains and blinds, gates and garage doors, lighting and heating, alarm systems and more.

We are committed to creating useful solutions that are accessible to all, designed for today and beyond. Day after day, the Somfy brand is committed to creating reliable and sustainable solutions **for a better way of living**.

Glydea™ Ultra RTS

Premium motorization for curtains



A premium solution for high-end Commercial/Hospitality and residential properties: ultra-quiet, reliable and adaptable to future upgrade. Glydea™ ULTRA is suitable for every project, all decors and in any place where silence offers well-being. It is compatible with multiple technologies to suit user control preferences and is also connected to meet the needs of smart buildings and smart homes.



MAIN FUNCTIONALITIES

Designed for silence

"my" function
One click to your favorite position.

Manual operation possible in case of power failure

Automatic end limits

Touch Motion

Soft start and Soft stop

Adjustable end limits

BENEFITS FOR END-USERS

- Daily convenience and comfort**
 - «Silent-Mode» reduces the mechanical noise of the drapery track
 - Reduce light gap thanks to the rail design and the swivel ceiling bracket
 - Built-in manual override eliminates damage to the fabric
- Aesthetic integration**
 - Discreet design allows management of cable
 - Adjustable limits for customized curtain positioning
- Safety and reliability**
 - Somfy quality and warranty

COMPATIBLE END PRODUCTS

For interior applications only.



Irismo WireFree RTS

Wirefree motorization for curtains



The premium WireFree curtain motorization. Play with light and moods, create an ambiance & atmosphere that reflects you. With Irismo, Somfy brings an added touch of elegance to your interior by motorising and connecting the opening and closing of your curtains.



MAIN FUNCTIONALITIES

Designed for silence

"my" function
One click to your favorite position.

Manual operation possible in case of power failure

Automatic end limits

Touch Motion

Soft start and Soft stop

Adjustable end limits

Powered with rechargeable battery
5 meters cable

Adjustable speed

BENEFITS FOR END-USERS

- Daily convenience and comfort**
 - Quiet operation
 - Reduce light gap thanks to the rail design and the swivel ceiling bracket
 - Built-in manual override eliminates damage to the fabric
- Aesthetic integration**
 - Adjustable limits for customized curtain positioning
- Easy use and maintenance**
 - Easily control your curtains via TaHoma® APP
 - Go hands free with voice control (via TaHoma®)
 - Rechargeable battery
 - Low battery indicator on motor
- Safety and reliability**
 - No electrical wires
 - Somfy quality and warranty

COMPATIBLE END PRODUCTS

For interior applications only.



Movelite® WireFree RTS


Wirefree motorization for curtains




Experience the convenience of home automation with Somfy's new Movelite™ motorization for curtains. Utilizing RTS Technology, this motorized solution is suitable for all curtain types, including classic, ripple fold, pinch pleated, and accordion fold.




MAIN FUNCTIONALITIES




Powered with rechargeable battery
5 meters cable




"my" function
One click to your favorite position.




Manual operation possible in case of power failure



Automatic end limits



Adjustable end limits



Touch Motion

BENEFITS FOR END-USERS

- Daily convenience and comfort**

 - Quiet operation
 - Reduce light gap thanks to the rail design and the swivel ceiling bracket
 - Built-in manual override eliminates damage to the fabric
- Easy use and maintenance**

 - Easily control your curtains via TaHoma® APP
 - Go hands free with voice control (via TaHoma®)
 - Rechargeable battery
 - Low battery indicator on motor
- Aesthetic integration**

 - Adjustable limits for customized curtain positioning
- Safety and reliability**

 - No electrical wires
 - Somfy quality and warranty

COMPATIBLE END PRODUCTS

For interior applications only.



Movelite® RTS


Motorization for curtains




Somfy's new Movelite™ motorization for curtains makes this life-enhancing technology available to everyone. Combining French style with state-of-the-art engineering, it is quiet, discreet, and easy to install.




MAIN FUNCTIONALITIES




Touch Motion




"my" function
One click to your favorite position.



Manual operation possible in case of power failure



Automatic end limits



Adjustable end limits

BENEFITS FOR END-USERS

- Daily convenience and comfort**

 - Reduce light gap thanks to the rail design and the swivel ceiling bracket
 - Built-in manual override eliminates damage to the fabric
- Aesthetic integration**

 - Adjustable limits for customized curtain positioning
- Safety and reliability**

 - Somfy quality and warranty

COMPATIBLE END PRODUCTS

For interior applications only.




Sonesse® ULTRA 30 WF (Li-ion) RTS

Motorization for interior blinds



The Sonesse® ULTRA 30 WF Li-Ion is the quietest wirefree motor dedicated to a wide range of interior applications. It features a rechargeable built in Li-Ion battery, a powerful lifting capacity and it is capable of precise tilting of blind slats.



Lithium-ion +

Built-in battery motor:

- All-in-one
- Aesthetic
- Compact and light
- Battery power indicator
- Easy recharging

MAIN FUNCTIONALITIES



For large size blinds
capable of lifting up to 18 m2 blinds (2 Nm)



Compatible with Modulis functions



Information Feedback
Low battery indicator on the controller interface and easy re-setting.



Compatible with solar panel



Built-in Battery motor
Powered by a compact & light lithium-ion battery, for a better integration.



Soft start and soft stop



Thin Head
White and thin round head for discrete blending.



LED on motor interface



Wirefree
for quicker installation.



Adjustable speed
from 10 to 28 rpm



Slats tilting



Speed control

BENEFITS FOR END-USERS

Daily convenience and comfort

- Ultra quiet operation
- Smooth motion with adjustable speed
- Tilting precision

Aesthetic integration

- Discreet design, no wires nor external batteries

Easy use and maintenance

- Rechargeable battery
- Low battery LED indicator on motor head interface

Safety and reliability

- No electrical wires nor cords, free from danger of strangling
- Somfy quality and warranty



COMPATIBLE END PRODUCTS

For interior applications only.



Roller



Roman



Pleated



Cellular



Layered



Sheer horizontal



Venetian Blind

Sonesse® 28 WF RTS

Motorization for interior blinds



The Sonesse® 28 WF RTS is a quiet wirefree motor for a wide range of narrow shades. It is powered with external primary, rechargeable battery pack or power supply.

MAIN FUNCTIONALITIES



For medium size blinds
capable of lifting up to 12 m2 blinds (1.1 Nm)



Compatible with Modulis functions



Information Feedback
Low battery indicator on the controller interface and easy re-setting.



Built-in Battery motor
Powered by a compact & light lithium-ion battery, for a better integration.



Soft start and soft stop



Thin Head
White and thin round head for discrete blending.



Wirefree
for quicker installation.



Adjustable speed
from 10 to 28 rpm



Compatible with solar panel

BENEFITS FOR END-USERS

Daily convenience and comfort

- Quiet operation
- Smooth motion with soft start and soft stop

Safety and reliability

- No hanging cords, providing a child-safe and pet-friendly solution
- Somfy quality and warranty

Easy use and low maintenance

- Compatible with external rechargeable battery pack
- Low battery LED indicator on motor head interface



Lithium-ion +

Built-in battery motor:

- All-in-one
- Aesthetic
- Compact and light
- Battery power indicator
- Easy recharging

COMPATIBLE END PRODUCTS

For interior applications only.



Roller



Roman



Pleated



Cellular



Layered



Sheer horizontal

Sonesse® 40 WF RTS Li-Ion

Motorization for interior blinds



The Sonesse® 40 WF Li-Ion is a quiet and powerful WireFree motor dedicated to a wide range of interior applications. It features a rechargeable built-in Lithium-Ion battery, a powerful lifting capacity and it is capable of precise tilting of blind slats.



- Lithium-ion +**
Built-in battery motor:
- All-in-one
 - Aesthetic
 - Compact and light
 - Battery power indicator
 - Easy recharging

MAIN FUNCTIONALITIES

L **For large size blinds**
capable of lifting up to 27 m2
blinds (2 Nm)

**Compatible with
Modulis functions**

**Compatible with
solar panel**

Built-in Battery motor

Soft start and soft stop

LED on motor interface

Adjustable speed

Speed control

BENEFITS FOR END-USERS

Daily comfort

- Quiet operation
- Smooth motion with adjustable speed
- Tilting precision

Aesthetic integration

- Discreet design, no wires nor external batteries

Easy use and maintenance

- Rechargeable battery
- Low battery LED indicator on motor head interface

Safety and reliability

- No electrical wires nor cords, free from danger of strangling
- Somfy quality and warranty

COMPATIBLE END PRODUCTS

For interior applications only.



Sonesse® 50 RTS

Motorization for interior & exterior blinds



The acoustic standard that puts window coverings in motion with quiet precision. This wired motor features mechanical progressive limits, and is ideal for a variety of interior and exterior window covering applications.

MAIN FUNCTIONALITIES

Remote limit setting

"my" function
Move in one click your blind
your favorite position.

**Compatible with Solar
protection**

Designed for silence

Round head

BENEFITS FOR END-USERS

Simple, effortless and comfort

- Quiet operation
- Move your blinds effortlessly and remotely thanks to the radio control
- Move in one click your blind to your favorite «my» position


Access to RTS product range for more benefits

- Solar protection functions compatibility




- Lithium-ion +**
Built-in battery motor:
- All-in-one
 - Aesthetic
 - Compact and light
 - Battery power indicator
 - Easy recharging

COMPATIBLE END PRODUCTS



Sonesse® 40 RTS

Motorization for interior blinds



The Sonesse® 40 range is putting window coverings in motion with quiet precision. These motors are ideal for a variety of interior window covering applications.



MAIN FUNCTIONALITIES



Remote limit setting



Compatible with Solar protection



Compatible with modulis functions



Thin head
Black and thin round head for discreet blending.



"my" function
Move in one click your blind your favorite position.



Designed for silence

BENEFITS FOR END-USERS

Simple, effortless and comfort

- Quiet operation
- Move your blinds effortlessly and remotely thanks to the radio control
- Move in one click your blind to your favorite «my» position

Discreet integration and home harmony

- Black and thin round head for discreet blending

Access to RTS product range for more benefits

- Solar protection functions compatibility
- Modulis compatibility

COMPATIBLE END PRODUCTS



Roller



Roman



Pleated



Cellular



Layered




Projection screens



Venetian Blind

Altus 50 & 60 io

The new generation of motors with feedback for rolling shutters



The new generation of motors with feedback for rolling shutters. Make your daily life easier, increasing security while improving energy efficiency.



- Presence simulation and remote verification/control
- Opening and closing of all shutters with a single click or by voice
- Automatic optimization of thermal comfort in summer and winter

What is a motorized roller shutter?

The tubular motor is integrated into the roll tube around which the curtain is wound. It is electrically powered.

It is operated either by:

- A wireless wall-mounted control unit
- A remote command or an automated system (connected solution, programmer, timer, temperature or sun sensor...)

BENEFITS FOR END-USERS

- Easy to use
- Quiet operation
- Remote control
- Upgradeable system
- Less Radio interference
- Increased security by system key

MAIN FUNCTIONALITIES



"my" function
Move in one click your blind your favorite position.



Somfy Drive Control

- The shutter mechanism last longer.
- No need for maintenance.



Remote limit setting



Tamper resistant
Burglary delayed (If the roller shutter is equipped with rigid links).



Obstacle sensitivity with ABS wheel

DIFFERENT TYPES OF ROLLER SHUTTERS



Renovation roller shutter



Combined window shutter




Tunnel or timber Box



Traditional

Maestria + 50 io for screens

The wireless solution for screens





The all-in-one io screen motor, with advanced features to match all screen specificities


MASTER & PRECISION OF MOVEMENT


The Maestria+ 50 io motorization is designed for all kinds of vertical screens while offering the functionalities needed for Zip applications. Somfy's expertise is at your service to optimize the lifetime of your installations. With its intelligent detection system, at down movement, Maestria+ 50 io identifies real obstacles.


MAIN FUNCTIONALITIES


- 


Star head
6 options to position the motor head
- 


Smart obstacle detection
Stops if it meets an obstacle when coming up or down.
- 


Automatic fabric length compensation, check adjustment function
Guarantee constant projection, even after years, with three frequencies of adjustment
- 


"my" favourite
In one click move the blind to your favourite position
- 


Remote limit setting
- 


Flexible
Compatible with all types of external screens including automatic catching locks
- 

Three limit setting modes
Automatic, Semi-Automatic and Manual
- 

Automatic self tensioning
To protect the fabric and assure high quality finish
- 

Compatibility with all cross-lock screens
Specific setting ergonomics to be compatible with any cross locks on the market.
- 

Adjustable electronic stretch of the fabric
Three levels of adjustment of the tension of the fabric when using locks
- 

Perfect closure
- 

Adjustable back release
Releases the motor brake just after the closure, to relax the fabric. This extends the lifespan of the fabric

BENEFITS FOR END-USERS

- Protection for your carrier products**
- Prevents damage to the fabric if the screen slips out of the guides.
- Convenient, optimal use for your customers**
- Detection system less vulnerable to wind, even gusts.
- Peace of mind for everyone**
- Less interference in use, fewer call-outs for after-sales!

COMPATIBLE APPLICATIONS



ZIP screen



Screen with locks



Standard Screen

3 ACCESSIBLE TECHNOLOGIES



radio
io-homecontrol®

- Fully secure technology
- Maximum radio reliability
- Real time feedback
- Protocol compatible with the major connected home brands



radio technology
Somfy

- Fully secure technology
- Maximum radio reliability
- Protocol compatible with the major connected home brands




Wired
(except for screens with locks)



Sunea 50 & 60 io

The radio solution for awnings, pergolas and vertical screens



The all-in-one io-homecontrol® awning motor, with advanced functions for all types of awnings with or without cassette. Take full benefits of io bi-directionality and feedback on the terrace.

MAIN FUNCTIONALITIES



Perfect closure
The guarantee that cassette closes every time.



Adjustable electronic Stop detection « Soft Close »
Once the cassette is closed, the motor stops immediately to protect the mechanism and limit stress on the fabric. Possibility to choose between 3 levels of closure power.



Adjustable back release
Releases the motor brake just after the closure, to relax the fabric. This extends the lifespan of the fabric



Star head
6 possibilities to orientate the motor head.



Rail guided system protection
An electronic detection device (crown stop) stops the motor instantly if there is an obstacle during any motion.



Electronic rail guided system control
Automatic rail guided system fabric length compensation, to guarantee constant projection, event after several years.



"my" favourite
In one click move the blind to your favourite position



Remote limit setting



BENEFITS FOR END-USERS

Simple, effortless comfort

- Move your awning effortless and remotely thanks the radio control
- Move in one click your awning to your favorite "my" position

Aesthetics & durability of the awning

- Perfect cassette closure to prevent the fabric against mould
- No tension on the fabric preserving its long lasting well-looking
- A fabric perfectly taut over the years, without pocket effect (particularly suitable for large awnings and winter gardens)



Take full benefit of io-homecontrol® feedback on the terrace

- Full understanding of sun and wind automatism
- Easy customization of the groups and sun sensor thresholds from the remote control
- Access to io-homecontrol® full home automation offer for more security, energy saving and comfort

TaHoma® switch

Centralize & connect your home



IN A FEW WORDS

Discover TaHoma® switch, the smart control to centralise & connect the home. Connected equipment will then ease your customer's daily life, bringing more convenience and peace of mind.

BENEFITS

1. Centralise & control your home in one touch

Launch your 2 favourite scenes from the buttons. Customise them as much as you want!

Take advantage of our new mobile application made for and with its users, for a totally new experience.



2. Open and evolutive solution

Compatible with Somfy and partner products as well as voice assistants. Your customers can add new products at their own pace with the TaHoma® application, and can adapt the scenes with the buttons according to their needs.



Shutters & blinds



Terrace & awnings



Gates, garage doors



Lights & plugs



Camera & alarms



Heating & thermostat



Music

somfy.

VELUX

Schneider

Jauter

atlantic

legrand

Dauphin

HITACHI

SONOS

PHILIPS

3. Designed for all desires

TaHoma® switch is fully customisable according to the daily life of your customers. The possibilities are endless, especially thanks to the Wi-Fi connection and its sobriety, TaHoma® switch can be placed anywhere in the home, and adapts to any interior style.

Made for and with its users, for a completely new experience.

Accessible to all, simple & intuitive, and providing guidance at all time!

Benefit from a greater link with your customers


Your company name is displayed in the user TaHoma® app giving you more visibility.



TaHoma® switch

- Control buttons
- App control
- Compatible Voice control*

*Requires an additional voice assistant (availability depending on countries)



The App TaHoma® Switch

allows to easily control Somfy products from anywhere at anytime.



Nina io - Nina timer io

Nina io



SOMFY +
Compatibility with
Smart Awning function
& Sunis Wirefree II io

MAIN FUNCTIONALITIES



Centralization

Control different pieces of equipment individually, as a group or as different scenarios; Also, you can view the exact position of the equipment via the Onscreen graphics.



Feedback Function

The user is kept informed at all times of both correct functioning of any problems that may arise.



Natural Control

Set up the interface, press the screen for 2 seconds and control any piece of the equipment with a natural gesture of your arm...like magic!



Personalized interface

Configure to suit your house. Identify and name different rooms. Also includes dedicated icons for each one.



Scenario function

For example "I am leaving the house" (close the shutters and the EVB, turn off the lights and set the alarm). Program how you want to live in just a few clicks.



Quiet mode

Shutter is twice as quiet : slow speed of the shutter with slow pulse of the led. This only exists for actioners which include this function.



Nina timer io



SOMFY +
NINA: Naturally Intuitive,
Naturally Attractive
Compatibility with
Sunis Wirefree II io

MAIN FUNCTIONALITIES



Centralization

Control different pieces of equipment individually, as a group or as different scenarios; Also, you can view the exact position of the equipment via the Onscreen graphics.



Feedback Function

The user is kept informed at all times of both correct functioning of any problems that may arise.



Natural Control

Set up the interface, press the screen for 2 seconds and control any piece of the equipment with a natural gesture of your arm...like magic!



Personalized interface

Configure to suit your house. Identify and name different rooms. Also includes dedicated icons for each one.



Timer function

To automatically control the home equipment according to a certain program and timing previously set.



Presence simulation function

Simulate your presence when on holidays to secure your home.



Quiet mode

Shutter is twice as quiet : slow speed of the shutter with slow pulse of the led. This only exists for actioners which include this function.



Scenario function

For example «I am leaving the house» (close the shutters, turn off the lights and set the alarm). Program how you want to live in just a few clicks.



Sunset function

Program sunset scenarios to save more energy, especially in winter.

Situo range io & RTS

More than just a remote control,
the Situo range is designed to fit in all interiors

Your motorized equipment is easily controlled, at the touch of a button.

The **Situo Variation** scroll wheel allows to you easily manage the slats of your venetian blinds, adjust the natural light in the room and protect your privacy.

Situo




up my down

3 buttons for all configurations

my

To record your favorite position

Situo Variation



Innovative scroll wheel

easily, precisely & quickly tilt and dim to adjust orientation and intensity of slats or lights

Modern soft-touch, flawless handling and discreet wall support, every detail has been elaborated for your day-to-day comfort.

Manage your automated roller shutters, awnings, interior blinds, curtains, lighting...

Available in 1 channel (1 equipment or 1 group of several equipment) and 5 channels to control up to 5 equipment or groups of equipment.



Remote Controls RTS

Telis 16 RTS



- > 16 channel radio remote.
- > To control 1 blind or several motorized blinds by room, by façade, by store...by creating up to 16 groups.
- > Up, Down and Stop functions.
- > Favorite position "my".
- > 2 Finishes: Pure and Silver.

Telis 6 Chronis RTS



Order 6 products, or 6 groups of products, one by one, or simultaneously.
Time programming: up to 6 time slots per day over a week.

Magnetic Connector for WireFree motors



- > Ease of use: Make charging effortless by allowing for easy attachment and detachment. The magnets help guide the connector into place, ensuring a secure connection without the need for precise alignment.
- > Enhanced safety: Magnetic connectors provide an additional safety feature by automatically disconnecting the charging cable when pulled forcefully.
- > Charge "foot on the floor" thanks to a rigid extension cable



Smoove origin RTS & io



SOMFY +
Innovative & elegant look: sustainable design with a wide range of combinations.



MAIN FUNCTIONALITIES



1 channel



Up/Stop ("my" button)/Down function)



"my" function
Memorizes the favorite position of a product and allows you to find it instantly by pressing the "my" button. Simple to program and to modify.



Low battery indicator
Helps with your remote diagnosis (remaining battery life) and ensures that the user's control unit will always be on.



Electrical frames compatibility
Fits into German electrical frames (compatible with DIN 49075 standard).



Wireless
Wireless control unit. Can be placed anywhere. No cabling.



Smoove origin 2 & 4 io



SOMFY +
Can perform an action on multiple channels simultaneously.

MAIN FUNCTIONALITIES



2 channels
4 channels



Up/Stop ("my" button)/Down function)



"my" function
Memorizes the favorite position of a product and allows you to find it instantly by pressing the "my" button. Simple to program and to modify.



Low battery indicator
Helps with your remote diagnosis (remaining battery life) and ensures that the user's control unit will always be on.




Electrical frames compatibility
Fits into German electrical frames (compatible with DIN 49075 standard).



Wireless
Wireless control unit. Can be placed anywhere. No cabling.

Connected receivers io


IZYMO Transmitter io



The transmitter io enables to transform any wired push-button or rocker switch into an io control. This way, you can send orders to lightings, roller shutters and external venetian blinds. When it is connected to a push-button, it can also be used as a TaHoma® scenario launcher.

Power supply	CR2430 battery: 3V
Battery life	3 years
Protocol	io-homecontrol (1-way)
Dimensions	35 x 43 x 8 mm
Weight	20 g
Operating temperature	0°C to +55°C

IZYMO Shutter Receiver io



The SHUTTER receiver io enables to transform any wired shutter into a smart and connected one. It can be placed in a recessed box behind the switch or next to the wired actuator (depending on the installation).

In stand-alone usage, it can be used to centralize the shutters from only one control point.

Power supply	Input: 220-240V AC (Neutral + Live) Output: 2A
Max. power	Motor up to 80Nm
Protocol	io-homecontrol (2-way)
Dimensions	43 x 43 x 18 mm
Weight	50 g
Operating temperature	0°C to +55°C
Number of io remote controls	1- way : 10 remote control devices 2- way : unlimited

IZYMO Dimmer Receiver io



The IZYMO DIMMER RECEIVER io is a radio receiver equipped with the io-homecontrol technology. It is made to transform any compatible lighting into a smart and connected one. It can be placed either behind the wall switch or next to the light source (depending on the installation).

In stand-alone usage, it can be used to add the dimming function to an already installed compatible lighting. It can also be used to add an extra switch to a light without running cables through (IZYMO transmitter io required).

Power supply	220-240V AC 50Hz, 16A max (16A is the standard upstream electrical protection)
Max. power	220-240V dimmable LED bulb: 100W 12/24V LED or halogen spot light with dimmable electronic transformer: 100W Trailing edge dimmable LED driver for LED strip: 100W 220-240V non-dimmable LED bulb (ON/OFF functioning only): 100W Resistive load (incandescent and halogen): 150W
Protocol	io-homecontrol (2-way)
Dimensions	43 x 43 x 13 mm
Weight	50 g
Operating temperature	0°C to +55°C
Number of io remote controls	1-way: 10 remote control devices (the 11th will be refused) 2-way: unlimited

IZYMO ON-OFF Receiver io



The ON-OFF receiver io enables to transform any lighting or home equipment into a smart and connected one. To control a lighting, it can be placed behind the switch or next to the light source (depending on the installation). To control a home equipment, it can be placed behind its outlet.

In stand-alone usage, it can be used to add an extra switch wherever you want (IZYMO transmitter io required).

Power supply	Input: 220-240V AC (Neutral + Live) Output: 230V, 10A
Max. power	Resistive/halogen load: 2000W Fluo-compact: 150W LEDs 220-240V AC: 150W Other load: 2000W
Protocol	io-homecontrol (2-way)
Dimensions	43 x 43 x 18 mm
Weight	50 g
Operating temperature	0°C to +55°C
Number of io remote controls	1- way : 10 remote control devices 2- way : unlimited

Remote-controlled plug ON/OFF io




The ON/OFF remote-controlled plug io allows to remotely control lighting. It is managed from TaHoma®, Connexoon and any other command point io. Maximum Lighting support

Resistive	1 500W
Incandescent	800W (3 per plug)
Fluorescent	200W (3 per plug)
LED	200W (3 per plug)

Lighting Receiver RTS

Indoor micro lighting radio receiver



The micro-receiver is used to control lighting with a remote control, without having to change the existing switch. Micro-receiver incorporating RTS radio technology

Dimensions (WxHxD)	41 x 45 x 19 mm
Installation	wall switch box or junction box
Protection index	IP 20
Operating temperature	-20°C to +55°C
Power supply	230 V 50 Hz 16 A or 120 V 60 Hz
Max. power (W)	500 W
Radio range	30 m
Technology	RTS

Wind Sensor io RTS

Eolis 3D WireFree



Can be combined with Sunea io and Sunilus io motors.

Controls the awning upwards based on the measured movement of the front frame.



About Somfy

For more than 50 years, Somfy has been driving durable positive motion as a pioneer in window and door automation. Developed with comfort, ease of use, security and sustainability in mind, our seamless and connective solutions are designed to help people make the move to living spaces impactful or humans and impactless on nature.

A BRAND OF **SOMFY** GROUP



SOUTH AFRICA CAPE TOWN

4 Falcon Crescent, Airport City,
Cape Town, South Africa
T +27 21 380 0344 | F +27 21 380 0307
E contact_za@somfy.com
www.somfy.co.za

SOUTH AFRICA JOHANNESBURG

29 Arterial Road West, Oriel, Bedfordview, Unit 6
Johannesburg, Gauteng
T +27 21 380 0344
E contact_za@somfy.com
www.somfy.co.za