

UNIQUE INTENSITY

Purestone & Cobblestone



Unique Intensity is a premium collection of large-format porcelain tiles, designed to bring timeless style, exceptional durability, and effortless practicality to both residential and commercial spaces. Featuring a carefully curated range of contemporary colours and natural stone-inspired finishes, the collection offers versatile solutions for floors and walls.

Manufactured to the highest standards, Unique Intensity combines sophisticated design with the performance benefits of porcelain, including resistance to stains, scratches, moisture, and everyday wear.

Unique Intensity is proudly distributed exclusively through SA Stone Studio across Africa.

WHY CHOOSE UNIQUE INTENSITY?

- Low Water Absorption
- High Flexural Strength | High Breaking Strength
- Frost Resistant
- Chemical Resistant
- Stain Resistant
- Slip Resistant

Stone Studio

Purestone Collection











Purestone Beige

Surface: Natural R10

6.5mm | 1200 x 2780mm

9mm | 1200 x 1200mm

9mm | 800 x 800mm

9mm | 600 x 1200mm

9mm | 600 x 600mm

9mm | 300 x 600mm

Surface: Technica R11

9mm | 600 x 1200mm

Surface: Natural R11

20mm | 600 x 1200mm



Purestone Grey

Surface: Natural R10

6.5mm | 1200 x 2780mm

9mm | 1200 x 1200mm

9mm | 800 x 800mm

9mm | 600 x 1200mm

9mm | 600 x 600mm

9mm | 300 x 600mm

Surface: Technica R11

9mm | 600 x 1200mm

Surface: Natural R11

20mm | 600 x 1200mm

Purestone White

Surface: Natural R10

6.5mm | 1200 x 2780mm

9mm | 1200 x 1200mm

9mm | 800 x 800mm

9mm | 600 x 1200mm

9mm | 600 x 600mm

9mm | 300 x 600mm

Surface: Technica R11

9mm | 600 x 1200mm



Purestone Black

Surface: Natural R10

6.5mm | 1200 x 2780mm

9mm | 1200 x 1200mm

9mm | 800 x 800mm

9mm | 600 x 1200mm

9mm | 600 x 600mm

9mm | 300 x 600mm

Cobblestone Collection











Cobblestone Beige

Surface: Natural R10

6.5mm | 1200 x 2780mm

9mm | 600 x 1200mm



Cobblestone Grey

Surface: Natural R10

6.5mm | 1200 x 2780mm

9mm | 600 x 1200mm

Surface: Natural R11


20mm | 600 x 1200mm

Cobblestone White

Surface: Natural R10

6.5mm | 1200 x 2780mm

9mm | 600 x 1200mm



Cobblestone Black

Surface: Natural R10

6.5mm | 1200 x 2780mm

9mm | 600 x 1200mm

Arcade Collection













Arcade White

Surface: Natural R10

9mm | 600 x 1200mm

9mm | 300 x 600mm



Arcade Grey

Surface: Natural R10

9mm | 600 x 1200mm

9mm | 300 x 600mm



Arcade Beige

Surface: Natural R10

9mm | 1200 x 600mm

9mm | 300 x 600mm



Arcade Black

Surface: Natural R10

9mm | 1200 x 600mm

9mm | 300 x 600mm

Technical Characteristics

	STANDARD	VALUE		
Water Absorption	UNI EN ISO 10545/3	Compliant		
	ASTM C373			
Flexural Strength	THICKNESS	**6,5 mm**	**9 / 9,5 mm**	**20MM**
	UNI EN ISO 10545/4	≥ 35 N/mm²	≥ 45 N/mm²	≥ 45 N/mm²
Breaking Strength	UNI EN ISO 10545/4	≥ 700 N	≥ 2000 N	≥ 12000 N
	ASTM C648	≥ 175 lbf	≥ 400 lbf	≥ 2500 lbf
Frost Resistance	UNI EN ISO 10545/12	Complaint		
	ASTM C1026	Unaffected		
Chemical Resistance to High and Low Concentrations of Acids and Alkalis	UNI EN ISO 10545/13	A - LA - HA		
	ASTM C650	Unaffected		
Stain Resistance	UNI EN ISO 10545/14	5		
	ASTM C1378	Class A		

Slip Resistance		**NATURALE**	**TECNICA / 20MM**
	DIN EN 16165 Annex B	R10	R11
	DIN EN 16165 Annex A	B (A+B)	B (A+B)
	ANSI A326.3:2017 DCOF	WET ≥ 0,50	WET ≥ 0,65
	B.C.R.A. D.M. N. 236 14/6/89	> 0,40	> 0,40
	AS 4586-2013 Anexo A	P2	P4
	BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	< 36 Moderate Slip potential	> 36 Low Slip potential
	UNE 41901:2017 EX DB SUA (actual)	-	3

Sizes and formats

120x278 Naturale R10

120x120 Naturale R10

60x120 Naturale R10 - Tecnica R11

80x80 Naturale R10

60x60 Naturale R10

30x60 Naturale R10

60x120 Arcade Naturale R10

30x60 Arcade Naturale R10

60x120 Naturale R11

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

120x278

放射性水平A类

0%6,5 mm

valori medi - averagevalues

HEAVY COMMERCIAL HT

VARIATION V3 High



Stone Studio

Unique Intensity is proudly distributed exclusively through SA Stone Studio across Africa.

GAUTENG:
Unit 18,
400 Roan Crescent,
Rambo Junxion,
Corporate Park North, Midrand,
Johannesburg, 1685

E: reception@sastonestudio.co.za

TEL: 010 447 9854 | 071 382 4801

WESTERN CAPE:
Unit 3, Radio Park
7 Marconi Road
Montague Gardens,
Cape Town, 7441

E: info@sastonestudio.co.za

TEL: 087 265 4958 | 064 681 1299

WWW.SASTONESTUDIO.CO.ZA