

Speedlite EL-100

THE SIMPLE AND CREATIVE WAY TO ADD LIGHT TO YOUR PHOTOGRAPHY

When you're struggling in low light, the Speedlite EL-100 makes it simple to add more light. Create natural lighting by bouncing flash or by placing the Speedlite away from the camera.



- Your easy route into flash photography
- Create natural lighting by using bounce flash
- Learn to get more creative with your lighting
- Part of the EOS family of cameras and lenses

PRODUCT RANGE



Speedlite 600EX-RT
Speedlite 470EX-AI
Speedlite 430EXIII-RT
Speedlite EL-100

Speedlite 470EX AI



Speedlite 430EX III-RT



Speedlite EL-100

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

Speedlite EL-100

POWER

Guide No. (ISO100).meters 26 (50mm)

ZOOM

Zoom head Yes, Manual
focal length coverage 24, 50mm

FLASH MODES

Auto exposure control E-TTLII/E-TTL/TTL
High speed sync (FP) Yes
Manual / output settings Yes - 1/1- 1/128
Manual steps 1/3 step
Strobe / output settings Yes
Frequency 1-500Hz (1-199Hz using optical Sender function)

FLASH-RELATED FUNCTION

FE lock Yes
Flash exposure compensation Yes (set on camera)
Flash Exposure bracketing No
Second-curtain flash sync Yes (set on camera)
Modelling flash Yes
Colour temperature info communication Yes

WIRELESS FLASH

Transmitter Yes
Transmission type Optical
Signal range (Infra-red/Radio) Indoors: 0.7-11m / -
Outdoors: 0.7-8m / -
Receiver function Infra-red
Sender function Infra-red
No of groups (Optical/Radio) 3
No of channels (Optical/Radio) 4

FLASH HEAD MOVEMENT

Up 45, 60, 75 and 90°
Left 60, 75, 90, 120, and 150°
Right 60, 75, 90, 120, 150 and 180°
AI Bounce -

AF ASSIST

AF-assist beam Yes
AF-assist beam type (centre AF point/other AF points) Flash strobe

POWER SOURCE

Battery 2 x AA batteries
Minimum recycling time *2 Approx. 5.8sec
External power supply No

CONSTRUCTION

Dust and water resistance No
Mounting foot material Metal

MISC.

Custom function 3 (6 options)
Flash settings from camera menus *3 Yes
External flash exposure sensor No
PC terminal No
Compatible Accessories Off-camera shoe cord OC-E3
Dedicated flash bracket No

DIMENSIONS & WEIGHT

Size (W x H x D), mm 64.6 x 91.7 x 71.0
Weight (Excluding batteries), grams 190g



Live for the story_

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2018

THE SIMPLE AND CREATIVE WAY TO ADD LIGHT TO YOUR PHOTOGRAPHY

When you're struggling in low light, the Speedlite EL-100 makes it simple to add more light. Create natural lighting by bouncing flash or by placing the Speedlite away from the camera.

Sales Start Date: October 2018

Speedlite EL-100



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
Speedlite EL-100	3249C003AA	4549292125450

Canon

Live for the story_

THE SIMPLE AND CREATIVE WAY TO ADD LIGHT TO YOUR PHOTOGRAPHY

When you're struggling in low light, the Speedlite EL-100 makes it simple to add more light. Create natural lighting by bouncing flash or by placing the Speedlite away from the camera.

Speedlite EL-100



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
Speedlite EL-100	3249C003AA	EA	Each	1	8.6	6.1	15.6	0.291
		CT	Carton	24	50.8	27.8	19.3	7.61
		EP	Euro Pallet	720	120	80	111.5	238
			Layers per Pallet	6				
			Cartons per Layer	5				
			Package per pallet	120				

What's in the box?

- Speedlite EL-100
- Soft Case
- Mini-stand
- User manual

Canon