

tesa® Powerstrips Waterproof Small

Features

- Strong hold for objects on surfaces like tiles, glass, etc.*
- Removable without a trace due to the Powerstrips Waterproof technology
- Maximum hold of up to 1kg on smooth surfaces
- Especially developed to fix objects in wet areas (e.g. shower, bathtub, etc.)
- Suitable for the Powerstrips Waterproof Small hooks

*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous material

Product Properties

• Applicationfield	Bathroom, Kitchen	• Ozone resistant	yes
• Type of tape	Double-sided adhesive	• Solvent free	no
• Holding power up to	1 kg	• Suitable surfaces	Tiles, Glass, Even wood, Steel, Acrylic glass, Most plastics
• Transparent	no		
• UV-resistant	no	• Reusable	no
• Water resistant	yes	• Waterproof	yes
• Humidity resistant	yes	• Batteries required	no
• Oil- and grease-resistant	no	• Batteries included	no

Technical Data

• Application temperature	min. 15° C	• Age-resistant	yes
• Area of use	Indoor	• Temperature resistance from	5 °C
• Residue-free removable	yes	• Temperature resistance up to	35 °C
• Type of adhesive	synthetic rubber	• Hazard material	yes
• Total thickness	650 µm		

Application

How to apply:

1. Clean the surface with alcohol or silicone-free glass cleaner
2. Take the included waterproof primer tissue and wipe over the surface for bonding preparation - wait for 10 seconds minimum
3. Apply the Powerstrip Waterproof Small strip on the object - press for 5 seconds minimum
4. Fix object onto surface - press for 5 seconds minimum
5. Make sure the tab can be accessed for removal

tesa[®] Powerstrips Waterproof Small

Disclaimer

tesa[®] products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa[®] product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit
<http://l.tesa.com/?ip=59776>