SAFETY DATA SHEET



Version #: 01

Issue date: 06-July-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

WW CASHMERE SMALL JAR 1720916E

of the mixture

Registration number

Synonyms None. 1720916E **Product code**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Not available.

General Public Use **Identified uses** None known. Uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Yankee Candle s.r.o. **Distributor Schweiz/Suisse**

Address Prumyslová zóna Joseph Spirig Kerzen AG

Havran u Mostu Bürglenstrasse 33 435 01, Czech Republic CH-8570 Weinfelden

Division Tel: 071 626 23 46 **Telephone** Tox Info Suisse: 145 e-mail nhfregulatory@newellco.com info@spirigkerzen.ch

Contact person 1.4. Emergency telephone

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation Category 1B H317 - May cause an allergic skin

reaction.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Dihydro pentamethylindanone, Isocyclemone E, Octabenzone

Hazard pictograms



Signal word Warning

Hazard statements

May cause an allergic skin reaction. H317

Precautionary statements

Prevention Not applicable. Response Not applicable. Not applicable. Storage Not applicable. **Disposal**

30,98 % of the mixture consists of component(s) of unknown acute oral toxicity. 30,98 % of the Supplemental label information

mixture consists of component(s) of unknown acute dermal toxicity. 30,98 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 30,98 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

Material name: WW CASHMERE SMALL JAR 1720916E SDS SWITZERLAND 1720916E Version #: 01 Issue date: 06-July-2022 1/8

2.3. Other hazards

May form explosible dust-air mixture if dispersed. This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General	information
Contonal	IIII OI III a ti OII

1 - 3 cation: Acute Tox. Chronic 2; ≤ 1	120-51-4 204-402-9 . 4;H302;(ATE: 500 n	- B;H317, Aquatic Chronic 1;H - mg/kg), Aquatic Acute 1;H40 -	607-085-00-9
1 - 3 cation: Acute Tox. Chronic 2; ≤ 1	120-51-4 204-402-9 . 4;H302;(ATE: 500 n H411 1222-05-5	- -	607-085-00-9 0, Aquatic
cation: Acute Tox. Chronic 2; ≤ 1	204-402-9 . 4;H302;(ATE: 500 n H411 1222-05-5	- mg/kg), Aquatic Acute 1;H40 -	0, Aquatic
Chronic 2; ≤ 1	H411 1222-05-5	mg/kg), Aquatic Acute 1;H40 -	·
		-	603-212-00-7
cation: Aquatic Ac			
Cation. Aquatic Ac	cute 1;H400, Aquatic	Chronic 1;H410	
≤ 0,3	1843-05-6 217-421-2	-	-
cation: Skin Sens	. 1;H317		
≤ 0,2	33704-61-9 251-649-3	-	-
		319, Skin Sens. 1B;H317, A	quatic
≤ 0,1	23696-85-7 245-833-2	-	-
cation: Skin Irrit. 2	2;H315, Skin Sens. 1	A;H317, Aquatic Chronic 2;l	H411
	cation: Skin Sens ≤ 0,2 cation: Skin Irrit. 2 Chronic 2; ≤ 0,1	217-421-2 cation: Skin Sens. 1;H317 ≤ 0,2	217-421-2 cation: Skin Sens. 1;H317 ≤ 0,2 33704-61-9 - 251-649-3 cation: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1B;H317, Ac Chronic 2;H411 ≤ 0,1 23696-85-7 - 245-833-2 cation: Skin Irrit. 2;H315, Skin Sens. 1A;H317, Aquatic Chronic 2;H

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical attention if

symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Nausea. Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin

reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Will burn if involved in a fire. May form explosible dust-air mixture if dispersed. No unusual fire or

explosion hazards noted.

Material name: WW CASHMERE SMALL JAR 1720916E 1720916E Version #: 01 Issue date: 06-July-2022

5.1. Extinguishing media

Suitable extinguishing media

Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. Water fog. Foam. Dry chemical powder. Dry sand. Dry chemicals. Carbon dioxide (CO2).

Apply extinguishing media carefully to avoid creating airborne dust.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective
equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

is involve

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use only non-sparking tools. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Combustible dust clouds may be created where operations produce fine material (dust). Explosion-proof general and local exhaust ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Switzerland. SUVA Grenzwerte am Arbeitsplatz					
Components	Туре	Value	Form		
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Respirable fume.		
Paraffinum liquidum (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.		

Switzerland. SUVA Grenzwerte am Arbeitsplatz Components

Petrolatum (CAS TWA Inhalable fraction. 5 mg/m3

Biological limit values

8009-03-8)

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Value

Form

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such Hygiene measures

as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work

clothing should not be allowed out of the workplace.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid. **Form** Solid.

Colour Not available. Odour Not available.

Melting point/freezing point Boiling point or initial boiling point and boiling range

46 °C (114,8 °F) estimated 300 °C (572 °F) estimated

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) 0,9 % estimated Explosive limit - upper 7 % estimated

(%)

113 °C (235,4 °F) estimated

Flash point 260 °C (500 °F) estimated Auto-ignition temperature

Not available. **Decomposition temperature** Not available. Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Vapour pressure 0,022125 hPa estimated

Vapour densityNot available.Relative densityNot available.Particle characteristicsNot available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Density 0,858 g/cm3 estimated

Explosive properties Not explosive.

Oxidising properties Not oxidising.

Specific gravity 0,85776 estimated

VOC 0,16 % Switzerland estimated

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Keep away from heat, sparks and open flame. Contact with incompatible materials. Minimise dust

generation and accumulation.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Nausea. Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin

reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory sensitisationDue to partial or complete lack of data the classification is not possible.

Skin sensitisationMay cause an allergic skin reaction.Germ cell mutagenicityDue to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

single exposure

But to puritur of complete lack of data the diacomoditor to het poccisio.

Specific target organ toxicity - repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

 Material name:
 WW CASHMERE SMALL JAR 1720916E
 SDS SWITZERLAND

 1720916E
 Version #: 01
 Issue date: 06-July-2022
 5 / 8

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. ToxicityBased on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Benzyl benzoate3,97Dihydro pentamethylindanone4,2Galaxolide5,3Octabenzone6,96

7,6 Estimated

Rose Ketone-4 4,8

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment

40 C Fada

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not applicable. according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Material name: WW CASHMERE SMALL JAR 1720916E 1720916E Version #: 01 Issue date: 06-July-2022 Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Benzyl benzoate (CAS 120-51-4) Galaxolide (CAS 1222-05-5)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EČ) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Switzerland. Schedules 1A-3B on Substances Subject to ChKV, Regulation on the Control of Chemicals with Civilian and Military Use (ChKV)

Not listed.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

All components of the mixture are on the EINECS or ELINCS inventories.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Material name: WW CASHMERE SMALL JAR 1720916E 1720916E Version #: 01 Issue date: 06-July-2022

IERE SMALL JAR 1720916E SDS SWITZERLAND

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This document has undergone significant changes and should be reviewed in its entirety.

Follow training instructions when handling this material.

Revision information Training information Disclaimer

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: WW CASHMERE SMALL JAR 1720916E

1720916E Version #: 01 Issue date: 06-July-2022

8 / 8