

PRODUCT DATASHEET

ENDURA FRAME Wall E27

ENDURA FRAME | Timeless aluminium housing luminaire series with glass diffusor



AREAS OF APPLICATION

- Building facades
- Entrance lighting
- Patios, balconies
- Pathway lighting
- Driveways

PRODUCT BENEFITS

- High flexibility in the choice of the light source thanks to E27 base
- Easy and quick installation

PRODUCT FEATURES

- Direct illumination
- Light cover material: glass
- Light cover appearance: clear
- Housing material: aluminum
- Housing color: RAL 7016
- Type of protection: IP44



TECHNICAL DATA


Electrical data

Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Luminaire control gear data

ECG - Dimmable	No
-----------------------	----

Dimensions & weight



Length	140.0 mm
Width	110.0 mm
Height	245.0 mm
Product weight	1305.00 g

Colors & materials

Body material	Aluminum
Product color	Dark gray
Housing color	Dark gray
Cover material	Glass

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
----------------------------------	--------------

Additional product data

Mounting type	Surface
Mounting location	Wall
Product remark	Maximum bulb wattage: 60 W

Capabilities

Dimmable	No
Type of connection	Terminal, 3-Pole (L, N, PE)
Holder designation	E27

Certificates & standards

Protection class	I
Type of protection	IP44
Standards	CE/EAC/RoHS/REACH

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- No light sources included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075554399	Folding carton box 1	114 mm x 145 mm x 250 mm	1397.00 g	4.13 dm ³
4058075554405	Shipping carton box 4	315 mm x 250 mm x 275 mm	6072.00 g	21.66 dm ³

- The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.