

PRODUCT DATASHEET

ENDURA CLASSIC CASCADE Wall E27 CLR

ENDURA CLASSIC CASCADE | Contemporary aluminium luminaires with amber or clear colored glass diffusor



AREAS OF APPLICATION

- Building facades
- Patios, balconies
- Pathway lighting
- Driveways

PRODUCT BENEFITS

- High flexibility in the choice of the light source thanks to E27 base
- Easy and quick installation

PRODUCT FEATURES

- Direct illumination
- Light cover material: glass
- Light cover appearance: amber or clear
- Housing material: aluminium
- Housing color: RAL 7016
- Type of protection: IP44



TECHNICAL DATA


Electrical data

Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Luminaire control gear data

ECG - Dimmable	No
-----------------------	----

Dimensions & weight



Length	160.0 mm
Width	120.0 mm
Height	180.0 mm
Product weight	1055.00 g

Colors & materials

Body material	Aluminum
Product color	Dark gray
Housing color	Dark gray
Cover material	Glass

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
----------------------------------	--------------

Additional product data

Mounting type	Surface
Mounting location	Wall
Product remark	Maximum bulb wattage: 25 W

Capabilities

Dimmable	No
Type of connection	Terminal, 3-Pole (L, N, PE)
Holder designation	E27

Certificates & standards

Protection class	I
Type of protection	IP44
Standards	CE/EAC/RoHS/REACH

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- No light sources included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075554337	Folding carton box 1	125 mm x 165 mm x 210 mm	1159.00 g	4.33 dm ³
4058075554344	Shipping carton box 4	350 mm x 270 mm x 230 mm	5140.00 g	21.74 dm ³

- The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.