

# **PRODUCT DATASHEET**ENDURA STYLE DISC Wall

**ENDURA STYLE DISC | Stainless steel wall-luminaire sensor optional** 



## **AREAS OF APPLICATION**

- Building facades
- Entrance lighting
- Patios, balconies

## **PRODUCT BENEFITS**

- Easy and quick installation
- Energy-efficient thanks to LED technology

#### **PRODUCT FEATURES**

- Bright and functional outdoor LED luminaires
- Available with and without motion sensor
- Stainless steel housing
- Type of protection: IP44



# **TECHNICAL DATA**

## Electrical data

Nominal wattage	8.00 W
Operating mode	Mains voltage
Nominal voltage	220240 V
Mains frequency	50/60 Hz

## Photometrical data

Color temperature	3000 K
Color rendering index Ra	≥80
Light color (designation)	Warm White
Luminous flux	370 lm
Luminous efficacy	46 lm/W

#### Luminaire sensor data

Type of sensor	Light / Motion

# Dimensions & weight

Height	60.0 mm
Product weight	646.00 g

#### Colors & materials

Body material	Stainless steel	
Product color	Steel	
Housing color	Steel	
Cover material	Polycarbonate (PC)	

# Temperatures & operating conditions

## Lifespan

Number of switching cycles	12500
Lifespan	25000 h

## Additional product data

Mounting type	Surface
Mounting location	Wall

# Capabilities

Dimmable	No
----------	----

Type of connection	Terminal, 3-Pole (L, N, PE)
LED module replaceable	Not replaceable

#### Certificates & standards

Protection class	II
Type of protection	IP44
Standards	CE/UKCA/RoHS

## **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

#### **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075564121	Folding carton box 1	207 mm x 72 mm x 207 mm	827.00 g	3.09 dm <sup>3</sup>
4058075564138	Shipping carton box 4	302 mm x 225 mm x 235 mm	3664.00 g	15.97 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.