

Printing date 26.10.2020

Version number 5

Revision: 28.05.2020

1.1 Produ	nct identifier
Trade na	me: <u>Hama "Optic HTMC" Optik-Reiniger (12 ml)</u>
Article ni	<i>umber:</i> xxxx5947
UFI: UFJ)-W0X5-U00F-3QQW
	ant identified uses of the substance or mixture and uses advised against
Life cycle	
C Consum PW Wides	er use pread use by professional workers
Sector of	
	sumer uses: Private households / general public / consumers
	essional uses: Public domain (administration, education, entertainment, services, craftsmen) ategory PC35 Washing and cleaning products (including solvent based products)
	<i>I function</i> Cleaning agent
	on of the substance / the mixture
Cleaning ma	aterial/ Detergent
According t	o trade name/product specification
	s of the supplier of the safety data sheet
<i>Manufac</i> i Hama Gmbl	turer/Supplier:
D-86652 M	
Further i	nformation obtainable from:
	: Quality Assurance
	B@hama.de
+49 9091 50 1 1 Fmar	³²⁻⁰ gency telephone number:
	D2-6400 (Hama)
	40 (toxin emergency call in Munich)
SECTIO	N 2. Hazards identification
	N 2: Hazards identification
2.1 Classi	ification of the substance or mixture
2.1 Classi Classifica	ification of the substance or mixture ation according to Regulation (EC) No 1272/2008
2.1 Classi Classifica Flam. Liq. 2	<i>fication of the substance or mixture</i> <i>tion according to Regulation (EC) No 1272/2008</i> 2 H225 Highly flammable liquid and vapour.
2.1 Classi Classifica Flam. Liq. 2 Eye Irrit. 2	ification of the substance or mixture ation according to Regulation (EC) No 1272/2008
2.1 Classi Classifica Flam. Liq. 2 Eye Irrit. 2	<i>fication of the substance or mixture</i> <i>ation according to Regulation (EC) No 1272/2008</i> 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
2.1 Classi Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling	fication of the substance or mixture ation according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008
2.1 Classifica Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product	fication of the substance or mixture tion according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
2.1 Classifica Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product	fication of the substance or mixture ation according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008
2.1 Classifica Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product	fication of the substance or mixture tion according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
2.1 Classifica Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product	fication of the substance or mixture tion according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
2.1 Classi Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard pu	ification of the substance or mixture ation according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 tis classified and labelled according to the CLP regulation. ictograms
2.1 Classi Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product	fication of the substance or mixture tion according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
2.1 Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard pu GHS02	ification of the substance or mixture ation according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 tis classified and labelled according to the CLP regulation. ictograms ictograms GHS07
2.1 Classifica Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard p. GHS02 Signal wa Hazard-d	ification of the substance or mixture mion according to Regulation (EC) No 1272/2008 P H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ictograms is classified and labelled according to the CLP regulation. ictograms ord Danger itetermining components of labelling:
2.1 Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard pu GHS02 Signal wa Hazard-d propan-2-ol	ification of the substance or mixture mion according to Regulation (EC) No 1272/2008 P H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ictograms is classified and labelled according to the CLP regulation. ictograms of BS07 ord Danger etermining components of labelling:
2.1 Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard pro- GHS02 Signal wor Hazard-d propan-2-ol Hazard si	<pre>ification of the substance or mixture thion according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ictograms ictograms GHS07 ord Danger tetermining components of labelling: tatements</pre>
2.1 Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard pro- GHS02 Signal wo Hazard-d propan-2-ol Hazard si H225 Highl H319 Cause	ification of the substance or mixture thion according to Regulation (EC) No 1272/2008 P H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ictograms \widehat{O} GHS07 ord Danger etermining components of labelling: hyperbolic flat and vapour. is serious eye irritation.
2.1 Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard pro- GHS02 Signal word Hazard-d propan-2-ol Hazard su H225 Highl H319 Cause H336 May of	if cation of the substance or mixture thion according to Regulation (EC) No 1272/2008 P H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ictograms \widehat{O} GHS07 ord Danger etermining components of labelling: hyperbolic flags of the serious eye irritation. by flammable liquid and vapour. is serious eye irritation. cause drowsiness or dizziness.
2.1 Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard po GHS02 Signal wa Hazard-d propan-2-ol Hazard si H225 Highl H319 Cause H336 May of Precautio	ification of the substance or mixture thion according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ictograms \overbrace{OF} GHS07 ord Danger etermining components of labelling: tetermining components of labelling: participation is serious eye irritation. rause drowsiness or dizziness. mary statements
2.1 Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard product GHS02 Signal wa Hazard-d propan-2-ol Hazard si H225 Highl H319 Cause H336 May of	ification of the substance or mixture thion according to Regulation (EC) No 1272/2008 2 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. elements according to Regulation (EC) No 1272/2008 a is classified and labelled according to the CLP regulation. ictograms \overbrace{OFG} GHS07 ord Danger etermining components of labelling: hyper transmodul and vapour. is serious eye irritation. cause drowsiness or dizziness. mary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children.
2.1 Classifica Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 2.2 Label Labelling The product Hazard pro- GHS02 Signal word Hazard-d propan-2-ol Hazard si H225 Highl H319 Cause H336 May of Precautio P101	ification of the substance or mixture thion according to Regulation (EC) No 1272/2008 Particle Provide Provi



Printing date 26.10.2020

Version number 5

Revision: 28.05.2020

Trade name: Hama "Optic HTMC" Optik-Reiniger (12 ml)

2021	(Contd. of page 1)
P271	Use only outdoors or in a well-ventilated area.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
2010	easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Labelling of	packages where the contents do not exceed 125 ml
Hazard picto	ograms and the second se
\wedge	\sim
<u> <u> 8</u>/</u>	
GHS02 GI	1807
Signal word	Dan con
Signui woru	Danger
Hazard-dete	rmining components of labelling:
propan-2-ol	initial components of mocung.
Hazard state	
H336 May caus	e drowsiness or dizziness.
Precautiona	ry statements
	advice is needed, have product container or label at hand.
	of reach of children.
	fully and follow all instructions.
	butdoors or in a well-ventilated area.
	ISON CENTER/doctor if you feel unwell.
-	f contents/container in accordance with local/regional/national/international regulations.
	ed additional labelling:
Observe the ren	narks of the device manufacturer.
Before using on	a large surface, be sure to test on a small, inconspicuous area to ensure that the materials are compatible.
Do not exert str	
	, disconnect device from the power supply and allow to cool.
2.3 Other ha	
	BT and vPvB assessment
PBT: Not app	licable.
vPvB: Not app	plicable.
· - · • • • • • • • • • • • • • • • •	

SECTION 3: Composition/information on ingredients

[•] 3.2 Chemical characterisation: Mixtures

* Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

≥50-≤100%

* Regulation (EC) No 648/2004 on detergents / Labelling for contents Not required.

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

[•] 4.1 Description of first aid measures

[•] General information:

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

In case of unconsciousness place patient stably in side position for transportation.

After inhalation: Supply fresh air; consult doctor in case of complaints.

[•] After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

EU



Printing date 26.10.2020

Version number 5

Revision: 28.05.2020

(Contd. of page 2)

Trade name: Hama "Optic HTMC" Optik-Reiniger (12 ml)

- If skin irritation continues, consult a doctor.
- *After eye contact:* Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. *After swallowing:*
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed
- Headache
- Dizziness
- Nausea
- Unconsciousness
- **4.3 Indication of any immediate medical attention and special treatment needed** If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

- Can form explosive gas-air mixtures.
- In case of fire, the following can be released:
- Carbon monoxide and carbon dioxide
- Under certain fire conditions, traces of other toxic gases cannot be excluded.
- [•] 5.3 Advice for firefighters

• Protective equipment:

- Wear self-contained respiratory protective device.
- Use fire extinguishing methods suitable to surrounding conditions.

Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

⁶.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

- Do not allow to penetrate the ground/soil.
- Do not allow to enter sewers/ surface or ground water.

[•] 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically. Water, if necessary together with cleansing agents.

Ensure adequate ventilation.

[•] 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

[•] 7.1 Precautions for safe handling

No special precautions are necessary if used correctly.

The usual precautionary measures are to be adhered to when handling chemicals.

Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.

EU



Printing date 26.10.2020

Version number 5

Revision: 28.05.2020

Trade name: Hama "Optic HTMC" Optik-Reiniger (12 ml)

	(Contd. of page 3
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). See Section 8 for information on personal protection equipment.	Ϋ́Υ Ϋ́Υ
Information about fire - and explosion protection:	
Fumes can combine with air to form an explosive mixture.	
Keep ignition sources away - Do not smoke.	
Protect against electrostatic charges.	
See section 5.	
7.2 Conditions for safe storage, including any incompatibilities	
Storage:	
Requirements to be met by storerooms and receptacles:	
Storage and clustering must be made according to official regulations.	
Store only in the original receptacle.	
Information about storage in one common storage facility:	
Storage and clustering must be made according to official regulations.	
Further information about storage conditions:	
Store in cool, dry conditions in well sealed receptacles.	
Store receptacle in a well ventilated area.	
Protect from heat and direct sunlight.	
Storage class: 3	
7.3 Specific end use(s) No further relevant information available.	

* Additional information about design of technical facilities: No further data; see item 7.

[•] 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

* Additional information: The lists valid during the making were used as basis.

[•] 8.2 Exposure controls

- *Personal protective equipment:*
- [•] General protective and hygienic measures:

Parameters refer to the product and its intended usage (usage/tradename - point 1 MSDS).

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Immediately remove all soiled and contaminated clothing

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

[•] Respiratory protection:

No special precautions are necessary if used correctly. Not necessary if room is well-ventilated.

Protection of hands:

Fluorocarbon rubber (Viton)

No special precautions are necessary if used correctly. If prolonged exposure not avoidable:



Protective gloves

DIN/EN 374

The product is a preparation, no special tests were accomplished. The recommendation of the glove material is based on the existing information to the ingredients. *Material of gloves* Nitrile rubber, NBR Butyl rubber, BR

(Contd. on page 5)

^{,- - -} EU



Printing date 26.10.2020

Version number 5

Revision: 28.05.2020

(Contd. of page 4)

Trade name: Hama "Optic HTMC" Optik-Reiniger (12 ml)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. *Eye protection:*

If exposure not avoidable:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and	chemical properties
General Information	• •
Appearance:	
Form:	Fluid
Colour:	Colourless
Odour:	Alcohol-like
pH-value at 20 °C:	7
[•] Change in condition	
Melting point/freezing point:	<0 °C
Initial boiling point and boiling range	<i>e</i> : 82 ℃
Flash point:	20 °C
Ignition temperature:	425 °C
• Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
·Vapour pressure:	Not determined.
Density at 20 °C:	0.89-0.9 g/cm ³
Solubility in / Miscibility with	
water:	Fully miscible.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	50.1-<55.5 %
Water:	45-50 %
VOC (EC)	50-<55 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

(Contd. on page 6)

EU



Printing date 26.10.2020

Version number 5

Revision: 28.05.2020

Trade name: Hama "Optic HTMC" Optik-Reiniger (12 ml)

(Contd. of page 5)

- [•] 10.2 Chemical stability
- *Thermal decomposition / conditions to be avoided:* No decomposition if used and stored according to specifications.

• 10.3 Possibility of hazardous reactions Develops readily flammable gases/fumes. Reacts with strong oxidising agents.

Reacts with strong acids.

- * 10.4 Conditions to avoid No further relevant information available.
- * 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

See section 5.

• *Additional information:* See Section 7 for information on safe handling.

SECTION 11: Toxicological information

[•]11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

·LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

OralLD505,045 mg/kg (rat)DermalLD5012,800 mg/kg (rabbit)

Inhalative LC50/4 h 30 mg/l (rat)

Primary irritant effect:

* Skin corrosion/irritation Based on available data, the classification criteria are not met.

[•] Serious eye damage/irritation

Causes serious eye irritation.

- * Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)*
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity* Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- [•]Additional toxicological information:

The product is a preparation, for which no experimentally determined toxicity data is available.

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

STOT-single exposure

May cause drowsiness or dizziness.

* STOT-repeated exposure Based on available data, the classification criteria are not met.

* Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

¹12.1 Toxicity

Aquatic toxicity:

Undetermined.

No further relevant information available.

- * 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Undetermined.
- * 12.4 Mobility in soil No further relevant information available.
- [•]Additional ecological information:
- [•] General notes:

At present there are no ecotoxicological assessments.

(Contd. on page 7)

⁻ EU



Printing date 26.10.2020

Version number 5

Revision: 28.05.2020

(Contd. of page 6)

Trade name: Hama "Optic HTMC" Optik-Reiniger (12 ml)

Avoid transfer into the environment.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

[•] 12.5 Results of PBT and vPvB assessment

• *PBT*: Not applicable.

• *vPvB*: Not applicable.

* 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

[•] 13.1 Waste treatment methods

* *Recommendation* Disposal must be made according to official regulations.

[•] Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

[•]*Recommended cleansing agents:*

See section 6.

Water, if necessary together with cleansing agents.

SECTION 14: Transport information

[·] 14.1 UN-Number [·] ADR, IMDG, IATA	UN1219
¹ 14.2 UN proper shipping name	
ADR	1219 ISOPROPANOL (ISOPROPYL ALCOHOL) solution
· IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL) solution
¹ 14.3 Transport hazard class(es)	
ADR	
· Class	3 (F1) Flammable liquids.
Label	3
· IMDG, IATA	
· Class	3 Flammable liquids.
Label	3
⁻ 14.4 Packing group	
ADR, IMDĞ, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
¹ 14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
Stowage Category	В
	(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 26.10.2020

Version number 5

Safety data sheet

Revision: 28.05.2020

Trade name: Hama "Optic HTMC" Optik-Reiniger (12 ml)

(Contd. of page
ex II of
Not applicable.
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
2
D/E
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN 1219 ISOPROPANOL (ISOPROPYL ALCOHO
SOLUTION, 3, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

[•] Directive 2012/18/EU

* Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

* REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

[•]National regulations:

* Information about limitation of use: Employment restrictions must be observed.

[•] Other regulations, limitations and prohibitive regulations

(EC) No 1272/2008 (CLP)
(EC) No 1907/2006 (REACH)
(EC) No 648/2004 (Detergents)
(EU) 2019/1021 (POP)
(EU) No 649/2012 (PIC)
(EU) No 98/2013 (explosive precursors)
(EU) No 528/2012 (biocidal products)
(EC) No 1005/2009 (ozone layer)
(EU) No 517/2014 (fluorinated greenhouse gases)
As the case may be, aditional, national legal provisions must be observed. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

[•] Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

(Contd. on page 9)

EU



Printing date 26.10.2020

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision: 28.05.2020

Trade name: Hama "Optic HTMC" Optik-Reiniger (12 ml)

	(Contd. of pa
Departme	<i>t issuing SDS:</i> Department: Quality Assurance
Contact:	eld: Chemistry
Abbrevia	ons and acronyms:
	opéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dang
IMDG: Interna	nal Maritime Code for Dangerous Goods
IATA: Internati	al Air Transport Association
GHS: Globally	rmonised System of Classification and Labelling of Chemicals
EINECS: Europ	n Inventory of Existing Commercial Chemical Substances
ELINCS: Europ	n List of Notified Chemical Substances
CAS: Chemical	bstracts Service (division of the American Chemical Society)
VOC: Volatile	ganic Compounds (USA, EU)
LC50: Lethal c	entration, 50 percent
LD50: Lethal d	, 50 percent
PBT: Persistent	ioaccumulative and Toxic
vPvB: very Per	ent and very Bioaccumulative
Flam. Liq. 2: Fl	mable liquids – Category 2
Eye Irrit. 2: Sei	is eye damage/eye irritation – Category 2
STOT SE 3: Sp	fic target organ toxicity (single exposure) – Category 3
* Data co	pared to the previous version altered.
Duiu Co	pureu to the previous version uttered.