

# PRODUCT DATASHEET

## DOWNLIGHT SLIM 225mm 22W 4000K

RECESS SLIM DOWNLIGHT | Recess slim downlight with integrated driver



---

### AREAS OF APPLICATION

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements
- Bedrooms
- Kitchens

---

### PRODUCT BENEFITS

- Very slim design
- Ideal when few space in the ceiling

---

### PRODUCT FEATURES

- Housing material: plastic
- Integrated driver



**TECHNICAL DATA**

## Electrical data

Nominal wattage	22.00 W
Operating mode	External LED driver
Nominal voltage	220...240 V

## Photometrical data

Color temperature	4000 K
Color rendering index Ra	≥80
Light color (designation)	Cool White
Luminous flux	2000 lm
Luminous efficacy	90 lm/W

## Light technical data

Beam angle	110 °
------------	-------

## Luminaire sensor data

Type of sensor	-
----------------	---

## Dimensions &amp; weight

Diameter	225.0 mm
Height	33.5 mm
Product weight	254.00 g

## Colors &amp; materials

Body material	POLYPROPYLENE (PP)/POLYAMID
Product color	White
Housing color	White

## Temperatures &amp; operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

## Lifespan

Number of switching cycles	15000
Lifespan	25000 h

## Additional product data

Mounting type	Recessed
Mounting location	Ceiling

## Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Screw terminal
<b>LED module replaceable</b>	Not replaceable

## Certificates &amp; standards

<b>Protection class</b>	II
<b>Type of protection</b>	IP20
<b>Standards</b>	CE/ERP/RoHS/REACH

## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075573154	Folding carton box 1	42 mm x 234 mm x 237 mm	278.00 g	2.33 dm <sup>3</sup>
4058075573161	Shipping carton box 12	450 mm x 276 mm x 268 mm	4033.00 g	33.29 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.