

# PRELIMINARY-PRODUCT DATASHEET

## RECESS GU10 ADJ 4.3W 2700K Brushed Nickel

**RECESS DOWNLIGHT TWISTLOCK GU10 | Recess ceiling light with GU10 lamp included and twistlock system**



---

### AREAS OF APPLICATION

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements
- Bedrooms
- Kitchens

---

### PRODUCT BENEFITS

- Osram lamp included
- Twistlock system
- Steerable

---

### PRODUCT FEATURES

- GU10 lamp included
- Housing material: metal



## TECHNICAL DATA

### Electrical data

Nominal wattage	4.30 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

### Photometrical data

Color temperature	2700 K
Color rendering index Ra	90
Light color (designation)	Warm White
Luminous flux	350 lm
Luminous efficacy	80 lm/W

### Light technical data

Beam angle	36 °
------------	------

### Dimensions & weight

Diameter	88.5 mm
Height	112.0 mm
Product weight	170.00 g

### Colors & materials

Body material	Aluminum
Product color	BRUSHED NICKEL
Housing color	BRUSHED NICKEL

### Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

### Lifespan

Number of switching cycles	100000
Lifespan	15000 h

### Additional product data

Mounting type	Recessed
Mounting location	Ceiling
With light source	Yes

### Capabilities

Dimmable	No
----------	----

<b>Type of connection</b>	Screw terminal
<b>Holder designation</b>	GU10

#### Certificates & standards

<b>Protection class</b>	I
<b>Type of protection</b>	IP20
<b>Standards</b>	CE/RoHS/REACH/ERP

#### EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075573017	Folding carton box 1	91 mm x 93 mm x 96 mm	212.00 g	0.81 dm <sup>3</sup>
4058075573024	Shipping carton box 4	201 mm x 197 mm x 117 mm	1048.00 g	4.63 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.