PIXMA G4570 FAST **PRINTS**. HUGE **SAVINGS**



A fast, cost-efficient 4-in-1 everyday printer for productive students, families and home users.













35-sheet ADF



Rear Feeding Capacity

PRODUCT RANGE



PIXMA G4570







PIXMA G4570 PIXMA G3570 PIXMA G2570 PIXMA G1530



Ultra-low running costs

Make huge savings over the printer's lifetime thanks to refillable high-yield ink tanks that can deliver 8,100¹ prints on a single set of ink bottles and greatly reduce the total cost of ownership

Simple operation

Easy, straightforward day-to-day use thanks to a clear 1.3" LCD panel and single-action print head installation

High-speed productivity

Get your documents faster thanks to print speeds of 11.0 ipm (mono) and 6.0 ipm (colour)

Easy at-home maintenance

Keep downtime to a minimum thanks to the user-replaceable maintenance cartridge and mechanical ID no-squeeze ink bottles

Wireless connectivity

Print seamlessly from a range of devices with Wi-Fi connectivity and support for PIXMA Cloud Link, Canon PRINT app, Apple AirPrint and more

Work with more media

Get creative at home with the ability to print on magnetic and matte photo paper



Live for the story

¹ Colour page yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation in economy mode with the replacement after initial setup.





TECHNICAL SPECIFICATIONS

PIXMA G4570

GENERAL SPECIFICATIONS		COPIER SPECIFICATIONS	
GENERAL SPECIFICATIONS	Print, Scan, Copy & Fax with ADF, WiFl and Cloud		sFCOT: Approx. 23 sec ^[18]
i un chiona	Thin, sean, copy at ax with Abr, with and cloud	copy speed	sESAT: Approx. 3.2 ipm ^[18]
RINTER SPECIFICATIONS		Copy quality	3 levels (Economy, Standard, High)
rint Resolution	Up to 4800 x 1200 dpi ^[1]	Intensity adjustment	9 positions, Auto intensity (AE copy)
rint Technology	2 FINE Print Head (Black and Colour)	Multiple Copy	99 copies (max.)
	Refillable ink tank printer	Copy Functions	Document Copying, Photo Copying, Borderless copy, 2-on-1 and 4-on-1 copy, Frame erase copy,
Aono Print Speed	approx. 11 ipm ^[2] approx. 6.0 ipm ^[2]		ID copy
Colour Print Speed Photo Print Speed	Borderless 10x15cm : Approx. 45 seconds ^[3]	Copy Zoom	25 - 400% (in 1% increments) Fit to page
orderless Printing	Yes		A5 to A4, B5 to A4, A4 to A5 and A4 to B5
g	A4, B5, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10",		
	Square (89 mm x 89 mm), Square (127 mm x 127 mm), Card Size (91 mm x 55 mm) ^[15]	FAX SPECIFICATIONS	
wo Sided Printing	Manual operation	Fax Type	Super G3 / Colour
		Fax Resolution	Mono: up to 300 x 300dpi Colour: 200 x 200 dpi
CARTRIDGES AND YIELDS		Transmission Speed	Mono approx 3 sec (33 6kbps) [26]
itandard Ink Cartridges	GI-51 <pgbk> GI-51 <c></c></pgbk>		Colour: approx. 1 min. (33.6kbps)
	GI-51 <m></m>	Fax Memory	Up to 50 pages ^[27]
	GI-51 <y></y>	Group Dial	Max. 19 locations
Cartridge Yield (Plain paper)	A4 colour documents printing ^[4] Black: 6,000 pages	GENERAL	
	(Economy mode 7,600 pages) ^[19]	Display	1.35" / 3.4 cm Square LCD (Monochrome)
	Colour: 7,700 pages (Economy mode 8,100 pages) ^[19]	Display Languages	33 Languages Selectable:
	* Estimated supplemental yield		Japanese/English
Cartridge Yield (Photo print)	10x15cm colour photo printing ^[5]		(mm & inch)/German/French/Italian/Spanish/ BR Portuguese/Dutch/Danish/Norwegian/Swedish
	Colour: 2,200 photos * Estimated supplemental yield		Finnish/Russian/Ukrainian/Polish/Czech/Slovenian/
			Hungarian/Slovakian/Croatian/Romanian/Bulgaria Turkey/Greek/Estonian/Latvian/Lithuanian/
PAPER SUPPORT			Simplified Chinese/Korean/Traditional Chinese/
aper Types	Plain Paper		Thai/Indonesia/Vietnamese
	Red Label Superior 80 g/m ² (WOP111), Canon Oce Office Colour Paper 80 g/m ² (SAT213)	Standard Interface	Hi-Speed USB (USB B Port) Wi-Fi: IEEE802.11 b/g/n/a/ac ^[11]
	Photo Paper Pro Luster (LU-101),		Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,
	Photo Paper Plus Glossy II (PP-201)		Administration password Wireless LAN Frequency Band: 2.4 GHz
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501)		Wireless PictBridge [22]
	High Resolution Paper (HR-101N),	Mobile Apps	Canon PRINT app ^[14] Creative Park app ^[25]
	Envelope, Photo Paper Plus Semi-gloss (SG-201),	(iOS®/ ANDROID™)	Easy-PhotoPrint Editor app ^[21]
	Greeting Card (manufactured by Avery and	Printer Features	Easy-PhotoPrint Editor Software [21]
	RedRiverPaper), Cardstock (manufactured by Neenah Paper and		PIXMA Cloud Link (print) ^[14] Canon Print Service Plugin (Android) ^[24]
	INKPRESS),		Apple AirPrint [12]
	Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101)		Wireless Direct ^[16]
	Dark Fabric Iron on Transfers (DF-101),	Smart Assistant & Automation	Mopria (Android) ^[13] Amazon Alexa™ ^[20]
	Light Fabric Iron on Transfers (LF-101),	Support	Google Assistant™ ^[20]
Maximum Paper Input	Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper)	OS Compatibility	Windows 11, Windows 10, Windows 8.1,
Automatic Document Feeder	Up to 35 Sheets (1-sided)		Windows 7 SP1 Operation can only be guaranteed on a PC with
aper Sizes	A4, A5, A6, B5, LTR, LGL, Executive		pre-installed Windows 7or later.
	(184.2 mm x 266.7 mm), Legal(215 mm x 345 mm),		Printer driver, IJ Printer Assistant Tool and IJ Netword Device Setup Utility are available with following O
	4" x 6", 5" x 7", 7" x 10", 8" x 10", Envelopes DL, Envelopes COM10, Envelopes C5, Square		Windows Server 2008 R2 SP1, Windows Server 2012
	(89 mm x 89 mm), Square (127 mm x 127 mm),		Windows Server 2016, Windows Server 2019, Windows Server 2022
	Card Size(91 mm x 55 mm)		
	[Custom size] width 55 mm - 216 mm,		Mac: OS X 10.14.6 ~ macOS 12
aper Weight	length 89 mm - 1200 mm Rear Tray: Plain paper: 64 - 105 g/m²		Chrome OS
ape. neigin	Canon specialty paper: max paper weight :		Mobile Operating Systems: iOS®, Android™ ^[23]
	approx. 265 g/m ² (Photo Paper Plus Glossy II PP-201)	Minimum System	Windows: 2.0GB or more
		Requirements	Mac: 1.0GB or more
CANNER SPECIFICATIONS			Note: for bundled software installation. The necessary amount of hard disk space required.
icanner Type	CIS flatbed photo and document scanner		Display: 1024 x 768 XGA
canner Resolution (Optical)	600 x 1200 dpi ^[6]	Software Included	Printer Driver
ine Scanning Speed	Colour: 3.5 ms/line(300dpi) ^[17]		IJ Printer Assistant Tool
	Greyscale: 1.5 ms/line(300dpi) ^[17]		
Scanning Depth (Input / Output)	Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit		



Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA G4570

PHYSICAL FEATURES Weight Dimensions (W x D x H)

Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption

Typical Electricity Consumption

Footnotes:

- 1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
 Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart

approx. 7.2 kg

5-35°C

Approx. 416 x 337 x 212 mm (with trays retracted)

Approx. 416 x 556 x 268 mm (with trays extended) approx. 48.0dB(A) $^{[7]}$

Standby (USB connection to PC): Approx. 0.6W Standby (all ports connected): Approx. 1.0W

Time to enter Standby mode: 11 minutes 1sec Copying: Approx. 15W^[9]

10-90%RH (no dew condensation)

AC 100-240V. 50/60Hz

Off: Approx. 0.1W

0.16 kWh ^[8]

- Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 char and continuous printing simulation with the replacement after initial setup.
 Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 char
- ISI. Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup. III Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473
- (e) Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 1standard.
- Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
 Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The
- TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program. (° Copy: When copying ISO/JIS-SCID N2 (printed by inkicit printer) on A size plain paper using default
- (i) Copy intercepting to a second guined by inserving binned on the are plain paper only because settings.
 (ii) Wireless printing requires a working network with wireless 802.11b/g/n/a or ac capability, operating at
- 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients. 124 Arbitrist functionality requires a compatible iPad iPhone or iPad Touch device number iOS 7.0 or later
- (a) Aurian for clorality requires a comparible indi, priorie, or pod roder device for initing (os) or later, and an AirPrint-enabled printer connected to the same network as your Sod evice. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsuleis not supported. us Requires Android mobile device with Android 4.4 operating system or later with the Mooria Print Service.
- The Requires Android mobile device with Android 4.4 operating system or later with the Mopria Pints represented with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Pint Service from Google Play.
- 14 Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPad touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- (15) Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers
- [14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
 [17] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- Ine tastest speed in Hi-speed USB on Windows PC. Transfer time to computer is not included.
 Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test
- of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. It The economy mode reduces the black ink consumption by lowering the density, 26% more pages than
- (1) The economy mode reduces the index till constrain prior by toward prior and the standard mode can be printed.
 (2) Requires an active smart assistant account linked and accompanying app enabled, the smart device.
- Par Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.

[21] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7.5P1 (64-bit/32-bit), macrosoft Windows 7.5P1 (64-bit/32-bit), macrosoft Windows 7.5P1 (64-bit/32-bit), macrosoft Windows and macrosoft Windows 7.5P1 (64-bit/32-bit), Microsoft W

- [22] DPS over IP compatible device required.
- [23] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- 124 Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
 128 Requires an Internet connection and the Creative Park app, available for free on the App Store and at
- [25] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play, Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkigt printer to use this app.
- [24] Black & white document fax transmission speed is based on default setting using ITU-T No. 1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.
- [27] Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
 Ink yield may vary depending on text/s/photos printed, applications software used, print mode and
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Ireland 3006 Lake Drive Citywest, Saggart Co. Dublin, Ireland Telephone No: 01 2052400 Facsimile No: 01 2052525 canon.ie Canon (UK) Ltd The Bower 4 Roundwood Avenue Stockley Park Uxbridge UB11 1AF Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2022

FAST PRINTS. HUGE SAVINGS



A fast, cost-efficient 4-in-1 everyday printer for productive students, families and home users.

Sales Start Date: January 2023



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
PIXMA G4570 GB	5807C008AA	4549292205794	<please fill="" in="" rrp=""></please>	

PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
Standard size					
GI-51PGBK	4529C001AA	4549292169546	<please fill="" in="" rrp=""></please>		
GI-51C	4546C001AA	4549292169829	<please fill="" in="" rrp=""></please>		
GI-51M	4547C001AA	4549292169843	<please fill="" in="" rrp=""></please>		
GI-51Y	4548C001AA	4549292169867	<please fill="" in="" rrp=""></please>		
Maintenance Cartridge					
MC-G04	5813C001AA	4549292206029	<please fill="" in="" rrp=""></please>		

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)
PIXMA G4570 GB	5807C008AA	Individual	1	499	494	312	11.9
		Pallet (Upper)	12	1003	991	144.5	144.5
		Pallet (Bottom)	12	1003	991	940.5	144.5

What's in the box?

- PIXMA G4570 Refillable MegaTank Inkjet Printer
- 4 high-yield ink bottles (1 x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents



Live for the story_