



24P3CW

23.8 inch (60.5 cm) LCD MONITOR

23.8" FHD 3-sided flat IPS display for easy productivity in any office setting

General

Model name	24P3CW
EAN	4038986140812
Product Line	Pro-line
Series	P3
Channel	B2B
Classification	Mainstream
Section	Business
Launch date	2023-02-14T11:36:14+00:00
Continent	Europe
Product status (EU)	Launch

Screen

Resolution	1920x1080
Refresh rate	75Hz
Screen size (inch)	23.8 inch
Screen size (cm)	60.5 cm
Flat / Curved	Flat
Backlight	WLED
Panel Type	IPS
Aspect ratio	16:9
Display Colours	16.7 Million
Panel Colour in Bits	8
sRGB Coverage (%) (CIE 1931)	120.9
Adobe RGB Coverage (%) (CIE 1931)	89.6
NTSC coverage (%) (CIE 1931)	85.7 %
Color gamut (DCI-P3) CIE1976	95.7 %
Pixel Pitch	0.2745
Pixels per Inch	93
Scanning Frequency	48-75HZ(V)
Response time (GtG)	4 ms
Response Time (GtG min)	14
Contrast (static)	1000:1
Contrast (dynamic)	50M:1
Brightness (typical)	300 cd/m ²
Viewing angle (CR10)	178/178 °
Hard Glass	Antiglare + 3H
OSD languages	EN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S), JP

Exterior	
Monitor colour	Black
Bezel Type	3-sided frameless
Removable Stand	✓

Ergonomics	
Vesa Wallmount	100x100
Tilt	-5~35° °
Swivel	175°±5 °
Pivot	✓
Height Adjust Amount	150mm

Connectivity and Multimedia	
Signal Input	HDMI 1.4 x 1, DisplayPort 1.2 x 1, USB-C (DP Alt Mode), Displayport (in/out)
USB-C Features	DP alt mode, Power Delivery 65W
USB input	USB 3.2 (Gen1) x 4
USB input	USB 3.2 (Gen1) x 4
RJ-45	✓
Displayport output	✓

Multimedia	
Built-in Speakers	5 W x 2
Audio output	Headphone out (3,5mm)
Microphone	✓
Webcam	5MP Windows Hello

Features	
Sync Technology	AdaptiveSync
Flicker-free	✓
RJ45	✓
Blue Light Technology	Low blue light
Kensington Lock	✓

Sustainability	
PVC/BFR free housing	✓
Mercury Free	✓
Recyclable packaging material	100%
Post-consumer recycled plastic	85%

Power / Environmental	
Powersupply	Internal
Powersource	100 - 240V 50/60Hz
Power Consumption On	24
Power Consumption Standby	0.5 watt
Power Consumption Off	0.3 watt

Approbations / Regulations

TUV-GS	✓
CE	✓
EAC	✓
ISO 9241-307 class I	✓
Rohs compliant	✓
Reach compliant	✓

Warranty

Warranty Period	3 Years
MTBF	70.000 hours

Dimensions / Weights

Product height (mm)	343.6
Product width (mm)	540
Product depth (mm)	50.7
Product dimensions incl base (WxHxD) mm	540 (W) x (384.4~520.2) (H) x 200.1 (D)
Product dimensions excl base (WxHxD) mm	540 (W) x 343.6 (H) x 50.7 (D)
Packaging Dimensions (WxHxD) mm	613 (W) x 519 (H) x 162 (D) mm
Product Dimensions (incl base) (WxHxD) mm	540 (W) x (384.4~520.2) (H) x 200.1 (D) mm
Gross Weight (including package)	7.56 Kg
Product with stand (kg)	5.41 Kg

What's in the Box?

HDMI cable	1,8 m
Displayport Cable	1,8 m
USB cable	USB Type-C to C/A m
Power Cable C13	1,8 m