

# Greenbay Craft

Greenbay Craft(Shanghai)Co.,Ltd

绿铭工艺品(上海)有限公司

Address:Building 2, No. 721 XinDian Road, JiaDing District, Shanghai, 201815, China

Email: sales-1@greenbay-craft.com

Tel: 86-21-69151000

Fax: 86-21-69151176

地址: 中国上海市嘉定区新甸路 721 号 2 幢

邮编: 201815

## Safety Data Sheet

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

PRODUCT NAME:FRAGRANCE WAX FOR CANDLE, 5% MIDNIGHT JASMINE FRAGRANCE 70%  
Soy wax and 30% Paraffin wax

SDS CODE: C5-7EU-85MJ-90701

ITEM NO.: MES150.208.04

COMPANY NAME: GREENBAY CRAFT (SHANGHAI) CO., LTD.

COMPANY ADDRESS: BUILDING 2, NO.721 XINDIAN ROAD, JIADING DISTRICT, SHANGHAI  
CHINA

POSTCODE 201815

FAX: 008621-69151176

TEL: 008621-69151000

DATE: JUL.1,2019

EMENGENCY CONTACT: 008621-69151318

This material is a non-food product, using as a food ingredient is prohibited.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Product definition: Mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin Sens. 1 H317

#### 2.2 Label elements

**Hazardous components which must be listed on the label**

Citral ,  $\alpha$ -hexylcinnamaldehyde .

**Labeling according to Regulation (EC) No.1272/2008[CLP]**

**Hazard Pictograms:**



**Signal Word:**

Warning

**Hazard statements:**

Skin Sens. 1 H317, May cause an allergic skin reaction.

**Precautionary statements:**

P101, If medical advice is needed, have product container or label at hand.

P102, Keep out of reach of children.

P103, Read label before use.

P302 + P352,  
P333 + P313,

IF ON SKIN: Wash with plenty of soap and water.  
If skin irritation or rash occurs: Get medical advice/attention.

### 2.3 Other hazards

None

### SECTION 3: Composition/information on ingredients

Contains	CAS	EINECS	Classification 1272/2008 [CLP]	Weight fraction %
Soy wax	67701-30-8	266-948-4	Not Classified	66.50%
Paraffin wax	64742-51-4	265-154-5	Not Classified	28.50%
Citral	5392-40-5	226-394-6	Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319	1.66%-2.38%
Dipentene	138-86-3	205-341-0	Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400, Aquatic Chronic 1 H410, Flam. Liquid 3 H226, Asp. Tox. 1 H304	0.17%-0.18%
Linalool	78-70-6	201-134-4	Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319	0.41%-0.43%
Benzyl salicylate	118-58-1	204-262-9	Skin Sens. 1 H317, Eye Irrit. 2 H319, Aquatic Chronic 3 H412	0.24%-0.25%
Geraniol	106-24-1	203-377-1	Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Dam. 1 H318	0.22%-0.22%
Citronellol	106-22-9	203-375-0	Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319	0.18%-0.19%
2-phenylethanol	60-12-8	200-456-2	Eye Irrit. 2 H319, Acute Tox. 4 H302	0.52%-0.62%
$\alpha$ -hexylcinnamaldehyde	101-86-0	202-983-3	Skin Sens. 1 H317	0.52%-0.62%
Phenylmethyl acetate	140-11-4	205-399-7	Aquatic Chronic 3 H412	0.41%-0.43%
3,7-dimethylnona-2,6-dienitrile	61792-11-8	263-214-5	Aquatic Chronic 2 H411	0.17%-0.18%

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

Inhalation: Once excessive inhalation, removes from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flash immediately with water for at least 15 minutes, contact physician if symptoms persist.

Skin exposure: Remove contaminated clothes. Wash thoroughly with soap and water, contact physician if irritation persists.

Ingestion: Rinse mouth with water and obtain medical attention.

#### **4.2 Most important symptoms and effects, both acute and delayed**

No information available.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

When in doubt or if symptoms are observed, get medical advice.

### **SECTION 5: Firefighting measures**

Extinguishing media: Carbon dioxide, dry chemical, foam. Do not use a direct water-jet on burning material.

Unusual fire and explosion hazards: None

Special fire fighting procedures: Use Self-contained breathing apparatus and protective clothing

Hazardous decomposition products: CO<sub>2</sub>, CO

Avoid inhalation of fumes and smoke.

### **SECTION 6: Accidental release measures**

Personal precautions: Avoid excessive inhalation and contact with skin and eyes.

Spillage: Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors.

Gross spillage should be contained by use of sand or inert powder and disposed of according to the local

Environmental precautions: Keep away from drains, soil and surface and ground water.

### **SECTION 7: Handling and storage**

Handling: Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene. No special measures necessary if used correctly. Observe the usual safety precautions to protect against fire and explosion.

Storage: Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Keep air contact to a minimum.

Fire protection: Keep away from ignition sources and naked flame.

### **SECTION 8: Exposure controls/personal protection**

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate

### **SECTION 9: Physical and chemical properties**

General Information: White clear solid.

PH: Not available

Freezing/melting point: 47~65°C

Flash point: Not available

Relative density: 0.880~0.915

Solubility: Insoluble in water and acid.

### **SECTION 10: Stability and reactivity**

Reactivity: Presents no significant reactivity hazard, by itself or in contact with water.

Avoid contact with strong acids, alkali or oxidizing agents.

Stability: Stable under normal conditions

Conditions to avoid: Elevated temperatures (Above 60 degrees °C)

Materials to avoid: Strong-oxidizing agents

Decomposition: Carbon monoxide and unidentified organic compounds may be formed during combustion.

**SECTION 11: Toxicological information**

Base on the ingredients in this fragrance composition and their concentrations this product is according to the conventional method, classified as:

May cause an allergic skin reaction.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

No information available.

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Other adverse effects**

No information available.

**12.7 Additional ecotoxicological information**

None.

**SECTION 13: Disposal considerations**

Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

**SECTION 14: Transport information**

	ADR/RID	IMDG	ICAO/IATA
14.1 UN Number	3082	3082	3082

14.2 UN Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (Aquatic Acute 1 H400, Aquatic Chronic 1 H410, Aquatic Chronic 2 H411, Aquatic Chronic 3 H412)	Environmentally hazardous substance, liquid, n.o.s. (Aquatic Acute 1 H400, Aquatic Chronic 1 H410, Aquatic Chronic 2 H411, Aquatic Chronic 3 H412)	Environmentally hazardous substance, liquid, n.o.s. (Aquatic Acute 1 H400, Aquatic Chronic 1 H410, Aquatic Chronic 2 H411, Aquatic Chronic 3 H412)
14.3 Transport Hazard Class(es)	9	9	9
14.4 Packing Group	III	III	III

## **SECTION 15: Regulatory information**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

In addition to the information on specific provisions and regulations given in the legal text above the following type of information may be included in this subsection (this is a non-exhaustive list):

- national laws of the relevant Member States which implement provisions such as the young worker directive and directive on pregnant workers, since these may require that that young workers or pregnant workers do not work with certain substances and mixtures;
- information from the plant protection and biocides legislation, such as approval/authorisation status/numbers, additional labelling information from the specific legislation;
- information on applicable elements of the Water Framework Directive;
- information on EU Directive(s) related to Environmental Quality Standards (EQS) - e.g. Directive 2008/105/EC122 – where applicable;
- for paint and varnish products, if applicable a reference to Directive 2004/42/EC123 on the limitation of emissions of volatile organic compounds may be included here;
- for detergents, the ingredient declaration according to the Detergent Regulation 648/2004/EC124 (if not already given in subsection 3.2);
- national information on the regulatory status of the substance or mixture (including the substances in the mixture), including advice regarding action that should be taken by the recipient as a result of these provisions;
- national laws of the relevant Member States which implement these provisions;
- any other national measures that may be relevant e.g. such as (this is a non-exhaustive list based):

In Germany:

- i. Water hazard classes (Wassergefährdungsklassen)

In France:

- i. nomenclature des installations classées pour la protection de l'environnement

In the Netherlands:

- i. De Algemenebeoordelingsmethodiek Water (ABM)

### **15.2 Chemical safety assessment**

No information available.

### **SECTION 16: Other information**

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.

#### **16.4 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

<b>Classification according to Regulation (EC) Nr. 1272/2008</b>	<b>Classification procedure</b>
Flam. Liquid 3 H226	On basis of test data
Acute Tox. 4 H302	Calculation method
Asp. Tox. 1 H304	Calculation method
Skin Irrit. 2 H315	Calculation method
Skin Sens. 1 H317	Calculation method
Eye Dam. 1 H318	Calculation method
Eye Irrit. 2 H319	Calculation method
Aquatic Acute 1 H400	Calculation method
Aquatic Chronic 1 H410	Calculation method
Aquatic Chronic 2 H411	Calculation method
Aquatic Chronic 3 H412	Calculation method

#### **16.5 Relevant H- and EUH-phrases (Number and full text)**

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.