

PRODUCT DATASHEET SMART+ WIFI FLARE UPDOWN 50CM Post

SMART+ UP DOWN FLARE MULTICOLOR | Luminaires with WiFi technology



AREAS OF APPLICATION

- General illumination
- Gardens
- Patios, balconies

PRODUCT BENEFITS

- Easy and quick installation
- Colorful garden lighting with smart and intelligent control options

PRODUCT FEATURES

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via voice control available: Google Assistant or Amazon Alexa
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Color temperature: 3,000 K (Warm White)
- Network protocol: WiFiType of protection: IP44



TECHNICAL DATA

Electrical data

Nominal wattage	14.00 W
Nominal voltage	220240 V
Nominal current	0.101 A
Mains frequency	50/60 Hz
Operating mode	Mains voltage

Photometrical data

Color temperature	3000 K	
Color rendering index Ra	≥80	
Light color (designation)	Warm White 71 lm/W	
Luminous efficacy		
Luminous flux	1000 lm	

Light technical data

Dimensions & weight

Product weight	1570.00 g
Length	194.0 mm
Width	144.0 mm
Height	500.0 mm

Colors & materials

Product color	Dark gray	
Body material	Aluminum	
Cover material	Polycarbonate (PC)	
Housing color	Dark gray	

Temperatures & operating conditions

Ambient temperature range	-20+40 °C

Lifespan

Number of switching cycles	12500

Additional product data

Mounting location	Ground
Mounting type	Surface

Capabilities

Dimmable	Yes
Type of connection	Terminal, 3-Pole (L, N, PE)

Certificates & standards

Standards	CE/UKCA/RoHS
Protection class	1
Type of protection	IP44

EQUIPMENT / ACCESSORIES

- Mounting screws and dowels included
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075564329	Folding carton box 1	217 mm x 157 mm x 522 mm	2178.00 g	17.78 dm³
4058075564336	Shipping carton box 2	540 mm x 330 mm x 245 mm	5113.00 g	43.66 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.