

# PRODUCT DATASHEET

## ENDURA STYLE Ellipse 900 13 W DG

ENDURA STYLE ELLIPSE | Decorative and very bright luminaires



---

### AREAS OF APPLICATION

- Outdoor use (IP44)
- Gardens, balconies and other outdoor areas
- Building facades
- Pathway lighting
- Driveways

---

### PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- Easy and quick installation

---

### PRODUCT FEATURES

- Very bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available as wall and bollard luminaires



**TECHNICAL DATA**

Electrical data

Nominal wattage	12.50 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz


Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	890 lm
Luminous efficacy	71 lm/W

Light technical data

Beam angle	122.00 °
------------	----------

Dimensions & weight



Length	75.0 mm
Width	186.0 mm
Height	900.0 mm
Product weight	3500.00 g

Colors & materials

Body material	Aluminum
Product color	Dark gray
Housing color	Dark gray
Cover material	Polycarbonate (PC)

## Temperatures &amp; operating conditions

<b>Ambient temperature range</b>	-20...+40 °C
----------------------------------	--------------

## Lifespan

<b>Number of switching cycles</b>	15000
<b>Lifespan</b>	30000 h

## Additional product data

<b>Mounting type</b>	Surface
<b>Mounting location</b>	Wall

## Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Screw terminal
<b>LED module replaceable</b>	Not replaceable

## Certificates &amp; standards

<b>Protection class</b>	I
<b>Type of protection</b>	IP44
<b>Standards</b>	CE/EAC/REACH/RoHS

## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205116	Folding carton box 1	84 mm x 194 mm x 921 mm	3670.00 g	15.01 dm <sup>3</sup>
4058075205123	Shipping carton box 2	205 mm x 185 mm x 940 mm	7710.00 g	35.65 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.