

PRODUCT DATASHEETENDURA STYLE Shield RD 11 W DG

ENDURA STYLE SHIELD | Luminaires with modern design and light outlet up and down



AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Entrance lighting

PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- Easy and quick installation

PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available in round and square form



TECHNICAL DATA


Electrical data

Nominal wattage	10.50 W
Operating mode	Mains voltage
Nominal voltage	220240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	400 lm
Luminous efficacy	38 lm/W

Dimensions & weight



Length	60.0 mm
Width	240.0 mm
Height	142.0 mm
Product weight	710.00 g

Colors & materials

Body material	Aluminum	
Product color	Dark gray	
Housing color	Dark gray	
Cover material	Polymethylmethacrylate (PMMA)	

Temperatures & operating conditions

Ambient temperature range	-20+40 °C

Lifespan

Number of switching cycles	15000
Lifespan	30000 h

Additional product data

Mounting type	Surface
Mounting location	Wall

Capabilities

Dimmable	No	
Type of connection	Screw terminal	
LED module replaceable	Not replaceable	

Certificates & standards

Protection class	I	
Type of protection	IP44	
Standards	CE/EAC/REACH/RoHS	

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205291	Folding carton box 1	90 mm x 287 mm x 208 mm	870.00 g	5.37 dm ³
4058075205307	Shipping carton box 6	430 mm x 300 mm x 290 mm	5556.00 g	37.41 dm³
4058075305557	Folding carton box 1	90 mm x 287 mm x 208 mm	870.00 g	5.37 dm ³
4058075305564	Shipping carton box 6	430 mm x 300 mm x 290 mm	5556.00 g	37.41 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.