

PRODUCT DATASHEET

SMART+ WIFI ORBIS SPARKLE 560mm

DECORATIVE CEILING WITH WIFI TECHNOLOGY | Smart decorative ceiling with wifi technology TW and dimmable



AREAS OF APPLICATION

- Indoor applications
- Kitchens, living rooms, children's rooms or home offices

PRODUCT BENEFITS

- Easy and quick installation

PRODUCT FEATURES

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via voice control available: Google Assistant or Amazon Alexa
- Adjustable color temperature via Tunable White: 3,000...6,500 K
- Dimmable
- Network protocol: WiFi



TECHNICAL DATA**Electrical data**

| | |
|-----------------|-------------|
| Nominal wattage | 30.00 W |
| Nominal voltage | 220...240 V |
| Nominal current | NaN A |
| Mains frequency | 50/60 Hz |

Photometrical data

| | |
|--------------------------|----------|
| Color temperature | 2700 K |
| Color rendering index Ra | >80 |
| Luminous efficacy | 110 lm/W |
| Luminous flux | 3300 lm |

Light technical data

| | |
|------------|-------|
| Beam angle | 120 ° |
|------------|-------|

Dimensions & weight

| | |
|----------------|-----------|
| Product weight | 1215.00 g |
| Height | 76.0 mm |
| Diameter | 560.0 mm |

Colors & materials

| | |
|---------------|-------|
| Product color | White |
| Body material | Steel |
| Housing color | White |

Temperatures & operating conditions

| | |
|---------------------------|--------------|
| Ambient temperature range | -20...+40 °C |
|---------------------------|--------------|

Lifespan

| | |
|----------------------------|-------|
| Number of switching cycles | 15000 |
|----------------------------|-------|

Additional product data

| | |
|-------------------|---------|
| Mounting location | Ceiling |
| Mounting type | Surface |

Capabilities

| | |
|--------------------|----------------|
| Dimmable | Yes |
| Type of connection | Screw terminal |

Certificates & standards

| | |
|---------------------------|-------------------------------|
| Standards | CB/EMC/CE/ERP/RoHS/REACH/UKCA |
| Protection class | II |
| Type of protection | IP20 |

EQUIPMENT / ACCESSORIES

- Mounting bracket included
- Mounting screws and dowels included
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|------------------------|
| 4058075573499 | Folding carton box 1 | 608 mm x 88 mm x 613 mm | 2026.00 g | 32.80 dm ³ |
| 4058075573505 | Shipping carton box 5 | 626 mm x 456 mm x 642 mm | 11611.00 g | 183.26 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.