

PRODUCT DATASHEET

ENDURA CLASSIC Trad Alu Down E27 GD

ENDURA CLASSIC TRADITION ALU | Timeless lantern shape with aluminum housing



AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Entrance lighting
- Patios, balconies
- Pathway lighting
- Driveways

PRODUCT BENEFITS

- High flexibility in the choice of the light source thanks to E27 base
- Suitable for smart applications thanks to compatibility with Smart + lamps from LEDVANCE
- Easy and quick installation

PRODUCT FEATURES

- Die-cast aluminum housing
- Diffuser made of clear polycarbonate
- Available with and without motion sensor
- Available as wall and bollard luminaires




TECHNICAL DATA

Electrical data

Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Dimensions & weight



Length	230.0 mm
Width	170.0 mm
Height	230.0 mm
Product weight	565.00 g

Colors & materials

Body material	Aluminum
Product color	Black/Gold
Housing color	Black/Gold

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
----------------------------------	--------------

Additional product data

Mounting type	Surface
Mounting location	Wall
With light source	No
Product remark	Maximum bulb wattage: 60 W

Capabilities

Dimmable	No
Type of connection	Screw terminal

Holder designation	E27
---------------------------	-----

Certificates & standards

Protection class	I
Type of protection	IP44
Standards	CE/EAC/REACH/RoHS

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- No light sources included

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075206168	Folding carton box 1	181 mm x 239 mm x 292 mm	750.00 g	12.63 dm ³
4058075206175	Shipping carton box 4	493 mm x 377 mm x 312 mm	3760.00 g	57.99 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.