

# PRODUCT DATASHEET

## SMART+ WiFi Mini bulb 40 5 W/2700...6500K E14

SMART+ WiFi Mini Bulb Multicolour | Classic mini bulb shape with WiFi technology



---

### AREAS OF APPLICATION

- General illumination
- Residential interiors
- Professional (hotels, bars, boutiques etc.)
- Outdoor applications only in suitable luminaires

---

### PRODUCT BENEFITS

- Wireless control via app
- Easy to install and use
- Contains no mercury

---

### PRODUCT FEATURES

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via Google Assistant and Amazon Alexa possible
- Adjustable light color via Tunable White: Warm White to Cool White (2,700 K...6,500 K)
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Network protocol: WiFi
- Lifetime: up to 20,000 h



## TECHNICAL DATA

### Electrical data

Operating frequency	50...60 Hz
Rated wattage	5.00 W
Power factor $\lambda$	> 0.50
Nominal wattage	5.00 W
Nominal voltage	230 V
Claimed equiv. conventional lamp power	40 W


### Photometrical data

Light color (designation)	RGBW
Lumen main.fact.at end of nom.life time	0.70
Standard deviation of color matching	$\leq 6$ sdc <sub>m</sub>
Adjustable color temperature	2700...6500 K
Rated luminous flux	470 lm
Nominal luminous flux	470 lm
Rated color temperature	2700 K
Color rendering index Ra	80

### Light technical data

Starting time	< 0.5 s
Warm-up time (60 %)	< 0.50 s

### Dimensions & weight



Product weight	32.00 g
Outer bulb	P46
Length	89.5 mm
Diameter	46.5 mm
Overall length	89.5 mm

<b>Maximum diameter</b>	47.0 mm
-------------------------	---------

### Lifespan

<b>Number of switching cycles</b>	100000
<b>Rated lamp life time</b>	20000 h
<b>Nominal lamp life time</b>	20000 h

### Additional product data

<b>Mercury-free</b>	Yes
<b>Show WEEE picto</b>	Yes
<b>Product remark</b>	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value
<b>Base (standard designation)</b>	E14

### Capabilities

<b>Dimmable</b>	Yes
<b>Compatible smart home technology</b>	Google Assistant / Amazon Alexa

### Certificates & standards

<b>Energy efficiency class</b>	A+
<b>Energy consumption</b>	5 kWh/1000h

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075485990	Folding carton box 3	96 mm x 154 mm x 61 mm	170.00 g	0.90 dm <sup>3</sup>
4058075486003	Shipping carton box 12	210 mm x 165 mm x 135 mm	801.00 g	4.68 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.