



Report No.: MNISOZFM85304716

MSDS Report

Sample Description

Paraffin Wax

Applicant

DONGGUAN SEIKOU DECORATION CO., LIMITED

Address

RM712, BUILDING 3, HOUJIE WANDA PLAZA, 6 KANGLE NORTH ROAD, HOUJIE, DONGGUAN, GUANGDONG, 523960, CHINA







No.: MNISOZFM85304716 Code: flcrt0

北京实验室: (010)82618116 上海实验室: (021)64851999

深圳实验室: (0755)26050909 天津实验室: (022)27360730

长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 哈尔滨实验室: (0451)88104651 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 西安实验室: (029)89608785 呼和浩特实验室: (0471)3450025 杭州实验室: (0571)87219096 宁汝实验室: (0574)87736499

武汉李琦章: (027)83997127 合肥实验室: (0551)63843474 广州实验室: (020)89224310 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MNISOZFM85304716

Date:03.28.2019 Page 1 of 8

Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.7 (GHS)

Section 1 - Chemical Product and Company Identification

Chemical Product Identification Sample Description: Paraffin Wax

Sample Model: /

Recommended Uses: Paraffin wax is used for making candles.

Restrictions on Use: N/A

Supplier Name: DONGGUAN SEIKOU DECORATION CO., LIMITED

Address: RM712, BUILDING 3, HOUJIE WANDA PLAZA, 6 KANGLE NORTH ROAD,

HOUJIE, DONGGUAN, GUANGDONG, 523960, CHINA

Phone Number: 86-769-22111536

FAX: 86-769-81684977

E-mail: josephine@seikoudecor.com

Emergency Phone Number: 86-769-22111536

Section 2 - Hazards Identification

Emergency overview: This product is a solid, Intended use of the product should not result in exposure to the chemical substance. Pure of chemical substance in the production process has the below hazards exist.

CAS# 8002-74-2

Classification according to GHS

Serious eye damage/eye irritation (2B)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Label elements

Hazard pictogram(s):



Signal word:

Warning

Hazard statement(s):

H320 Causes eye irritation

H335 May cause respiratory irritation

www.ponytest.com (C)Hotline 400-819-5688 Pony Testing International Group Shenzhen Co., Ltd. Address: 1/F., Building A2, Jun Feng ZhongCheng ZhiZao Innovation Park, HePing Peace Community, Fullal Road, BaoAn District, Shenzhen, Guangdong, China

北京实验室: (010)83055000 上海实验室: (021)64851999

青岛实验室: (0532)88706866 天津实验室: (022)27360730

长春实验室: (0431)85150908 大连实验室: (0411)87336618 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 西安实验室: (029)89608785 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和洁特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096 宁波实验室: (0574)87736499

武汉实验室: (027)83997127 合肥实验室: (0551)63843474 厦门实验室: (0592)5568048 成都实验室: (028)87702708

Pony Testing International Group

Report No.: MNISOZFM85304716 Date:03.28.2019 Page 2 of 8

Precautionary statement(s):

Prevention:

P264 Wash skin and clothing thoroughly after handling.

P261 Avoid breathing dust, mist.

P271 Use only outdoors or in a well-ventilated area.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER, if you feel unwell.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Send contents to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11 Environmental hazards: See Section 12

Section 3 - Composition/Information on Ingredients

Chemical characterization: Substance.

Component	CAS No.	EC#	Weight (%)
Paraffin waxes and	8002-74-2	232-315-6	≤100
hydrocarbon waxes	0002-14-2	202 010 0	100

Section 4 - First Aid Measures

Description of first aid measures

General information Normal use does not require special measures, industrial production in the long term, refer to the following:

After eye contact

Flush eyes with water.

www.ponytest.com

上海实验室: (021)64851999 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 天津实验室: (022)27360730 郑州实验室: (0371)69350670

北京实验室: (010)83055000

长春实验室: (0431)85150908 苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 西安实验室: (029)89608785 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

武汉实验室: (027)83997127 合肥实验室: (0551)63843474 厦门实验室: (0592)5568048 成都实验室: (028)87702708



Date:03.28.2019 Page 3 of 8 Report No.: MNISOZFM85304716

After skin contact

Wash with water and soap.

After inhalation

Remove victim to fresh area.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: No data available.

Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: No data available.

Section 5 - Fire Fighting Measures

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment . Such as dry powder, CO2.

Unsuitable extinguishing media: No data available.

Specific Hazards arising from the chemical: No data available.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Normal use does not require special measures, industrial production in the long term, refer to the following:

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Protective equipment:

No data available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:



www.ponytest.com

上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618

北京实验室: (010)83055000

天津实验室: (022)27360730 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 西安实验室: (029)89608785 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

武汉实验室: (027)83997127 合尼实验室: (0551)63843474 厦门实验室: (0592)5568048

成都实验室: (028)87702708

Pony Testing International Group Shenzhen Co., Ltd. Address: I/F., Building Ay, Jun Feng ZhongCheng ZhiZao Innovation Park, HeFing Peace Community, Fulial Road, BaoAn District, Shenzhen, Guangdong, China





Date:03.28.2019 Page 4 of 8 Report No.: MNISOZFM85304716

For all waste handing must refer to United Nations, National and Local Regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Normal use does not require special measures, industrial production in the long term, refer to the following:

Precautions for safe handling:

Storage in a cold, dry, well ventilated environment. Store away from food and water supplies. Wash your hands thoroughly before eating and drinking. Storage of chemicals needed to prevent the generation and accumulation of static electricity when handling the container.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight. Keep container tightly sealed.

Section 8 - Exposure Controls/Personal Protection

Control parameters

outer or parani	01010			$\overline{}$
CAS No.	ACGIH	NIOSH	OSHA	
8002-74-2	TLV-TWA 2mg/m ³	REL-TWA 2mg/m ³	N/A	

Engineering control:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakages, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

北京实验室: (010)83055000

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

宁波实验室: (0574)87736499





Report No.: MNISOZFM85304716 Date:03.28.2019 Page 5 of 8

clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

White. Colour:

Physical State: Solid.

Not available. Odour:

Not available. Odour threshold:

Not available. pH:

Not available. Melting point/freezing point:

Initial boiling point and boiling range: Not available.

Not available. Flash Point:

Not available. **Evaporation rate:**

Not available. Flammability (solid, gas):

Explosion Limits (vol% in air): Not available.

Not available. Vapour pressure, kPa at 20°C:

Not available. Vapor density:

Not available. Density/Relative density (water = 1):

Not available. Solubility(ies):

Not available. Partition coefficient: n-octanol/water:

Not available. Auto-ignition temperature:

Not available. Decomposition temperature:

Not available. Viscosity:

Section 10 - Stability and Reactivity

Chemical Stability: Stable.

Possibility of hazardous reaction: No data available.

Conditions to Avoid: Incompatible materials. Incompatible materials: No data available.

Hazardous Decomposition Products: Carbon oxide.

长春实验室: (0431)85150908

北京实验室: (010)83055000

宁波实验室: (0574)87736499





Report No.: MNISOZFM85304716

Date:03.28.2019

Page 6 of 8

Section 11 - Toxicological Information

Acute Toxicity:

CAS No.	No. LC50/LD50	
8002-74-2	LD50 Rat (oral): >5000mg/kg ; LD50 Rabbit (dermal): >3600mg/kg	

Skin corrosion/irritation: No data available.

Serious eye damage/irritation: No data available. Respiratory or Skin sensitization: No data available.

Germ Cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available. Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.

Information on the likely routes of exposure: No data available.

Eye: No data available. Skin: No data available.

Ingestion: No data available. Inhalation: No data available.

Section 12 - Ecological Information

Ecological Toxicity: No data available.

Persistence and degradability: No data available. Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

Section 13 - Disposal Considerations

Waste treatment methods

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

www.ponytest.com

上海实验室: (021)64851999

长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 天津实验室: (022)27360730 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 西安实验室: (029)89608785 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

武汉实验室: (027)83997127 合肥实验室: (0551)63843474 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MNISOZFM85304716 Date:03.28.2019 Page 7 of 8

Section 14 - Transport Information

UN Number	
IATA, IMDG, Model Regulation	N/A
UN Proper shipping name	
IATA, IMDG, Model Regulation	N/A
Transport hazard class(es)	
IATA, IMDG, Model Regulation	Not Subjected for transport of dangerous goods
Packing group	
IATA, IMDG, Model Regulation	N/A
Packaging Sign	
IATA, IMDG, Model Regulation	N/A
Environmental hazards	
Marine pollutant:	No
Special precautions for user	No information available.

Transport Fashion: By air, by sea, by railway, by road.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
8002-74-2	Listed	Listed	Listed DSL	Listed

Section 16 - Other Information

Issue Time: 2019-03-28

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All



www.ponytest.com

Pony Testing International Group Shenzhen Co., Ltd. Address: 17F., Building Az, Jun Feng ZhongKheng ZhiZao Innovation Park, HePing Peace Community, FuHai Road, BaoAn District, Shenzhen, Guangdong, China

北京实验室: (010)83055000 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 天津实验室: (022)27360730 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石室庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安车验室: (029)89608785 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

合尼宝验室: (0551)63843474 广州实验室: (020)89224310 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MNISOZFM85304716 Date:03.28.2019 Page 8 of 8

Pony Testing International Group

materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit):

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-short time exposure limit);

PC-TWA: (Permissible concentration-time weighted average);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

IARC: (International Agency for Research on Cancer);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model

Regulations);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada)

End of report

北京实验室: (010)83055000