RF 14-35mm F4L IS USM

CAPTURE THE WIDER VIEW. WHEREVER YOU ARE

The RF 14-35mm F4L IS USM is a high-performance RF wide angle zoom that joins existing F4 options such as the RF 24-105mm and RF 70-200mm to complete the F4 trinity of essential zooms. It appeals to those who seek compactness over fast apertures, yet still demand exceptional L-series performance and stunning image quality.





- Ultra-wide 14-35mm zoom range
- Constant F4 aperture
- Superb optical quality
- Shake-free images every time
- Responsive and precise
- Intuitive control without missing the moment
- Legendary L-series durability

PRODUCT RANGE



RF 14-35mm F4L IS USM



RF 24-105mm F4L IS USM



RF 70-200mm F4L IS USM

RF 14-35mm F4L IS USM RF 24-105mm F4L IS USM RF 70-200mm F4L IS USM RF 15-35mm F2.8L IS USM



TECHNICAL SPECIFICATIONS

OPTICAL FEATURES/ SPECIFICATIONS Image size Angle of view (horzntl, vertl, diagnl)

Lens construction (elements/groups) Special optics

No. of diaphragm blades Minimum aperture Closest focussing distance (m) Maximum magnification (x) Control Ring Image stabilizer OIS¹ Image stabilizer IBIS x OIS¹ AF actuator Coatings Fluorine

PHYSICAL SPECIFICATIONS Dust/moisture resistance³ Filter diameter (mm) Max. diameter x length (mm)² Weight (g) Full Frame 104°00' – 54°00' 81°00' – 38°00' 114°00' – 63°00' 16/12

3 x GMo Aspherical, 3 x UD (1 element both UD / Aspherical) 9 22 0.2 0.38 (35mm) Yes 5.5 7 Nano USM ASC, Super Spectra, SWC

Yes 77 84.1 x 99.8 540

Front

RF 14-35mm F4L IS USM

ACCESSORIES
Lens Cap
Lens hood
Lens case/pouch
Rear Cap
Extender Compatibility
Other Accessories

E-77 II EW-83P LP1219 Lens Dust Cap RF Not Compatible

Footnote:

^[1]Tested under CIPA standards

^[2]Lens dimensions when in retracted state

^[3]Lenses with dust/moisture resistance are fitted with a rubber ring on the lens mount which may cause slight abrasion of the camera mount. This in no way effects either the lens or camera performance.

> Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2021



CAPTURE THE WIDER VIEW. WHEREVER YOU ARE

The RF 14-35mm F4L IS USM is a high-performance RF wide angle zoom that joins existing F4 options such as the RF 24-105mm and RF 70-200mm to complete the F4 trinity of essential zooms. It appeals to those who seek compactness over fast apertures, yet still demand exceptional L-series performance and stunning image quality.

Sales Start Date: September 2021 TBC

PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
LENS RF 14-35mm F4L IS USM	4857C005AA	4549292186758

COMPATIBLE ACCESSORIES:

Product Name	Mercury Code	EAN Code
LENS HOOD EW-83P	4859C001AA	4549292186789
LENS CAP E-77 II	6318B001AA	4960999845883
Lens Dust Cap RF	2962C001AA	4549292115604
LENS CASE LP1219	2791A001CA	4960999470832



CAPTURE THE WIDER VIEW. WHEREVER YOU ARE

The RF 14-35mm F4L IS USM is a high-performance RF wide angle zoom that joins existing F4 options such as the RF 24-105mm and RF 70-200mm to complete the F4 trinity of essential zooms. It appeals to those who seek compactness over fast apertures, yet still demand exceptional L-series performance and stunning image quality.

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
LENS RF 14-35mm F4L IS USM	4857C005AA	EA	Each	1	13.7	13.7	22.5	0.860
		СТ	Carton	6	42.75	29.1	27.9	5.93
		EP	Euro Pallet	144	120	80	124.6	157.32
			Layers per Pallet	4				
			Cartons per Layer	6				
			Products per layer	36				
LENS HOOD EW-83P	4859C001AA	EA	Each	1	10.15	2.7	10.35	0.045
		СТ	Carton	52	37.65	23.7	27.5	2.81
		EP	Euro Pallet	2080	120	80	124.6	127.4
			Layers per Pallet	4				
			Cartons per Layer	10				
			Products per layer	520				

What's in the box?

- LENS RF 14-35mm F4L IS USM
- LENS CAP E-77 II
- LENS DUST CAP RF
- LENS CASE LP1219
- LENS HOOD EW-83P
- User Manual

