

PRODUCT DATASHEETSMART+ WIFI PIPE 50CM Post

SMART+ PIPE MULTICOLOR | Luminaires with WiFi technology



AREAS OF APPLICATION

- General illumination
- Gardens
- Patios, balconies

PRODUCT BENEFITS

- Easy and quick installation
- Colorful garden lighting with smart and intelligent control options

PRODUCT FEATURES

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via voice control available: Google Assistant or Amazon Alexa
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Color temperature: 3,000 K (Warm White)
- Network protocol: WiFiType of protection: IP44



TECHNICAL DATA

Electrical data

Nominal wattage	10.00 W
Nominal voltage	220240 V
Nominal current	0.072 A
Mains frequency	50/60 Hz
Operating mode	Mains voltage

Photometrical data

Color temperature	3000 K	
Color rendering index Ra	≥80	
Light color (designation)	Warm White	
Luminous efficacy	38 lm/W	
Luminous flux	380 lm	

Light technical data

Beam angle	270.00 °
------------	----------

Dimensions & weight

Product weight	962.00 g
Height	500.0 mm
Diameter	135.0 mm

Colors & materials

Product color Dark gray		
Body material	Stainless steel	
Cover material	Polycarbonate (PC)	
Housing color	Dark gray	

Temperatures & operating conditions

	20 40.00
Ambient temperature range	-20+40 °C

Lifespan

Additional product data

Mounting location	Ground
Mounting type	Surface

Capabilities

Dimmable	Yes	
Type of connection	Terminal, 3-Pole (L, N, PE)	

Certificates & standards

Standards	CE/UKCA/RoHS
Protection class	1
Type of protection	IP44

EQUIPMENT / ACCESSORIES

- Mounting screws and dowels included
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075564206	Folding carton box 1	147 mm x 147 mm x 512 mm	1307.00 g	11.06 dm ³
4058075564213	Shipping carton box 2	530 mm x 310 mm x 175 mm	3214.00 g	28.75 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.