

Surgical face mask Type IIR (BFE ≥ 98%) Black



Technical information

Typology: Medical face mask (Type IIR)

Model: 175 mm x 94 mm

Standard: EN 14683-2019 + AC:2019 Bacterial filtration efficiency: ≥ 98%

Features:

Type IIR: maximum surgical quality


Splash resistant

Structure: mask body, nose clip and mask belt

Validity period: 24 months

Allergy warning: Non-woven textile

Non-woven spunbond polypropylene fabric



Melt-blown layer with 99% BFE

Fitting instructions

- 1. With the logo facing outwards, place the mask over the nose and mouth, with the nose clip facing upwards. Then place the loops behind the ears.
- 2. Gently press on the nose clip in order to adjust it to the nose.
- 3. Pull the lower part of the mask so that it is beneath the chin and check that it fits well.







Important information

- Hypoallergenic waterproof polypropylene material, including flexible nasal clip.
- CE Test Report issued by TÜV SUD.
- Conditions for storage: To be stored in an area with relatively low humidity, free from corrosive gases and well ventilated, avoiding high temperatures (>40°C).





Surgical face mask Type IIR (BFE ≥ 98%) Black









Surgical face mask Type IIR (BFE ≥ 98%) Black



CHARACTERISTICS	STANDARD	RESULTS
Bacterial Filtration Efficiency (BFE)	EN 14683:2019+AC:2019	BFE > 99,4%
Differential pressure (ΔP)	EN 14683:2019+AC:2019	ΔP < 32,4 Pa/cm ²
Microbial cleaning	EN 14683:2019+AC:2019	CFU/g < 20
Synthetic blood penetration	ISO 22609:2004	Not detected

10 pcs bag specifications

Quantity: 10 units/bag

Dimensions: 240 x 135 x 23 mm

Weight: 36 g

Master carton specifications

Quantity: 100 bags/master carton

Total quantity: 1000 units

Dimensions: 540 x 420 x 290 mm

Weight: 5.5 kg

SKU: MASK-ST-00038.0010



