



Teknik Ayrıntılar

FFP2 Star Care Maske




1 Teknik bilgiler

- **Ürün adı:** Filtreli maske
- **Sınıflandırma:** FFP2 - NR (Yeniden kullanılamaz)
- **Model:** MSH
- **PFE** > %94 (>%98 NaCl aerosolleri için)
- **Boyut:** 157 mm x 107 mm
- **Standart:** EN 149:2001 + A1:2009
- **Bileşim:** %66,7 Dokusuz kumaş, %33,3 eriyik üflemlili kumaş
- **Alerji uyarısı:** Dokusuz tekstil ürünü
- **Son kullanma tarihi:** Özel saklama koşullarında iki yıl




2 Gerçek ürün görüntüleri






3 Katmanlar

Filtreler	Açıklama
Filtre 1	Dokumasız: 50 g/m ²
Filtre 2	Dokumasız: 25 g/m ²
Filtre 3	Eriyik üfleme ≈ 30 g/m ²
Filtre 4	Eriyik üfleme ≈ 30 g/m ²
Filtre 5	Dokumasız: 25 g/m ²




4 PFE

UNE-EN 149:2001	Star Care FFP2 NR mod. MSH	
NaCl aerosollerine yönelik filtre malzemesinden beklenen filtreleme verimliliği	 Sertifika No.: 2163-PPE-707 Sertifika No.: 2163-PPE-707/01	ÇALIŞMA VE SOSYAL EKONOMİ BAKANLIĞI ULUSAL İŞ SAĞLIĞI VE GÜVENLİĞİ ENSTİTÜSÜ, O.A. M.P ULUSAL İŞ GÜVENLİĞİ VE KORUYUCU EKİPMAN MERKEZİ * Ulusal İş Güvenliği ve Koruyucu Ekipman Merkezi Doğrulama Raporu (Bkz. Ek 7)
> %94	> %97,35	> %99

* Ulusal İş Güvenliği ve Koruyucu Ekipman Merkezi. Ulusal İş Güvenliği ve Koruyucu Ekipman Merkezi (CNMP), Ulusal İş Sağlığı ve Güvenliği Enstitüsünün (INSST) bir parçası olmakla birlikte Genel Devlet İdaresinin (İspanya) özel teknik alanlardaki bilimsel kuruluşu olup hem iş güvenliği ve sağlığı koşulları hakkında analiz ve araştırma hem de bu koşulların geliştirilmesi ve iyileştirilmesine katkı sağlama misyonunu üstlenmektedir.


5 Hava geçirgenlik

Tüm parti kodlarının Avrupa yönetmeliğince belirlenen azami sınırların çok altında kalmayı başardığı görülen aşağıdaki grafiğe göre ürünün üretilmesinde seçilen malzemeler hava geçirgenliğine karşı düşük dirence sahiptir.



6 Adet ek özellik

1. Daha çok esneklik sağlamak üzere **Konturlu ve saklı burun klipsi**
2. Mükemmel tutuş sağlamak üzere **boyut düzenleyicileri**
3. Daha iyi esneklik ve rahatlık için **4 mm'lik düz elastik lastikler**
4. Lastiklerin maskeyle birleştiği yerde **çift kaynaklama**
5. Daha etkili bir filtreleme için **noktalı birimler**
6. **Uzun kullanımlarda maksimum rahatlığı sağlamak için maske takma aparatları**
7. **Temizlik için kullanıma uygun.** EN 14683 yönetmeliği uyarınca ilave testler (Bkz. Ek 3)



7 Kullanım süresi ve saklama

1. Fermuarlı yeniden kullanılabilir **maske taşıma paketi**
2. Doğru saklama koşulları için **ventilasyon**
3. Maske sahibine yönelik **kimlik** etiketi
4. Doğru biçimde azami kullanım süresini denetlemek üzere zaman çizelgesi



8 Sürdürülebilirlik

1. Karton ürün paketinin sürdürülebilir kaynaklardan üretildiğini belirten **FSC belgesi** (bkz. Ek 4)
2. Ürün paketinde kullanılan renklerin bitkisel kaynaklı boyama ile yapıldığını belirten **Soy Ink™** belgesi (bkz. Ek 5)
3. Biyolojik olarak tamamen çözünebilir, fermuarlı **yeniden kullanılabilir paket** (bkz. Ek 6)



Star TIC Innovation S.A. A-84676519. C/ Estraburgo, 8, (Las Rozas - Madrid). 28232

9 Sahtecilik karşıtı çözüm



QR kodlu **Original Product** etiketi maske üzerinde gerçekleştirilen özel Kalite Güvence bilgilerine ve ürünün orijinal olduğunu gösteren sertifikaya erişimi sağlar. Kutunun daha önce kimse tarafından dokunulmadığının güvencesini sağlayan hologram etiket içerir.



The illustration shows the Star Care FFP2 mask packaging and the authentication process. The main image is a box with the Star Care logo and the text "FFP2 Mascarilla filtrante - NR Filtering half mask". Below this, it says "Incluye salvapapejas Ear saver included" and "Bolsa zip para mascarillas Zip bag for masks". The box also features technical information in Spanish and English, including "Información técnica" and "Technical information". A hand is shown holding a smartphone displaying a QR code that matches the one on the box. A circular inset shows a close-up of the QR code on the box. Another circular inset shows a close-up of the mask's packaging with a hologram. Below the box, a screenshot of the Star Care website shows a confirmation message: "Tu mascarilla Star Care es AUTÉNTICA" and "Your Star Care mask is AUTHENTIC".

10 Maske takma talimatları

1. Burun kısmındaki klips parmaklara doğru dönük olacak ve maske lastikleri sarkacak şekilde maskeyi bir elinizle tutun.
2. Maskeyi, burnunuzu ve ağızınızı tamamen kapatacak şekilde yüzünüze yerleştirin. Burun klipsi burnun üzerinde kalmalıdır.
3. Maskeyi bir elinizle çenenize oturtun. Lastikleri çekip kulağınızın arkasına takın veya daha fazla rahatlık sağlaması için maske takma aparatına geçirin.
4. Burun klipsini iki elinizle burnunuza iyice oturtun ve maskenin uçlarının açıkta kalmayıp yüzünüzü tamamen örttüğünden emin olun.
5. Maskeyi doğru şekilde taktığınızı ve açıkta kalan kısım kalmadığını kontrol etmek üzere hava kaçağı testi uygulayın. Maskeyi iki elinizle tutup güçlü bir şekilde nefes verin. Maskenin uç kısımlarından hava kaçtığını tespit ederseniz maskenin yüzünüzdeki konumunu değiştirin, burun klipsini yeniden düzenleyin veya tutuş sağlayan lastiklerin gerginliğini ayarlayın. Hiçbir kaçak olmaya kadar bu süreci tekrarlayın.



11 Lojistik



Tekli paket

Özellikler:

Miktar: 1 ad./paket
 Boyut: 130 x 205 mm
 Ağırlık: 12 g

SKU: MASK-ST-00013.0001



10'lu kutu

Özellikler:

Miktar: 10 adet (tekli paketlerde)/kutu
 Boyut: 131 x 210 x 45 mm
 Ağırlık: 153 g

SKU: MASK-ST-00009.0010



50'li kutu

Özellikler:

Miktar: 50 adet (tekli paketlerde)/kutu
 Boyut: 210 x 200 x 131 mm
 Ağırlık: 610 g

SKU: MASK-ST-00013.0050



Konfigürasyon Q2'2021 formatında mevcuttur

Master Karton (10)

Özellikler:

Miktar: 60 paket/kutu

Toplam miktar: 600 adet

Boyut: 485 x 415 x 444 mm

Ağırlık: 10,2 kg



18436592290311

Master Karton (50)

Özellikler:

Miktar: 12 paket/kutu

Toplam miktar: 600 adet

Boyut: 620 x 545 x 234 cm

Ağırlık: 8,4 kg



18436592290106



Sipariş anındaki uygunluğa bağlı olarak bir veya diğer türlü kutu formatında teslim edilebilir

12 Ekler

12.1 Ek 1: Uygunluk Beyanı	14
12.2 Ek 2: AB Tip (B) İnceleme ve Uygunluk Belgesi (C2)	15
12.3 Ek 3: Test Raporları EN 14683 (IIR tipi)	17
12.4 Ek 4: FSC Belgesi (karton malzemeden ürün paketi)	22
12.5 Ek 5: Soya bazlı bitkisel boya kullanımı belgesi	23
12.6 Ek 6: Biyolojik olarak tamamen çözünebilen tekli paket belgesi	26
12.7 Ek 7: Ulusal İş Güvenliği ve Koruyucu Ekipman Merkezi Doğrulama Raporu	28

12.1 Ek 1: Uygunluk Beyanı

Building A, Wanli Industrial Co., Ltd., Dalongkeng, Ganpo, Zhenlong Town, Huiyang District, Huizhou City, Guangdong Province, Çin'de bulunan **Huizhou Hengda Innovation Communication Equipment Co., Ltd.**, adı Üreticinin tüm sorumluluğu altında düzenlenen mevcut Uygunluk Beyanı,

BELGE

Aşağıdaki bireysel koruma ekipmanı (EPI):

Model: MSH

Ürün açıklaması: FFP2 Filtreli masko

Ek 2'de belirtilen özel sağlık ve güvenlik temel şartları dahil olmak üzere, aşağıdaki Avrupa ile uygunluk mevzuatlarının gerektirdiği ulusal yönetmeliklerle ilgili ve bireysel koruma ekipmanları hakkındaki 9 Mart 2016 tarihli (AB) 2016/425 sayılı yönetmelik gerekliliklerini karşılamaktadır:

EN 149:2001+A1:2009

Benzer şekilde mevcut model, aşağıda sayısı belirtilen belgede adı geçen AB Tip İncelemeye [(AB) 2016/425 sayılı Yönetmeliğin B modülü] tabi EPI (Bireysel koruma ekipmanı) ile aynıdır:

CE 2163-PPE-707 (Yayın tarihi: 05/06/2020)

Düzenleyen:

Universal Certification and Surveillance Service Trade Ltd. Co. (NB 2163)

Necip Fazil Bulvarı Keyap Sitesi E2 Blok NO: 44/84 Yukarı Dudullu

Ümraniye-Istanbul

Turkey

Belirtilen model, Universal Certification and Surveillance Services Trade Co. adı bildirilen kuruluşun denetimi altında (AB) 2016/425 sayılı yönetmelik uyarınca, ürünün dahil denetimine ek olarak rastgele aralıklarla gerçekleştirilecek gözetimli kontrole (Modül C2) bağlı olarak uygunluk türü değerlendirme prosedürüne tabidir. (NB 2163)

İmzalayan tarafa:

İmza:

İsmi:

Görevi:

Yer ve tarih:


Loca Ben
Director of supply chain
Shenzhen, 05/11/2020

12.2 Ek 2: AB Tip (B) İnceleme ve Uygunluk Belgesi (C2)

UNIVERSAL



UNIVERSAL
CERTIFICATION
NB 2163

EU TYPE EXAMINATION CERTIFICATE

Certificate No: 2163-PPE-707

Respiratory protective devices, filtering half masks to protect against particles manufactured by
Huizhou Hengda Innovation Communication Equipment Co., Ltd.
 Building A, Wanli Industrial Co., Ltd., Dalongkeng, Ganpo, Zhenlong Town, Huiyang District,
 Huizhou City, Guangdong Province, China

are tested and evaluated according to

**EN 149:2001 + A1:2009 Respiratory Protective Devices -
 Filtering Half Masks to Protect Against Particles -
 Requirements, Testing, Marking**

Based on the type examination conducted with the evaluation of test reports, technical file
 according to Personal Protective Equipment Regulation (EU) 2016/425 Annex 5, it is approved
 that the product meets the requirements of the regulation.

Product Definition
Brand Name: KSA **Model:** MSH
 Filtering half mask
Classification: FFP2 NR

Here by the manufacturer is allowed to use notified body number (2163) and can fix CE mark, as
 shown below, on the Category III product models given above, with;

- Issuing an appropriate EU Declaration of Conformity according to **Personal Protective Equipment Regulation (EU) 2016/425 Annex 9.**
- Ongoing successful performance in fulfilment of the requirements set out in Personal Protective Equipment Regulation (EU) 2016/425 and harmonised standards, ensured by assessments based on **Annex 7 (Module C2) or Annex 8 (Module D)** of the regulation no later than 1 year from the beginning of serial production

This certificate is initially issued on **04/06/2020** and will be valid for 5 years, if there is no
 change in the relevant harmonised standard affecting the essential health and safety
 requirements.



2163



Suat KACMAZ
UNIVERSAL CERTIFICATION
 Director

Verify the validity with the QR code



Necip Fazıl Bulvarı Keyap Sitesi E2 Blok No:44/84 Yukarı Dudullu Ümraniye - İSTANBUL - TURKEY T:+90 216 455 80 80

UNIVERSALCERT.COM

UNIVERSAL



UNIVERSAL
CERTIFICATION

NB 2163

EU TYPE EXAMINATION CERTIFICATE

Certificate No: 2163-PPE-707

Respiratory protective devices, filtering half masks to protect against particles manufactured by
Huizhou Hengda Innovation Communication Equipment Co., Ltd.
 Building A, Wanli Industrial Co., Ltd., Dalongkeng, Ganpo, Zhenlong Town, Huiyang District,
 Huizhou City, Guangdong Province, China

are tested and evaluated according to

**EN 149:2001 + A1:2009 Respiratory Protective Devices -
 Filtering Half Masks to Protect Against Particles -
 Requirements, Testing, Marking**

Based on the type examination conducted with the evaluation of test reports, technical file
 according to Personal Protective Equipment Regulation (EU) 2016/425 Annex 5, it is approved
 that the product meets the requirements of the regulation.

Product Definition
Brand Name: KSA Model: MSH
 Filtering half mask
Classification: FFP2 NR

Here by the manufacturer is allowed to use notified body number (2163) and can fix CE mark, as
 shown below, on the Category III product models given above, with;

- Issuing an appropriate EU Declaration of Conformity according to **Personal Protective Equipment Regulation (EU) 2016/425 Annex 9.**
- Ongoing successful performance in fulfilment of the requirements set out in **Personal Protective Equipment Regulation (EU) 2016/425** and harmonised standards, ensured by assessments based on **Annex 7 (Module C2) or Annex 8 (Module D)** of the regulation no later than 1 year from the beginning of serial production

This certificate is initially issued on **04/06/2020** and will be valid for 5 years, if there is no
 change in the relevant harmonised standard affecting the essential health and safety
 requirements.



2163



Suat KACMAZ
UNIVERSAL CERTIFICATION
 Director


Verify the validity with the QR code



Necip Fazıl Bulvarı Keyap Sitesi E2 Blok No:44/84 Yakar Dudullu Ümraniye - İSTANBUL - TURKEY T:+90 216 455 80 80

UNIVERSALCERT.COM

12.3 Ek 3: Test Raporları EN 14683 (IIR tipi)



intertek
Total Quality. Assured.

Page 1 of 6

TEST REPORT NUMBER: PRTT00077512

APPLICANT: STARTIC INNOVACION, S.A.
CALLE CASTILLA, No. 18
MADRID, SPAIN
28039

DATE OF EMISSION: 16/09/2020

SAMPLE DESCRIPTION: Type Mask : Medical Face / Type IIR
Reference : Star Care FFP2 NR Mod. MSH
Supplier : Startic Innovacion, S.A.
1 - Medical Face

DATE OF RECEPTION: 01/09/2020

TEST PERFORMED BETWEEN DATES: 01/09/2020 and 16/09/2020

WORK DAYS: 12


REQUEST: Tests performed in accordance with APPLICANT TEST REQUIREMENTS specification


NOTES:

Samples

Test	1
*‡ BFE (FILTRATION)	M
*‡ DIFFERENCIAL PRESSURE (BREATHABILITY)	M
*‡ MICROBIAL CLEANLINESS/BIOBURDEN	M
*‡ SPLASH RESISTANCE PRESSURE	M

M = Meet buyer's requirement; NM = does not meet buyer's requirement; NR = Not requested; NA = Not applicable; NC = No comment; SC = Still continues
 - Test results relate only to submitted items. The report shall not be reproduced except in full, without the written approval of Intertek Portugal.
 - Tests marked by (*) are not included in the scope of IPAC accreditation for this Laboratory.
 - Tests marked by (‡) have been sub-contracted by Intertek Portugal to an accredited laboratory.
 - Tests marked by (*‡) are not included in the scope of IPAC Accreditation and have been sub-contracted by Intertek Portugal.
 Consult our terms and conditions on <http://www.intertek.pt/termos-e-condicoes/>.


 Textiles Laboratory Manager
 ana.morgado@intertek.com

 Total Quality. Assured.	
TEST REPORT NUMBER:	PRTT00077512 Page 2 of 6
Test Method	Results Requirements
*# BFE (FILTRATION)	
EN 14683:2019+AC 2019	
Sample:	1 Type IIR >= 98%
RESULT	
98.1%	
Test Conditions:	
Temperature: 21±5°C Humidity: 85±5%	
Dimensions of the test specimens: 49cm ² (5 test specimens)	
Side of the test specimen facing the challenge aerosol: intern	
Air flow rate: 28.3 l/min.	
MPS 2.9	
Test specimen 1 (98.2%), Test specimen 2 (98.3%), Test specimen 3 (97.7%), Test specimen 4 (98.3%), Test specimen 5 (98.0%).	
The expanded uncertainty at a confidence level of 95%, k=2: 1.8%	
*# DIFFERENTIAL PRESSURE (BREATHABILITY)	
EN 14683:2019+AC 2019	
Sample:	1 Type IIR <60 Pa/cm²
RESULT	
47.3 Pa/cm ²	
Test Conditions:	
Temperature: 21±5°C Humidity: 85±5%	
Number and general location of the areas of the mask the differential measurements were taken: Test performed with the direction of flow from the inside to the outside. Side and central location.	
Air flow rate: 8L/min	
Dimensions of the test specimens: 4.9cm ² (5 test specimens)	
Test specimen 1 (46.9 Pa/cm ²), Test specimen 2 (48.0 Pa/cm ²), Test specimen 3 (46.9 Pa/cm ²), Test specimen 4 (46.9 Pa/cm ²), Test specimen 5 (48.0 Pa/cm ²)	
The expanded uncertainty at a confidence level of 95%, k=2: 8.7%	



TEST REPORT NUMBER: PRTT00077512

Page 4 of 6

Sample: 1

Type IIR +/- 16.0 kPa

RESULT

Medium pressure test for 29 out of 32 samples as minimum, corresponding to AQL 4%, according EN 14683: 2019 mask Type IIR)

Sample Medium Pressure 16.0 Kpa

Sample	Medium Pressure 16.0 Kpa
Amoet1	Pass
Amoet2	Pass
Amoet3	Pass
Amoet4	Pass
Amoet5	Pass
Amoet6	Pass
Amoet7	Pass
Amoet8	Pass
Amoet9	Pass
Amoet10	Pass
Amoet11	Pass
Amoet12	Pass
Amoet13	Pass
Amoet14	Pass
Amoet15	Pass
Amoet16	Pass
Amoet17	Pass
Amoet18	Pass
Amoet19	Pass
Amoet20	Pass
Amoet21	Pass
Amoet22	Pass
Amoet23	Pass
Amoet24	Pass
Amoet25	Pass
Amoet26	Pass
Amoet27	Pass
Amoet28	Pass
Amoet29	Pass

INTERTEK PORTUGAL UNIPessoAL, LDA.

Rua Antero de Quental, 221- sala 102, 4455-586 Perafita - Matosinhos
 Tel. (+351) 22 999 80 80 - Fax (+351) 22 999 80 81



TEST REPORT NUMBER: PRTT00077512

Page 5 of 6

Sample: 1

Type IIR \geq 16.0 kPa

RESULT

Amot30	Pass
Amot31	Pass
Amot32	Pass

INTERTEK PORTUGAL UNIPESSOAL, LDA.

Rua Antero de Quental, 221- sala 102, 4455-586 Perafita - Matosinhos
Tel. (+351) 22 999 80 80 - Fax (+351) 22 999 80 81



TEST REPORT NUMBER: PRTT00077512


Page 6 of 6




INTERTEK PORTUGAL UNIPESSOAL, LDA.

Rua Antero de Quental, 221- sala 102, 4455-586 Perafita - Matosinhos
 Tel. (+351) 22 999 80 80 - Fax (+351) 22 999 80 81

12.4 Ek 4: FSC Belgesi (karton malzemedен ürün paketi)



12.5 Ek 5: Soya bazlı bitkisel boya kullanımı belgesi



ASA
American Soybean
Association®

SOYINK LICENSE AGREEMENT

This agreement is made as of this 2nd day of January, 2020, by the **American Soybean Association ("ASA")** and Maoming Sakata Ink Co., Ltd. ("Licensee"), located at 12th sub-district, Nanhai eastern area, Dianbai district, Maoming City, Guangdong, China

ASA is the owner of the "Printed with Soy Ink" certification mark (the "SoySeal") and has established minimum standards for use of the SoySeal.

Licensee is applying to ASA for the right to use the SoySeal on materials printed with ink containing soybean oil/soy protein.

The parties hereto agree as follows:

1. MINIMUM STANDARDS. The SoySeal may be used by Licensee only on products meeting or exceeding the following established standards.

Soybean oil* as a percentage of total formula weight

TYPE OF INK	*% SOY OIL CONTENT
Black news ink	40
Color news ink	30
Cold-set ink	30
Carbon ink	25
Screen printing ink	25
Sheet-fed ink	20
Business forms ink	20
Metallic ink	10
Desensitizing ink	10
Heat-set ink	7
UV/EB ink	7
Stencil duplicator ink	6

*Soybean oil must be the predominant vegetable oil, with vegetable drying oils added as needed, but not to exceed the level of soybean oil set out in the respective formulation. Alcohol esters of soybean oil may be substituted directly for soybean oil in news, sheet-fed, cold-set and business forms inks to obtain the minimum concentration standard. The minimum soybean oil concentration for heat-set inks increased to 15% (by weight) when alcohol esters of soybean oil replace soybean oil in this formulation.

Flexographic ink: This vehicle must contain a minimum of 20% soy protein; (water based) a minimum of 15% of the vehicle must be included in the ink.

- II. **GRANT.** ASA hereby grants to Licensee a non-exclusive right to use the SoySeal on Licensees' publications, labels, packages and other promotional and merchandising material, subject to the requirements of this Agreement. If the Licensee has more than one office or satellite location, each location will be required to have its own agreement.
- III. **ROYALTIES.** For and in consideration of the mutual promises herein, the Licensee shall pay ASA the sum of Three Hundred Fifty Dollars (\$350) per year, payable on or before January 1.
The royalty will be adjusted based on the quarter in which the agreement is executed.

January - March	April - June	July - September	October - December
100% or \$350	75% or \$262.50	50% or \$175	25% - \$87.50

- IV. **DESCRIPTION AND USE.** ASA shall provide artwork of the SoySeal mark upon payment of the annual royalty. The SoySeal mark is to be clearly and distinctly affixed to product labels and packages to provide ready recognition that the ink contains soybean oil/soybean protein. The Licensee agrees to use the SoySeal mark in accordance with the standards for use of the SoySeal, as established in Item I.

The Licensee herein agrees that it shall use the trademark registered notice where the SoySeal mark is most prominently displayed upon a label, the product, in advertising, and the like, by applying the symbol '®' to the mark where it is most prominently displayed.



- V. **TERMINATION OF CONTRACT.** Licensee is to cease using the SoySeal upon written notice by ASA in the event, in ASA's sole judgment based on analytical findings, the ink does not meet the minimum standards as defined on Page 1 of this Agreement, or is not complying with the other terms and conditions of this agreement.
- VI. **INDEMNIFICATION.** Licensee shall indemnify and hold harmless ASA's officers, directors, agents and assigns from and against all claims, actions, damages, expenses (including, but without limitation, reasonable attorney's fees) and liability whatsoever, arising out of or in conjunction with any breach of this Agreement by Licensee.
- VII. **ASSIGNMENT/SUBLICENSING RESTRICTION.** The right to use the SoySeal herein may not be assigned or sublicensed without prior written consent of ASA.
- VIII. **COMPLIANCE/AUTHORIZATION.** A sample of the packaging and a description of the ink (by brand name and type of formulation) that is to be certified must be supplied if requested by ASA.

Licensee also agrees to provide a description of all products/printed materials on which the SoySeal is being applied. Licensee is authorized to use the SoySeal on the following:

- Product/Publication C Recopure/Sheet-fed ink
- Product/Publication Web C Master/Cold-set ink Web C Master/Hot-set ink
- Product/Publication Breacure/UV ink

Please attach a separate sheet for any additional product/publication descriptions.



AMERICAN SOYBEAN ASSOCIATION	LICENSEE
 Signature	YUANYUN ZHOU
2-13-20 Date	Name - Please Print
	YUANYUN ZHOU
	Signature
	Quality Assurance Director
	Title
	(0086) 0668-2089301
	Phone Number
	(0085) 0668-2689666
	Fax Number
	zhouyuanyun@isa-usa.com
	Email
	January, 02, 2020
	Date

Please forward the signed user agreement to:

Farris Haley
American Soybean Association
12125 Woodcrest Executive Drive, Suite 100
St. Louis, MO 63141
Phone : 1.800.688.7692
Fax: 314.754.1284 or 314.576.2786
Email: fhaley@soy.org

V.04/0909

12.6 Ek 6: Biyolojik olarak tamamen çözünebilir tekli paket belgesi

CERTIFICATE
for Products

THIS IS TO CERTIFY that the following PRODUCTS have been found to comply with the specifications established in the American Society for Testing and Materials standard ASTM D6400 and/or D6868 in accordance with the terms and conditions of the "International Biodegradable Products Institute, Inc. Licensing & Certification Program for Compostable Products":

- Colored Ziplock Bag 1800 Microns [20180807-01]

as further described in the application and related information submitted to the Biodegradable Products Institute by Dongguan Xinhai Environment-Friendly Materials Co., Ltd. Corporation, (the "Licensee") a corporation of China.

Specific products associated with these certifications can be found on the BPI Product Catalog: <https://products.bpiworld.org/companies/dongguan-xinhai-environment-friendly-materials-co-ltd>

This Certificate authorizes the Licensee to use the Certification Program Logo depicted below in relation to such Product , subject to all conditions and terms of the Program Rules and the License Agreement between the Biodegradable Products Institute and the Licensee.



COMPOSTABLE
BPI

COMMERCIALY
COMPOSTABLE ONLY.
FACILITIES MAY NOT
EXIST IN YOUR AREA.
CERT #7719318

By: 
BPI Executive Director

Valid until: March 31, 2022
Certificate #: 7719318-5

Products on this Certificate:

The following item numbers (SKUs) are certified under this document. Only these items are published on the BPI's web-based products catalogs.

The licensee shall inform BPI immediately for any new products or discontinued products. These products were certified under product review 20180807-01 and must be recertified by the BPI on or before March 03, 2022

Brand	Manufacturer SKU	Title
XHBIO	XH-ZB	Colored Ziplock Bag



12.7 Ek 7: Ulusal İş Güvenliği ve Koruyucu Ekipman Merkezi Doğrulama Raporu



MINISTERIO
DE TRABAJO
Y ECONOMÍA SOCIAL

SECRETARÍA DE ESTADO DE
EMPLEO Y ECONOMÍA SOCIAL

INSTITUTO NACIONAL DE
SEGURIDAD Y SALUD
EN EL TRABAJO, O.A. M.P.

CENTRO NACIONAL DE
MEDIOS DE PROTECCIÓN

21336920
Página 1 de 3

Informe de ensayo, referido a la mascarilla autofiltrante (media máscara filtrante) frente a partículas, Mascarilla FFP2,

Este informe, que consta de tres páginas numeradas y selladas, sólo puede ser reproducido en su totalidad. En cualquier otro caso deberá mediar la autorización escrita de la Directora del Centro Nacional de Medios de Protección. La información detallada relativa a los ensayos realizados está a disposición del cliente, previa solicitud por escrito.

1. Antecedentes.

Con fecha 30 de julio de 2020 y con número de registro de entrada (NRE) 03687 se recibió en el Centro Nacional de Medios de Protección (CNMP) solicitud formal de ensayos de la mascarilla autofiltrante (media máscara filtrante) frente a partículas Mascarilla FFP2.

2. Objeto.

Describir los resultados de los siguientes ensayos:

- Penetración con aerosol de NaCl (en estado de recepción)

realizados a las muestras recibidas cuya clasificación es FFP2 indicada por el solicitante, conforme a lo establecido en las normas:

UNE-EN 149:2001+A1:2010 "Dispositivos de protección respiratoria. Medias máscaras filtrantes de protección contra partículas. Requisitos, ensayos, marcado".

UNE- EN 13274-7:2008 "Equipos de protección respiratoria. Métodos de ensayo. Parte 7: Determinación de la penetración de los filtros de partículas".

3. Muestras.

3.1. Recepción.

Nº muestras	Fecha entrada CNMP	Códigos de identificación
3	29.07.2020 / 1034	del 36920-01 al 36920-3

3.2. Descripción.

Esta descripción se realiza basándose en una inspección visual (véanse fotografías).

Son mascarillas autofiltrantes o medias máscaras filtrantes, plegadas, sin válvula de exhalación. Disponen de clip nasal. El arnés de cabeza consiste en cintas elásticas que pasan por las orejas.

CORREO ELECTRÓNICO

cnmp@insst.mtramiss.es



Los ensayos marcados (*) no están amparados por la acreditación ENAC



CARABELA LA NIÑA, 16
41007 SEVILLA
TEL: 95 451 41 11
FAX: 95 467 27 97
Código DIR3: EA0041505



Centro Nacional de Medios de Protección

Informe 21336920

Página 2 de 3

Las muestras se presentan en bolsa de plástico de 1 ud.

Marcado

En el lateral izquierdo indica Star Care CE 2163 EN 149:2001+A1:2009 FFP2 NR MSH

Fotografías



4. Ensayos.

Los ensayos fueron realizados según lo indicado en la siguiente tabla.

Ensayo (UNE-EN 149:2001+A1:2010)	Procedimiento	Fecha de realización
Penetración con aerosol de NaCl en estado de recepción 8.11 (y UNE-EN 13274-7:2008)	MPE-2221	25-08-20



MINISTERIO DE TRABAJO Y ECONOMÍA SOCIAL

INSTITUTO NACIONAL DE SEGURIDAD Y SALUD EN EL TRABAJO I.N.S.T.T. I.N.S.S.T.
CENTRO NACIONAL DE MEDIOS DE PROTECCIÓN



Centro Nacional de Medios de Protección



Informe 21336920 Página 3 de 3

5. Resultados y conformidad.

A continuación se muestran los resultados obtenidos de los ensayos y determinaciones realizados, que sólo son válidos para las muestras ensayadas.

Ensayo	Especificación (UNE-EN 149:2001+A1:2010)	Resultado	Conclusión ⁽¹⁾
Penetración del material filtrante frente a aerosol de NaCl en estado de recepción (Penetración después de 3,5 minutos)	7.1, 7.2, 7.9.2	(%) 1,025 ± 0,002	Cumple FFP2
	Penetración del material filtrante	0,963 ± 0,002	
	Clasificación FFP2 ≤ 6 %	0,564 ± 0,002	

(1) La clasificación final de una mascarilla tipo FFP según UNE-EN 149 viene determinada por los resultados de un conjunto de ensayos y no sólo por el aquí reflejado.

Sevilla, a 03 de septiembre de 2020



Mª Angeles Serra de Torres
Técnico Superior de Prevención
Unidad Técnica Protección Respiratoria



MINISTERIO DE TRABAJO Y ECONOMÍA SOCIAL

INSTITUTO NACIONAL DE SEGURIDAD Y SALUD EN EL TRABAJO, I.N.S.T.T.

CENTRO NACIONAL DE MEDIOS DE PROTECCIÓN